

Appendix A – MM Data

General Methodology to Calculate Charges

Before starting MM calculations, the atoms in the molecule had to be assigned charges. In the Setup menu Semi-empirical was selected. Under the Options tab, the total charge was set to 0, the charge of the free ligand. The spin multiplicity was set to zero. The Restricted Hartree-Fock method (RHF) was selected for spin pairing. The lowest state was selected and the convergence limit was set to 0.0001 kcal mol⁻¹ or an iteration limit of 500 was selected in the SCF Controls section. The convergence was accelerated. Once all of these parameters had been set, a single point calculation was performed by selecting Single Point from the Compute menu. The resultant molecule was saved.

To view the charges on each molecule, Labels was selected from the Display menu. In the dialog box, Charges was selected for Atom.

General Methodology to Perform MM Calculations

In order for the MM calculations to be performed, one had to set the MM settings in HyperChem. This was done by selecting the Setup Menu and selecting the AMBER option. In the adjoining Options tab, the dielectric constant, *K*, was set to 76 (the dielectric constant of water), and both the Electrostatic and van der Waals 1-4 scale factors were set to 0.5. These two scaling factors set the scaling of the nonbonded interactions of the atoms that are separated by three atoms. This is the default setting for AMBER. This ensures that the energy is not dominated by van der Waals and electrostatic terms but rather by bond lengths and angles. Under the Cutoffs tab, None was selected. The tabs were then closed. From the Setup menu, Select Parameter Set was selected. In the window that opened WitsGAFF was selected and the window closed. From the Setup menu, Compile Parameter Set was then selected.

Once all of these parameters had been set, the atom types for each of the atoms in the molecule were selected according to the specifications given by Kollman and his

colleagues.⁶ This was done by selecting Atom Type in the Build menu. Once all atom types had been assigned, one could view the types by selecting Labels from the Display menu. In the dialog box, Type was selected for Atom.

Once the desired dielectric constant had been set, the molecule was submitted for a MM geometry optimisation. Under the Compute menu Geometry Optimization was selected. The algorithm used was the Polak-Ribiere (Conjugate gradient). The system was set to be in vacuo, and the termination conditions were set to a root-mean-square, RMS, gradient of less than 0.001 kcal/(Å mol) or at least 5000 cycles. This large number of cycles ensured that the first termination condition was reached first. The window was then closed by selecting OK. This started the calculation.

General Methodology to Perform Simulated Annealing

This method added energy to the system in the form of heat so that the different energy barriers between the different structural isomers could be overcome. This was done by setting the parameters for the simulated annealing in the molecular dynamics menu. This was to be found under Compute. The simulated annealing process was built up in the following manner: the simulation started at a temperature of 0 K and was heated to 800 K over 10 ps. The molecule was then kept at a constant temperature of 800 K for different run times of between 5 and 100 ps, in 5 ps intervals. The molecule was then cooled to 0 K over a period of 20 ps. The step size was set as 1 fs or 0.001 ps. The resulting structures were then saved and MM calculations performed to find the total energy of the molecule.

Cy₂-en Data

Table A.1: Cy₂-en Data After Simulated Annealing

	C-C	C-N	C-O	C-C-C	C-C-N	C-C-O	C-N-C
XRD	Cy2-en_002						
	Average	1.518	1.475	1.427	111.1	110.6	109.8
	Std Dev	0.006	0.002	0.000	0.7	1.4	0.9
MM w ZINDO1	Cy2-en_004						

Appendix A

e = 76

Average	1.545	1.480	1.432	111.2	110.2	109.3	114.5
Std Dev	0.005	0.004	0.000	0.4	1.2	0.4	0.0
Annealing run time = 10 ps	Cy2-en_010						
Average	1.546	1.481	1.432	111.2	110.3	109.4	115.5
Std Dev	0.006	0.003	0.002	0.6	2.1	1.5	1.4
Annealing run time = 20 ps	Cy2-en_011						
Average	1.548	1.484	1.431	111.7	111.2	109.1	117.6
Std Dev	0.007	0.005	0.000	0.9	2.8	1.7	1.3
Annealing run time = 30 ps	Cy2-en_012						
Average	1.547	1.479	1.432	111.6	110.2	109.1	114.7
Std Dev	0.006	0.003	0.001	0.8	1.3	0.4	0.2
Annealing run time = 40 ps	Cy2-en_013						
Average	1.546	1.480	1.432	111.4	110.2	109.4	114.8
Std Dev	0.005	0.004	0.000	0.5	1.4	0.8	0.1
Annealing run time = 50 ps	Cy2-en_014						
Average	1.547	1.480	1.432	111.6	110.5	109.5	114.5
Std Dev	0.005	0.002	0.000	1.0	0.8	0.5	0.5
Annealing run time = 60 ps	Cy2-en_015						
Average	1.545	1.482	1.432	111.2	110.6	109.3	115.7
Std Dev	0.004	0.004	0.000	0.4	1.5	0.4	1.7
Annealing run time = 70 ps	Cy2-en_016						
Average	1.546	1.480	1.431	111.2	110.2	109.5	115.7
Std Dev	0.006	0.003	0.002	0.5	2.0	1.5	1.2
Annealing run time = 80 ps	Cy2-en_017						
Average	1.548	1.482	1.432	111.8	110.7	109.4	115.6
Std Dev	0.005	0.003	0.000	0.8	1.5	0.4	1.1
Annealing run time = 90 ps	Cy2-en_018						
Average	1.545	1.482	1.432	111.1	111.0	109.4	115.7
Std Dev	0.004	0.003	0.001	0.3	1.2	0.8	1.1
Annealing	Cy2-en_019						

Appendix A

run time = 100 ps								
	Average	1.545	1.482	1.432	111.2	110.7	109.2	115.4
	Std Dev	0.004	0.003	0.000	0.3	1.6	0.3	1.6
Annealing Cy2-en_020								
run time = 5 ps								
	Average	1.545	1.480	1.432	111.2	110.0	109.4	115.5
	Std Dev	0.006	0.004	0.002	0.6	2.1	1.5	1.4
Annealing Cy2-en_021								
run time = 15 ps								
	Average	1.546	1.484	1.432	111.1	111.3	109.6	116.6
	Std Dev	0.004	0.004	0.001	0.4	1.6	0.5	0.3
Annealing Cy2-en_022								
run time = 25 ps								
	Average	1.545	1.482	1.432	111.1	111.0	109.4	115.8
	Std Dev	0.005	0.003	0.000	0.3	1.3	0.7	1.2
Annealing Cy2-en_023								
run time = 35 ps								
	Average	1.546	1.482	1.432	111.3	110.9	109.6	115.7
	Std Dev	0.005	0.005	0.001	0.5	1.8	0.3	1.3
Annealing Cy2-en_024								
run time = 45 ps								
	Average	1.547	1.482	1.432	111.3	111.1	109.6	115.7
	Std Dev	0.005	0.003	0.000	0.5	1.7	0.7	1.3
Annealing Cy2-en_025								
run time = 55 ps								
	Average	1.545	1.482	1.432	111.1	110.8	109.6	115.5
	Std Dev	0.005	0.004	0.000	0.4	1.5	0.6	1.4
Annealing Cy2-en_026								
run time = 65 ps								
	Average	1.546	1.480	1.432	111.4	110.4	109.4	114.9
	Std Dev	0.005	0.002	0.000	0.5	1.2	0.3	0.1
Annealing Cy2-en_027								
run time = 75 ps								
	Average	1.547	1.480	1.432	111.6	110.4	109.7	115.2
	Std Dev	0.005	0.003	0.000	0.5	1.6	0.2	0.0
Annealing Cy2-en_028								
run time = 85 ps								
	Average	1.546	1.481	1.432	111.4	110.4	109.4	114.9
	Std Dev	0.005	0.002	0.000	0.5	1.3	0.4	0.2
Annealing Cy2-en_029								

Appendix A

run time = 95 ps

Average	1.548	1.483	1.432	111.7	110.8	109.2	116.6
Std Dev	0.007	0.005	0.002	0.9	2.9	1.6	2.5
Comparisons	002 - 004						
Average	0.027	0.005	0.004	0.0	0.4	0.5	0.8
Std Dev	0.001	0.002	0.000	0.3	0.2	0.4	0.0
Comparisons	002 - 010						
Average	0.028	0.006	0.004	0.1	0.3	0.4	1.8
Std Dev	0.000	0.001	0.002	0.2	0.7	0.6	1.4
Comparisons	002 - 011						
Average	0.030	0.009	0.004	0.5	0.6	0.8	3.9
Std Dev	0.001	0.003	0.000	0.2	1.4	0.9	1.3
Comparisons	002 - 012						
Average	0.029	0.005	0.005	0.5	0.4	0.7	1.0
Std Dev	0.001	0.002	0.000	0.1	0.1	0.5	0.1
Comparisons	002 - 013						
Average	0.028	0.005	0.005	0.3	0.3	0.4	1.0
Std Dev	0.000	0.002	0.000	0.2	0.1	0.1	0.1
Comparisons	002 - 014						
Average	0.029	0.005	0.005	0.5	0.1	0.3	0.8
Std Dev	0.000	0.001	0.000	0.2	0.7	0.3	0.5
Comparisons	002 - 015						
Average	0.027	0.007	0.004	0.0	0.0	0.5	2.0
Std Dev	0.001	0.002	0.000	0.3	0.1	0.4	1.7
Comparisons	002 - 016						
Average	0.028	0.006	0.004	0.1	0.3	0.3	2.0
Std Dev	0.000	0.001	0.002	0.2	0.6	0.6	1.1
Comparisons	002 - 017						
Average	0.030	0.007	0.005	0.6	0.1	0.4	1.9
Std Dev	0.000	0.002	0.000	0.1	0.1	0.5	1.1
Comparisons	002 - 018						
Average	0.028	0.007	0.004	0.1	0.4	0.4	2.0
Std Dev	0.001	0.002	0.000	0.4	0.2	0.1	1.1
Comparisons	002 - 019						
Average	0.027	0.007	0.005	0.1	0.2	0.6	1.7
Std Dev	0.002	0.002	0.000	0.4	0.1	0.5	1.6
Comparisons	002 - 020						
Average	0.027	0.005	0.004	0.1	0.6	0.4	1.8

Appendix A

	Std Dev	0.000	0.002	0.002	0.2	0.7	0.6	1.4
Comparisons	002 - 021							
	Average	0.028	0.009	0.005	0.0	0.7	0.2	2.9
	Std Dev	0.002	0.002	0.001	0.3	0.1	0.3	0.3
Comparisons	002 - 022							
	Average	0.028	0.007	0.004	0.0	0.4	0.4	2.0
	Std Dev	0.001	0.002	0.000	0.4	0.1	0.1	1.2
Comparisons	002 - 023							
	Average	0.029	0.007	0.004	0.2	0.3	0.2	2.0
	Std Dev	0.001	0.003	0.001	0.2	0.4	0.6	1.2
Comparisons	002 - 024							
	Average	0.029	0.007	0.005	0.2	0.5	0.2	2.0
	Std Dev	0.001	0.002	0.000	0.2	0.3	0.2	1.2
Comparisons	002 - 025							
	Average	0.028	0.007	0.005	0.0	0.2	0.2	1.8
	Std Dev	0.001	0.003	0.000	0.4	0.1	0.3	1.3
Comparisons	002 - 026							
	Average	0.028	0.005	0.005	0.3	0.2	0.4	1.2
	Std Dev	0.001	0.001	0.000	0.2	0.3	0.5	0.0
Comparisons	002 - 027							
	Average	0.029	0.005	0.005	0.5	0.2	0.1	1.5
	Std Dev	0.001	0.001	0.000	0.2	0.2	0.6	0.0
Comparisons	002 - 028							
	Average	0.028	0.006	0.005	0.3	0.2	0.4	1.2
	Std Dev	0.001	0.001	0.000	0.2	0.1	0.5	0.2
Comparisons	002 - 029							
	Average	0.030	0.008	0.005	0.6	0.2	0.6	2.9
	Std Dev	0.001	0.003	0.002	0.2	1.4	0.8	2.5

Cy₂-Otn Data

Table A.2: Charges on Cy₂-Otn Calculated by Semi-empirical Methods Using PM3 and ZINDO/1

Atom	PM3 charge	ZINDO/1 charge
Secondary amine nitrogen, NH	-0.019	-0.324
Secondary amine nitrogen, NH	-0.008	-0.319
Alcohol group on ring, OH	-0.305	-0.398
Alcohol group on ring, OH	-0.309	-0.403
Alcohol group on propylene bridge, OH	-0.313	-0.397
Carbon on propylene bridge bonded to amine, CH ₂	-0.122	-0.008

Carbon on propylene bridge bonded to amine, CH ₂	-0.096	0.004
Carbon on ring bonded to amine, CH	-0.109	0.076
Carbon on ring bonded to amine, CH	-0.106	0.074
Carbon on ring bonded to alcohol, CH	0.079	0.152
Carbon on ring bonded to alcohol, CH	0.073	0.145
Carbon on propylene bridge bonded to alcohol, OH	0.075	0.144

Table A.3: Energies of Cy₂-Otn after Simulated Annealing Runs with Various Run Times Compared to the Energy of the XRD Structure

Run Time	Energy [kcal/mol]
XRD structure	19.563
5 ps	19.257
10 ps	25.740
15 ps	18.620
20 ps	19.735
25 ps	18.951
30 ps	18.763
35 ps	20.588
40 ps	20.141
45 ps	22.103
50 ps	20.107
55 ps	18.592
60 ps	30.107
65 ps	18.001
70 ps	18.816
75 ps	18.319
80 ps	24.677
85 ps	18.463
90 ps	18.213
95 ps	24.722
100 ps	20.332

Table A.4: Cy₂-Otn Data After Simulated Annealing

	C-C	C-N	C-O	C-C-C	C-C-O	C-C-N	C-N-C
XRD	Cy2Otn_001						
Average	1.513	1.463	1.425	111.0	110.6	110.7	113.4
Std Dev	0.007	0.007	0.005	0.8	1.6	1.1	1.7
ZINDO/1 geom	Cy2Otn_004						
Average	1.545	1.481	1.433	111.1	109.5	110.6	114.6
Std Dev	0.005	0.003	0.000	0.6	0.9	1.1	0.2
Annealing Run time = 5 ps	Cy2Otn_005						
Average	1.546	1.480	1.431	111.3	109.1	110.5	115.1
Std Dev	0.004	0.002	0.002	0.6	0.9	1.2	0.1
Annealing Run time = 10 ps	Cy2Otn_006						
Average	1.548	1.481	1.430	111.8	109.1	110.5	115.1
Std Dev	0.007	0.002	0.000	1.0	1.2	2.4	0.3
Annealing Run time = 15 ps	Cy2Otn_007						
Average	1.545	1.481	1.432	111.2	109.5	110.6	114.7
Std Dev	0.004	0.002	0.001	0.4	0.6	1.2	0.3
Annealing Run time = 20 ps	Cy2Otn_008						
Average	1.546	1.482	1.431	111.1	109.3	111.0	115.7
Std Dev	0.004	0.004	0.001	0.3	0.7	1.2	1.0
Annealing Run time = 25 ps	Cy2Otn_009						
Average	1.545	1.480	1.433	111.1	109.6	110.4	114.8
Std Dev	0.004	0.002	0.000	0.5	0.5	1.0	0.0
Annealing Run time = 30 ps	Cy2Otn_010						
Average	1.545	1.480	1.432	111.2	109.3	110.4	114.9
Std Dev	0.004	0.002	0.001	0.4	0.5	1.0	0.0
Annealing Run time = 35 ps	Cy2Otn_011						
Average	1.546	1.482	1.433	111.3	110.0	111.8	115.8
Std Dev	0.004	0.002	0.001	0.6	1.3	1.5	1.4

Appendix A

Annealing	Cy2Otn_012						
Run time = 40 ps							
Average	1.546	1.483	1.432	111.1	109.5	111.3	115.6
Std Dev	0.004	0.003	0.001	0.4	0.8	1.1	1.2
Annealing	Cy2Otn_013						
Run time = 45 ps							
Average	1.546	1.482	1.431	111.1	109.5	111.0	116.5
Std Dev	0.005	0.004	0.001	0.5	1.4	2.2	0.0
Annealing	Cy2Otn_014						
Run time = 50 ps							
Average	1.546	1.482	1.432	111.1	109.7	111.2	115.7
Std Dev	0.004	0.003	0.000	0.3	0.5	1.3	1.3
Annealing	Cy2Otn_015						
Run time = 55 ps							
Average	1.546	1.480	1.432	111.4	109.3	110.4	114.8
Std Dev	0.004	0.003	0.001	0.5	0.4	1.4	0.5
Annealing	Cy2Otn_016						
Run time = 60 ps							
Average	1.549	1.480	1.432	112.2	109.0	110.5	115.0
Std Dev	0.006	0.002	0.001	0.8	0.6	1.7	0.3
Annealing	Cy2Otn_017						
Run time = 65 ps							
Average	1.547	1.482	1.432	111.5	109.9	111.2	114.7
Std Dev	0.004	0.002	0.001	0.7	0.7	1.7	0.1
Annealing	Cy2Otn_018						
Run time = 70 ps							
Average	1.546	1.480	1.431	111.3	109.0	110.5	115.1
Std Dev	0.004	0.002	0.001	0.5	0.8	1.2	0.1
Annealing	Cy2Otn_019						
Run time = 75 ps							
Average	1.545	1.480	1.431	111.2	109.2	110.4	114.9
Std Dev	0.004	0.002	0.000	0.4	0.4	1.0	0.1
Annealing	Cy2Otn_020						
Run time = 80 ps							
Average	1.547	1.480	1.432	111.6	109.3	110.5	114.9
Std Dev	0.005	0.002	0.001	0.9	0.4	1.3	0.0
Annealing	Cy2Otn_021						
Run time = 85 ps							
Average	1.546	1.480	1.432	111.3	109.4	110.5	114.6
Std Dev	0.004	0.001	0.001	0.5	0.4	1.2	0.4

Appendix A

Annealing	Cy2Otn_022						
Run time = 90 ps							
Average	1.545	1.480	1.432	111.1	109.4	110.4	114.7
Std Dev	0.004	0.003	0.001	0.5	0.4	1.1	0.2
Annealing	Cy2Otn_023						
Run time = 95 ps							
Average	1.547	1.482	1.432	111.6	109.2	110.8	115.9
Std Dev	0.005	0.003	0.001	0.8	0.5	1.9	1.1
Annealing	Cy2Otn_024						
Run time = 100 ps							
Average	1.547	1.482	1.432	111.3	109.5	111.1	115.7
Std Dev	0.004	0.004	0.000	0.5	0.7	1.4	1.1
Comparisons	001 - 004						
Average	0.032	0.019	0.008	0.0	1.1	0.1	1.2
Std Dev	0.002	0.004	0.004	0.2	0.8	0.0	1.5
Comparisons	001 - 005						
Average	0.032	0.017	0.007	0.2	1.5	0.2	1.7
Std Dev	0.002	0.005	0.003	0.3	0.7	0.1	1.6
Comparisons	001 - 006						
Average	0.035	0.018	0.006	0.7	1.5	0.2	1.7
Std Dev	0.000	0.005	0.005	0.2	0.5	1.3	1.4
Comparisons	001 - 007						
Average	0.032	0.018	0.008	0.1	1.1	0.1	1.3
Std Dev	0.003	0.005	0.004	0.5	1.0	0.2	1.4
Comparisons	001 - 008						
Average	0.032	0.019	0.007	0.1	1.3	0.3	2.3
Std Dev	0.003	0.003	0.004	0.5	1.0	0.1	0.6
Comparisons	001 - 009						
Average	0.032	0.017	0.008	0.1	1.0	0.3	1.4
Std Dev	0.003	0.004	0.005	0.3	1.1	0.1	1.7
Comparisons	001 - 010						
Average	0.032	0.017	0.007	0.1	1.3	0.3	1.5
Std Dev	0.003	0.004	0.004	0.4	1.1	0.1	1.6
Comparisons	001 - 011						
Average	0.033	0.000	0.000	2.0	1.0	4.3	0.0
Std Dev	0.002	0.000	0.000	0.1	0.0	0.0	0.0
Comparisons	001 - 012						
Average	0.032	0.020	0.007	0.0	1.1	0.6	2.2
Std Dev	0.002	0.004	0.004	0.4	0.9	0.1	0.5

Appendix A

Comparisons	001 - 013						
Average	0.032	0.020	0.007	0.1	1.1	0.3	3.1
Std Dev	0.002	0.003	0.004	0.3	0.3	1.1	1.7
Comparisons	001 - 014						
Average	0.032	0.020	0.008	0.1	0.9	0.5	2.3
Std Dev	0.003	0.003	0.004	0.5	1.1	0.2	0.4
Comparisons	001 - 015						
Average	0.033	0.018	0.007	0.3	1.3	0.3	1.4
Std Dev	0.002	0.004	0.004	0.3	1.2	0.4	1.2
Comparisons	001 - 016						
Average	0.035	0.017	0.007	1.2	1.6	0.2	1.6
Std Dev	0.001	0.005	0.004	0.1	1.0	0.7	1.4
Comparisons	001 - 017						
Average	0.033	0.019	0.007	0.5	0.7	0.5	1.3
Std Dev	0.002	0.005	0.004	0.2	0.9	0.6	1.6
Comparisons	001 - 018						
Average	0.032	0.017	0.006	0.2	1.6	0.2	1.7
Std Dev	0.003	0.005	0.003	0.3	0.8	0.1	1.6
Comparisons	001 - 019						
Average	0.032	0.017	0.007	0.1	1.4	0.3	1.5
Std Dev	0.003	0.004	0.004	0.5	1.3	0.1	1.6
Comparisons	001 - 020						
Average	0.033	0.017	0.007	0.6	1.3	0.3	1.5
Std Dev	0.002	0.005	0.004	0.1	1.2	0.2	1.7
Comparisons	001 - 021						
Average	0.032	0.017	0.007	0.2	1.2	0.2	1.2
Std Dev	0.003	0.005	0.004	0.3	1.2	0.1	1.3
Comparisons	001 - 022						
Average	0.032	0.018	0.008	0.0	1.2	0.3	1.3
Std Dev	0.003	0.004	0.004	0.3	1.3	0.0	1.4
Comparisons	001 - 023						
Average	0.034	0.019	0.007	0.5	1.5	0.1	2.5
Std Dev	0.001	0.003	0.004	0.0	1.1	0.8	0.6
Comparisons	001 - 024						
Average	0.033	0.000	0.001	0.1	0.0	0.1	0.1
Std Dev	0.000	0.000	0.002	0.1	0.8	0.2	1.6

BHEEN DataTable A.5: Charges on BHEEN Calculated by Semi-empirical Methods Using PM3 and ZINDO/1

Atom	PM3 charge	ZINDO/1 charge
Secondary amine nitrogen, NH	0.844	-0.016
Secondary amine nitrogen, NH	0.788	-0.028
Alcohol group, OH	-0.294	-0.364
Alcohol group, OH	-0.274	-0.352
Carbon on ethylene bridge bonded to both amines, CH ₂	-0.247	-0.012
Carbon on ethylene bridge bonded to both amines, CH ₂	-0.212	-0.000
Carbon on ethylene bridge between alcohol and amine, bonded to amine, CH ₂	-0.244	-0.014
Carbon on ethylene bridge between alcohol and amine, bonded to amine, CH ₂	-0.240	-0.012
Carbon bonded to alcohol, CH ₂	0.084	0.081
Carbon bonded to alcohol, CH ₂	0.087	0.083

Table A.6: Energies of BHEEN after Simulated Annealing Runs with Various Run Times Compared to the Energy of the XRD Structure

Run Time	Energy [kcal/mol]
XRD structure	
5 ps	2.798
10 ps	2.334
15 ps	1.772
20 ps	1.007
25 ps	4.595
30 ps	4.380
35 ps	1.614
40 ps	1.716
45 ps	2.153
50 ps	2.531
55 ps	1.160
60 ps	1.007
65 ps	2.220
70 ps	1.805
75 ps	2.216
80 ps	2.254
85 ps	2.073
90 ps	2.271
95 ps	1.881
100 ps	2.066

Table A.7: BHEEN Data After Simulated Annealing

		C-C	C-N	C-O	C-C-N	C-C-O	C-N-C
XRD	bheen_001						
	Average	1.511	1.486	1.415	109.654	109.639	112.726
	Std Dev	0.005	0.004	0.000	0.252	0.000	0.000
Annealing run time = 5 ps	bheen_006						
	Average	1.542	1.514	1.429	110.978	110.276	112.994
	Std Dev	0.004	0.001	0.001	1.222	0.239	0.001
Annealing run time = 10 ps	bheen_007						
	Average	1.540	1.512	1.428	110.283	109.904	112.234
	Std Dev	0.002	0.003	0.001	1.213	0.371	1.052
Annealing run time = 15 ps	bheen_008						
	Average	1.540	1.512	1.428	110.295	109.697	112.263
	Std Dev	0.003	0.002	0.001	1.227	0.565	1.058
Annealing run time = 20 ps	bheen_009						
	Average	1.538	1.509	1.428	109.427	109.700	111.472
	Std Dev	0.001	0.001	0.001	0.422	0.559	0.015
Annealing run time = 25 ps	bheen_010						
	Average	1.543	1.517	1.428	111.590	109.856	115.015
	Std Dev	0.001	0.001	0.001	0.515	0.515	0.019
Annealing run time = 30 ps	bheen_011						
	Average	1.541	1.514	1.428	110.698	109.566	113.998
	Std Dev	0.003	0.003	0.000	1.087	0.103	1.385
Annealing run time = 35 ps	bheen_012						
	Average	1.540	1.512	1.429	110.401	110.128	112.280
	Std Dev	0.002	0.002	0.000	1.031	0.061	1.027
Annealing run time = 40 ps	bheen_013						
	Average	1.540	1.512	1.428	110.279	109.682	112.282
	Std Dev	0.003	0.002	0.001	1.228	0.543	1.056

Appendix A

Annealing run time = 45 ps	bheen_014						
	Average	1.539	1.511	1.429	109.835	109.865	112.196
	Std Dev	0.002	0.002	0.002	0.940	0.800	1.019
Annealing run time = 50 ps	bheen_015						
	Average	1.540	1.512	1.429	110.336	109.950	112.215
	Std Dev	0.001	0.001	0.002	0.563	1.076	1.067
Annealing run time = 55 ps	bheen_016						
	Average	1.539	1.510	1.428	109.808	109.701	111.509
	Std Dev	0.001	0.001	0.001	0.401	0.560	0.019
Annealing run time = 60 ps	bheen_017						
	Average	1.538	1.509	1.428	109.428	109.698	111.471
	Std Dev	0.001	0.001	0.001	0.422	0.558	0.014
Annealing run time = 65 ps	bheen_018						
	Average	1.540	1.512	1.428	110.293	109.866	112.262
	Std Dev	0.002	0.002	0.001	1.230	0.326	1.058
Annealing run time = 70 ps	bheen_019						
	Average	1.540	1.512	1.428	110.297	109.706	112.255
	Std Dev	0.003	0.003	0.001	1.191	0.569	1.080
Annealing run time = 75 ps	bheen_020						
	Average	1.540	1.512	1.428	110.291	109.866	112.263
	Std Dev	0.002	0.002	0.001	1.228	0.326	1.055
Annealing run time = 80 ps	bheen_021						
	Average	1.540	1.512	1.428	110.295	109.874	112.255
	Std Dev	0.002	0.003	0.001	1.193	0.331	1.081
Annealing run time = 85 ps	bheen_022						
	Average	1.542	1.514	1.429	110.889	110.165	113.082
	Std Dev	0.002	0.001	0.000	1.148	0.077	0.053
Annealing run time = 90 ps	bheen_023						
	Average	1.541	1.514	1.429	110.844	110.168	113.002
	Std Dev	0.003	0.001	0.000	1.276	0.000	0.000

Appendix A

Annealing run time = 95 ps		bheen_024					
	Average	1.538	1.510	1.427	109.660	109.246	112.201
	Std Dev	0.002	0.002	0.000	0.967	0.082	1.045
Annealing run time = 100 ps		bheen_025					
	Average	1.540	1.511	1.429	110.043	110.268	112.202
	Std Dev	0.000	0.002	0.001	0.810	0.231	1.027
Comparisons		001 - 006					
	Average	0.031	0.028	0.014	1.323	0.636	0.269
	Std Dev	0.001	0.003	0.001	0.970	0.239	0.001
Comparisons		001 - 007					
	Average	0.029	0.026	0.013	0.629	0.265	0.492
	Std Dev	0.002	0.001	0.001	0.961	0.371	1.052
Comparisons		001 - 008					
	Average	0.029	0.026	0.013	0.641	0.058	0.462
	Std Dev	0.002	0.001	0.001	0.975	0.565	1.058
Comparisons		001 - 009					
	Average	0.027	0.023	0.013	0.227	0.061	1.254
	Std Dev	0.004	0.003	0.001	0.170	0.559	0.015
Comparisons		001 - 010					
	Average	0.032	0.031	0.013	1.935	0.216	2.289
	Std Dev	0.004	0.003	0.001	0.262	0.515	0.019
Comparisons		001 - 011					
	Average	0.030	0.029	0.013	1.044	0.073	1.272
	Std Dev	0.002	0.001	0.000	0.834	0.103	1.385
Comparisons		001 - 012					
	Average	0.029	0.026	0.014	0.746	0.489	0.446
	Std Dev	0.003	0.001	0.000	0.779	0.061	1.027
Comparisons		001 - 013					
	Average	0.029	0.026	0.013	0.624	0.043	0.443
	Std Dev	0.002	0.001	0.001	0.976	0.543	1.056
Comparisons		001 - 014					
	Average	0.028	0.025	0.013	0.180	0.226	0.530
	Std Dev	0.003	0.002	0.002	0.688	0.800	1.019
Comparisons		001 - 015					
	Average	0.029	0.026	0.013	0.682	0.311	0.511
	Std Dev	0.004	0.002	0.002	0.311	1.076	1.067

Appendix A

Comparisons		001 - 016					
	Average	0.027	0.024	0.013	0.154	0.061	1.217
	Std Dev	0.004	0.003	0.001	0.149	0.560	0.019
Comparisons		001 - 017					
	Average	0.027	0.023	0.013	0.226	0.059	1.255
	Std Dev	0.004	0.003	0.001	0.169	0.558	0.014
Comparisons		001 - 018					
	Average	0.029	0.026	0.013	0.638	0.227	0.463
	Std Dev	0.003	0.001	0.001	0.977	0.326	1.058
Comparisons		001 - 019					
	Average	0.029	0.026	0.013	0.643	0.066	0.471
	Std Dev	0.002	0.001	0.001	0.938	0.569	1.080
Comparisons		001 - 020					
	Average	0.029	0.026	0.013	0.637	0.227	0.463
	Std Dev	0.003	0.001	0.001	0.976	0.326	1.055
Comparisons		001 - 021					
	Average	0.029	0.026	0.013	0.641	0.235	0.471
	Std Dev	0.003	0.001	0.001	0.941	0.331	1.081
Comparisons		001 - 022					
	Average	0.030	0.028	0.014	1.235	0.526	0.356
	Std Dev	0.003	0.003	0.000	0.895	0.077	0.053
Comparisons		001 - 023					
	Average	0.030	0.028	0.014	1.190	0.529	0.277
	Std Dev	0.002	0.003	0.000	1.023	0.000	0.000
Comparisons		001 - 024					
	Average	0.027	0.025	0.012	0.006	0.393	0.525
	Std Dev	0.003	0.001	0.000	0.715	0.082	1.045
Comparisons		001 - 025					
	Average	0.029	0.026	0.014	0.389	0.629	0.524
	Std Dev	0.004	0.001	0.001	0.557	0.231	1.027

Cy₂-en/Cd Complex DataTable A.8: Abridged WitsGAFFtyp.txt file

ATOM	MASS	REFERENCE
c3	12.01	sp3 C
h3	1.008	H bonded to aliphatic carbon with 3 electrwd. group
hn	1.008	H bonded to nitrogen atoms
ho	1.008	Hydroxyl group
cl	35.45	Chlorine
n3	14.01	sp3 N with three connected atoms
oh	16	Oxygen in hydroxyl group
c0	40.08	calcium added J.R 01.04.05
cu2	63.55	copper(II) added HMM 10.02.06
ni2	58.6	Nickel 2+ HMM 14/08/2007
cd2	112.41	Cadmium 2+ SAR 18/04/2008

Table A.9: Abridged WitsGAFFstr.txt file

B1	B2	KR	REQ	REFERENCE
c3	c3	303.1	1.535	
c3	n3	320.6	1.47	
c3	oh	314.1	1.426	
cu2	n3a	300.0	1.975	
cu2	n3b	300.0	1.975	
cu2	oha	150.0	1.970	
cu2	ohb	150.0	1.970	
ni2	n3a	300.0	2.135	HMM 14/08/2007
ni2	n3b	300.0	2.135	HMM 14/08/2007
ni2	n3c	300.0	2.135	HMM 14/08/2007
ni2	oha	150.0	2.048	HMM 2007
ni2	ohb	150.0	2.048	HMM 2007
ni2	ohc	150.0	2.048	HMM 2007
cd2	n3	300.0	2.390	SAR 18/04/2008
cd2	oh	150.0	2.440	SAR 18/04/2008
cd2	cl	150.0	2.610	SAR 18/04/2008

Table A.10: Abridged WitsGAFFben.txt file

A1	A2	A3	KTHETA	THETAEQ	REFERENCE
h1	c3	n3a	49.4	109.92	HAR 24/02/2006 from H1-C3-N3
c3	n3a	hn	47.1	109.92	HAR 24/02/2006 from HN-N3-C3
c3	oha	ho	47.1	108.16	HAR 24/02/2006 from ho-oh-C3
h1	c3	oha	51.0	109.88	HAR 24/02/2006 from h1-c3-oh
c3	c3	oha	67.7	109.43	HAR 24/02/2006 from c3-c3-oh
cu2	oh	ho	47.1	108.16	HAR 09/03/2006 from c3-oh-ho
oh	cu2	n3b	72.0	90.000	HAR 09/03/2006 from cobalamins force field
n3	cd2	n3	0.00	74.00	SAR 18/04/2008
n3	cd2	oh	0.00	70.00	SAR 18/04/2008
n3	cd2	cl	0.00	90.00	SAR 18/04/2008
oh	cd2	cl	0.00	90.00	SAR 18/04/2008
cl	cd2	cl	0.00	90.00	SAR 18/04/2008
cd2	n3	c3	64.0	110.90	SAR 18/04/2008 from c3 n3 c3
cd2	oh	c3	62.1	113.41	SAR 18/04/2008 from c3 os c3
cd2	n3	hn	47.1	109.92	SAR 18/04/2008 from c3 n3 hn
cd2	oh	ho	47.1	108.16	SAR 18/04/2008 from c3 oh ho

Table A.11: Abridged WitsGAFFnbd.txt file

ATOM	R_STAR	EPS	REFERENCE
hc	1.487	0.0157	OPLS
hn	0.600	0.0157	!Ferguson base pair geom.
ho	0.000	0.0000	" OPLS Jorgensen, JACS,110,(1988),1657"
oh	1.721	0.2104	OPLS
c3	1.908	0.1094	OPLS
n3	1.824	0.1700	OPLS
cl	1.948	0.2650	"Fox, JPCB,102,8070,(98),flex.mdl CHCl3"
cu2	1.970	0.0440	Cu(II) preliminary values - PCCP, 2002, 4, 5878. HAR 13/02/2006
ni2	1.960	0.0440	Ni(II) preliminary values - PCCP, 2002, 4, 5878. HMM 14/08/2007
cd2	0.970	0.2600	SAR 18/04/2008 R_Star from corr with ionic radius epsilon from corr with third ionisation E

Table A.12: Abridged WitsGAFFtor.txt file

T1	T2	T3	T4	HALF_VN	GAMMA	N	REFERENCE
**	c3	n3	**	6	1.80	0.00	3.00 "Junmei et al, 1999"
**	c3	n4	**	9	1.40	0.00	3.00 "JCC,7,(1986),230"
**	c3	oh	**	3	0.50	0.00	3.00 "JCC,7,(1986),230"
**	oh	oh	**	1	1.60	0.00	2.00
hc	c3	c3	hc	1	0.15	0.00	3.00 "Junmei et al, 1999"
ni2	n3a	c3	c3	1	0.30	0.00	3.00 HMM 2007 based on c3-c3-n3-c3
ni2	n3a	c3	h1	1	1.80	0.00	3.00 HMM 2007 based on **-c3-n3-**-
c3	c3	oha	ni2	1	0.50	0.00	3.00 HMM 2007 based on **-c3-oh-**-
h1	c3	oha	ni2	1	0.50	0.00	3.00 HMM 2007 based on **-c3-oh-**-
**	cd2	**	**	1	0.00	180.0	1.00 SAR 18/04/2008

Table A.13: Abridged WitsGAFFimp.txt file

T1	T2	T3	T4	HALF_VN	GAMMA	N	REFERENCE
**	o	c	o	1.10	180.00	2.00	" JCC,7,(1986),230"
**	**	c	o	10.50	180.00	2.00	" JCC,7,(1986),230"
**	**	n	hn	1.10	180.00	2.00	" JCC,7,(1986),230"
**	**	n2	Hn	1.10	180.00	2.00	" JCC,7,(1986),230"
**	**	na	hn	1.10	180.00	2.00	" JCC,7,(1986),230"
**	c3	n	c3	1.10	180.00	2.00	" JCC,7,(1986),230"
**	n2	ca	n2	10.50	180.00	2.00	" JCC,7,(1986),230"
c3	o	c	oh	1.10	180.00	2.00	
c2	c3	c2	hc	1.10	180.00	2.00	Junmei et al.1999
c2	c3	ca	hc	1.10	180.00	2.00	Junmei et al.1999
c2	hc	c	o	1.10	180.00	2.00	Junmei et al.1999
c3	ca	ca	n2	1.10	180.00	2.00	
c3	ca	ca	na	1.10	180.00	2.00	
hc	o	c	oh	1.10	180.00	2.00	Junmei et al.1999
hc	o	c	os	1.10	180.00	2.00	
n2	c2	ca	n2	1.10	180.00	2.00	" dac guess, 9/94"
n2	ca	ca	n2	1.10	180.00	2.00	" dac guess, 9/94"
na	n2	ca	n2	1.10	180.00	2.00	" dac, 10/94"
**	**	**	**	1.10	180.00	2.00	" dac, 10/94"
**	**	cd2	**	0.00	180.00	2.00	SAR 18/04/2008

Table A.14: Energies of the Cy₂-en/Cd Complex After the First Simulated Annealing Runs with Various Run Times Compared to the Energy of the XRD Structure

Run Time	Energy [kcal/mol]
XRD structure	22.835
5 ps	18.933
10 ps	19.704
15 ps	19.899
20 ps	18.505
25 ps	18.505
30 ps	25.450
35 ps	19.738
40 ps	25.586
45 ps	19.917
50 ps	19.362
55 ps	20.808
60 ps	19.705
65 ps	18.900
70 ps	18.695
75 ps	19.917
80 ps	18.817
85 ps	19.705
90 ps	19.547
95 ps	18.971
100 ps	18.814

Table A.15: Cy₂-en/Cd Complex Data After the First Simulated Annealing Run

		C-C	C-N	C-O	N-Cd	O-Cd	Cd-Cl	C-C-C	C-C-N	C-C-O	C-N-C	C-N- Cd	C-O- Cd	O-Cd- N	N-Cd- Cl	O-Cd- Cl
XRD	Cy2en_Cd_000															
	Average	1.521	1.480	1.439	2.348	2.382	2.494	110.7	111.0	111.4	113.1	112.5	114.5	108.1	116.5	92.5
	Std Dev	0.009	0.013	0.006	0.020		0.000	0.4	1.9	1.1	2.4	8.2		51.1	25.1	3.3
Drawn file no charges	Cy2en_Cd_001															
	Average	1.545	1.480	1.432	1.619	3.162	2.799	111.2	110.2	109.3	114.5	112.4	91.7	75.3	115.1	114.6
	Std Dev	0.005	0.004	0.000	0.219		0.029	0.4	1.2	0.4	0.0	5.4		15.6	8.8	57.7
MM no charges	Cy2en_Cd_002															
	Average	1.545	1.485	1.431	2.388	2.444	2.610	111.1	111.6	109.1	116.9	108.5	114.7	82.3	104.2	109.2
	Std Dev	0.005	0.005	0.000	0.002		0.000	0.6	3.1	1.6	2.6	0.5		13.7	30.8	72.4
ZINDO1 e = 76	Cy2en_Cd_003															
	Average	1.545	1.480	1.432	1.619	3.162	2.799	111.2	110.2	109.3	114.5	112.4	91.7	75.3	115.1	114.6
	Std Dev	0.005	0.004	0.000	0.219		0.029	0.4	1.2	0.4	0.0	5.4		15.6	8.8	57.7
MM w ZINDO1 e = 76	Cy2en_Cd_004															
	Average	1.545	1.485	1.431	2.388	2.444	2.609	111.1	111.6	109.1	116.9	108.5	114.7	82.3	103.6	108.4
	Std Dev	0.005	0.005	0.000	0.001		0.000	0.6	3.0	1.6	2.6	0.5		13.7	30.8	72.2
Annealing r.t. = 5 ps	Cy2en_Cd_005															
	Average	1.544	1.480	1.431	2.391	2.442	2.610	111.2	109.7	109.0	115.1	109.2	113.9	100.3	114.6	103.8
	Std Dev	0.005	0.005	0.001	0.003		0.000	0.4	2.6	0.7	0.6	1.0		40.2	39.5	7.6

Appendix A

Annealing r.t. = 10 ps	Cy2en_Cd_006															
	Average	1.544	1.480	1.431	2.391	2.442	2.610	111.2	109.6	109.0	115.4	109.1	113.9	100.2	146.4	108.5
	Std Dev	0.006	0.005	0.002	0.003		0.000	0.4	2.7	1.1	0.4	0.9		40.0	28.1	0.0
Annealing r.t. = 15 ps	Cy2en_Cd_007															
	Average	1.546	1.483	1.432	2.390	2.441	2.609	111.4	110.5	109.3	115.6	108.5	113.4	92.4	107.7	122.5
	Std Dev	0.005	0.003	0.000	0.003		0.000	0.5	2.0	0.7	0.1	0.7		28.6	35.6	6.4
Annealing r.t. = 20 ps	Cy2en_Cd_008															
	Average	1.546	1.483	1.431	2.390	2.442	2.609	111.4	110.6	109.1	115.5	108.5	114.0	91.6	88.6	176.8
	Std Dev	0.005	0.003	0.002	0.002		0.000	0.5	2.1	0.7	0.0	0.7		27.9	20.8	0.0
Annealing r.t. = 25 ps	Cy2en_Cd_009															
	Average	1.546	1.483	1.431	2.390	2.442	2.609	111.4	110.6	109.1	115.5	108.5	114.0	91.6	88.6	176.8
	Std Dev	0.005	0.003	0.002	0.002		0.000	0.5	2.1	0.7	0.0	0.7		27.9	20.8	0.0
Annealing r.t. = 30 ps	Cy2en_Cd_010															
	Average	1.546	1.481	1.430	2.391	2.442	2.610	111.7	109.9	108.8	114.8	108.8	113.8	100.8	93.0	91.8
	Std Dev	0.007	0.005	0.002	0.000		0.001	0.8	2.3	1.0	1.1	0.8		40.7	13.0	8.2
Annealing r.t. = 35 ps	Cy2en_Cd_011															
	Average	1.545	1.480	1.432	2.391	2.441	2.609	111.4	110.0	109.3	114.9	108.7	113.3	101.0	97.8	82.0
	Std Dev	0.006	0.005	0.000	0.001		0.000	0.4	2.5	0.7	1.1	0.7		40.7	7.3	12.2
Annealing r.t. = 40 ps	Cy2en_Cd_012															

Appendix A

	Average	1.546	1.480	1.430	2.391	2.442	2.609	111.7	109.9	108.7	114.9	108.7	113.8	100.6	103.5	85.1
	Std Dev	0.007	0.004	0.001	0.000		0.000	0.9	2.7	0.6	1.2	0.7		40.5	11.7	4.0
Annealing r.t. = 45 ps		Cy2en_Cd_013														
	Average	1.545	1.480	1.432	2.390	2.441	2.609	111.5	110.0	109.3	114.8	108.8	113.3	101.1	100.3	73.4
	Std Dev	0.006	0.005	0.000	0.001		0.000	0.4	2.4	0.7	1.2	0.6		40.7	2.1	0.0
Annealing r.t. = 50 ps		Cy2en_Cd_014														
	Average	1.546	1.484	1.432	2.390	2.441	2.609	111.5	110.6	109.3	115.5	108.5	113.4	92.5	88.5	175.3
	Std Dev	0.005	0.003	0.000	0.002		0.000	0.5	2.0	0.7	0.0	0.7		28.7	20.6	0.0
Annealing r.t. = 55 ps		Cy2en_Cd_015														
	Average	1.546	1.481	1.433	2.390	2.441	2.609	111.6	110.0	109.7	114.9	108.7	113.3	101.1	100.3	73.6
	Std Dev	0.006	0.005	0.001	0.000		0.000	0.5	2.4	0.9	1.1	0.6		40.7	2.3	0.0
Annealing r.t. = 60 ps		Cy2en_Cd_016														
	Average	1.545	1.480	1.432	2.391	2.442	2.609	111.5	109.9	109.5	115.1	108.7	113.9	100.6	95.2	90.5
	Std Dev	0.006	0.005	0.003	0.000		0.000	0.5	2.7	1.1	1.0	0.8		40.5	9.0	0.0
Annealing r.t. = 65 ps		Cy2en_Cd_017														
	Average	1.546	1.483	1.431	2.390	2.442	2.609	111.4	110.5	109.1	115.5	108.5	114.0	91.8	84.5	119.1
	Std Dev	0.004	0.003	0.002	0.002		0.000	0.5	2.1	0.7	0.0	0.7		28.1	18.3	0.0
Annealing r.t. = 70 ps		Cy2en_Cd_018														
	Average	1.546	1.483	1.431	2.390	2.442	2.609	111.4	110.6	109.1	115.5	108.5	114.0	91.7	86.5	147.5
	Std Dev	0.005	0.003	0.002	0.002		0.000	0.5	2.1	0.6	0.0	0.7		28.0	19.5	40.2

Appendix A

Annealing r.t. = 75 ps	Cy2en_Cd_019															
	Average	1.545	1.480	1.432	2.390	2.441	2.609	111.5	110.0	109.3	114.8	108.8	113.3	101.1	100.3	73.4
	Std Dev	0.006	0.005	0.000	0.001		0.000	0.4	2.4	0.7	1.2	0.6		40.7	2.2	0.0
Annealing r.t. = 80 ps	Cy2en_Cd_020															
	Average	1.545	1.480	1.431	2.391	2.442	2.609	111.4	109.9	109.1	115.0	108.7	113.9	100.6	94.8	90.8
	Std Dev	0.006	0.005	0.002	0.000		0.000	0.4	2.7	0.7	1.0	0.8		40.5	8.9	0.0
Annealing r.t. = 85 ps	Cy2en_Cd_021															
	Average	1.545	1.480	1.432	2.391	2.442	2.609	111.5	109.9	109.5	115.1	108.7	113.9	100.6	95.2	90.5
	Std Dev	0.006	0.005	0.003	0.000		0.000	0.5	2.7	1.1	1.0	0.8		40.5	9.0	0.0
Annealing r.t. = 90 ps	Cy2en_Cd_022															
	Average	1.546	1.483	1.432	2.390	2.441	2.609	111.5	110.5	109.3	115.5	108.5	113.4	92.6	86.5	146.3
	Std Dev	0.005	0.003	0.000	0.002		0.000	0.5	2.0	0.7	0.0	0.7		28.8	19.5	40.0
Annealing r.t. = 95 ps	Cy2en_Cd_023															
	Average	1.545	1.480	1.431	2.391	2.442	2.609	111.4	110.0	109.1	114.9	108.7	113.8	100.6	98.6	88.6
	Std Dev	0.006	0.005	0.002	0.000		0.000	0.4	2.6	0.7	1.1	0.7		40.5	10.0	3.5
Annealing r.t. = 100 ps	Cy2en_Cd_024															
	Average	1.545	1.480	1.431	2.391	2.442	2.609	111.4	109.9	109.1	115.0	108.7	113.9	100.6	94.9	90.8
	Std Dev	0.006	0.005	0.002	0.000		0.000	0.4	2.7	0.7	1.0	0.8		40.5	8.9	0.0
Comparisons	000 - 001															
	Average	0.024	0.004	0.008	0.040	0.062	0.115	0.4	0.5	2.3	3.8	4.0	0.2	25.8	12.3	16.7
	Std Dev	0.004	0.008	0.006	0.019		0.000	0.2	1.2	0.5	0.2	7.8		37.4	5.7	69.1

Appendix A

Comparisons	000 - 003															
Average	0.024	0.000	0.007	0.729	0.780	0.304	0.4	0.9	2.1	1.4	0.0	22.9	32.8	1.4	22.1	
Std Dev	0.004	0.009	0.006	0.199		0.028	0.0	0.6	0.7	2.4	2.8		35.5	16.3	54.4	
Comparisons	000 - 004															
Average	0.024	0.004	0.008	0.040	0.062	0.115	0.4	0.5	2.3	3.8	4.0	0.2	25.8	12.9	15.9	
Std Dev	0.004	0.008	0.006	0.019		0.000	0.2	1.2	0.5	0.1	7.7		37.4	5.7	69.0	
Comparisons	000 - 005															
Average	0.023	0.000	0.008	0.043	0.060	0.115	0.5	1.3	2.4	2.0	3.3	0.6	7.8	1.9	11.3	
Std Dev	0.004	0.008	0.004	0.018		0.000	0.0	0.7	0.5	1.8	7.2		10.9	14.4	4.3	
Comparisons	000 - 006															
Average	0.023	0.000	0.008	0.043	0.060	0.115	0.5	1.4	2.4	2.3	3.4	0.6	7.9	29.9	16.0	
Std Dev	0.003	0.008	0.004	0.018		0.000	0.0	0.8	0.1	2.0	7.3		11.1	3.0	3.3	
Comparisons	000 - 007															
Average	0.025	0.003	0.007	0.042	0.059	0.115	0.7	0.5	2.0	2.5	4.0	1.2	15.7	8.8	30.0	
Std Dev	0.005	0.010	0.005	0.018		0.000	0.1	0.2	0.4	2.4	7.5		22.5	10.5	3.2	
Comparisons	000 - 008															
Average	0.024	0.003	0.008	0.042	0.060	0.115	0.7	0.5	2.3	2.4	4.0	0.6	16.5	27.9	84.4	
Std Dev	0.005	0.011	0.004	0.018		0.000	0.1	0.2	0.5	2.4	7.5		23.2	4.3	3.3	
Comparisons	000 - 009															
Average	0.024	0.003	0.008	0.042	0.060	0.115	0.7	0.5	2.3	2.4	4.0	0.6	16.5	27.9	84.3	
Std Dev	0.005	0.011	0.004	0.018		0.000	0.1	0.2	0.5	2.4	7.5		23.2	4.3	3.3	
Comparisons	000 - 010															
Average	0.025	0.001	0.008	0.043	0.060	0.115	1.0	1.1	2.5	1.7	3.6	0.7	7.3	23.4	0.7	
Std Dev	0.002	0.008	0.004	0.020		0.001	0.4	0.4	0.2	1.3	7.5		10.4	12.1	4.9	

Appendix A

Comparisons	000 - 011															
Average		0.024	0.000	0.007	0.042	0.059	0.115	0.7	1.1	2.1	1.8	3.8	1.2	7.1	18.7	10.5
Std Dev		0.004	0.008	0.006	0.020		0.000	0.0	0.7	0.4	1.3	7.5		10.4	17.8	9.0
Comparisons	000 - 012															
Average		0.025	0.000	0.009	0.042	0.059	0.114	1.0	1.1	2.6	1.8	3.8	0.7	7.5	13.0	7.4
Std Dev		0.002	0.009	0.005	0.020		0.000	0.5	0.8	0.5	1.2	7.6		10.6	13.4	0.7
Comparisons	000 - 013															
Average		0.024	0.000	0.007	0.042	0.059	0.115	0.7	1.0	2.0	1.7	3.7	1.2	7.1	16.2	19.1
Std Dev		0.004	0.008	0.005	0.020		0.000	0.0	0.5	0.4	1.3	7.7		10.4	23.0	3.3
Comparisons	000 - 014															
Average		0.025	0.004	0.007	0.042	0.059	0.115	0.7	0.5	2.0	2.4	4.0	1.2	15.6	28.0	82.9
Std Dev		0.004	0.010	0.005	0.018		0.000	0.1	0.1	0.5	2.4	7.5		22.4	4.5	3.3
Comparisons	000 - 015															
Average		0.024	0.000	0.006	0.042	0.059	0.114	0.8	1.1	1.6	1.8	3.7	1.2	7.0	16.2	18.9
Std Dev		0.003	0.009	0.005	0.020		0.000	0.1	0.5	0.2	1.3	7.7		10.4	22.8	3.3
Comparisons	000 - 016															
Average		0.024	0.000	0.007	0.043	0.060	0.115	0.8	1.2	1.9	2.0	3.8	0.7	7.5	21.3	1.9
Std Dev		0.003	0.009	0.002	0.020		0.000	0.1	0.8	0.1	1.5	7.4		10.5	16.1	3.3
Comparisons	000 - 017															
Average		0.024	0.003	0.008	0.042	0.060	0.115	0.7	0.5	2.3	2.4	4.0	0.5	16.3	32.0	26.7
Std Dev		0.005	0.010	0.004	0.018		0.000	0.1	0.2	0.5	2.4	7.6		23.0	6.8	3.3
Comparisons	000 - 018															
Average		0.024	0.003	0.008	0.042	0.060	0.115	0.7	0.5	2.3	2.4	4.0	0.6	16.4	30.0	55.1
Std Dev		0.005	0.010	0.004	0.018		0.000	0.1	0.2	0.5	2.4	7.5		23.1	5.6	36.9

Appendix A

Comparisons	000 - 019															
Average		0.024	0.000	0.007	0.042	0.059	0.115	0.7	1.0	2.0	1.7	3.7	1.2	7.0	16.2	19.1
Std Dev		0.004	0.008	0.005	0.020		0.000	0.0	0.5	0.4	1.3	7.7		10.4	22.9	3.2
Comparisons	000 - 020															
Average		0.024	0.000	0.008	0.043	0.060	0.115	0.6	1.1	2.3	1.9	3.8	0.7	7.5	21.6	1.6
Std Dev		0.004	0.008	0.004	0.020		0.000	0.0	0.8	0.4	1.4	7.4		10.6	16.2	3.3
Comparisons	000 - 021															
Average		0.024	0.000	0.007	0.043	0.060	0.115	0.8	1.2	1.9	2.0	3.8	0.7	7.5	21.3	2.0
Std Dev		0.003	0.009	0.002	0.020		0.000	0.1	0.8	0.1	1.5	7.4		10.5	16.1	3.3
Comparisons	000 - 022															
Average		0.025	0.003	0.007	0.042	0.059	0.115	0.7	0.5	2.0	2.4	4.0	1.2	15.5	30.0	53.8
Std Dev		0.005	0.010	0.005	0.018		0.000	0.1	0.1	0.5	2.4	7.6		22.3	5.6	36.7
Comparisons	000 - 023															
Average		0.024	0.000	0.008	0.043	0.060	0.115	0.7	1.1	2.3	1.8	3.7	0.7	7.5	17.9	3.9
Std Dev		0.004	0.009	0.004	0.020		0.000	0.0	0.7	0.4	1.3	7.5		10.6	15.1	0.2
Comparisons	000 - 024															
Average		0.024	0.000	0.008	0.043	0.060	0.115	0.7	1.1	2.3	1.9	3.8	0.7	7.5	21.6	1.6
Std Dev		0.004	0.008	0.004	0.020		0.000	0.1	0.8	0.4	1.4	7.4		10.6	16.2	3.3

Table A.16: Energies of the Cy₂-en/Cd Complex After the Second Simulated Annealing Runs with Various Run Times Compared to the Energy of the XRD Structure

Run Time	Energy [kcal/mol]
XRD structure	22.835
Sample 1: 5 ps	20.034
Sample 1: 10 ps	19.372
Sample 1: 100 ps	18.597
Sample 2: 5 ps	25.083
Sample 2: 10 ps	23.919
Sample 2: 100 ps	18.951
Sample 3: 5 ps	21.589
Sample 3: 10 ps	18.951
Sample 3: 100 ps	25.822
Sample 4: 5 ps	19.559
Sample 4: 10 ps	26.551
Sample 4: 100 ps	21.329
Sample 5: 5 ps	20.034
Sample 5: 10 ps	19.753
Sample 5: 100 ps	18.497

Table A.17: Cy₂-en/Cd Complex Data After the Second Simulated Annealing Process

		C-C	C-N	C-O	N-Cd	O-Cd	Cd-Cl	C-C-C	C-C-N	C-C-O	C-N-C	C-N- Cd	C-O- Cd	O-Cd- N	N-Cd- Cl	O-Cd- Cl
XRD	Cy2en_Cd_000															
	Average	1.521	1.480	1.439	2.348	2.382	2.494	110.7	111.0	111.4	113.1	112.5	114.5	108.1	116.5	92.5
	Std Dev	0.009	0.013	0.006	0.020		0.000	0.4	1.9	1.1	2.4	8.2		51.1	25.1	3.3
Annealing Sample 1	Cy2en_Cd_035															
r.t. = 5 ps	Average	1.545	1.481	1.432	2.392	2.442	2.610	111.5	110.0	109.3	115.2	109.4	113.2	100.8	150.1	70.9
	Std Dev	0.006	0.006	0.000	0.002		0.000	0.5	3.0	0.8	0.7	1.7		40.5	9.7	0.0
Annealing Sample 1	Cy2en_Cd_025															
r.t. = 10 ps	Average	1.546	1.484	1.432	2.390	2.441	2.609	111.5	110.6	109.3	115.5	108.5	113.4	92.5	88.5	175.4
	Std Dev	0.005	0.003	0.000	0.002		0.000	0.5	2.0	0.7	0.0	0.7		28.7	20.6	0.0
Annealing Sample 1	Cy2en_Cd_026															
r.t. = 100 ps	Average	1.544	1.481	1.431	2.391	2.442	2.610	111.2	109.9	109.0	114.9	109.3	114.0	100.4	82.1	100.1
	Std Dev	0.005	0.005	0.001	0.003		0.000	0.4	2.4	0.7	0.7	1.1		40.3	5.9	0.0
Annealing Sample 2	Cy2en_Cd_036															
r.t. = 5 ps	Average	1.547	1.481	1.431	2.391	2.442	2.611	112.0	110.4	109.0	114.4	109.0	113.9	100.8	78.9	101.1
	Std Dev	0.006	0.006	0.002	0.001		0.000	1.2	2.1	0.7	1.3	0.9		40.8	6.1	0.0
Annealing Sample 2	Cy2en_Cd_027															
r.t. = 10 ps	Average	1.546	1.483	1.431	2.390	2.443	2.610	111.6	110.5	108.8	115.5	108.4	114.2	89.8	113.8	111.2
	Std Dev	0.005	0.002	0.002	0.004		0.000	0.8	2.1	0.4	0.4	1.1		25.3	39.3	76.1

Appendix A

Annealing Sample 2		Cy2en_Cd_028															
r.t. = 100 ps	Average	1.545	1.480	1.431	2.391	2.442	2.609	111.4	110.0	109.1	114.9	108.7	113.8	100.6	98.6	88.8	
	Std Dev	0.006	0.005	0.002	0.000		0.000	0.4	2.6	0.7	1.1	0.7		40.5	10.1	3.3	
Annealing Sample 3		Cy2en_Cd_037															
r.t. = 5 ps	Average	1.546	1.483	1.432	2.388	2.445	2.610	111.3	111.6	109.3	116.2	108.8	114.9	82.1	126.1	57.7	
	Std Dev	0.004	0.006	0.000	0.001		0.000	0.5	2.2	0.3	3.4	0.7		13.7	22.3	0.0	
Annealing Sample 3		Cy2en_Cd_029															
r.t. = 10 ps	Average	1.545	1.480	1.431	2.391	2.442	2.609	111.4	110.0	109.1	114.9	108.7	113.8	100.6	98.6	88.8	
	Std Dev	0.006	0.005	0.002	0.000		0.000	0.4	2.6	0.7	1.1	0.7		40.5	10.1	3.3	
Annealing Sample 3		Cy2en_Cd_030															
r.t. = 100 ps	Average	1.546	1.479	1.430	2.392	2.444	2.610	111.8	109.7	109.2	115.4	109.1	111.7	101.2	145.4	107.7	
	Std Dev	0.006	0.004	0.003	0.003		0.000	1.0	3.1	2.0	0.6	0.9		40.6	26.9	0.0	
Annealing Sample 4		Cy2en_Cd_038															
r.t. = 5 ps	Average	1.546	1.483	1.432	2.390	2.441	2.609	111.5	110.5	109.3	115.5	108.5	113.4	92.6	86.5	146.3	
	Std Dev	0.005	0.003	0.000	0.002		0.000	0.5	2.0	0.7	0.0	0.7		28.9	19.5	39.9	
Annealing Sample 4		Cy2en_Cd_031															
r.t. = 10 ps	Average	1.546	1.480	1.432	2.390	2.441	2.609	111.7	109.9	109.4	114.8	108.8	113.3	101.1	100.1	74.1	
	Std Dev	0.007	0.005	0.000	0.001		0.000	0.7	2.2	0.8	1.2	0.6		40.7	2.7	0.1	
Annealing Sample 4		Cy2en_Cd_032															
r.t. = 100 ps	Average	1.545	1.483	1.432	2.389	2.441	2.609	111.3	110.9	109.4	115.8	109.3	113.3	97.0	80.1	140.5	

Appendix A

	Std Dev	0.004	0.004	0.000	0.003		0.000	0.5	2.2	0.9	0.1	1.3		34.8	13.0	25.4
Annealing Sample 5 r.t. = 5 ps		Cy2en_Cd_039														
	Average	1.545	1.481	1.432	2.392	2.442	2.610	111.5	110.0	109.3	115.2	109.4	113.2	100.8	150.1	70.9
	Std Dev	0.006	0.006	0.000	0.002		0.000	0.5	3.0	0.8	0.7	1.7		40.5	9.7	0.0
Annealing Sample 5 r.t. = 10 ps		Cy2en_Cd_033														
	Average	1.544	1.480	1.432	2.391	2.442	2.610	111.2	109.6	109.2	115.3	109.1	113.4	100.6	122.9	88.4
	Std Dev	0.006	0.005	0.001	0.003		0.000	0.4	2.6	0.7	0.6	1.0		40.2	30.7	28.7
Annealing Sample 5 r.t. = 100 ps		Cy2en_Cd_034														
	Average	1.546	1.483	1.431	2.390	2.442	2.609	111.4	110.6	109.1	115.5	108.5	114.0	91.6	88.6	176.8
	Std Dev	0.005	0.003	0.002	0.002		0.000	0.5	2.0	0.6	0.0	0.7		27.8	20.8	0.0
Comparisons		000 - 035														
	Average	0.024	0.001	0.007	0.043	0.060	0.116	0.8	1.1	2.1	2.1	3.0	1.3	7.3	33.6	21.6
	Std Dev	0.003	0.007	0.005	0.018		0.000	0.2	1.1	0.3	1.8	6.5		10.6	15.4	3.2
Comparisons		000 - 025														
	Average	0.025	0.004	0.007	0.042	0.059	0.115	0.7	0.5	2.0	2.4	4.0	1.2	15.6	28.0	82.9
	Std Dev	0.005	0.010	0.005	0.018		0.000	0.1	0.1	0.4	2.4	7.5		22.4	4.5	3.3
Comparisons		000 - 026														
	Average	0.023	0.001	0.008	0.043	0.060	0.115	0.4	1.2	2.4	1.8	3.2	0.6	7.7	34.4	7.6
	Std Dev	0.004	0.008	0.004	0.018		0.000	0.0	0.6	0.5	1.7	7.1		10.8	19.2	3.3
Comparisons		000 - 036														
	Average	0.025	0.001	0.008	0.043	0.060	0.116	1.2	0.7	2.3	1.3	3.5	0.6	7.3	37.6	8.7
	Std Dev	0.003	0.008	0.003	0.020		0.000	0.8	0.3	0.5	1.1	7.3		10.2	19.0	3.3

Appendix A

Comparisons	000 - 027															
Average		0.025	0.003	0.008	0.041	0.061	0.115	0.9	0.6	2.5	2.4	4.0	0.4	18.3	2.7	18.8
Std Dev		0.004	0.011	0.004	0.016		0.000	0.4	0.2	0.7	2.1	7.1		25.8	14.2	72.8
Comparisons	000 - 028															
Average		0.024	0.000	0.008	0.043	0.059	0.115	0.7	1.1	2.3	1.8	3.7	0.7	7.5	17.9	3.7
Std Dev		0.004	0.009	0.004	0.020		0.000	0.0	0.7	0.4	1.3	7.5		10.6	15.0	0.0
Comparisons	000 - 037															
Average		0.024	0.003	0.007	0.040	0.063	0.115	0.6	0.6	2.1	3.1	3.7	0.4	26.0	9.6	34.8
Std Dev		0.005	0.007	0.005	0.020		0.000	0.2	0.4	0.8	1.0	7.5		37.4	2.8	3.3
Comparisons	000 - 029															
Average		0.024	0.000	0.008	0.043	0.059	0.115	0.7	1.1	2.3	1.8	3.7	0.7	7.5	17.9	3.7
Std Dev		0.004	0.009	0.004	0.020		0.000	0.0	0.7	0.4	1.3	7.5		10.6	15.0	0.0
Comparisons	000 - 030															
Average		0.024	0.001	0.009	0.044	0.061	0.115	1.1	1.3	2.2	2.2	3.4	2.9	6.9	28.9	15.3
Std Dev		0.003	0.009	0.003	0.017		0.000	0.6	1.3	0.9	1.8	7.4		10.5	1.8	3.3
Comparisons	000 - 038															
Average		0.025	0.003	0.007	0.042	0.059	0.115	0.7	0.5	2.0	2.4	4.0	1.2	15.5	30.0	53.8
Std Dev		0.005	0.010	0.005	0.018		0.000	0.1	0.1	0.4	2.4	7.6		22.2	5.6	36.6
Comparisons	000 - 031															
Average		0.025	0.000	0.007	0.042	0.059	0.115	1.0	1.2	1.9	1.7	3.7	1.2	7.0	16.4	18.4
Std Dev		0.002	0.009	0.005	0.020		0.000	0.3	0.3	0.3	1.2	7.7		10.4	22.4	3.2
Comparisons	000 - 032															
Average		0.024	0.003	0.006	0.041	0.058	0.115	0.6	0.1	2.0	2.7	3.1	1.2	11.1	36.4	48.0
Std Dev		0.005	0.010	0.005	0.018		0.000	0.1	0.3	0.3	2.3	6.9		16.3	12.1	22.1
Comparisons	000 - 039															

Appendix A

	Average	0.024	0.001	0.007	0.043	0.060	0.116	0.8	1.1	2.1	2.1	3.0	1.3	7.3	33.6	21.6
	Std Dev	0.003	0.007	0.005	0.018		0.000	0.2	1.1	0.3	1.8	6.5		10.6	15.4	3.2
Comparisons	000 - 033															
	Average	0.022	0.000	0.007	0.043	0.060	0.115	0.5	1.4	2.1	2.2	3.3	1.1	7.5	6.5	4.1
	Std Dev	0.004	0.008	0.005	0.018		0.000	0.0	0.8	0.4	1.8	7.2		10.9	5.6	25.5
Comparisons	000 - 034															
	Average	0.024	0.003	0.008	0.042	0.060	0.115	0.7	0.5	2.3	2.4	4.0	0.6	16.5	27.9	84.4
	Std Dev	0.005	0.011	0.004	0.018		0.000	0.1	0.2	0.5	2.4	7.5		23.2	4.3	3.3

Table A.18: Abridged WitsGAFFtyp.txt file for the first geometry optimisation run

ATOM	MASS	REFERENCE
cd2	112.41	Cadmium 2+ SAR 18/04/2008
clx	35.45	Chlorine coordinated to cd2 in an axial manner SAR 06/05/2008
cly	35.45	Chlorine coordinated to cd2 in an axial manner SAR 06/05/2008
n3x	14.01	nitrogen coordinated to cd2 and trans to cly SAR 06/05/2008
n3y	14.01	nitrogen coordinated to cd2 and at right angle to cly SAR 06/05/2008

Table A.19: Abridged WitsGAFFstr.txt file for the first geometry optimisation run

B1	B2	KR	REQ	REFERENCE
cd2	n3	320.0	2.390	SAR 01/05/2008
cd2	oh	175.0	2.440	SAR 01/05/2008
cd2	cl	200.0	2.610	SAR 01/05/2008
cd2	n3x	350.0	2.390	SAR 06/05/2008
cd2	n3y	350.0	2.390	SAR 06/05/2008
cd2	oh	150.0	2.440	SAR 06/05/2008
cd2	clx	200.0	2.610	SAR 06/05/2008
cd2	cly	200.0	2.610	SAR 06/05/2008
hn	n3x	394.1	1.018	SAR 06/05/2008
hn	n3y	394.1	1.018	SAR 06/05/2008

Table A.20: Abridged WitsGAFFben.txt file for the first geometry optimisation run

A1	A2	A3	KTHETA	THETAEQ	REFERENCE
n3x	cd2	n3y	20.00	90.00	SAR 06/05/2008 co-planar nitrogens
n3x	cd2	oh	70.00	90.00	SAR 06/05/2008 co-planar cis atoms
n3y	cd2	oh	70.00	180.00	SAR 06/05/2008 co-planar trans atoms
n3x	cd2	cly	50.00	180.00	SAR 06/05/2008 co-planar trans atoms
n3y	cd2	cly	50.00	90.00	SAR 06/05/2008 co-planar cis atoms
oh	cd2	cly	50.00	90.00	SAR 06/05/2008 co-planar trans atoms
clx	cd2	cly	50.00	90.00	SAR 06/05/2008 axial and equatorial atoms
oh	cd2	clx	50.00	90.00	SAR 06/05/2008 axial cl to equatorial o
n3x	cd2	clx	50.00	90.00	SAR 06/05/2008 axial cl to equatorial n3x
n3y	cd2	clx	50.00	90.00	SAR 06/05/2008 axial cl to equatorial n3y
cd2	n3x	c3	64.0	110.90	SAR 06/05/2008 from c3 n3 c3
cd2	n3y	c3	64.0	110.90	SAR 06/05/2008 from c3 n3 c3
cd2	oh	c3	62.1	113.41	SAR 06/05/2008 from c3 os c3
cd2	n3x	hn	47.1	109.92	SAR 06/05/2008 from c3 n3 hn
cd2	n3y	hn	47.1	109.92	SAR 06/05/2008 from c3 n3 hn
c3	n3x	hn	47.1	109.92	SAR 06/05/2008 from c3 n3 hn
c3	n3y	hn	47.1	109.92	SAR 06/05/2008 from c3 n3 hn

Table A.21: Abridged WitsGAFFnbd.txt file for the first geometry optimisation run

ATOM	R_STAR	EPS	REFERENCE
cd2	0.970	0.2600	SAR 18/04/2008 R_Star from corr with ionic radius epsilon from corr with third ionisation E
n3x	1.824	0.1700	SAR 06/05/2008
n3y	1.824	0.1700	SAR 06/05/2008
clx	1.948	0.2650	SAR 06/05/2008
cly	1.948	0.2650	SAR 06/05/2008

Table A.22: Abridged WitsGAFFtor.txt file for the first geometry optimisation run

T1	T2	T3	T4	HALF_VN	GAMMA	N	REFERENCE	
**	cd2	**	**	1	0.00	180.0 1.00	SAR 18/04/2008	
clx	cd2	oh	ho	1	0.00	180.0 2.00	SAR 06/05/2008	all
torsions	**	***-cd2-	**	set to zero				
clx	cd2	oh	c3	1	0.00	180.0 2.00	SAR 06/05/2008	all
torsions	**	***-cd2-	**	set to zero				
clx	cd2	n3x	hn	1	0.00	180.0 2.00	SAR 06/05/2008	all
torsions	**	***-cd2-	**	set to zero				
clx	cd2	n3x	c3	1	0.00	180.0 2.00	SAR 06/05/2008	all
torsions	**	***-cd2-	**	set to zero				
clx	cd2	n3y	hn	1	0.00	180.0 2.00	SAR 06/05/2008	all
torsions	**	***-cd2-	**	set to zero				
clx	cd2	n3y	c3	1	0.00	180.0 2.00	SAR 06/05/2008	all
torsions	**	***-cd2-	**	set to zero				
cly	cd2	oh	ho	1	0.00	180.0 2.00	SAR 06/05/2008	all
torsions	**	***-cd2-	**	set to zero				
cly	cd2	oh	c3	1	0.00	180.0 2.00	SAR 06/05/2008	all
torsions	**	***-cd2-	**	set to zero				
cly	cd2	n3x	hn	1	0.00	180.0 2.00	SAR 06/05/2008	all
torsions	**	***-cd2-	**	set to zero				
cly	cd2	n3x	c3	1	0.00	180.0 2.00	SAR 06/05/2008	all
torsions	**	***-cd2-	**	set to zero				
cly	cd2	n3y	hn	1	0.00	180.0 2.00	SAR 06/05/2008	all
torsions	**	***-cd2-	**	set to zero				
cly	cd2	n3y	c3	1	0.00	180.0 2.00	SAR 06/05/2008	all
torsions	**	***-cd2-	**	set to zero				
n3x	c3	c3	n3y	1	1.40	0.00 3.00	SAR 06/05/2008 based on	
**	-c3-c3-	**						
n3x	cd2	oh	ho	1	0.00	180.0 2.00	SAR 06/05/2008	all
torsions	**	***-cd2-	**	set to zero				
n3y	cd2	oh	ho	1	0.00	180.0 2.00	SAR 06/05/2008	all
torsions	**	***-cd2-	**	set to zero				
n3x	cd2	oh	c3	1	0.00	180.0 2.00	SAR 06/05/2008	all
torsions	**	***-cd2-	**	set to zero				
n3y	cd2	oh	c3	1	0.00	180.0 2.00	SAR 06/05/2008	all
torsions	**	***-cd2-	**	set to zero				
n3x	cd2	n3y	hn	1	0.00	180.0 2.00	SAR 06/05/2008	all
torsions	**	***-cd2-	**	set to zero				
n3y	cd2	n3x	hn	1	0.00	180.0 2.00	SAR 06/05/2008	all
torsions	**	***-cd2-	**	set to zero				
n3x	cd2	n3y	c3	1	0.00	180.0 2.00	SAR 06/05/2008	all
torsions	**	***-cd2-	**	set to zero				
n3y	cd2	n3x	c3	1	0.00	180.0 2.00	SAR 06/05/2008	all
torsions	**	***-cd2-	**	set to zero				
n3x	c3	c3	hc	1	1.40	0.00 3.00	SAR 06/05/2008 based on	
**	-c3-c3-	**						
n3y	c3	c3	hc	1	1.40	0.00 3.00	SAR 06/05/2008 based on	
**	-c3-c3-	**						

Appendix A

n3x	c3	c3	h1	1	1.40	0.00	3.00	SAR	06/05/2008	based on
** -c3-c3- **										
n3y	c3	c3	h1	1	1.40	0.00	3.00	SAR	06/05/2008	based on
** -c3-c3- **										
hn	n3x	cd2	oh	1	0.00	180.0	2.00	SAR	06/05/2008	all
torsions	** -** -cd2- **			set to zero						
hn	n3y	cd2	oh	1	0.00	180.0	2.00	SAR	06/05/2008	all
torsions	** -** -cd2- **			set to zero						
c3	c3	n3x	hn	6	1.80	0.00	3.00	SAR	06/05/2008	based on
** -c3-n3- **										
c3	c3	n3y	hn	6	1.80	0.00	3.00	SAR	06/05/2008	based on
** -c3-n3- **										
h1	c3	n3x	hn	6	1.80	0.00	3.00	SAR	06/05/2008	based on
** -c3-n3- **										
h1	c3	n3y	hn	6	1.80	0.00	3.00	SAR	06/05/2008	based on
** -c3-n3- **										
c3	n3x	cd2	oh	1	0.00	180.0	2.00	SAR	06/05/2008	all
torsions	** -** -cd2- **			set to zero						
c3	n3y	cd2	oh	1	0.00	180.0	2.00	SAR	06/05/2008	all
torsions	** -** -cd2- **			set to zero						
c3	c3	n3x	c3	6	1.80	0.00	3.00	SAR	06/05/2008	based on
** -c3-n3- **										
c3	c3	n3y	c3	6	1.80	0.00	3.00	SAR	06/05/2008	based on
** -c3-n3- **										
h1	c3	n3x	c3	6	1.80	0.00	3.00	SAR	06/05/2008	based on
** -c3-n3- **										
h1	c3	n3y	c3	6	1.80	0.00	3.00	SAR	06/05/2008	based on
** -c3-n3- **										
cd2	n3x	c3	c3	1	0.30	0.00	3.00	SAR	06/05/2008	based on
c3-c3-n3-c3										
cd2	n3y	c3	c3	1	0.30	0.00	3.00	SAR	06/05/2008	based on
c3-c3-n3-c3										
cd2	n3x	c3	h1	1	1.80	0.00	3.00	SAR	06/05/2008	based on
** -c3-n3- **										
cd2	n3y	c3	h1	1	1.80	0.00	3.00	SAR	06/05/2008	based on
** -c3-n3- **										

Table A.23: Abridged WitsGAFFben.txt file for the second geometry optimisation run

A1	A2	A3	KTHETA	THETA EQ	REFERENCE
n3x	cd2	cly	50.00	96.00	SAR 06/05/2008 co-planar trans atoms
n3y	cd2	cly	50.00	106.00	SAR 06/05/2008 co-planar cis atoms
oh	cd2	cly	50.00	95.00	SAR 06/05/2008 co-planar trans atoms
clx	cd2	cly	50.00	106.00	SAR 06/05/2008 axial and equatorial atoms
oh	cd2	clx	50.00	90.00	SAR 06/05/2008 axial c1 to equatorial o
n3x	cd2	clx	50.00	153.00	SAR 06/05/2008 axial c1 to equatorial n3x
n3y	cd2	clx	50.00	111.00	SAR 06/05/2008 axial c1 to equatorial n3y
cd2	n3x	c3	64.0	110.00	SAR 06/05/2008 from c3 n3 c3
cd2	n3y	c3	64.0	115.00	SAR 06/05/2008 from c3 n3 c3
cd2	oh	c3	62.1	115.00	SAR 06/05/2008 from c3 os c3
cd2	n3x	hn	47.1	107.00	SAR 06/05/2008 from c3 n3 hn
cd2	n3y	hn	47.1	105.00	SAR 06/05/2008 from c3 n3 hn
c3	n3x	hn	47.1	107.00	SAR 06/05/2008 from c3 n3 hn
c3	n3y	hn	47.1	105.00	SAR 06/05/2008 from c3 n3 hn

Table A.24: Abridged WitsGAFFstr.txt file for the third geometry optimisation run

B1	B2	KR	REQ	REFERENCE
cd2	n3x	350.0	2.390	SAR 06/05/2008
cd2	n3y	350.0	2.390	SAR 06/05/2008
cd2	oh	150.0	2.440	SAR 06/05/2008
cd2	clx	225.0	2.605	SAR 07/05/2008
cd2	cly	225.0	2.605	SAR 07/05/2008
hn	n3x	394.1	1.018	SAR 06/05/2008
hn	n3y	394.1	1.018	SAR 06/05/2008

Table A.25: Abridged WitsGAFFben.txt file for the third geometry optimisation run

A1	A2	A3	KTHETA	THETAEQ	REFERENCE
cd2	n3x	c3	64.0	110.00	SAR 06/05/2008 from c3 n3 c3
cd2	n3y	c3	64.0	115.00	SAR 06/05/2008 from c3 n3 c3
cd2	oh	c3	62.1	115.00	SAR 06/05/2008 from c3 os c3
cd2	n3x	hn	47.1	107.00	SAR 06/05/2008 from c3 n3 hn
cd2	n3y	hn	47.1	105.00	SAR 06/05/2008 from c3 n3 hn
c3	n3x	hn	47.1	109.92	SAR 07/05/2008 from c3 n3 hn
c3	n3y	hn	47.1	109.92	SAR 07/05/2008 from c3 n3 hn

Table A.26: Abridged WitsGAFFstr.txt file for the fourth geometry optimisation run

B1	B2	KR	REQ	REFERENCE
cd2	n3x	350.0	2.390	SAR 06/05/2008
cd2	n3y	350.0	2.390	SAR 06/05/2008
cd2	oh	150.0	2.440	SAR 06/05/2008
cd2	clx	250.0	2.590	SAR 07/05/2008
cd2	cly	250.0	2.590	SAR 07/05/2008
hn	n3x	394.1	1.018	SAR 06/05/2008
hn	n3y	394.1	1.018	SAR 06/05/2008

Table A.27: Abridged WitsGAFFben.txt file for the fourth geometry optimisation run

A1	A2	A3	KTHETA	THETAEQ	REFERENCE
oh	cd2	cly	50.00	90.00	SAR 07/05/2008 co-planar
trans atoms					
oh	cd2	clx	50.00	90.00	SAR 06/05/2008 axial cl to
equatorial o					
n3x	cd2	clx	50.00	153.00	SAR 06/05/2008 axial cl to
equatorial n3x					
n3y	cd2	clx	50.00	111.00	SAR 06/05/2008 axial cl to
equatorial n3y					
cd2	n3x	c3	64.0	110.00	SAR 06/05/2008 from c3 n3 c3
cd2	n3y	c3	64.0	115.00	SAR 06/05/2008 from c3 n3 c3
cd2	oh	c3	62.1	115.00	SAR 06/05/2008 from c3 os c3
cd2	n3x	hn	47.1	107.00	SAR 06/05/2008 from c3 n3 hn
cd2	n3y	hn	47.1	105.00	SAR 06/05/2008 from c3 n3 hn
c3	n3x	hn	47.1	109.92	SAR 07/05/2008 from c3 n3 hn
c3	n3y	hn	47.1	109.92	SAR 07/05/2008 from c3 n3 hn

Table A.28: Abridged WitsGAFFstr.txt file for the fifth geometry optimisation run

B1	B2	KR	REQ	REFERENCE
cd2	oh	150.0	2.440	SAR 01/05/2008
cd2	n3x	300.0	2.390	SAR 07/05/2008
cd2	n3y	300.0	2.390	SAR 07/05/2008
cd2	clx	250.0	2.500	SAR 07/05/2008
cd2	cly	250.0	2.500	SAR 07/05/2008

Table A.29: Abridged WitsGAFFstr.txt file for the sixth geometry optimisation run

B1	B2	KR	REQ	REFERENCE
cd2	oh	125.0	2.440	SAR 01/05/2008
cd2	n3x	275.0	2.390	SAR 07/05/2008
cd2	n3y	275.0	2.390	SAR 07/05/2008
cd2	clx	250.0	2.500	SAR 07/05/2008
cd2	cly	250.0	2.500	SAR 07/05/2008

Table A.30: Abridged WitsGAFFstr.txt file for the seventh geometry optimisation run

B1	B2	KR	REQ	REFERENCE
cd2	oh	125.0	2.400	SAR 01/05/2008
cd2	n3x	275.0	2.380	SAR 07/05/2008
cd2	n3y	275.0	2.380	SAR 07/05/2008
cd2	clx	250.0	2.500	SAR 07/05/2008
cd2	cly	250.0	2.500	SAR 07/05/2008
hn	n3x	394.1	1.018	SAR 06/05/2008
hn	n3y	394.1	1.018	SAR 06/05/2008

Table A.31: Cy₂-en/Cd Data After the Various Geometry Optimisations

		C-C	C-N	C-O	N-Cd	O-Cd	Cd-Cl	C-C-C	C-C-N	C-C-O	C-N-C	C-N-Cd	C-O-Cd	O-Cd-N	N-Cd-Cl	O-Cd-Cl
XRD	Cy2en_Cd_040															
	Average	1.521	1.480	1.439	2.348	2.382	2.494	110.7	111.0	111.4	113.1	112.5	114.5	108.1	116.5	92.5
	Std Dev	0.009	0.013	0.006	0.020		0.000	0.4	1.9	1.1	2.4	8.2		51.1	25.1	3.3
Geom op	Cy2en_Cd_041															
initial guess	Average	1.550	1.492	1.448	2.356	2.390	2.611	111.2	110.6	110.8	115.9	106.0	104.4	120.7	114.9	92.9
run 1	Std Dev	0.014	0.007	0.022	0.030		0.000	0.2	1.6	2.6	5.7	6.0		56.0	42.7	6.3
Geom op	Cy2en_Cd_042															
run 2	Average	1.550	1.490	1.446	2.360	2.395	2.610	111.195	110.444	110.571	116.932	109.226	105.061	118.100	115.823	48.040
	Std Dev	0.013	0.003	0.018	0.023		0.001	0.313	1.773	2.305	3.196	8.123		53.517	25.616	55.378
Geom op	Cy2en_Cd_043															
run 3	Average	1.550	1.491	1.446	2.360	2.394	2.605	111.199	110.476	110.565	116.153	108.436	105.089	118.462	116.148	85.857
	Std Dev	0.013	0.002	0.018	0.023		0.001	0.345	2.083	2.336	3.379	7.828		53.976	25.449	2.426
Geom op	Cy2en_Cd_044															
run 4	Average	1.545	1.485	1.432	2.386	2.431	2.590	111.109	109.415	109.618	112.411	111.499	112.639	106.824	117.439	90.592
	Std Dev	0.004	0.003	0.001	0.002		0.001	0.445	2.584	0.777	0.239	3.815		49.391	24.721	1.191
Geom op	Cy2en_Cd_045															
run 5	Average	1.545	1.485	1.432	2.386	2.430	2.500	111.108	109.446	109.616	112.371	111.548	112.658	106.829	117.452	90.527
	Std Dev	0.004	0.003	0.001	0.003		0.001	0.445	2.615	0.784	0.277	3.916		49.389	24.701	1.165
Geom op	Cy2en_Cd_046															
run 6	Average	1.545	1.485	1.432	2.385	2.428	2.500	111.108	109.441	109.616	112.369	111.549	112.681	106.842	117.452	90.523
	Std Dev	0.004	0.003	0.001	0.003		0.001	0.443	2.622	0.787	0.280	3.916		49.386	24.704	1.154

Appendix A

Geom op	Cy2en_Cd_047															
run 7	Average	1.545	1.484	1.432	2.376	2.391	2.500	111.100	109.350	109.609	112.309	111.585	113.075	107.156	117.444	90.409
	Std Dev	0.003	0.003	0.001	0.002		0.001	0.425	2.764	0.872	0.296	3.911		49.347	24.765	0.932
Comparisons	040 - 041															
	Average	0.029	0.012	0.009	0.007	0.008	0.117	0.476	0.469	0.604	2.768	6.428	10.172	12.563	1.543	0.423
	Std Dev	0.005	0.006	0.016	0.010		0.000	0.184	0.253	1.502	3.289	2.209		4.893	17.634	3.074
Comparisons	040 - 042															
	Average	0.028	0.010	0.007	0.012	0.013	0.116	0.457	0.605	0.799	3.824	3.240	9.479	9.997	0.657	44.438
	Std Dev	0.003	0.011	0.013	0.003		0.001	0.079	0.102	1.164	0.769	0.109		2.422	0.515	52.102
Comparisons	040 - 043															
	Average	0.028	0.011	0.007	0.012	0.012	0.111	0.462	0.573	0.805	3.045	4.030	9.450	10.359	0.332	6.621
	Std Dev	0.004	0.011	0.013	0.003		0.001	0.046	0.207	1.195	0.952	0.405		2.880	0.349	0.850
Comparisons	040 - 044															
	Average	0.024	0.004	0.007	0.038	0.049	0.096	0.372	1.635	1.752	0.696	0.967	1.901	1.279	0.958	1.886
	Std Dev	0.006	0.010	0.004	0.018		0.000	0.053	0.709	0.365	2.188	4.417		1.704	0.380	2.085
Comparisons	040 - 045															
	Average	0.024	0.005	0.007	0.037	0.047	0.006	0.370	1.604	1.754	0.737	0.918	1.881	1.274	0.972	1.951
	Std Dev	0.006	0.010	0.004	0.018		0.000	0.053	0.740	0.358	2.150	4.317		1.707	0.399	2.111
Comparisons	040 - 046															
	Average	0.024	0.005	0.007	0.037	0.045	0.006	0.370	1.608	1.754	0.739	0.917	1.858	1.260	0.972	1.955
	Std Dev	0.006	0.010	0.004	0.018		0.000	0.052	0.746	0.355	2.147	4.317		1.710	0.397	2.122
Comparisons	040 - 047															
	Average	0.024	0.004	0.007	0.028	0.009	0.006	0.363	1.699	1.761	0.798	0.881	1.465	0.947	0.964	2.069
	Std Dev	0.006	0.010	0.004	0.018		0.000	0.033	0.888	0.270	2.132	4.322		1.749	0.336	2.344

Table A.32: The Calculated Energies for Selected M-N and M-O Bond Lengths

M-O	M-N	E
2.000	2.000	25.368
2.000	2.100	22.964
2.000	2.200	21.464
2.000	2.300	20.837
2.000	2.400	21.038
2.000	2.500	22.017
2.000	2.600	23.722
2.100	2.000	24.676
2.100	2.100	22.302
2.100	2.200	20.827
2.100	2.300	20.219
2.100	2.400	20.434
2.100	2.500	21.419
2.100	2.600	23.121
2.200	2.000	24.237
2.200	2.100	21.885
2.200	2.200	20.429
2.200	2.300	19.835
2.200	2.400	20.058
2.200	2.500	21.043
2.200	2.600	22.736
2.300	2.000	24.054
2.300	2.100	21.718
2.300	2.200	20.274
2.300	2.300	19.688
2.300	2.400	19.913
2.300	2.500	20.893
2.300	2.600	22.573
2.400	2.000	24.132
2.400	2.100	21.807
2.400	2.200	20.368
2.400	2.300	19.784
2.400	2.400	20.004
2.400	2.500	20.972
2.400	2.600	22.633
2.500	2.000	24.477
2.500	2.100	22.155

2.500	2.200	20.716
2.500	2.300	20.126
2.500	2.400	20.336
2.500	2.500	21.287
2.500	2.600	22.922
2.600	2.000	25.093
2.600	2.100	22.767
2.600	2.200	21.322
2.600	2.300	20.721
2.600	2.400	20.913
2.600	2.500	21.840
2.600	2.600	23.443

Figure A.1: The VISTA histogram of the Cd(II)—O(H)(C) bond length




Figure A.2: The VISTA histogram of the Cd(II)—O(C) bond length




Figure A.3: The VISTA histogram of the Cd(II)—N(H)(C)(C) bond length




Figure A.4: The VISTA histogram of the Cd(II)—Cl bond length




Figure A.5: The VISTA histogram of the N—Cd(II)—N bond angle




Figure A.6: The VISTA histogram of the N—Cd(II)—O bond angle




Figure A.7: The VISTA histogram of the Cl—Cd(II)—Cl bond angle




Figure A.8: The VISTA histogram of the Cl—Cd(II)—O(H)(R) bond angle





Figure A.9: The VISTA histogram of the Cl—Cd(II)—N(H)(R) bond angle



Appendix B – NMR Data

All NMR data was generated in the manner described in Chapter 2.

Figure B.1: The ^1H NMR of $\text{Cy}_2\text{-en}$ (Sample 1)




Figure B.2: The ^{13}C NMR of Cy₂-en (Sample 1)




Figure B.3: The ^1H NMR of Cy₂-en (Sample 2)




Figure B.4: The ^{13}C NMR of Cy₂-en (Sample 2)




Figure B.5: The ^1H NMR of Cy₂-en (Sample 3)




Figure B.6: The ^{13}C NMR of Cy₂-en (Sample 3)




Figure B.7: The ^1H NMR of Cy₂-tn (Sample 1)




Figure B.8: The ^{13}C NMR of $\text{Cy}_2\text{-tn}$ (Sample 1)




Figure B.9: The ^1H NMR of $\text{Cy}_2\text{-tn}$ (Sample 2)




Figure B.10: The ^{13}C NMR of $\text{Cy}_2\text{-tn}$ (Sample 2)




Figure B.11: The ^1H NMR of $\text{Cy}_2\text{-dien}$ (Sample 1)




Figure B.12: The ^{13}C NMR of Cy₂-dien (Sample 1)




Figure B.13: The ^1H NMR of Cy₂-dien (Sample 2)




Figure B.14: The ^{13}C NMR of Cy₂-dien (Sample 2)




Figure B.15: The ^1H NMR of Cy₂-Otn (Sample 1)




Figure B.16: The ^{13}C NMR of $\text{Cy}_2\text{-Otn}$ (Sample 1)




Figure B.17: The ^1H NMR of $\text{Cy}_2\text{-Otn}$ (Sample 2)




Figure B.18: The ^{13}C NMR of $\text{Cy}_2\text{-Otn}$ (Sample 2)




Figure B.19: The ^1H NMR of $\text{Cy}_2\text{-Otn}$ (Sample 3)




Figure B.20: The ^{13}C NMR of $\text{Cy}_2\text{-Otn}$ (Sample 3)




Figure B.21: The ^1H NMR of the Imidazolinium Salt




Figure B.22: The ^{13}C NMR of the Imidazolinium Salt





Figure B.23: The ^1H NMR of the Protonated Cy₂-en Chloride Salt




Appendix C – IR Data

All IR data was generated in the manner described in Chapter 2.

Figure C.1: The IR of Cy₂-en (Sample 1)


5/9/2007



Path of File C:\WITS\SANDRA	Filename SANDRA.0
Sample Name BACKGROUND	Sample Form SOLID ATR
Date of Measurement	Time of Measurement
Resolution 4	Signal Gain, Sample Automatic
Number of Sample Scans 32	Scan time (sec) 26.737

Figure C.2: The IR of Cy₂-en (Sample 2)


11/14/2007



Path of File C:\WITS\SANDRA	Filename SAR020.0
Sample Name SAR020	Sample Form SOLID
Date of Measurement 14/11/2007	Time of Measurement 09:38:03.580 (GMT+1)
Resolution 4	Signal Gain, Sample Automatic

Figure C.3: The IR of Cy₂-en (Sample 3)


6/26/2008



Path of File C:\WITS\SANDRA	Filename SAR036.0
Sample Name SAR036	Sample Form SOLID
Date of Measurement 26/06/2008	Time of Measurement 14:41:19.689 (GMT+2)

Figure C.4: The IR of Cy₂-tn (Sample 1)


5/9/2007



Path of File C:\WITS\SANDRA	Filename SANDRA.5
Sample Name SAR002	Sample Form SOLID ATR
Date of Measurement 09/05/2007	Time of Measurement 15:24:18.467 (GMT+2)
Resolution 4	Signal Gain, Sample Automatic
Number of Sample Scans 32	Scan time (sec) 26.737

Figure C.5: The IR of Cy₂-tn (Sample 2)

11/14/2007



Path of File C:\WITS\SANDRA	Filename SAR009.2
Sample Name SAR009	Sample Form SOLID
Date of Measurement 14/11/2007	Time of Measurement 09:19:44.621 (GMT+1)
Resolution 4	Signal Gain, Sample Automatic
Number of Sample Scans 32	Scan time (sec) 26.747

Figure C.6: The IR of Cy₂-dien (Sample 1)

5/9/2007




Figure C.7: The IR of Cy₂-dien (Sample 2)

11/14/2007





Figure C.8: The IR of Cy₂-Otn (Sample 1)


11/19/2007



Path of File C:\WITS\SANDRA	Filename SAR022.0
Sample Name SAR022	Sample Form SOLID
Date of Measurement 14/11/2007	Time of Measurement 09:46:47.252 (GMT+1)
Resolution 4	Signal Gain, Sample Automatic
Number of Sample Scans 32	Scan time (sec) 26.743

Figure C.9: The IR of Cy₂-Otn (Sample 2)


11/14/2007



Path of File C:\WITS\SANDRA	Filename SAR025.0
Sample Name SAR025	Sample Form SOLID
Date of Measurement 14/11/2007	Time of Measurement 09:52:58.320 (GMT+1)
Resolution 4	Signal Gain, Sample Automatic
Number of Sample Scans 32	Scan time (sec) 26.747

Figure C.10: The IR of Cy₂-Otn (Sample 3)

6/10/2008

Figure C.11: The IR of the Imidazolinium Salt from the Attempted Cy₂-en/Pb(II) Reaction (Method 1)

11/14/2007





Figure C.12: The IR of the Attempted $\text{Cy}_2\text{-en/Pb(II)}$ Reaction (Method 2)


5/30/2007



Path of File C:\WITS\SANDRA	Filename SANDRA.16
Sample Name SAR013	Sample Form SOLID ATR
Date of Measurement 30/05/2007	Time of Measurement 13:15:19.948 (GMT+2)
Resolution 4	Signal Gain, Sample Automatic
Number of Sample Scans 32	Scan time (sec) 26.731

Figure C.13: The IR of the Attempted $\text{Cy}_2\text{-en/Pb(II)}$ Reaction (Method 3)


5/21/2007



Path of File C:\WITS\SANDRA	Filename SANDRA.15
Sample Name SAR014	Sample Form SOLID ATR
Date of Measurement 21/05/2007	Time of Measurement 11:24:25.814 (GMT+2)
Resolution 4	Signal Gain, Sample Automatic
Number of Sample Scans 32	Scan time (sec) 26.732

Figure C.14: The IR of the Successful Cy₂-en/Pb(II) Complex (Method 5)


7/19/2007



Path of File C:\WITS\SANDRA	Filename SANDRA.27
Sample Name SAR008	Sample Form SOLID ATR
Date of Measurement 16/07/2007	Time of Measurement 11:14:53.918 (GMT+2)
Resolution 4	Signal Gain, Sample Automatic
Number of Sample Scans 32	Scan time (sec) 27.572

Figure C.15: The IR of the Attempted Cy₂-tn/Pb(II) Complex

5/21/2007



Path of File C:\WITS\SANDRA	Filename SANDRA.12
Sample Name SAR011	Sample Form SOLID ATR
Date of Measurement 21/05/2007	Time of Measurement 11:13:12.528 (GMT+2)
Resolution 4	Signal Gain, Sample Automatic
Number of Sample Scans 32	Scan time (sec) 26.732

Figure C.16: The IR of the Cy_2 -dien/Pb(II) Complex

4/25/2008




Figure C.17: The IR of the Cy_2 -Otn/Pb(II) Complex

6/26/2008





Figure C.18: The IR of the BHEEN/Pb(II) Complex

6/30/2008

Figure C.19: The IR of the Cy₂-en/Cd(II) Complex

5/30/2007





Figure C.20: The IR of the $\text{Cy}_2\text{-tn/Cd(II)}$ Complex


4/23/2008



Path of File	C:\WITS\SANDRA	Filename	SAR018.1
Sample Name	SAR018 FIRST POWDER	Sample Form	SOLID
Date of Measurement	23/04/2008	Time of Measurement	11:53:53.586 (GMT+2)
Resolution	4	Signal Gain, Sample	Automatic
Number of Sample Scans	32	Scan time (sec)	26.744

Figure C.21: The IR of the $\text{Cy}_2\text{-dien/Cd(II)}$ Complex


4/23/2008



Path of File	C:\WITS\SANDRA	Filename	SAR019.1
Sample Name	SAR019	Sample Form	SOLID
Date of Measurement	23/04/2008	Time of Measurement	12:08:17.560 (GMT+2)
Resolution	4	Signal Gain, Sample	Automatic
Number of Sample Scans	32	Scan time (sec)	26.744

Figure C.22: The IR of the $\text{Cy}_2\text{-Otn/Cd(II)}$ Complex


6/2/2008



Path of File	C:\WITS\SANDRA	Filename	SAR028.0
Sample Name	SAR028	Sample Form	SOLID
Date of Measurement	02/06/2008	Time of Measurement	12:17:54.833 (GMT+2)
Resolution	4	Signal Gain, Sample	Automatic
Number of Sample Scans	32	Scan time (sec)	26.739

Figure C.23: The IR of the BHEEN/Cd(II) Complex


2/29/2008



Path of File	C:\WITS\SANDRA	Filename	SAR041.0
Sample Name	SAR041 - 2ND POWDER DMF	Sample Form	ATR - SOLID
Date of Measurement	29/02/2008	Time of Measurement	09:55:55.836 (GMT+1)
Resolution	4	Signal Gain, Sample	Automatic
Number of Sample Scans	32	Scan time (sec)	26.745

Figure C.24: The IR of the $\text{Cy}_2\text{-en/Ni(II)}$ Complex

6/26/2008

Figure C.25: The IR of the $\text{Cy}_2\text{-Otn/Ni(II)}$ Complex

6/26/2008





Figure C.26: The IR of the BHEEN/Ni(II) Complex


6/26/2008



Path of File C:\WITS\SANDRA	Filename SAR039.1
Sample Name SAR039	Sample Form GUM
Date of Measurement 26/06/2008	Time of Measurement 14:50:52.746 (GMT+2)
Resolution 4	Signal Gain, Sample Automatic
Number of Sample Scans 32	Scan time (sec) 26.741

Figure C.27: The IR of the Cy₂-en/Zn(II) Complex

4/23/2008



Path of File C:\WITS\SANDRA	Filename SAR023.0
Sample Name SAR023	Sample Form SOLID
Date of Measurement	Time of Measurement
Resolution 4	Signal Gain, Sample Automatic
Number of Sample Scans 32	Scan time (sec) 26.744

Figure C.28: The IR of the $\text{Cy}_2\text{-Otn/Zn(II)}$ Complex

6/26/2008




Figure C.29: The IR of the BHEEN/Zn(II) Complex

6/26/2008





Figure C.30: The IR BHEEN (Sigma)


2/8/2008



Path of File	C:\WITS\SANDRA	Filename	BHEEN.0
Sample Name	BHEEN-SIGMA	Sample Form	ATR - SOLID
Date of Measurement	08/02/2008	Time of Measurement	09:59:56.017 (GMT+1)
Resolution	4	Signal Gain, Sample	Automatic
Number of Sample Scans	16	Scan time (sec)	13.345

Figure C.31: The IR the Zwitterion 2

5/29/2008




Path of File	C:\WITS\SAMANTHA	Filename	L1.0
Sample Name	L1	Sample Form	SOLID
Date of Measurement	25/04/2008	Time of Measurement	11:35:23.248 (GMT+2)
Resolution	4	Signal Gain, Sample	Automatic
Number of Sample Scans	32	Scan time (sec)	26.748

Appendix D – MS Data

All MS data was generated in the manner described in Chapter 2.

Figure D.1: The APCI Spectrum of Cy₂-en (Sample 1)



SAR001 #1-9 RT: 0.04-0.16 AV: 4 NL: 6.75E5
 F: ITMS + c APCI corona Full ms [50.00-1000.00]

Figure D.2: The ESI+ Spectrum of Cy₂-en (Sample 2)

SAR020q #2-13 RT: 0.03-0.18 AV: 6 SB: 97 1.01-4.01 NL: 1.62E6
F: ITMS + c ESI Full ms [50.00-700.00]



Figure D.3: The APCI Spectrum of Cy₂-en (Sample 3)



Figure D.4: The APCI Spectrum of Cy₂-tn (Sample 1)Figure D.5: The ESI Spectrum of Cy₂-tn (Sample 2)



Figure D.6: The APCI Spectrum of Cy₂-dien (Sample 1)Figure D.7: The ESI Spectrum of Cy₂-dien (Sample 2)



Figure D.8: The APCI Spectrum of Cy₂-Otn (Sample 1)Figure D.9: The APCI Spectrum of Cy₂-Otn (Sample 2)

Figure D.10: The ESI Spectrum of Cy₂-Otn (Sample 3)

SAR038 #16-62 RT: 0.30-1.00 AV: 24 SB: 94 1.00-4.00 NL: 7.31E5
F: ITMS + c ESI Full ms [50.00-700.00]



Figure D.11: The APCI Spectrum of the Imidazolinium Salt from the Attempted Cy₂-en/Pb(II) Reaction (Method 1)



Figure D.12: The APCI Spectrum of the Attempted $\text{Cy}_2\text{-en/Pb(II)}$ Reaction (Method 2)Figure D.13: The APCI Spectrum of the Attempted $\text{Cy}_2\text{-en/Pb(II)}$ Reaction (Method 3)




Figure D.14: The APCI Spectrum of the Attempted $\text{Cy}_2\text{-en/Pb(II)}$ Reaction (Method 4)Figure D.15: The APCI Spectrum of the Successful $\text{Cy}_2\text{-en/Pb(II)}$ Complex (Method 5)

Figure D.16: The APCI Spectrum of the Attempted $\text{Cy}_2\text{-tn/Pb(II)}$ ComplexFigure D.17: The APCI Spectrum of the $\text{Cy}_2\text{-dien/Pb(II)}$ Complex

SAR012_apci2 #9-35 RT: 0.23-0.78 AV: 13 SB: 63 1.01-4.00 NL: 7.96E5
F: ITMS + c APCI corona Full ms [50.00-700.00]




Figure D.18: The APCI Spectrum of the BHEEN/Pb(II) Complex



Figure D.19: The APCI Spectrum of the Cy₂-en/Cd(II) Complex




Figure D.20: The APCI Spectrum of the $\text{Cy}_2\text{-tn/Cd(II)}$ ComplexFigure D.21: The ESI Spectrum of the $\text{Cy}_2\text{-tn/Cd(II)}$ Complex

Figure D.22: The APCI Spectrum of the Cy₂-dien/Cd(II) ComplexFigure D.23: The APCI Spectrum of the Cy₂-Otn/Cd(II) Complex

SAR028 #9-35 RT: 0.23-0.78 AV: 13 SB: 65 1.00-4.01 NL: 1.09E6
F: ITMS + c APCI corona Full ms [50.00-700.00]





Figure D.24: The APCI Spectrum of the BHEEN/Cd(II) Complex

SAR041 #16-62 RT: 0.30-1.00 AV: 24 SB: 82 1.00-3.99 NL: 1.72E4
F: ITMS + c ESI Full ms [50.00-700.00]

Figure D.25: The APCI Spectrum of the Cy₂-en/Ni(II) Complex

SAR040 #9-39 RT: 0.23-0.79 AV: 15 SB: 65 1.01-4.00 NL: 1.01E6
F: ITMS + c APCI corona Full ms [50.00-700.00]




Figure D.26: The APCI Spectrum of the $\text{Cy}_2\text{-Otn/Ni(II)}$ Complex

SAR037 #9-36 RT: 0.23-0.80 AV: 14 SB: 63 1.01-4.00 NL: 8.96E5
F: ITMS + c APCI corona Full ms [50.00-700.00]




Figure D.27: The APCI Spectrum of the BHEEN/Ni(II) Complex

SAR039 #9-35 RT: 0.23-0.78 AV: 13 SB: 63 0.99-4.00 NL: 2.71E4
F: ITMS + c APCI corona Full ms [50.00-700.00]





Figure D.28: The ESI Spectrum of the $\text{Cy}_2\text{-en/Zn(II)}$ ComplexFigure D.29: The APCI Spectrum of the $\text{Cy}_2\text{-Otn/Zn(II)}$ Complex

SAR045_080707105446 #2 RT: 0.02 AV: 1 SB: 24 0.05-0.23, 0.05-0.23 NL: 8.63E3
T: ITMS + c ESI Full ms [200.00-1000.00]




Figure D.30: The APCI Spectrum of the BHEEN/Zn(II) Complex





Figure D.31: The APCI Spectrum of the Zwitterion 2



Appendix E

XRD Data


Cy₂-en DataFigure E.1: XRD structure of Cy₂-en and the labelling scheme used

Table E.1: Crystal data and structure refinement for 7m_al3_0s.

Identification code	7m_al3_0s	
Empirical formula	C ₃₂ H ₄ N ₄ O ₄	
Formula weight	508.39	
Temperature	293(2) K	
Wavelength	0.71069 Å	
Crystal system	Monoclinic	
Space group	P2(1)/c	
Unit cell dimensions	a = 12.281(5) Å	$\alpha = 90^\circ$.
	b = 8.110(5) Å	$\beta = 102.776(5)^\circ$.
	c = 7.123(5) Å	$\gamma = 90^\circ$.
Volume	691.9(7) Å ³	
Z	1	
Density (calculated)	1.220 Mg/m ³	
Absorption coefficient	0.084 mm ⁻¹	
F(000)	256	
Crystal size	0.42 x 0.38 x 0.10 mm ³	
Theta range for data collection	1.70 to 28.31°.	

Index ranges	-16<=h<=16, -10<=k<=10, -9<=l<=9
Reflections collected	9394
Independent reflections	1721 [R(int) = 0.1057]
Completeness to theta = 28.31°	99.7 %
Absorption correction	None
Refinement method	Full-matrix least-squares on F ²
Data / restraints / parameters	1721 / 0 / 87
Goodness-of-fit on F ²	1.038
Final R indices [I>2sigma(I)]	R1 = 0.0584, wR2 = 0.1399
R indices (all data)	R1 = 0.0784, wR2 = 0.1520
Largest diff. peak and hole	0.378 and -0.251 e.Å ⁻³

Table E.2: Atomic coordinates ($\times 10^4$) and equivalent isotropic displacement parameters ($\text{\AA}^2 \times 10^3$) for 7m_al3_0s. $U(\text{eq})$ is defined as one third of the trace of the orthogonalized U_{ij} tensor.

	x	y	z	U(eq)
C(1)	2939(1)	4047(2)	9017(2)	16(1)
C(2)	1983(2)	4769(2)	9797(2)	23(1)
C(3)	936(2)	5027(2)	8225(3)	28(1)
C(4)	1193(2)	6074(2)	6600(2)	23(1)
C(5)	2140(1)	5326(2)	5817(2)	20(1)
C(6)	3186(1)	5119(2)	7405(2)	15(1)
C(7)	4468(1)	5351(2)	5208(2)	18(1)
O(1)	3913(1)	3906(1)	10509(2)	20(1)
N(1)	4113(1)	4372(2)	6704(2)	16(1)

Table E.3: Bond lengths [$\text{\AA}$] and angles [$^\circ$] for 7m_al3_0s.

C(1)-O(1)	1.418(2)
C(1)-C(2)	1.522(2)
C(1)-C(6)	1.523(2)
C(1)-H(1A)	0.9800
C(2)-C(3)	1.521(3)
C(2)-H(2A)	0.9700
C(2)-H(2B)	0.9700
C(3)-C(4)	1.524(2)
C(3)-H(3A)	0.9700
C(3)-H(3B)	0.9700
C(4)-C(5)	1.523(2)
C(4)-H(4A)	0.9700

C(4)-H(4B)	0.9700
C(5)-C(6)	1.522(2)
C(5)-H(5A)	0.9700
C(5)-H(5B)	0.9700
C(6)-N(1)	1.470(2)
C(6)-H(6)	0.9800
C(7)-N(1)	1.471(2)
C(7)-C(7)#1	1.514(3)
C(7)-H(7A)	0.9700
C(7)-H(7B)	0.9700
O(1)-H(1O)	0.8200
N(1)-H(1N)	0.83(2)
O(1)-C(1)-C(2)	110.37(13)
O(1)-C(1)-C(6)	109.56(13)
C(2)-C(1)-C(6)	110.77(13)
O(1)-C(1)-H(1A)	108.7
C(2)-C(1)-H(1A)	108.7
C(6)-C(1)-H(1A)	108.7
C(3)-C(2)-C(1)	112.22(14)
C(3)-C(2)-H(2A)	109.2
C(1)-C(2)-H(2A)	109.2
C(3)-C(2)-H(2B)	109.2
C(1)-C(2)-H(2B)	109.2
H(2A)-C(2)-H(2B)	107.9
C(2)-C(3)-C(4)	110.67(15)
C(2)-C(3)-H(3A)	109.5
C(4)-C(3)-H(3A)	109.5
C(2)-C(3)-H(3B)	109.5
C(4)-C(3)-H(3B)	109.5
H(3A)-C(3)-H(3B)	108.1
C(5)-C(4)-C(3)	111.03(14)
C(5)-C(4)-H(4A)	109.4
C(3)-C(4)-H(4A)	109.4
C(5)-C(4)-H(4B)	109.4
C(3)-C(4)-H(4B)	109.4
H(4A)-C(4)-H(4B)	108.0
C(4)-C(5)-C(6)	111.08(14)
C(4)-C(5)-H(5A)	109.4
C(6)-C(5)-H(5A)	109.4
C(4)-C(5)-H(5B)	109.4
C(6)-C(5)-H(5B)	109.4
H(5A)-C(5)-H(5B)	108.0
N(1)-C(6)-C(5)	112.49(13)
N(1)-C(6)-C(1)	108.63(13)
C(5)-C(6)-C(1)	110.28(14)

Appendix E

N(1)-C(6)-H(6)	108.4
C(5)-C(6)-H(6)	108.4
C(1)-C(6)-H(6)	108.4
N(1)-C(7)-C(7)#1	110.22(16)
N(1)-C(7)-H(7A)	109.6
C(7)#1-C(7)-H(7A)	109.6
N(1)-C(7)-H(7B)	109.6
C(7)#1-C(7)-H(7B)	109.6
H(7A)-C(7)-H(7B)	108.1
C(1)-O(1)-H(1O)	109.5
C(6)-N(1)-C(7)	113.54(13)
C(6)-N(1)-H(1N)	107.9(14)
C(7)-N(1)-H(1N)	102.9(14)

Symmetry transformations used to generate equivalent atoms:

#1 -x+1,-y+1,-z+1

Table E.4: Anisotropic displacement parameters ($\text{\AA}^2 \times 10^3$) for 7m_al3_0s. The anisotropic displacement factor exponent takes the form: $-2p^2 [h^2 a^{*2} U^{11} + \dots + 2 h k a^* b^* U^{12}]$

	U11	U22	U33	U23	U13	U12
C(1)	21(1)	14(1)	13(1)	1(1)	4(1)	-1(1)
C(2)	30(1)	24(1)	17(1)	3(1)	12(1)	2(1)
C(3)	25(1)	33(1)	29(1)	9(1)	12(1)	3(1)
C(4)	24(1)	22(1)	22(1)	2(1)	5(1)	2(1)
C(5)	26(1)	19(1)	15(1)	1(1)	6(1)	2(1)
C(6)	22(1)	11(1)	14(1)	-1(1)	6(1)	-1(1)
C(7)	25(1)	16(1)	15(1)	2(1)	7(1)	-1(1)
O(1)	28(1)	17(1)	14(1)	3(1)	2(1)	-1(1)
N(1)	21(1)	15(1)	11(1)	0(1)	5(1)	0(1)

Table E.5: Torsion angles [$^\circ$] for 7m_al3_0s.

O(1)-C(1)-C(2)-C(3)	177.01(13)
C(6)-C(1)-C(2)-C(3)	55.48(19)
C(1)-C(2)-C(3)-C(4)	-54.6(2)
C(2)-C(3)-C(4)-C(5)	55.0(2)
C(3)-C(4)-C(5)-C(6)	-57.13(19)
C(4)-C(5)-C(6)-N(1)	179.04(13)
C(4)-C(5)-C(6)-C(1)	57.59(17)
O(1)-C(1)-C(6)-N(1)	57.96(16)
C(2)-C(1)-C(6)-N(1)	179.96(13)
O(1)-C(1)-C(6)-C(5)	-178.33(12)

C(2)-C(1)-C(6)-C(5)	-56.32(17)
C(5)-C(6)-N(1)-C(7)	60.74(18)
C(1)-C(6)-N(1)-C(7)	-176.88(13)
C(7)#1-C(7)-N(1)-C(6)	171.04(16)

Symmetry transformations used to generate equivalent atoms:

#1 -x+1,-y+1,-z+1

Table E.6: Hydrogen bonds for 7m_al3_0s [$\text{\AA}$ and $^\circ$].

D-H...A	d(D-H)	d(H...A)	d(D...A)	$\angle(\text{DHA})$
O(1)-H(1O)...N(1)#2	0.82	1.97	2.785(2)	175.1

Symmetry transformations used to generate equivalent atoms:

#1 -x+1,-y+1,-z+1 #2 x,-y+1/2,z+1/2




Figure E.2: XRD structure of the protonated Cy₂-en and the labelling scheme used

Table E.7: Crystal data and structure refinement for 7m_al6_0s.

Identification code	7m_al6_0s
Empirical formula	C ₁₄ H ₃₀ Cl ₂ N ₂ O ₂
Formula weight	329.30

Temperature	293(2) K	
Wavelength	0.71073 Å	
Crystal system	Triclinic	
Space group	P-1	
Unit cell dimensions	a = 5.8557(3) Å	$\alpha = 97.885(3)^\circ$.
	b = 6.9089(3) Å	$\beta = 98.174(4)^\circ$.
	c = 11.1223(7) Å	$\gamma = 107.415(3)^\circ$.
Volume	417.21(4) Å ³	
Z	1	
Density (calculated)	1.311 Mg/m ³	
Absorption coefficient	0.393 mm ⁻¹	
F(000)	178	
Crystal size	0.35 x 0.31 x 0.07 mm ³	
Theta range for data collection	1.88 to 25.49°.	
Index ranges	-7 ≤ h ≤ 7, -8 ≤ k ≤ 8, -13 ≤ l ≤ 12	
Reflections collected	5128	
Independent reflections	1533 [R(int) = 0.0476]	
Completeness to theta = 25.49°	98.8 %	
Absorption correction	Multiscan	
Max. and min. transmission	0.9730 and 0.8747	
Refinement method	Full-matrix least-squares on F ²	
Data / restraints / parameters	1533 / 0 / 92	
Goodness-of-fit on F ²	1.306	
Final R indices [I > 2σ(I)]	R1 = 0.0586, wR2 = 0.1699	
R indices (all data)	R1 = 0.0615, wR2 = 0.1708	
Largest diff. peak and hole	0.713 and -0.334 e.Å ⁻³	

Table E.8: Atomic coordinates ($\times 10^4$) and equivalent isotropic displacement parameters (Å² $\times 10^3$) for 7m_al6_0s. U(eq) is defined as one third of the trace of the orthogonalized U_{ij} tensor.

	x	y	z	U(eq)
C(1)	3106(9)	1363(7)	2173(4)	31(1)
C(2)	2827(10)	284(8)	3266(4)	38(1)
C(3)	3016(11)	1793(8)	4425(5)	45(1)
C(4)	1127(12)	2868(9)	4243(5)	50(1)
C(5)	1329(10)	3933(8)	3134(4)	37(1)
C(6)	1211(8)	2433(6)	1975(4)	26(1)
C(7)	-182(8)	4604(7)	595(4)	27(1)
Cl(1)	6262(2)	7355(2)	1634(1)	35(1)
N(1)	1609(7)	3526(5)	909(3)	24(1)
O(1)	2792(8)	-28(6)	1035(3)	47(1)

Table E.9: Bond lengths [Å] and angles [°] for 7m_al6_0s.

C(1)-O(1)	1.433(5)
C(1)-C(2)	1.514(6)
C(1)-C(6)	1.514(6)
C(1)-H(1)	0.9800
C(2)-C(3)	1.510(7)
C(2)-H(2A)	0.9700
C(2)-H(2B)	0.9700
C(3)-C(4)	1.512(8)
C(3)-H(3A)	0.9700
C(3)-H(3B)	0.9700
C(4)-C(5)	1.521(7)
C(4)-H(4A)	0.9700
C(4)-H(4B)	0.9700
C(5)-C(6)	1.518(6)
C(5)-H(5A)	0.9700
C(5)-H(5B)	0.9700
C(6)-N(1)	1.500(5)
C(6)-H(6)	0.9800
C(7)-N(1)	1.487(5)
C(7)-C(7)#1	1.517(8)
C(7)-H(7A)	0.9700
C(7)-H(7B)	0.9700
N(1)-H(1N1)	0.9000
N(1)-H(1N2)	0.9000
O(1)-H(1A)	0.8200
O(1)-C(1)-C(2)	113.0(4)
O(1)-C(1)-C(6)	106.4(4)
C(2)-C(1)-C(6)	110.6(4)
O(1)-C(1)-H(1)	108.9
C(2)-C(1)-H(1)	108.9
C(6)-C(1)-H(1)	108.9
C(3)-C(2)-C(1)	110.9(4)
C(3)-C(2)-H(2A)	109.5
C(1)-C(2)-H(2A)	109.5
C(3)-C(2)-H(2B)	109.5
C(1)-C(2)-H(2B)	109.5
H(2A)-C(2)-H(2B)	108.0
C(2)-C(3)-C(4)	110.9(4)
C(2)-C(3)-H(3A)	109.5
C(4)-C(3)-H(3A)	109.5
C(2)-C(3)-H(3B)	109.5
C(4)-C(3)-H(3B)	109.5
H(3A)-C(3)-H(3B)	108.1
C(3)-C(4)-C(5)	111.4(4)

C(3)-C(4)-H(4A)	109.3
C(5)-C(4)-H(4A)	109.3
C(3)-C(4)-H(4B)	109.3
C(5)-C(4)-H(4B)	109.3
H(4A)-C(4)-H(4B)	108.0
C(6)-C(5)-C(4)	111.2(4)
C(6)-C(5)-H(5A)	109.4
C(4)-C(5)-H(5A)	109.4
C(6)-C(5)-H(5B)	109.4
C(4)-C(5)-H(5B)	109.4
H(5A)-C(5)-H(5B)	108.0
N(1)-C(6)-C(1)	108.6(3)
N(1)-C(6)-C(5)	110.9(3)
C(1)-C(6)-C(5)	111.4(4)
N(1)-C(6)-H(6)	108.6
C(1)-C(6)-H(6)	108.6
C(5)-C(6)-H(6)	108.6
N(1)-C(7)-C(7)#1	109.3(4)
N(1)-C(7)-H(7A)	109.8
C(7)#1-C(7)-H(7A)	109.8
N(1)-C(7)-H(7B)	109.8
C(7)#1-C(7)-H(7B)	109.8
H(7A)-C(7)-H(7B)	108.3
C(7)-N(1)-C(6)	114.1(3)
C(7)-N(1)-H(1N1)	108.7
C(6)-N(1)-H(1N1)	108.7
C(7)-N(1)-H(1N2)	108.7
C(6)-N(1)-H(1N2)	108.7
H(1N1)-N(1)-H(1N2)	107.6
C(1)-O(1)-H(1A)	109.5

Symmetry transformations used to generate equivalent atoms:

#1 -x,-y+1,-z

Table E.10: Anisotropic displacement parameters ($\text{\AA}^2 \times 10^3$) for 7m_al6_0s. The anisotropic displacement factor exponent takes the form: $-2p^2[h^2 a^{*2} U^{11} + \dots + 2 h k a^* b^* U^{12}]$

	U11	U22	U33	U23	U13	U12
C(1)	37(3)	30(2)	29(2)	6(2)	1(2)	18(2)
C(2)	49(3)	35(3)	35(3)	12(2)	1(2)	21(2)
C(3)	63(4)	44(3)	32(3)	18(2)	7(2)	21(3)
C(4)	73(4)	55(3)	39(3)	22(3)	26(3)	32(3)
C(5)	53(3)	34(3)	34(3)	10(2)	15(2)	23(2)

Appendix E

C(6)	30(2)	23(2)	27(2)	10(2)	6(2)	10(2)
C(7)	28(2)	27(2)	30(2)	9(2)	5(2)	16(2)
Cl(1)	28(1)	32(1)	46(1)	5(1)	10(1)	11(1)
N(1)	31(2)	21(2)	24(2)	6(1)	5(2)	14(2)
O(1)	74(3)	46(2)	36(2)	5(2)	5(2)	42(2)

Table E.11: Torsion angles [°] for 7m_al6_0s.

O(1)-C(1)-C(2)-C(3)	-176.4(4)
C(6)-C(1)-C(2)-C(3)	-57.3(6)
C(1)-C(2)-C(3)-C(4)	57.3(6)
C(2)-C(3)-C(4)-C(5)	-55.7(7)
C(3)-C(4)-C(5)-C(6)	54.3(6)
O(1)-C(1)-C(6)-N(1)	-58.5(5)
C(2)-C(1)-C(6)-N(1)	178.4(4)
O(1)-C(1)-C(6)-C(5)	179.0(4)
C(2)-C(1)-C(6)-C(5)	55.9(5)
C(4)-C(5)-C(6)-N(1)	-175.5(4)
C(4)-C(5)-C(6)-C(1)	-54.4(6)
C(7)#1-C(7)-N(1)-C(6)	-172.3(4)
C(1)-C(6)-N(1)-C(7)	178.6(4)
C(5)-C(6)-N(1)-C(7)	-58.7(5)

Symmetry transformations used to generate equivalent atoms:

#1 -x,-y+1,-z

Table E.12: Hydrogen bonds for 7m_al6_0s [Å and °].

D-H...A	d(D-H)	d(H...A)	d(D...A)	<(DHA)
N(1)-H(1N1)...Cl(1)	0.90	2.22	3.090(4)	163.9
N(1)-H(1N2)...Cl(1)#2	0.90	2.60	3.303(4)	135.3
O(1)-H(1A)...Cl(1)#3	0.82	2.35	3.160(4)	168.4

Symmetry transformations used to generate equivalent atoms:

#1 -x,-y+1,-z #2 -x+1,-y+1,-z #3 x,y-1,z


Cy₂-Otn DataFigure E.3: XRD structure of Cy₂-Otn and the labelling scheme used

Table E.13: Crystal data and structure refinement for 7m_al19_0s.

Identification code	7m_al19_0s	
Empirical formula	C ₃₀ H ₆₂ N ₄ O ₇	
Formula weight	590.84	
Temperature	293(2) K	
Wavelength	0.71073 Å	
Crystal system	Triclinic	
Space group	P-1	
Unit cell dimensions	a = 10.0830(2) Å b = 10.6966(3) Å c = 16.6006(4) Å	α = 104.5330(10)° β = 104.7020(10)° γ = 90.5310(10)°
Volume	1671.31(7) Å ³	
Z	2	
Density (calculated)	1.174 Mg/m ³	
Absorption coefficient	0.083 mm ⁻¹	
F(000)	652	
Crystal size	0.42 x 0.22 x 0.16 mm ³	
Theta range for data collection	1.31 to 28.00°	
Index ranges	-13 ≤ h ≤ 13, -14 ≤ k ≤ 14, -21 ≤ l ≤ 21	
Reflections collected	29863	
Independent reflections	8075 [R(int) = 0.0548]	
Completeness to theta = 28.00°	100.0 %	
Absorption correction	None	
Max. and min. transmission	0.9869 and 0.9662	

Refinement method	Full-matrix least-squares on F ²
Data / restraints / parameters	8075 / 0 / 397
Goodness-of-fit on F ²	1.002
Final R indices [I>2sigma(I)]	R1 = 0.0504, wR2 = 0.1196
R indices (all data)	R1 = 0.0868, wR2 = 0.1338
Largest diff. peak and hole	0.397 and -0.226 e.Å ⁻³

Table E.14: Atomic coordinates ($\times 10^4$) and equivalent isotropic displacement parameters ($\text{\AA}^2 \times 10^3$) for 7m_al19_0s. U(eq) is defined as one third of the trace of the orthogonalized U_{ij} tensor.

	x	y	z	U(eq)
C(1)	-1447(2)	5680(2)	3207(1)	28(1)
C(2)	-2250(2)	6857(2)	3151(1)	36(1)
C(3)	-3660(2)	6681(2)	3294(1)	39(1)
C(4)	-4453(2)	5476(2)	2657(1)	38(1)
C(5)	-3657(2)	4283(2)	2714(1)	35(1)
C(6)	-2239(2)	4462(2)	2577(1)	26(1)
C(7)	-1984(2)	2142(2)	2045(1)	31(1)
C(8)	-955(2)	1119(2)	2019(1)	27(1)
C(9)	-1687(2)	-116(2)	1390(1)	35(1)
C(10)	-1480(2)	-2161(2)	432(1)	32(1)
C(11)	-2417(2)	-3078(2)	647(1)	39(1)
C(12)	-3182(2)	-4090(2)	-169(1)	53(1)
C(13)	-2190(2)	-4828(2)	-608(1)	53(1)
C(14)	-1166(2)	-3941(2)	-776(1)	40(1)
C(15)	-452(2)	-2906(2)	29(1)	35(1)
N(1)	-1419(1)	3353(1)	2684(1)	27(1)
N(2)	-774(1)	-1126(1)	1195(1)	30(1)
O(1)	-150(1)	5846(1)	3029(1)	33(1)
O(2)	165(1)	1554(1)	1754(1)	31(1)
O(3)	496(1)	-2064(1)	-126(1)	40(1)
C(16)	6725(2)	10880(2)	7888(1)	32(1)
C(17)	5788(2)	11611(2)	8394(1)	38(1)
C(18)	5927(2)	11229(2)	9231(1)	38(1)
C(19)	5648(2)	9785(2)	9061(1)	32(1)
C(20)	6552(2)	9050(2)	8527(1)	29(1)
C(21)	6396(2)	9438(2)	7691(1)	27(1)
C(22)	6691(2)	7409(2)	6722(1)	37(1)
C(23)	7632(2)	6675(2)	6239(1)	33(1)
C(24)	7059(2)	5297(2)	5791(1)	39(1)
C(25)	7607(2)	3175(2)	5005(1)	27(1)
C(26)	6897(2)	2411(2)	5459(1)	37(1)

C(27)	6490(2)	1022(2)	4942(1)	45(1)
C(28)	7688(2)	354(2)	4687(1)	53(1)
C(29)	8351(2)	1109(2)	4207(1)	43(1)
C(30)	8802(2)	2474(2)	4760(1)	29(1)
N(3)	7290(1)	8712(1)	7198(1)	30(1)
N(4)	8123(1)	4476(1)	5561(1)	28(1)
O(4)	6596(1)	11252(1)	7111(1)	46(1)
O(5)	7833(1)	7341(1)	5631(1)	42(1)
O(6)	9534(1)	3217(1)	4382(1)	31(1)
O(7)	9337(1)	11798(1)	7277(1)	70(1)

Table E.15: Bond lengths [$\text{\AA}$] and angles [$^\circ$] for 7m_al19_0s.

C(1)-O(1)	1.4304(17)
C(1)-C(2)	1.514(2)
C(1)-C(6)	1.517(2)
C(1)-H(1A)	0.9800
C(2)-C(3)	1.517(2)
C(2)-H(2A)	0.9700
C(2)-H(2B)	0.9700
C(3)-C(4)	1.513(2)
C(3)-H(3A)	0.9700
C(3)-H(3B)	0.9700
C(4)-C(5)	1.524(2)
C(4)-H(4A)	0.9700
C(4)-H(4B)	0.9700
C(5)-C(6)	1.521(2)
C(5)-H(5A)	0.9700
C(5)-H(5B)	0.9700
C(6)-N(1)	1.474(2)
C(6)-H(6A)	0.9800
C(7)-N(1)	1.456(2)
C(7)-C(8)	1.515(2)
C(7)-H(7A)	0.9700
C(7)-H(7B)	0.9700
C(8)-O(2)	1.4250(17)
C(8)-C(9)	1.509(2)
C(8)-H(8A)	0.9800
C(9)-N(2)	1.455(2)
C(9)-H(9A)	0.9700
C(9)-H(9B)	0.9700
C(10)-N(2)	1.470(2)
C(10)-C(15)	1.503(2)
C(10)-C(11)	1.520(2)
C(10)-H(10A)	0.9800

C(11)-C(12)	1.523(3)
C(11)-H(11A)	0.9700
C(11)-H(11B)	0.9700
C(12)-C(13)	1.501(3)
C(12)-H(12A)	0.9700
C(12)-H(12B)	0.9700
C(13)-C(14)	1.518(3)
C(13)-H(13A)	0.9700
C(13)-H(13B)	0.9700
C(14)-C(15)	1.512(2)
C(14)-H(14A)	0.9700
C(14)-H(14B)	0.9700
C(15)-O(3)	1.420(2)
C(15)-H(15A)	0.9800
N(1)-H(1N)	0.848(17)
N(2)-H(2N)	0.836(18)
O(1)-H(1O)	0.8200
O(2)-H(2O)	0.8200
O(3)-H(3O)	0.8200
C(16)-O(4)	1.4184(18)
C(16)-C(21)	1.510(2)
C(16)-C(17)	1.516(2)
C(16)-H(16A)	0.9800
C(17)-C(18)	1.518(2)
C(17)-H(17A)	0.9700
C(17)-H(17B)	0.9700
C(18)-C(19)	1.509(2)
C(18)-H(18A)	0.9700
C(18)-H(18B)	0.9700
C(19)-C(20)	1.519(2)
C(19)-H(19A)	0.9700
C(19)-H(19B)	0.9700
C(20)-C(21)	1.518(2)
C(20)-H(20A)	0.9700
C(20)-H(20B)	0.9700
C(21)-N(3)	1.468(2)
C(21)-H(21A)	0.9800
C(22)-N(3)	1.456(2)
C(22)-C(23)	1.498(2)
C(22)-H(22A)	0.9700
C(22)-H(22B)	0.9700
C(23)-O(5)	1.424(2)
C(23)-C(24)	1.508(2)
C(23)-H(23A)	0.9800
C(24)-N(4)	1.458(2)
C(24)-H(24A)	0.9700

C(24)-H(24B)	0.9700
C(25)-N(4)	1.469(2)
C(25)-C(30)	1.515(2)
C(25)-C(26)	1.523(2)
C(25)-H(25A)	0.9800
C(26)-C(27)	1.511(2)
C(26)-H(26A)	0.9700
C(26)-H(26B)	0.9700
C(27)-C(28)	1.508(3)
C(27)-H(27A)	0.9700
C(27)-H(27B)	0.9700
C(28)-C(29)	1.522(3)
C(28)-H(28A)	0.9700
C(28)-H(28B)	0.9700
C(29)-C(30)	1.512(2)
C(29)-H(29A)	0.9700
C(29)-H(29B)	0.9700
C(30)-O(6)	1.4293(17)
C(30)-H(30A)	0.9800
N(3)-H(3N)	0.816(17)
N(4)-H(4N)	0.794(17)
O(4)-H(4O)	0.8200
O(5)-H(5O)	0.8200
O(6)-H(6O)	0.8200
O(7)-H(7O)	1.21(4)
O(7)-H(8O)	1.074(12)
O(1)-C(1)-C(2)	110.36(13)
O(1)-C(1)-C(6)	109.18(12)
C(2)-C(1)-C(6)	111.21(13)
O(1)-C(1)-H(1A)	108.7
C(2)-C(1)-H(1A)	108.7
C(6)-C(1)-H(1A)	108.7
C(1)-C(2)-C(3)	111.50(14)
C(1)-C(2)-H(2A)	109.3
C(3)-C(2)-H(2A)	109.3
C(1)-C(2)-H(2B)	109.3
C(3)-C(2)-H(2B)	109.3
H(2A)-C(2)-H(2B)	108.0
C(4)-C(3)-C(2)	110.52(14)
C(4)-C(3)-H(3A)	109.5
C(2)-C(3)-H(3A)	109.5
C(4)-C(3)-H(3B)	109.5
C(2)-C(3)-H(3B)	109.5
H(3A)-C(3)-H(3B)	108.1
C(3)-C(4)-C(5)	111.07(14)

C(3)-C(4)-H(4A)	109.4
C(5)-C(4)-H(4A)	109.4
C(3)-C(4)-H(4B)	109.4
C(5)-C(4)-H(4B)	109.4
H(4A)-C(4)-H(4B)	108.0
C(6)-C(5)-C(4)	111.00(14)
C(6)-C(5)-H(5A)	109.4
C(4)-C(5)-H(5A)	109.4
C(6)-C(5)-H(5B)	109.4
C(4)-C(5)-H(5B)	109.4
H(5A)-C(5)-H(5B)	108.0
N(1)-C(6)-C(1)	108.28(12)
N(1)-C(6)-C(5)	111.82(13)
C(1)-C(6)-C(5)	110.96(13)
N(1)-C(6)-H(6A)	108.6
C(1)-C(6)-H(6A)	108.6
C(5)-C(6)-H(6A)	108.6
N(1)-C(7)-C(8)	112.57(12)
N(1)-C(7)-H(7A)	109.1
C(8)-C(7)-H(7A)	109.1
N(1)-C(7)-H(7B)	109.1
C(8)-C(7)-H(7B)	109.1
H(7A)-C(7)-H(7B)	107.8
O(2)-C(8)-C(9)	111.27(13)
O(2)-C(8)-C(7)	108.91(13)
C(9)-C(8)-C(7)	107.70(12)
O(2)-C(8)-H(8A)	109.6
C(9)-C(8)-H(8A)	109.6
C(7)-C(8)-H(8A)	109.6
N(2)-C(9)-C(8)	113.71(13)
N(2)-C(9)-H(9A)	108.8
C(8)-C(9)-H(9A)	108.8
N(2)-C(9)-H(9B)	108.8
C(8)-C(9)-H(9B)	108.8
H(9A)-C(9)-H(9B)	107.7
N(2)-C(10)-C(15)	110.39(13)
N(2)-C(10)-C(11)	112.04(14)
C(15)-C(10)-C(11)	109.98(14)
N(2)-C(10)-H(10A)	108.1
C(15)-C(10)-H(10A)	108.1
C(11)-C(10)-H(10A)	108.1
C(10)-C(11)-C(12)	110.22(15)
C(10)-C(11)-H(11A)	109.6
C(12)-C(11)-H(11A)	109.6
C(10)-C(11)-H(11B)	109.6
C(12)-C(11)-H(11B)	109.6

H(11A)-C(11)-H(11B)	108.1
C(13)-C(12)-C(11)	110.74(16)
C(13)-C(12)-H(12A)	109.5
C(11)-C(12)-H(12A)	109.5
C(13)-C(12)-H(12B)	109.5
C(11)-C(12)-H(12B)	109.5
H(12A)-C(12)-H(12B)	108.1
C(12)-C(13)-C(14)	112.32(16)
C(12)-C(13)-H(13A)	109.1
C(14)-C(13)-H(13A)	109.1
C(12)-C(13)-H(13B)	109.1
C(14)-C(13)-H(13B)	109.1
H(13A)-C(13)-H(13B)	107.9
C(15)-C(14)-C(13)	112.13(15)
C(15)-C(14)-H(14A)	109.2
C(13)-C(14)-H(14A)	109.2
C(15)-C(14)-H(14B)	109.2
C(13)-C(14)-H(14B)	109.2
H(14A)-C(14)-H(14B)	107.9
O(3)-C(15)-C(10)	111.23(14)
O(3)-C(15)-C(14)	112.45(14)
C(10)-C(15)-C(14)	110.92(14)
O(3)-C(15)-H(15A)	107.3
C(10)-C(15)-H(15A)	107.3
C(14)-C(15)-H(15A)	107.3
C(7)-N(1)-C(6)	113.95(12)
C(7)-N(1)-H(1N)	107.7(11)
C(6)-N(1)-H(1N)	106.6(12)
C(9)-N(2)-C(10)	110.72(12)
C(9)-N(2)-H(2N)	104.0(12)
C(10)-N(2)-H(2N)	104.8(12)
C(1)-O(1)-H(1O)	109.5
C(8)-O(2)-H(2O)	109.5
C(15)-O(3)-H(3O)	109.5
O(4)-C(16)-C(21)	110.10(14)
O(4)-C(16)-C(17)	110.60(13)
C(21)-C(16)-C(17)	110.38(13)
O(4)-C(16)-H(16A)	108.6
C(21)-C(16)-H(16A)	108.6
C(17)-C(16)-H(16A)	108.6
C(16)-C(17)-C(18)	111.04(14)
C(16)-C(17)-H(17A)	109.4
C(18)-C(17)-H(17A)	109.4
C(16)-C(17)-H(17B)	109.4
C(18)-C(17)-H(17B)	109.4
H(17A)-C(17)-H(17B)	108.0

C(19)-C(18)-C(17)	110.99(14)
C(19)-C(18)-H(18A)	109.4
C(17)-C(18)-H(18A)	109.4
C(19)-C(18)-H(18B)	109.4
C(17)-C(18)-H(18B)	109.4
H(18A)-C(18)-H(18B)	108.0
C(18)-C(19)-C(20)	111.02(13)
C(18)-C(19)-H(19A)	109.4
C(20)-C(19)-H(19A)	109.4
C(18)-C(19)-H(19B)	109.4
C(20)-C(19)-H(19B)	109.4
H(19A)-C(19)-H(19B)	108.0
C(21)-C(20)-C(19)	111.89(13)
C(21)-C(20)-H(20A)	109.2
C(19)-C(20)-H(20A)	109.2
C(21)-C(20)-H(20B)	109.2
C(19)-C(20)-H(20B)	109.2
H(20A)-C(20)-H(20B)	107.9
N(3)-C(21)-C(16)	111.20(13)
N(3)-C(21)-C(20)	110.13(13)
C(16)-C(21)-C(20)	109.60(13)
N(3)-C(21)-H(21A)	108.6
C(16)-C(21)-H(21A)	108.6
C(20)-C(21)-H(21A)	108.6
N(3)-C(22)-C(23)	111.37(13)
N(3)-C(22)-H(22A)	109.4
C(23)-C(22)-H(22A)	109.4
N(3)-C(22)-H(22B)	109.4
C(23)-C(22)-H(22B)	109.4
H(22A)-C(22)-H(22B)	108.0
O(5)-C(23)-C(22)	108.15(14)
O(5)-C(23)-C(24)	110.77(14)
C(22)-C(23)-C(24)	111.62(14)
O(5)-C(23)-H(23A)	108.7
C(22)-C(23)-H(23A)	108.7
C(24)-C(23)-H(23A)	108.7
N(4)-C(24)-C(23)	111.62(13)
N(4)-C(24)-H(24A)	109.3
C(23)-C(24)-H(24A)	109.3
N(4)-C(24)-H(24B)	109.3
C(23)-C(24)-H(24B)	109.3
H(24A)-C(24)-H(24B)	108.0
N(4)-C(25)-C(30)	108.75(12)
N(4)-C(25)-C(26)	111.19(13)
C(30)-C(25)-C(26)	110.26(14)
N(4)-C(25)-H(25A)	108.9

C(30)-C(25)-H(25A)	108.9
C(26)-C(25)-H(25A)	108.9
C(27)-C(26)-C(25)	112.36(14)
C(27)-C(26)-H(26A)	109.1
C(25)-C(26)-H(26A)	109.1
C(27)-C(26)-H(26B)	109.1
C(25)-C(26)-H(26B)	109.1
H(26A)-C(26)-H(26B)	107.9
C(28)-C(27)-C(26)	111.94(15)
C(28)-C(27)-H(27A)	109.2
C(26)-C(27)-H(27A)	109.2
C(28)-C(27)-H(27B)	109.2
C(26)-C(27)-H(27B)	109.2
H(27A)-C(27)-H(27B)	107.9
C(27)-C(28)-C(29)	111.02(17)
C(27)-C(28)-H(28A)	109.4
C(29)-C(28)-H(28A)	109.4
C(27)-C(28)-H(28B)	109.4
C(29)-C(28)-H(28B)	109.4
H(28A)-C(28)-H(28B)	108.0
C(30)-C(29)-C(28)	109.84(15)
C(30)-C(29)-H(29A)	109.7
C(28)-C(29)-H(29A)	109.7
C(30)-C(29)-H(29B)	109.7
C(28)-C(29)-H(29B)	109.7
H(29A)-C(29)-H(29B)	108.2
O(6)-C(30)-C(29)	113.25(13)
O(6)-C(30)-C(25)	111.05(13)
C(29)-C(30)-C(25)	111.67(13)
O(6)-C(30)-H(30A)	106.8
C(29)-C(30)-H(30A)	106.8
C(25)-C(30)-H(30A)	106.8
C(22)-N(3)-C(21)	112.18(13)
C(22)-N(3)-H(3N)	107.9(12)
C(21)-N(3)-H(3N)	108.3(12)
C(24)-N(4)-C(25)	114.56(12)
C(24)-N(4)-H(4N)	110.0(12)
C(25)-N(4)-H(4N)	106.3(12)
C(16)-O(4)-H(4O)	109.5
C(23)-O(5)-H(5O)	109.5
C(30)-O(6)-H(6O)	109.5
H(7O)-O(7)-H(8O)	81.3(16)

Symmetry transformations used to generate equivalent atoms:

Table E.16: Anisotropic displacement parameters ($\text{\AA}^2 \times 10^3$) for 7m_al19_0s. The anisotropic displacement factor exponent takes the form: $-2p^2 [h^2 a^{*2} U^{11} + \dots + 2 h k a^* b^* U^{12}]$

	U11	U22	U33	U23	U13	U12
C(1)	24(1)	33(1)	27(1)	10(1)	7(1)	-1(1)
C(2)	36(1)	30(1)	38(1)	9(1)	6(1)	2(1)
C(3)	37(1)	43(1)	38(1)	13(1)	12(1)	17(1)
C(4)	24(1)	46(1)	46(1)	17(1)	10(1)	9(1)
C(5)	23(1)	36(1)	46(1)	12(1)	9(1)	0(1)
C(6)	22(1)	31(1)	27(1)	10(1)	6(1)	2(1)
C(7)	22(1)	34(1)	34(1)	6(1)	4(1)	1(1)
C(8)	21(1)	33(1)	28(1)	8(1)	7(1)	1(1)
C(9)	24(1)	36(1)	40(1)	5(1)	6(1)	3(1)
C(10)	29(1)	31(1)	35(1)	12(1)	6(1)	3(1)
C(11)	32(1)	35(1)	54(1)	13(1)	18(1)	2(1)
C(12)	38(1)	40(1)	77(2)	11(1)	14(1)	-7(1)
C(13)	45(1)	35(1)	69(1)	3(1)	7(1)	-2(1)
C(14)	37(1)	38(1)	40(1)	3(1)	8(1)	6(1)
C(15)	31(1)	39(1)	37(1)	11(1)	10(1)	3(1)
N(1)	19(1)	28(1)	32(1)	7(1)	5(1)	0(1)
N(2)	25(1)	31(1)	34(1)	7(1)	11(1)	1(1)
O(1)	24(1)	40(1)	35(1)	14(1)	5(1)	-4(1)
O(2)	23(1)	42(1)	31(1)	13(1)	8(1)	2(1)
O(3)	33(1)	54(1)	33(1)	11(1)	9(1)	-6(1)
C(16)	25(1)	40(1)	34(1)	19(1)	5(1)	0(1)
C(17)	33(1)	33(1)	50(1)	15(1)	12(1)	6(1)
C(18)	30(1)	44(1)	38(1)	7(1)	13(1)	6(1)
C(19)	23(1)	45(1)	32(1)	13(1)	11(1)	4(1)
C(20)	26(1)	34(1)	30(1)	13(1)	10(1)	4(1)
C(21)	19(1)	37(1)	26(1)	11(1)	6(1)	2(1)
C(22)	26(1)	47(1)	37(1)	3(1)	11(1)	0(1)
C(23)	23(1)	44(1)	32(1)	8(1)	10(1)	3(1)
C(24)	25(1)	47(1)	43(1)	1(1)	15(1)	0(1)
C(25)	22(1)	35(1)	24(1)	8(1)	6(1)	-4(1)
C(26)	33(1)	47(1)	33(1)	12(1)	12(1)	-12(1)
C(27)	46(1)	49(1)	40(1)	12(1)	10(1)	-21(1)
C(28)	70(1)	32(1)	59(1)	10(1)	22(1)	-12(1)
C(29)	48(1)	34(1)	49(1)	4(1)	21(1)	-3(1)
C(30)	29(1)	33(1)	28(1)	11(1)	10(1)	-2(1)
N(3)	28(1)	39(1)	26(1)	10(1)	11(1)	0(1)
N(4)	23(1)	35(1)	28(1)	7(1)	13(1)	-2(1)
O(4)	40(1)	65(1)	48(1)	39(1)	12(1)	4(1)
O(5)	40(1)	57(1)	40(1)	19(1)	21(1)	11(1)
O(6)	28(1)	38(1)	29(1)	8(1)	12(1)	-4(1)
O(7)	49(1)	90(1)	75(1)	49(1)	-1(1)	-18(1)

Table E.17: Torsion angles [°] for 7m_al19_0s.

O(1)-C(1)-C(2)-C(3)	177.27(13)
C(6)-C(1)-C(2)-C(3)	55.95(18)
C(1)-C(2)-C(3)-C(4)	-56.38(19)
C(2)-C(3)-C(4)-C(5)	56.39(19)
C(3)-C(4)-C(5)-C(6)	-56.25(19)
O(1)-C(1)-C(6)-N(1)	59.69(16)
C(2)-C(1)-C(6)-N(1)	-178.30(13)
O(1)-C(1)-C(6)-C(5)	-177.24(12)
C(2)-C(1)-C(6)-C(5)	-55.23(17)
C(4)-C(5)-C(6)-N(1)	176.37(13)
C(4)-C(5)-C(6)-C(1)	55.36(18)
N(1)-C(7)-C(8)-O(2)	-63.77(17)
N(1)-C(7)-C(8)-C(9)	175.45(13)
O(2)-C(8)-C(9)-N(2)	51.38(19)
C(7)-C(8)-C(9)-N(2)	170.67(14)
N(2)-C(10)-C(11)-C(12)	177.08(14)
C(15)-C(10)-C(11)-C(12)	-59.75(18)
C(10)-C(11)-C(12)-C(13)	57.3(2)
C(11)-C(12)-C(13)-C(14)	-53.4(2)
C(12)-C(13)-C(14)-C(15)	52.0(2)
N(2)-C(10)-C(15)-O(3)	-51.94(18)
C(11)-C(10)-C(15)-O(3)	-176.07(14)
N(2)-C(10)-C(15)-C(14)	-177.88(14)
C(11)-C(10)-C(15)-C(14)	57.98(19)
C(13)-C(14)-C(15)-O(3)	-179.34(15)
C(13)-C(14)-C(15)-C(10)	-54.1(2)
C(8)-C(7)-N(1)-C(6)	164.80(13)
C(1)-C(6)-N(1)-C(7)	-172.91(13)
C(5)-C(6)-N(1)-C(7)	64.54(17)
C(8)-C(9)-N(2)-C(10)	-165.84(14)
C(15)-C(10)-N(2)-C(9)	158.02(14)
C(11)-C(10)-N(2)-C(9)	-79.04(17)
O(4)-C(16)-C(17)-C(18)	-179.54(14)
C(21)-C(16)-C(17)-C(18)	58.37(18)
C(16)-C(17)-C(18)-C(19)	-56.08(19)
C(17)-C(18)-C(19)-C(20)	54.06(18)
C(18)-C(19)-C(20)-C(21)	-55.23(18)
O(4)-C(16)-C(21)-N(3)	57.42(16)
C(17)-C(16)-C(21)-N(3)	179.81(13)
O(4)-C(16)-C(21)-C(20)	179.43(12)
C(17)-C(16)-C(21)-C(20)	-58.19(16)
C(19)-C(20)-C(21)-N(3)	179.68(13)
C(19)-C(20)-C(21)-C(16)	57.04(17)
N(3)-C(22)-C(23)-O(5)	-61.64(18)
N(3)-C(22)-C(23)-C(24)	176.27(14)

O(5)-C(23)-C(24)-N(4)	77.77(18)
C(22)-C(23)-C(24)-N(4)	-161.66(14)
N(4)-C(25)-C(26)-C(27)	-173.86(14)
C(30)-C(25)-C(26)-C(27)	-53.16(18)
C(25)-C(26)-C(27)-C(28)	53.2(2)
C(26)-C(27)-C(28)-C(29)	-54.9(2)
C(27)-C(28)-C(29)-C(30)	57.1(2)
C(28)-C(29)-C(30)-O(6)	175.32(15)
C(28)-C(29)-C(30)-C(25)	-58.4(2)
N(4)-C(25)-C(30)-O(6)	-54.17(16)
C(26)-C(25)-C(30)-O(6)	-176.32(12)
N(4)-C(25)-C(30)-C(29)	178.38(13)
C(26)-C(25)-C(30)-C(29)	56.23(17)
C(23)-C(22)-N(3)-C(21)	-178.77(13)
C(16)-C(21)-N(3)-C(22)	-157.87(13)
C(20)-C(21)-N(3)-C(22)	80.44(17)
C(23)-C(24)-N(4)-C(25)	-170.91(14)
C(30)-C(25)-N(4)-C(24)	175.43(13)
C(26)-C(25)-N(4)-C(24)	-62.98(18)

Symmetry transformations used to generate equivalent atoms:

Table E.18: Hydrogen bonds for 7m_al19_0s [$\text{\AA}$ and $^\circ$].

D-H...A	d(D-H)	d(H...A)	d(D...A)	$\angle(\text{DHA})$
N(1)-H(1N)...O(1)	0.848(17)	2.400(17)	2.8057(17)	110.1(13)
N(2)-H(2N)...O(3)	0.836(18)	2.335(17)	2.7926(18)	114.9(14)
N(2)-H(2N)...O(2)	0.836(18)	2.450(17)	2.8543(18)	110.7(14)
N(3)-H(3N)...O(4)	0.816(17)	2.424(17)	2.842(2)	112.8(14)
N(4)-H(4N)...O(6)	0.794(17)	2.398(16)	2.7912(16)	111.7(14)

Symmetry transformations used to generate equivalent atoms:


BHEEN Data

Figure E.4: XRD structure of the nitrate salt of BHEEN and the labelling scheme used

Table E.19: Crystal data and structure refinement for 8m_alv11_0s.

Identification code	8m_alv11_0s
Empirical formula	C ₆ H ₁₈ N ₄ O ₈
Formula weight	274.24
Temperature	173(2) K
Wavelength	0.71073 Å
Crystal system	Orthorhombic
Space group	Pbca
Unit cell dimensions	a = 7.6230(3) Å α = 90° b = 10.0645(5) Å β = 90° c = 15.6002(9) Å γ = 90°
Volume	1196.87(10) Å ³
Z	4
Density (calculated)	1.522 Mg/m ³
Absorption coefficient	0.140 mm ⁻¹
F(000)	584
Crystal size	0.43 x 0.36 x 0.09 mm ³
Theta range for data collection	2.61 to 27.98°.
Index ranges	-8 ≤ h ≤ 10, -12 ≤ k ≤ 13, -20 ≤ l ≤ 10
Reflections collected	6852
Independent reflections	1437 [R(int) = 0.0373]
Completeness to theta = 27.98°	99.8 %
Absorption correction	None
Max. and min. transmission	0.9875 and 0.9423
Refinement method	Full-matrix least-squares on F ²

Data / restraints / parameters	1437 / 0 / 86
Goodness-of-fit on F^2	1.069
Final R indices [$I > 2\sigma(I)$]	$R_1 = 0.0327$, $wR_2 = 0.0842$
R indices (all data)	$R_1 = 0.0425$, $wR_2 = 0.0877$
Largest diff. peak and hole	0.323 and -0.210 e. $\text{\AA}^{-3}$

Table E.20: Atomic coordinates ($\times 10^4$) and equivalent isotropic displacement parameters ($\text{\AA}^2 \times 10^3$) for 8m_alv11_0s. $U(\text{eq})$ is defined as one third of the trace of the orthogonalized U_{ij} tensor.

	x	y	z	$U(\text{eq})$
C(1)	172(2)	2700(1)	7147(1)	27(1)
C(2)	394(2)	1312(1)	6798(1)	24(1)
C(3)	163(2)	-42(1)	5479(1)	22(1)
N(1)	62(1)	1307(1)	5857(1)	19(1)
N(2)	616(1)	3791(1)	4251(1)	24(1)
O(1)	1369(1)	3568(1)	6738(1)	31(1)
O(2)	-931(1)	3803(1)	4466(1)	40(1)
O(3)	1655(1)	2949(1)	4571(1)	29(1)
O(4)	1210(1)	4589(1)	3713(1)	34(1)

Table E.21: Bond lengths [$\text{\AA}$] and angles [$^\circ$] for 8m_alv11_0s.

C(1)-O(1)	1.4152(15)
C(1)-C(2)	1.5083(15)
C(1)-H(1A)	0.9900
C(1)-H(1B)	0.9900
C(2)-N(1)	1.4888(15)
C(2)-H(2A)	0.9900
C(2)-H(2B)	0.9900
C(3)-N(1)	1.4823(13)
C(3)-C(3)#1	1.517(2)
C(3)-H(3A)	0.9900
C(3)-H(3B)	0.9900
N(1)-H(1N)	0.9200
N(1)-H(2N)	0.9200
N(2)-O(2)	1.2260(13)
N(2)-O(4)	1.2459(13)
N(2)-O(3)	1.2630(12)
O(1)-H(1O)	0.788(17)

Appendix E

O(1)-C(1)-C(2)	109.67(10)
O(1)-C(1)-H(1A)	109.7
C(2)-C(1)-H(1A)	109.7
O(1)-C(1)-H(1B)	109.7
C(2)-C(1)-H(1B)	109.7
H(1A)-C(1)-H(1B)	108.2
N(1)-C(2)-C(1)	109.87(9)
N(1)-C(2)-H(2A)	109.7
C(1)-C(2)-H(2A)	109.7
N(1)-C(2)-H(2B)	109.7
C(1)-C(2)-H(2B)	109.7
H(2A)-C(2)-H(2B)	108.2
N(1)-C(3)-C(3)#1	109.45(11)
N(1)-C(3)-H(3A)	109.8
C(3)#1-C(3)-H(3A)	109.8
N(1)-C(3)-H(3B)	109.8
C(3)#1-C(3)-H(3B)	109.8
H(3A)-C(3)-H(3B)	108.2
C(3)-N(1)-C(2)	112.74(8)
C(3)-N(1)-H(1N)	109.0
C(2)-N(1)-H(1N)	109.0
C(3)-N(1)-H(2N)	109.0
C(2)-N(1)-H(2N)	109.0
H(1N)-N(1)-H(2N)	107.8
O(2)-N(2)-O(4)	121.82(10)
O(2)-N(2)-O(3)	120.05(10)
O(4)-N(2)-O(3)	118.13(9)
C(1)-O(1)-H(1O)	104.4(12)

Symmetry transformations used to generate equivalent atoms:

#1 -x,-y,-z+1

Table E.22: Anisotropic displacement parameters ($\text{\AA}^2 \times 10^3$) for 8m_alv11_0s. The anisotropic displacement factor exponent takes the form: $-2\pi^2 [h^2 a^{*2} U_{11} + \dots + 2 h k a^* b^* U_{12}]$

	U11	U22	U33	U23	U13
C(1)	34(1)	25(1)	23(1)	-1(1)	1(1)
C(2)	29(1)	22(1)	21(1)	1(1)	-3(1)
C(3)	25(1)	17(1)	22(1)	0(1)	-1(1)
N(1)	19(1)	18(1)	21(1)	2(1)	-1(1)
N(2)	24(1)	22(1)	24(1)	-3(1)	-2(1)
O(1)	31(1)	23(1)	41(1)	2(1)	-4(1)
O(2)	19(1)	46(1)	56(1)	0(1)	3(1)
O(3)	25(1)	26(1)	36(1)	10(1)	1(1)
O(4)	39(1)	32(1)	31(1)	12(1)	2(1)

Table E.23: Torsion angles [$^\circ$] for 8m_alv11_0s.

C(3)#1-C(3)-N(1)-C(2) -179.16(11)

C(1)-C(2)-N(1)-C(3) -176.90(9)

Symmetry transformations used to generate equivalent atoms:

#1 -x,-y,-z+1

Table E.24: Hydrogen bonds for 8m_alv11_0s [$\text{\AA}$ and $^\circ$].

D-H...A	d(D-H)	d(H...A)	d(D...A)	$\angle(\text{DHA})$
N(1)-H(1N)...O(3)#2	0.92	1.88	2.7843(12)	168.8
O(1)-H(1O)...O(4)#3	0.788(17)	2.022(16)	2.7924(13)	165.5(16)

Symmetry transformations used to generate equivalent atoms:

#1 -x,-y,-z+1 #2 x-1/2,-y+1/2,-z+1 #3 -x,-y+1,-z+1




Figure E.5: XRD structure of the lead(II) complex of Cy₂-en and the labelling scheme used

Table E.25: Crystal data and structure refinement for 7m al10 0a.

Identification code	7m_al10_0a	
Empirical formula	C14 H26 N4 O8 Pb	
Formula weight	585.58	
Temperature	273(2) K	
Wavelength	0.71073 Å	
Crystal system	Monoclinic	
Space group	P2(1)	
Unit cell dimensions	a = 9.0573(2) Å	$\alpha = 90^\circ$.
	b = 9.7265(2) Å	$\beta = 107.4940(10)^\circ$.
	c = 11.4533(2) Å	$\gamma = 90^\circ$.
Volume	962.32(3) Å ³	
Z	2	
Density (calculated)	2.021 Mg/m ³	
Absorption coefficient	8.815 mm ⁻¹	
F(000)	568	
Crystal size	0.31 x 0.14 x 0.13 mm ³	
Theta range for data collection	1.86 to 28.00°.	
Index ranges	-11<=h<=11, -12<=k<=12, -14<=l<=15	
Reflections collected	16110	
Independent reflections	4640 [R(int) = 0.0608]	

Completeness to theta = 28.00°	100.0 %
Absorption correction	Integration
Max. and min. transmission	0.3936 and 0.1708
Refinement method	Full-matrix least-squares on F ²
Data / restraints / parameters	4640 / 1 / 244
Goodness-of-fit on F ²	1.013
Final R indices [I>2sigma(I)]	R1 = 0.0196, wR2 = 0.0441
R indices (all data)	R1 = 0.0212, wR2 = 0.0444
Absolute structure parameter	-0.012(5)
Largest diff. peak and hole	0.793 and -0.731 e.Å ⁻³

Table E.26: Atomic coordinates ($\times 10^4$) and equivalent isotropic displacement parameters ($\text{\AA}^2 \times 10^3$) for 7m_al10_0a. U(eq) is defined as one third of the trace of the orthogonalized U_{ij} tensor.

	x	y	z	U(eq)
C(1)	3432(3)	2217(7)	2714(2)	24(1)
C(2)	2981(5)	1728(4)	3815(3)	28(1)
C(3)	3886(4)	2513(4)	4956(3)	33(1)
C(4)	3566(5)	4051(4)	4767(3)	34(1)
C(5)	3987(5)	4543(4)	3632(3)	31(1)
C(6)	3121(4)	3727(4)	2494(3)	24(1)
C(7)	2509(5)	5252(4)	684(3)	30(1)
C(8)	1182(4)	4591(4)	-288(3)	27(1)
C(9)	572(5)	3142(4)	-2133(3)	22(1)
C(10)	39(5)	4099(4)	-3257(4)	34(1)
C(11)	-1243(5)	3404(4)	-4286(4)	35(1)
C(12)	-706(5)	2038(6)	-4637(3)	37(1)
C(13)	-164(6)	1090(5)	-3511(4)	37(1)
C(14)	1112(5)	1799(4)	-2497(3)	29(1)
N(1)	3552(4)	4187(3)	1413(2)	26(1)
N(2)	1796(4)	3818(4)	-1129(3)	23(1)
N(3)	2368(5)	7621(4)	-2032(3)	36(1)
N(4)	5723(4)	3466(3)	-1619(3)	30(1)
O(1)	2535(3)	1517(3)	1606(2)	27(1)
O(2)	1578(5)	941(3)	-1414(3)	44(1)
O(3)	2975(4)	8751(4)	-2151(4)	51(1)
O(4)	1032(4)	7600(4)	-2003(4)	74(1)
O(5)	3125(5)	6558(4)	-1937(3)	45(1)
O(6)	5540(4)	4147(3)	-728(3)	44(1)
O(7)	4901(4)	2454(4)	-1996(2)	35(1)
O(8)	6744(4)	3821(3)	-2077(3)	43(1)
Pb(1)	3832(1)	2229(1)	69(1)	27(1)

Table E.27: Bond lengths [$\text{\AA}$] and angles [$^\circ$] for 7m_al10_0a.

C(1)-O(1)	1.454(4)
C(1)-C(6)	1.502(8)
C(1)-C(2)	1.514(5)
C(1)-H(1A)	0.9800
C(2)-C(3)	1.523(5)
C(2)-H(2A)	0.9700
C(2)-H(2B)	0.9700
C(3)-C(4)	1.527(6)
C(3)-H(3A)	0.9700
C(3)-H(3B)	0.9700
C(4)-C(5)	1.536(5)
C(4)-H(4A)	0.9700
C(4)-H(4B)	0.9700
C(5)-C(6)	1.526(5)
C(5)-H(5A)	0.9700
C(5)-H(5B)	0.9700
C(6)-N(1)	1.476(4)
C(6)-H(6A)	0.9800
C(7)-N(1)	1.479(5)
C(7)-C(8)	1.514(5)
C(7)-H(7A)	0.9700
C(7)-H(7B)	0.9700
C(8)-N(2)	1.458(5)
C(8)-H(8A)	0.9700
C(8)-H(8B)	0.9700
C(9)-N(2)	1.489(5)
C(9)-C(14)	1.497(5)
C(9)-C(10)	1.544(5)
C(9)-H(9A)	0.9800
C(10)-C(11)	1.540(5)
C(10)-H(10A)	0.9700
C(10)-H(10B)	0.9700
C(11)-C(12)	1.510(7)
C(11)-H(11A)	0.9700
C(11)-H(11B)	0.9700
C(12)-C(13)	1.540(6)
C(12)-H(12A)	0.9700
C(12)-H(12B)	0.9700
C(13)-C(14)	1.534(5)
C(13)-H(13A)	0.9700
C(13)-H(13B)	0.9700
C(14)-O(2)	1.448(5)
C(14)-H(14)	0.9800
N(1)-Pb(1)	2.509(3)
N(1)-H(1N)	0.9100

N(2)-Pb(1)	2.480(4)
N(2)-H(2N)	0.9100
N(3)-O(4)	1.221(5)
N(3)-O(5)	1.227(5)
N(3)-O(3)	1.254(5)
N(4)-O(7)	1.231(5)
N(4)-O(8)	1.241(5)
N(4)-O(6)	1.269(4)
O(1)-Pb(1)	2.491(3)
O(2)-Pb(1)	2.557(4)
O(6)-Pb(1)	2.748(3)

O(1)-C(1)-C(6)	106.5(3)
O(1)-C(1)-C(2)	111.1(4)
C(6)-C(1)-C(2)	111.3(3)
O(1)-C(1)-H(1A)	109.3
C(6)-C(1)-H(1A)	109.3
C(2)-C(1)-H(1A)	109.3
C(1)-C(2)-C(3)	110.3(3)
C(1)-C(2)-H(2A)	109.6
C(3)-C(2)-H(2A)	109.6
C(1)-C(2)-H(2B)	109.6
C(3)-C(2)-H(2B)	109.6
H(2A)-C(2)-H(2B)	108.1
C(2)-C(3)-C(4)	109.8(3)
C(2)-C(3)-H(3A)	109.7
C(4)-C(3)-H(3A)	109.7
C(2)-C(3)-H(3B)	109.7
C(4)-C(3)-H(3B)	109.7
H(3A)-C(3)-H(3B)	108.2
C(3)-C(4)-C(5)	109.9(3)
C(3)-C(4)-H(4A)	109.7
C(5)-C(4)-H(4A)	109.7
C(3)-C(4)-H(4B)	109.7
C(5)-C(4)-H(4B)	109.7
H(4A)-C(4)-H(4B)	108.2
C(6)-C(5)-C(4)	111.5(3)
C(6)-C(5)-H(5A)	109.3
C(4)-C(5)-H(5A)	109.3
C(6)-C(5)-H(5B)	109.3
C(4)-C(5)-H(5B)	109.3
H(5A)-C(5)-H(5B)	108.0
N(1)-C(6)-C(1)	110.7(3)
N(1)-C(6)-C(5)	111.2(3)
C(1)-C(6)-C(5)	110.1(3)
N(1)-C(6)-H(6A)	108.2

C(1)-C(6)-H(6A)	108.2
C(5)-C(6)-H(6A)	108.2
N(1)-C(7)-C(8)	110.4(3)
N(1)-C(7)-H(7A)	109.6
C(8)-C(7)-H(7A)	109.6
N(1)-C(7)-H(7B)	109.6
C(8)-C(7)-H(7B)	109.6
H(7A)-C(7)-H(7B)	108.1
N(2)-C(8)-C(7)	109.1(3)
N(2)-C(8)-H(8A)	109.9
C(7)-C(8)-H(8A)	109.9
N(2)-C(8)-H(8B)	109.9
C(7)-C(8)-H(8B)	109.9
H(8A)-C(8)-H(8B)	108.3
N(2)-C(9)-C(14)	111.8(3)
N(2)-C(9)-C(10)	110.5(3)
C(14)-C(9)-C(10)	109.9(3)
N(2)-C(9)-H(9A)	108.2
C(14)-C(9)-H(9A)	108.2
C(10)-C(9)-H(9A)	108.2
C(11)-C(10)-C(9)	110.4(3)
C(11)-C(10)-H(10A)	109.6
C(9)-C(10)-H(10A)	109.6
C(11)-C(10)-H(10B)	109.6
C(9)-C(10)-H(10B)	109.6
H(10A)-C(10)-H(10B)	108.1
C(12)-C(11)-C(10)	111.1(4)
C(12)-C(11)-H(11A)	109.4
C(10)-C(11)-H(11A)	109.4
C(12)-C(11)-H(11B)	109.4
C(10)-C(11)-H(11B)	109.4
H(11A)-C(11)-H(11B)	108.0
C(11)-C(12)-C(13)	110.6(3)
C(11)-C(12)-H(12A)	109.5
C(13)-C(12)-H(12A)	109.5
C(11)-C(12)-H(12B)	109.5
C(13)-C(12)-H(12B)	109.5
H(12A)-C(12)-H(12B)	108.1
C(14)-C(13)-C(12)	110.0(4)
C(14)-C(13)-H(13A)	109.7
C(12)-C(13)-H(13A)	109.7
C(14)-C(13)-H(13B)	109.7
C(12)-C(13)-H(13B)	109.7
H(13A)-C(13)-H(13B)	108.2
O(2)-C(14)-C(9)	107.4(3)
O(2)-C(14)-C(13)	110.4(3)

C(9)-C(14)-C(13)	111.6(3)
O(2)-C(14)-H(14)	109.1
C(9)-C(14)-H(14)	109.1
C(13)-C(14)-H(14)	109.1
C(6)-N(1)-C(7)	113.6(3)
C(6)-N(1)-Pb(1)	112.7(2)
C(7)-N(1)-Pb(1)	110.5(2)
C(6)-N(1)-H(1N)	106.5
C(7)-N(1)-H(1N)	106.5
Pb(1)-N(1)-H(1N)	106.5
C(8)-N(2)-C(9)	113.2(3)
C(8)-N(2)-Pb(1)	108.9(2)
C(9)-N(2)-Pb(1)	114.1(2)
C(8)-N(2)-H(2N)	106.7
C(9)-N(2)-H(2N)	106.7
Pb(1)-N(2)-H(2N)	106.7
O(4)-N(3)-O(5)	121.0(4)
O(4)-N(3)-O(3)	119.2(4)
O(5)-N(3)-O(3)	119.8(4)
O(7)-N(4)-O(8)	121.6(4)
O(7)-N(4)-O(6)	119.1(4)
O(8)-N(4)-O(6)	119.3(4)
C(1)-O(1)-Pb(1)	103.2(2)
C(14)-O(2)-Pb(1)	104.8(2)
N(4)-O(6)-Pb(1)	97.8(2)
N(2)-Pb(1)-O(1)	97.73(11)
N(2)-Pb(1)-N(1)	70.80(10)
O(1)-Pb(1)-N(1)	67.76(9)
N(2)-Pb(1)-O(2)	68.01(11)
O(1)-Pb(1)-O(2)	83.18(10)
N(1)-Pb(1)-O(2)	124.89(11)
N(2)-Pb(1)-O(6)	78.02(11)
O(1)-Pb(1)-O(6)	148.84(8)
N(1)-Pb(1)-O(6)	81.91(9)
O(2)-Pb(1)-O(6)	121.91(10)

Table E.28: Anisotropic displacement parameters ($\text{\AA}^2 \times 10^3$) for 7m_al10_0a. The anisotropic displacement factor exponent takes the form: $-2p^2 [h^2 a^{*2} U^{11} + \dots + 2 h k a^* b^* U^{12}]$

	U ¹¹	U ²²	U ³³	U ²³	U ¹³	U ¹²
C(1)	22(1)	28(1)	21(1)	-1(3)	6(1)	-2(2)
C(2)	29(2)	29(2)	29(2)	3(1)	12(2)	1(1)
C(3)	35(2)	44(4)	21(2)	6(2)	6(2)	4(2)
C(4)	41(2)	37(2)	20(2)	-3(2)	6(2)	0(2)
C(5)	39(2)	28(2)	22(2)	-3(1)	4(2)	-5(2)
C(6)	25(2)	25(2)	21(2)	-1(1)	8(1)	-4(1)
C(7)	41(2)	25(2)	22(2)	-2(1)	7(2)	-8(2)
C(8)	29(2)	26(2)	23(2)	-1(1)	5(2)	4(1)
C(9)	20(2)	24(2)	22(2)	1(1)	4(2)	-1(1)
C(10)	37(2)	28(2)	30(2)	3(2)	0(2)	1(2)
C(11)	36(2)	41(2)	23(2)	-3(2)	0(2)	-1(2)
C(12)	36(2)	54(4)	21(1)	-8(2)	6(1)	-4(2)
C(13)	43(3)	34(2)	33(2)	-12(2)	10(2)	-7(2)
C(14)	34(2)	26(2)	23(2)	0(1)	3(2)	1(1)
N(1)	23(2)	34(2)	21(1)	1(1)	6(1)	-8(1)
N(2)	23(2)	24(2)	20(2)	-2(1)	5(1)	-2(1)
N(3)	28(2)	48(3)	29(2)	4(1)	6(2)	-6(2)
N(4)	31(2)	33(2)	28(2)	12(1)	11(2)	6(1)
O(1)	30(1)	28(1)	24(1)	-7(1)	10(1)	-6(1)
O(2)	67(3)	23(2)	30(2)	1(1)	-1(2)	2(2)
O(3)	44(2)	40(2)	73(2)	-12(2)	24(2)	-13(2)
O(4)	34(2)	75(4)	116(3)	24(2)	29(2)	5(2)
O(5)	42(2)	36(2)	55(2)	12(2)	16(2)	10(2)
O(6)	52(2)	38(2)	51(2)	-16(1)	33(2)	-7(1)
O(7)	44(2)	35(2)	26(1)	-5(1)	10(1)	-13(2)
O(8)	50(2)	41(2)	51(2)	3(1)	35(2)	-1(1)
Pb(1)	26(1)	35(1)	21(1)	5(1)	10(1)	9(1)

Table E.29: Torsion angles [$^\circ$] for 7m_al10_0a.

O(1)-C(1)-C(2)-C(3)	-177.8(4)
C(6)-C(1)-C(2)-C(3)	-59.2(4)
C(1)-C(2)-C(3)-C(4)	58.9(4)
C(2)-C(3)-C(4)-C(5)	-57.2(4)
C(3)-C(4)-C(5)-C(6)	56.3(4)
O(1)-C(1)-C(6)-N(1)	-58.3(3)
C(2)-C(1)-C(6)-N(1)	-179.5(3)
O(1)-C(1)-C(6)-C(5)	178.4(3)
C(2)-C(1)-C(6)-C(5)	57.2(4)

C(4)-C(5)-C(6)-N(1)	-179.0(3)
C(4)-C(5)-C(6)-C(1)	-55.9(4)
N(1)-C(7)-C(8)-N(2)	-62.5(4)
N(2)-C(9)-C(10)-C(11)	-179.2(4)
C(14)-C(9)-C(10)-C(11)	57.0(5)
C(9)-C(10)-C(11)-C(12)	-56.7(5)
C(10)-C(11)-C(12)-C(13)	56.5(5)
C(11)-C(12)-C(13)-C(14)	-56.3(5)
N(2)-C(9)-C(14)-O(2)	57.6(4)
C(10)-C(9)-C(14)-O(2)	-179.3(3)
N(2)-C(9)-C(14)-C(13)	178.7(3)
C(10)-C(9)-C(14)-C(13)	-58.2(5)
C(12)-C(13)-C(14)-O(2)	177.3(4)
C(12)-C(13)-C(14)-C(9)	57.9(5)
C(1)-C(6)-N(1)-C(7)	143.9(3)
C(5)-C(6)-N(1)-C(7)	-93.3(4)
C(1)-C(6)-N(1)-Pb(1)	17.3(3)
C(5)-C(6)-N(1)-Pb(1)	140.0(3)
C(8)-C(7)-N(1)-C(6)	-89.8(4)
C(8)-C(7)-N(1)-Pb(1)	38.1(4)
C(7)-C(8)-N(2)-C(9)	-179.3(3)
C(7)-C(8)-N(2)-Pb(1)	52.6(3)
C(14)-C(9)-N(2)-C(8)	-146.2(3)
C(10)-C(9)-N(2)-C(8)	91.0(4)
C(14)-C(9)-N(2)-Pb(1)	-20.9(4)
C(10)-C(9)-N(2)-Pb(1)	-143.6(3)
C(6)-C(1)-O(1)-Pb(1)	67.9(2)
C(2)-C(1)-O(1)-Pb(1)	-170.7(3)
C(9)-C(14)-O(2)-Pb(1)	-62.5(3)
C(13)-C(14)-O(2)-Pb(1)	175.7(3)
O(7)-N(4)-O(6)-Pb(1)	15.4(4)
O(8)-N(4)-O(6)-Pb(1)	-163.3(3)
C(8)-N(2)-Pb(1)-O(1)	39.7(3)
C(9)-N(2)-Pb(1)-O(1)	-88.0(3)
C(8)-N(2)-Pb(1)-N(1)	-23.5(2)
C(9)-N(2)-Pb(1)-N(1)	-151.1(3)
C(8)-N(2)-Pb(1)-O(2)	119.1(3)
C(9)-N(2)-Pb(1)-O(2)	-8.6(2)
C(8)-N(2)-Pb(1)-O(6)	-109.0(3)
C(9)-N(2)-Pb(1)-O(6)	123.4(3)
C(1)-O(1)-Pb(1)-N(2)	-107.3(3)
C(1)-O(1)-Pb(1)-N(1)	-41.8(3)
C(1)-O(1)-Pb(1)-O(2)	-174.0(3)
C(1)-O(1)-Pb(1)-O(6)	-27.7(3)
C(6)-N(1)-Pb(1)-N(2)	120.3(3)
C(7)-N(1)-Pb(1)-N(2)	-8.0(2)

C(6)-N(1)-Pb(1)-O(1)	13.1(2)
C(7)-N(1)-Pb(1)-O(1)	-115.2(3)
C(6)-N(1)-Pb(1)-O(2)	76.9(2)
C(7)-N(1)-Pb(1)-O(2)	-51.4(3)
C(6)-N(1)-Pb(1)-O(6)	-159.6(2)
C(7)-N(1)-Pb(1)-O(6)	72.1(2)
C(14)-O(2)-Pb(1)-N(2)	37.2(2)
C(14)-O(2)-Pb(1)-O(1)	138.4(3)
C(14)-O(2)-Pb(1)-N(1)	81.6(3)
C(14)-O(2)-Pb(1)-O(6)	-21.8(3)
N(4)-O(6)-Pb(1)-N(2)	-99.7(2)
N(4)-O(6)-Pb(1)-O(1)	175.2(2)
N(4)-O(6)-Pb(1)-N(1)	-171.7(2)
N(4)-O(6)-Pb(1)-O(2)	-45.4(3)

Symmetry transformations used to generate equivalent atoms:

Table E.30: Hydrogen bonds for 7m_al10_0a [$\text{\AA}$ and $^\circ$].

D-H...A	d(D-H)	d(H...A)	d(D...A)	$\angle(\text{DHA})$
N(1)-H(1N)...O(3)#1	0.91	2.33	3.031(5)	133.8
N(2)-H(2N)...O(5)	0.91	2.31	3.174(5)	157.9

Symmetry transformations used to generate equivalent atoms:

#1 $-x+1, y-1/2, -z$


Cy₂-en/Cd Data

Figure E.6: The XRD structure of the cadmium(II) complex of Cy₂-en and the labelling scheme used

Table E.31: Crystal data and structure refinement for 7m_al7_a.

Identification code	7m_al7_a
Empirical formula	C15 H28 Cd Cl2 N2 O3
Formula weight	467.69
Temperature	223(2) K
Wavelength	0.71073 Å
Crystal system	Triclinic
Space group	P-1
Unit cell dimensions	$a = 7.6698(7)$ Å $\alpha = 75.694(4)^\circ$ $b = 11.0270(10)$ Å $\beta = 80.960(4)^\circ$ $c = 12.4807(13)$ Å $\gamma = 81.170(4)^\circ$
Volume	$1002.84(17)$ Å ³
Z	2
Density (calculated)	1.549 Mg/m ³
Absorption coefficient	1.369 mm ⁻¹
F(000)	476
Crystal size	$0.44 \times 0.26 \times 0.06$ mm ³
Theta range for data collection	1.70 to 23.90°
Index ranges	$-7 \leq h \leq 8$, $-12 \leq k \leq 11$, $-13 \leq l \leq 13$
Reflections collected	8065
Independent reflections	2523 [R(int) = 0.0385]
Completeness to theta = 23.90°	80.9 %

Absorption correction	Integration
Max. and min. transmission	0.9224 and 0.5842
Refinement method	Full-matrix least-squares on F^2
Data / restraints / parameters	2523 / 0 / 214
Goodness-of-fit on F^2	1.068
Final R indices [$I > 2\sigma(I)$]	$R_1 = 0.0280$, $wR_2 = 0.0697$
R indices (all data)	$R_1 = 0.0304$, $wR_2 = 0.0713$
Largest diff. peak and hole	1.029 and -0.682 e. $\text{\AA}^{-3}$

Table E.32: Atomic coordinates ($\times 10^4$) and equivalent isotropic displacement parameters ($\text{\AA}^2 \times 10^3$) for 7m_al7_a. $U(\text{eq})$ is defined as one third of the trace of the orthogonalized U_{ij} tensor.

	x	y	z	U(eq)
C(1)	-4381(6)	847(4)	7002(3)	32(1)
C(2)	-5694(6)	716(4)	8070(4)	40(1)
C(3)	-5241(7)	1463(5)	8841(4)	51(1)
C(4)	-5175(8)	2835(5)	8249(4)	59(2)
C(5)	-3855(7)	2957(4)	7178(4)	50(1)
C(6)	-4349(6)	2223(4)	6415(3)	33(1)
C(7)	-3476(6)	3549(4)	4569(3)	36(1)
C(8)	-2273(6)	3630(4)	3480(3)	35(1)
C(9)	902(5)	3319(4)	2703(3)	29(1)
C(10)	888(6)	4437(4)	1697(3)	41(1)
C(11)	2319(7)	4189(5)	740(4)	47(1)
C(12)	4138(6)	3824(4)	1132(4)	44(1)
C(13)	4115(6)	2698(4)	2134(3)	36(1)
C(14)	2745(5)	2994(4)	3075(3)	30(1)
C(15)	-710(20)	1728(17)	-220(30)	410(20)
N(1)	-3099(4)	2322(3)	5356(3)	29(1)
N(2)	-411(4)	3524(3)	3664(3)	28(1)
O(1)	-4790(4)	146(3)	6257(2)	34(1)
O(2)	2750(4)	1993(3)	4060(2)	36(1)
O(3)	350(20)	1208(12)	813(12)	314(9)
Cl(1)	1024(1)	-214(1)	6295(1)	36(1)
Cl(2)	833(2)	3398(1)	6350(1)	47(1)
Cd(1)	29(1)	1971(1)	5281(1)	31(1)

Table E.33: Bond lengths [$\text{\AA}$] and angles [$^\circ$] for 7m_al7_a.

C(1)-O(1)	1.441(5)
C(1)-C(6)	1.516(6)
C(1)-C(2)	1.530(6)
C(1)-H(1A)	0.9900
C(2)-C(3)	1.520(7)
C(2)-H(2A)	0.9800
C(2)-H(2B)	0.9800
C(3)-C(4)	1.515(7)
C(3)-H(3A)	0.9800
C(3)-H(3B)	0.9800
C(4)-C(5)	1.535(7)
C(4)-H(4A)	0.9800
C(4)-H(4B)	0.9800
C(5)-C(6)	1.514(6)
C(5)-H(5A)	0.9800
C(5)-H(5B)	0.9800
C(6)-N(1)	1.497(5)
C(6)-H(6A)	0.9900
C(7)-N(1)	1.481(5)
C(7)-C(8)	1.509(6)
C(7)-H(7A)	0.9800
C(7)-H(7B)	0.9800
C(8)-N(2)	1.464(5)
C(8)-H(8A)	0.9800
C(8)-H(8B)	0.9800
C(9)-N(2)	1.480(5)
C(9)-C(14)	1.519(6)
C(9)-C(10)	1.527(6)
C(9)-H(9A)	0.9900
C(10)-C(11)	1.537(6)
C(10)-H(10A)	0.9800
C(10)-H(10B)	0.9800
C(11)-C(12)	1.514(7)
C(11)-H(11A)	0.9800
C(11)-H(11B)	0.9800
C(12)-C(13)	1.529(6)
C(12)-H(12A)	0.9800
C(12)-H(12B)	0.9800
C(13)-C(14)	1.512(6)
C(13)-H(13A)	0.9800
C(13)-H(13B)	0.9800
C(14)-O(2)	1.436(5)
C(14)-H(14A)	0.9900
C(15)-O(3)	1.58(3)
N(1)-Cd(1)	2.361(3)

N(1)-H(1N)	0.9200
N(2)-Cd(1)	2.334(3)
N(2)-H(2N)	0.9200
O(1)-H(1O)	0.8300
O(2)-Cd(1)	2.383(3)
O(2)-H(2O)	0.75(4)
Cl(1)-Cd(1)	2.4935(10)
Cl(2)-Cd(1)	2.4955(11)

O(1)-C(1)-C(6)	110.1(3)
O(1)-C(1)-C(2)	112.0(3)
C(6)-C(1)-C(2)	110.4(3)
O(1)-C(1)-H(1A)	108.1
C(6)-C(1)-H(1A)	108.1
C(2)-C(1)-H(1A)	108.1
C(3)-C(2)-C(1)	111.1(4)
C(3)-C(2)-H(2A)	109.4
C(1)-C(2)-H(2A)	109.4
C(3)-C(2)-H(2B)	109.4
C(1)-C(2)-H(2B)	109.4
H(2A)-C(2)-H(2B)	108.0
C(4)-C(3)-C(2)	110.8(4)
C(4)-C(3)-H(3A)	109.5
C(2)-C(3)-H(3A)	109.5
C(4)-C(3)-H(3B)	109.5
C(2)-C(3)-H(3B)	109.5
H(3A)-C(3)-H(3B)	108.1
C(3)-C(4)-C(5)	110.8(4)
C(3)-C(4)-H(4A)	109.5
C(5)-C(4)-H(4A)	109.5
C(3)-C(4)-H(4B)	109.5
C(5)-C(4)-H(4B)	109.5
H(4A)-C(4)-H(4B)	108.1
C(6)-C(5)-C(4)	110.4(4)
C(6)-C(5)-H(5A)	109.6
C(4)-C(5)-H(5A)	109.6
C(6)-C(5)-H(5B)	109.6
C(4)-C(5)-H(5B)	109.6
H(5A)-C(5)-H(5B)	108.1
N(1)-C(6)-C(5)	112.2(3)
N(1)-C(6)-C(1)	109.3(3)
C(5)-C(6)-C(1)	110.5(4)
N(1)-C(6)-H(6A)	108.3
C(5)-C(6)-H(6A)	108.3
C(1)-C(6)-H(6A)	108.3
N(1)-C(7)-C(8)	111.5(3)

N(1)-C(7)-H(7A)	109.3
C(8)-C(7)-H(7A)	109.3
N(1)-C(7)-H(7B)	109.3
C(8)-C(7)-H(7B)	109.3
H(7A)-C(7)-H(7B)	108.0
N(2)-C(8)-C(7)	110.4(3)
N(2)-C(8)-H(8A)	109.6
C(7)-C(8)-H(8A)	109.6
N(2)-C(8)-H(8B)	109.6
C(7)-C(8)-H(8B)	109.6
H(8A)-C(8)-H(8B)	108.1
N(2)-C(9)-C(14)	109.0(3)
N(2)-C(9)-C(10)	113.9(3)
C(14)-C(9)-C(10)	110.2(3)
N(2)-C(9)-H(9A)	107.9
C(14)-C(9)-H(9A)	107.9
C(10)-C(9)-H(9A)	107.9
C(9)-C(10)-C(11)	111.7(4)
C(9)-C(10)-H(10A)	109.3
C(11)-C(10)-H(10A)	109.3
C(9)-C(10)-H(10B)	109.3
C(11)-C(10)-H(10B)	109.3
H(10A)-C(10)-H(10B)	108.0
C(12)-C(11)-C(10)	111.2(4)
C(12)-C(11)-H(11A)	109.4
C(10)-C(11)-H(11A)	109.4
C(12)-C(11)-H(11B)	109.4
C(10)-C(11)-H(11B)	109.4
H(11A)-C(11)-H(11B)	108.0
C(11)-C(12)-C(13)	110.7(4)
C(11)-C(12)-H(12A)	109.5
C(13)-C(12)-H(12A)	109.5
C(11)-C(12)-H(12B)	109.5
C(13)-C(12)-H(12B)	109.5
H(12A)-C(12)-H(12B)	108.1
C(14)-C(13)-C(12)	110.6(4)
C(14)-C(13)-H(13A)	109.5
C(12)-C(13)-H(13A)	109.5
C(14)-C(13)-H(13B)	109.5
C(12)-C(13)-H(13B)	109.5
H(13A)-C(13)-H(13B)	108.1
O(2)-C(14)-C(13)	112.6(3)
O(2)-C(14)-C(9)	110.7(3)
C(13)-C(14)-C(9)	110.7(3)
O(2)-C(14)-H(14A)	107.6
C(13)-C(14)-H(14A)	107.6

C(9)-C(14)-H(14A)	107.6
C(7)-N(1)-C(6)	111.3(3)
C(7)-N(1)-Cd(1)	105.2(2)
C(6)-N(1)-Cd(1)	124.0(3)
C(7)-N(1)-H(1N)	104.9
C(6)-N(1)-H(1N)	104.9
Cd(1)-N(1)-H(1N)	104.9
C(8)-N(2)-C(9)	114.9(3)
C(8)-N(2)-Cd(1)	108.3(2)
C(9)-N(2)-Cd(1)	112.5(2)
C(8)-N(2)-H(2N)	106.9
C(9)-N(2)-H(2N)	106.9
Cd(1)-N(2)-H(2N)	106.9
C(1)-O(1)-H(1O)	109.5
C(14)-O(2)-Cd(1)	114.5(2)
C(14)-O(2)-H(2O)	111(3)
Cd(1)-O(2)-H(2O)	122(3)
N(2)-Cd(1)-N(1)	77.02(11)
N(2)-Cd(1)-O(2)	71.97(11)
N(1)-Cd(1)-O(2)	144.21(11)
N(2)-Cd(1)-Cl(1)	152.95(8)
N(1)-Cd(1)-Cl(1)	111.03(8)
O(2)-Cd(1)-Cl(1)	90.16(8)
N(2)-Cd(1)-Cl(2)	96.02(8)
N(1)-Cd(1)-Cl(2)	105.94(8)
O(2)-Cd(1)-Cl(2)	94.79(9)
Cl(1)-Cd(1)-Cl(2)	105.81(4)

Symmetry transformations used to generate equivalent atoms:

Table E.34: Anisotropic displacement parameters ($\text{\AA}^2 \times 10^3$) for 7m_al7_a. The anisotropic displacement factor exponent takes the form: $-2\pi^2 [h^2 a^{*2} U_{11} + \dots + 2 h k a^* b^* U_{12}]$

	U11	U22	U33	U23	U13
C(1)	31(2)	33(2)	34(2)	-12(2)	-1(2)
C(2)	42(3)	35(2)	37(2)	-7(2)	6(2)
C(3)	63(3)	55(3)	32(3)	-12(2)	4(2)
C(4)	87(4)	50(3)	44(3)	-24(3)	14(3)
C(5)	72(4)	43(3)	41(3)	-21(2)	10(3)
C(6)	32(2)	32(2)	32(2)	-9(2)	6(2)
C(7)	30(2)	34(2)	40(3)	-7(2)	-7(2)
C(8)	40(3)	31(2)	32(2)	-1(2)	-10(2)
C(9)	33(2)	27(2)	27(2)	-10(2)	-2(2)
C(10)	51(3)	39(3)	29(2)	-2(2)	-4(2)
C(11)	60(3)	47(3)	29(2)	-1(2)	0(2)

C(12)	52(3)	42(3)	34(3)	-5(2)	10(2)
C(13)	34(2)	39(2)	36(2)	-9(2)	2(2)
C(14)	37(2)	26(2)	26(2)	-4(2)	-1(2)
C(15)	129(11)	180(14)	840(60)	170(20)	-230(20)
N(1)	28(2)	28(2)	31(2)	-11(2)	-1(2)
N(2)	31(2)	23(2)	29(2)	-6(2)	-3(2)
O(1)	30(2)	31(2)	43(2)	-15(1)	0(1)
O(2)	37(2)	32(2)	32(2)	-2(2)	1(1)
O(3)	361(17)	293(14)	340(16)	-227(13)	221(14)
Cl(1)	38(1)	25(1)	40(1)	-3(1)	-4(1)
Cl(2)	47(1)	39(1)	60(1)	-23(1)	-13(1)
Cd(1)	30(1)	28(1)	28(1)	-2(1)	-1(1)

Table E.35: Torsion angles [°] for 7m_al7_a.

O(1)-C(1)-C(2)-C(3)	-179.9(4)
C(6)-C(1)-C(2)-C(3)	-56.8(5)
C(1)-C(2)-C(3)-C(4)	55.9(5)
C(2)-C(3)-C(4)-C(5)	-55.9(6)
C(3)-C(4)-C(5)-C(6)	57.2(6)
C(4)-C(5)-C(6)-N(1)	179.8(4)
C(4)-C(5)-C(6)-C(1)	-58.0(5)
O(1)-C(1)-C(6)-N(1)	-54.1(4)
C(2)-C(1)-C(6)-N(1)	-178.3(3)
O(1)-C(1)-C(6)-C(5)	-177.9(3)
C(2)-C(1)-C(6)-C(5)	57.9(5)
N(1)-C(7)-C(8)-N(2)	-61.7(4)
N(2)-C(9)-C(10)-C(11)	178.1(3)
C(14)-C(9)-C(10)-C(11)	55.3(5)
C(9)-C(10)-C(11)-C(12)	-54.2(5)
C(10)-C(11)-C(12)-C(13)	54.8(5)
C(11)-C(12)-C(13)-C(14)	-57.6(5)
C(12)-C(13)-C(14)-O(2)	-176.4(3)
C(12)-C(13)-C(14)-C(9)	59.2(4)
N(2)-C(9)-C(14)-O(2)	51.0(4)
C(10)-C(9)-C(14)-O(2)	176.6(3)
N(2)-C(9)-C(14)-C(13)	176.5(3)
C(10)-C(9)-C(14)-C(13)	-57.9(4)
C(8)-C(7)-N(1)-C(6)	-177.4(3)
C(8)-C(7)-N(1)-Cd(1)	45.9(4)
C(5)-C(6)-N(1)-C(7)	-77.4(4)
C(1)-C(6)-N(1)-C(7)	159.7(3)
C(5)-C(6)-N(1)-Cd(1)	49.6(4)
C(1)-C(6)-N(1)-Cd(1)	-73.3(4)
C(7)-C(8)-N(2)-C(9)	167.6(3)

C(7)-C(8)-N(2)-Cd(1)	41.0(4)
C(14)-C(9)-N(2)-C(8)	-169.9(3)
C(10)-C(9)-N(2)-C(8)	66.6(4)
C(14)-C(9)-N(2)-Cd(1)	-45.4(3)
C(10)-C(9)-N(2)-Cd(1)	-168.9(3)
C(13)-C(14)-O(2)-Cd(1)	-156.7(3)
C(9)-C(14)-O(2)-Cd(1)	-32.3(4)
C(8)-N(2)-Cd(1)-N(1)	-12.4(2)
C(9)-N(2)-Cd(1)-N(1)	-140.5(3)
C(8)-N(2)-Cd(1)-O(2)	149.5(3)
C(9)-N(2)-Cd(1)-O(2)	21.4(2)
C(8)-N(2)-Cd(1)-Cl(1)	98.6(3)
C(9)-N(2)-Cd(1)-Cl(1)	-29.4(4)
C(8)-N(2)-Cd(1)-Cl(2)	-117.4(2)
C(9)-N(2)-Cd(1)-Cl(2)	114.5(2)
C(7)-N(1)-Cd(1)-N(2)	-17.4(2)
C(6)-N(1)-Cd(1)-N(2)	-147.0(3)
C(7)-N(1)-Cd(1)-O(2)	-47.8(3)
C(6)-N(1)-Cd(1)-O(2)	-177.3(2)
C(7)-N(1)-Cd(1)-Cl(1)	-170.4(2)
C(6)-N(1)-Cd(1)-Cl(1)	60.1(3)
C(7)-N(1)-Cd(1)-Cl(2)	75.2(2)
C(6)-N(1)-Cd(1)-Cl(2)	-54.3(3)
C(14)-O(2)-Cd(1)-N(2)	6.4(2)
C(14)-O(2)-Cd(1)-N(1)	37.5(4)
C(14)-O(2)-Cd(1)-Cl(1)	165.7(3)
C(14)-O(2)-Cd(1)-Cl(2)	-88.4(3)

Symmetry transformations used to generate equivalent atoms:

Table E.36: Hydrogen bonds for 7m al7 a [$\text{\AA}$ and $^\circ$].

D-H...A	d(D-H)	d(H...A)	d(D...A)	$\angle(\text{DHA})$
O(2)-H(2O)...O(1)#1	0.75(4)	1.95(5)	2.702(4)	172(5)

Symmetry transformations used to generate equivalent atoms:

#1 -x,-y,-z+1


BHEEN/Cd Data

Figure E.7: The cadmium(II) complex of BHEEN and the labelling scheme used

Table E.37: Crystal data and structure refinement for 8m_alv4_0a.

Identification code	8m_alv4_0a
Empirical formula	C ₁₂ H ₃₂ Cd ₂ Cl ₄ N ₄ O ₄
Formula weight	663.02
Temperature	173(2) K
Wavelength	0.71073 Å
Crystal system	Orthorhombic
Space group	Pbca
Unit cell dimensions	a = 11.0918(3) Å α = 90° b = 12.4205(3) Å β = 90° c = 15.9911(4) Å γ = 90°
Volume	2203.03(10) Å ³
Z	4
Density (calculated)	1.999 Mg/m ³
Absorption coefficient	2.440 mm ⁻¹
F(000)	1312
Crystal size	0.28 x 0.18 x 0.04 mm ³
Theta range for data collection	2.55 to 27.99°
Index ranges	-13 ≤ h ≤ 14, -14 ≤ k ≤ 16, -20 ≤ l ≤ 21
Reflections collected	25373
Independent reflections	2659 [R(int) = 0.0626]
Completeness to theta = 27.99°	100.0 %
Absorption correction	Integration
Max. and min. transmission	0.9087 and 0.5482
Refinement method	Full-matrix least-squares on F ²

Data / restraints / parameters	2659 / 0 / 126
Goodness-of-fit on F^2	0.956
Final R indices [$I > 2\sigma(I)$]	$R_1 = 0.0222$, $wR_2 = 0.0498$
R indices (all data)	$R_1 = 0.0301$, $wR_2 = 0.0521$
Largest diff. peak and hole	1.206 and -0.406 e. $\text{\AA}^{-3}$

Table E.38: Atomic coordinates ($\times 10^4$) and equivalent isotropic displacement parameters ($\text{\AA}^2 \times 10^3$) for 8m_alv4_0a. $U(\text{eq})$ is defined as one third of the trace of the orthogonalized U_{ij} tensor.

	x	y	z	$U(\text{eq})$
C(1)	8634(2)	2592(2)	-1204(1)	22(1)
C(2)	7515(2)	1918(2)	-1080(1)	20(1)
C(3)	6392(2)	957(2)	44(1)	19(1)
C(4)	6449(2)	743(2)	974(1)	21(1)
C(5)	7749(2)	272(2)	2145(1)	20(1)
C(6)	8989(2)	-62(2)	2422(1)	23(1)
N(1)	7300(1)	1777(2)	-182(1)	16(1)
N(2)	7634(1)	296(2)	1226(1)	16(1)
O(1)	9664(1)	2114(1)	-810(1)	20(1)
O(2)	9244(2)	-1134(2)	2146(1)	28(1)
Cd(1)	9070(1)	1272(1)	479(1)	16(1)
Cl(1)	11172(1)	617(1)	611(1)	21(1)
Cl(2)	9058(1)	2912(1)	1437(1)	23(1)

Table E.39: Bond lengths [$\text{\AA}$] and angles [$^\circ$] for 8m_alv4_0a.

C(1)-O(1)	1.433(3)
C(1)-C(2)	1.510(3)
C(1)-H(1A)	0.9900
C(1)-H(1B)	0.9900
C(2)-N(1)	1.466(3)
C(2)-H(2A)	0.9900
C(2)-H(2B)	0.9900
C(3)-N(1)	1.477(3)
C(3)-C(4)	1.511(3)
C(3)-H(3A)	0.9900
C(3)-H(3B)	0.9900
C(4)-N(2)	1.482(2)
C(4)-H(4A)	0.9900
C(4)-H(4B)	0.9900
C(5)-N(2)	1.476(2)

C(5)-C(6)	1.503(3)
C(5)-H(5A)	0.9900
C(5)-H(5B)	0.9900
C(6)-O(2)	1.431(3)
C(6)-H(6A)	0.9900
C(6)-H(6B)	0.9900
N(1)-Cd(1)	2.3172(16)
N(1)-H(1N)	0.9300
N(2)-Cd(1)	2.3312(16)
N(2)-H(2N)	0.9300
O(1)-Cd(1)	2.4030(16)
O(1)-H(1O)	0.76(3)
O(2)-H(2O)	0.77(3)
Cd(1)-Cl(1)	2.4782(5)
Cd(1)-Cl(2)	2.5486(6)
Cd(1)-Cl(1)#1	2.9353(6)
Cl(1)-Cd(1)#1	2.9353(6)

O(1)-C(1)-C(2)	111.63(18)
O(1)-C(1)-H(1A)	109.3
C(2)-C(1)-H(1A)	109.3
O(1)-C(1)-H(1B)	109.3
C(2)-C(1)-H(1B)	109.3
H(1A)-C(1)-H(1B)	108.0
N(1)-C(2)-C(1)	109.15(17)
N(1)-C(2)-H(2A)	109.9
C(1)-C(2)-H(2A)	109.9
N(1)-C(2)-H(2B)	109.9
C(1)-C(2)-H(2B)	109.9
H(2A)-C(2)-H(2B)	108.3
N(1)-C(3)-C(4)	109.49(16)
N(1)-C(3)-H(3A)	109.8
C(4)-C(3)-H(3A)	109.8
N(1)-C(3)-H(3B)	109.8
C(4)-C(3)-H(3B)	109.8
H(3A)-C(3)-H(3B)	108.2
N(2)-C(4)-C(3)	111.73(16)
N(2)-C(4)-H(4A)	109.3
C(3)-C(4)-H(4A)	109.3
N(2)-C(4)-H(4B)	109.3
C(3)-C(4)-H(4B)	109.3
H(4A)-C(4)-H(4B)	107.9
N(2)-C(5)-C(6)	112.22(16)
N(2)-C(5)-H(5A)	109.2
C(6)-C(5)-H(5A)	109.2
N(2)-C(5)-H(5B)	109.2

C(6)-C(5)-H(5B)	109.2
H(5A)-C(5)-H(5B)	107.9
O(2)-C(6)-C(5)	110.30(18)
O(2)-C(6)-H(6A)	109.6
C(5)-C(6)-H(6A)	109.6
O(2)-C(6)-H(6B)	109.6
C(5)-C(6)-H(6B)	109.6
H(6A)-C(6)-H(6B)	108.1
C(2)-N(1)-C(3)	115.67(16)
C(2)-N(1)-Cd(1)	109.97(12)
C(3)-N(1)-Cd(1)	106.20(12)
C(2)-N(1)-H(1N)	108.3
C(3)-N(1)-H(1N)	108.3
Cd(1)-N(1)-H(1N)	108.3
C(5)-N(2)-C(4)	110.81(15)
C(5)-N(2)-Cd(1)	117.50(12)
C(4)-N(2)-Cd(1)	105.78(12)
C(5)-N(2)-H(2N)	107.4
C(4)-N(2)-H(2N)	107.4
Cd(1)-N(2)-H(2N)	107.4
C(1)-O(1)-Cd(1)	109.81(12)
C(1)-O(1)-H(1O)	108.4(19)
Cd(1)-O(1)-H(1O)	116(2)
C(6)-O(2)-H(2O)	112(2)
N(1)-Cd(1)-N(2)	78.17(6)
N(1)-Cd(1)-O(1)	73.92(6)
N(2)-Cd(1)-O(1)	148.52(5)
N(1)-Cd(1)-Cl(1)	157.67(4)
N(2)-Cd(1)-Cl(1)	115.41(4)
O(1)-Cd(1)-Cl(1)	87.59(4)
N(1)-Cd(1)-Cl(2)	93.07(5)
N(2)-Cd(1)-Cl(2)	95.96(4)
O(1)-Cd(1)-Cl(2)	99.74(4)
Cl(1)-Cd(1)-Cl(2)	102.493(18)
N(1)-Cd(1)-Cl(1)#1	82.39(5)
N(2)-Cd(1)-Cl(1)#1	79.96(4)
O(1)-Cd(1)-Cl(1)#1	82.19(4)
Cl(1)-Cd(1)-Cl(1)#1	82.786(17)
Cl(2)-Cd(1)-Cl(1)#1	174.407(15)
Cd(1)-Cl(1)-Cd(1)#1	97.214(17)

Symmetry transformations used to generate equivalent atoms:

#1 -x+2,-y,-z

Table E.40: Anisotropic displacement parameters ($\text{\AA}^2 \times 10^3$) for 8m_alv4_0a. The anisotropic displacement factor exponent takes the form: $-2\pi^2 [h^2 a^{*2} U^{11} + \dots + 2 h k a^* b^* U^{12}]$

	U11	U22	U33	U23	U13	U12
C(1)	28(1)	16(1)	23(1)	4(1)	1(1)	5(1)
C(2)	23(1)	19(1)	18(1)	-1(1)	-4(1)	4(1)
C(3)	14(1)	19(1)	23(1)	-1(1)	-5(1)	2(1)
C(4)	13(1)	23(1)	26(1)	2(1)	0(1)	2(1)
C(5)	20(1)	23(1)	18(1)	0(1)	1(1)	1(1)
C(6)	22(1)	28(1)	19(1)	2(1)	-1(1)	0(1)
N(1)	18(1)	14(1)	17(1)	-2(1)	-2(1)	1(1)
N(2)	14(1)	15(1)	18(1)	-1(1)	1(1)	2(1)
O(1)	22(1)	19(1)	20(1)	0(1)	1(1)	3(1)
O(2)	29(1)	32(1)	23(1)	2(1)	-3(1)	11(1)
Cd(1)	13(1)	18(1)	17(1)	1(1)	-1(1)	0(1)
Cl(1)	15(1)	19(1)	29(1)	-4(1)	-2(1)	2(1)
Cl(2)	25(1)	21(1)	23(1)	-6(1)	0(1)	-2(1)

Table E.41: Torsion angles [$^\circ$] for 8m_alv4_0a.

O(1)-C(1)-C(2)-N(1)	57.5(2)
N(1)-C(3)-C(4)-N(2)	-62.6(2)
N(2)-C(5)-C(6)-O(2)	-62.4(2)
C(1)-C(2)-N(1)-C(3)	-167.83(18)
C(1)-C(2)-N(1)-Cd(1)	-47.6(2)
C(4)-C(3)-N(1)-C(2)	168.63(17)
C(4)-C(3)-N(1)-Cd(1)	46.34(18)
C(6)-C(5)-N(2)-C(4)	-173.70(18)
C(6)-C(5)-N(2)-Cd(1)	-52.0(2)
C(3)-C(4)-N(2)-C(5)	170.11(18)
C(3)-C(4)-N(2)-Cd(1)	41.7(2)
C(2)-C(1)-O(1)-Cd(1)	-36.4(2)
C(2)-N(1)-Cd(1)-N(2)	-144.06(15)
C(3)-N(1)-Cd(1)-N(2)	-18.22(12)
C(2)-N(1)-Cd(1)-O(1)	21.23(13)
C(3)-N(1)-Cd(1)-O(1)	147.07(14)
C(2)-N(1)-Cd(1)-Cl(1)	-14.0(2)
C(3)-N(1)-Cd(1)-Cl(1)	111.86(14)
C(2)-N(1)-Cd(1)-Cl(2)	120.49(13)
C(3)-N(1)-Cd(1)-Cl(2)	-113.67(12)
C(2)-N(1)-Cd(1)-Cl(1)#1	-62.79(13)
C(3)-N(1)-Cd(1)-Cl(1)#1	63.05(12)
C(5)-N(2)-Cd(1)-N(1)	-136.35(15)
C(4)-N(2)-Cd(1)-N(1)	-12.07(13)

C(5)-N(2)-Cd(1)-O(1)	-164.21(13)
C(4)-N(2)-Cd(1)-O(1)	-39.93(19)
C(5)-N(2)-Cd(1)-Cl(1)	62.42(15)
C(4)-N(2)-Cd(1)-Cl(1)	-173.30(12)
C(5)-N(2)-Cd(1)-Cl(2)	-44.46(14)
C(4)-N(2)-Cd(1)-Cl(2)	79.82(13)
C(5)-N(2)-Cd(1)-Cl(1)#1	139.40(14)
C(4)-N(2)-Cd(1)-Cl(1)#1	-96.32(13)
C(1)-O(1)-Cd(1)-N(1)	8.30(13)
C(1)-O(1)-Cd(1)-N(2)	36.7(2)
C(1)-O(1)-Cd(1)-Cl(1)	175.64(14)
C(1)-O(1)-Cd(1)-Cl(2)	-82.10(13)
C(1)-O(1)-Cd(1)-Cl(1)#1	92.59(13)
N(1)-Cd(1)-Cl(1)-Cd(1)#1	-48.75(13)
N(2)-Cd(1)-Cl(1)-Cd(1)#1	75.24(5)
O(1)-Cd(1)-Cl(1)-Cd(1)#1	-82.43(4)
Cl(2)-Cd(1)-Cl(1)-Cd(1)#1	178.122(18)
Cl(1)#1-Cd(1)-Cl(1)-Cd(1)#1	0.0

Symmetry transformations used to generate equivalent atoms:

#1 -x+2,-y,-z

Table E.42: Hydrogen bonds for 8m_alv4_0a [$\text{\AA}$ and $^\circ$].

D-H...A	d(D-H)	d(H...A)	d(D...A)	$\angle(\text{DHA})$
O(1)-H(1O)...O(2)#1	0.76(3)	2.00(3)	2.741(2)	165(3)
O(2)-H(2O)...Cl(2)#2	0.77(3)	2.41(3)	3.1756(18)	169(3)

Symmetry transformations used to generate equivalent atoms:

#1 -x+2,-y,-z #2 -x+2,y-1/2,-z+1/2


BHEEN/Zn Data

Figure E.8: The Zinc complex of BHEEN and the labelling scheme used

Table E.43: Crystal data and structure refinement for 8m_alv22_0a.

Identification code	8m_alv22_0a
Empirical formula	C ₁₂ H ₃₂ Cl ₂ N ₄ O ₄ Zn
Formula weight	432.69
Temperature	173(2) K
Wavelength	0.71073 Å
Crystal system	Monoclinic
Space group	P2(1)/c
Unit cell dimensions	a = 15.3169(2) Å α = 90°. b = 8.98000(10) Å β = 105.2260(10)°. c = 14.3231(2) Å γ = 90°.
Volume	1900.93(4) Å ³
Z	4
Density (calculated)	1.512 Mg/m ³
Absorption coefficient	1.596 mm ⁻¹
F(000)	912
Crystal size	0.33 x 0.28 x 0.22 mm ³
Theta range for data collection	1.38 to 28.00°.
Index ranges	-20 ≤ h ≤ 20, -11 ≤ k ≤ 11, -18 ≤ l ≤ 18
Reflections collected	39686
Independent reflections	4588 [R(int) = 0.0422]
Completeness to theta = 28.00°	100.0 %
Absorption correction	Integration
Max. and min. transmission	0.7204 and 0.6210

Refinement method	Full-matrix least-squares on F^2
Data / restraints / parameters	4588 / 0 / 212
Goodness-of-fit on F^2	1.042
Final R indices [$I > 2\sigma(I)$]	$R_1 = 0.0211$, $wR_2 = 0.0546$
R indices (all data)	$R_1 = 0.0247$, $wR_2 = 0.0556$
Largest diff. peak and hole	0.321 and -0.440 e. $\text{\AA}^{-3}$

Table E.44: Atomic coordinates ($\times 10^4$) and equivalent isotropic displacement parameters ($\text{\AA}^2 \times 10^3$) for 8m_alv22_0a. $U(\text{eq})$ is defined as one third of the trace of the orthogonalized U_{ij} tensor.

	x	y	z	$U(\text{eq})$
C(1)	9151(1)	6684(2)	9108(1)	25(1)
C(2)	8776(1)	5199(2)	9296(1)	24(1)
C(3)	8449(1)	2681(1)	8648(1)	27(1)
C(4)	8039(1)	1799(1)	7745(1)	30(1)
C(5)	6807(1)	1859(2)	6240(1)	33(1)
C(6)	5908(1)	2559(2)	5786(1)	35(1)
C(7)	8951(1)	4943(1)	5752(1)	26(1)
C(8)	8036(1)	5658(2)	5422(1)	23(1)
C(9)	6942(1)	7224(1)	5946(1)	23(1)
C(10)	6576(1)	7603(1)	6803(1)	22(1)
C(11)	6234(1)	6605(1)	8244(1)	22(1)
C(12)	5933(1)	5249(1)	8695(1)	24(1)
N(1)	8565(1)	4268(1)	8410(1)	21(1)
N(2)	7195(1)	2547(1)	7198(1)	22(1)
N(3)	7746(1)	6246(1)	6263(1)	18(1)
N(4)	6414(1)	6229(1)	7305(1)	18(1)
O(1)	8469(1)	7510(1)	8446(1)	28(1)
O(2)	6002(1)	4106(1)	5632(1)	36(1)
O(3)	8882(1)	3653(1)	6303(1)	35(1)
O(4)	6645(1)	4188(1)	8899(1)	26(1)
Zn(1)	7465(1)	4796(1)	7271(1)	18(1)
Cl(1)	9388(1)	8792(1)	6950(1)	30(1)
Cl(2)	5882(1)	1011(1)	8455(1)	28(1)

Table E.45: Bond lengths [$\text{\AA}$] and angles [$^\circ$] for 8m_alv22_0a.

C(1)-O(1)	1.4226(15)
C(1)-C(2)	1.5041(18)
C(1)-H(1A)	0.9900
C(1)-H(1B)	0.9900
C(2)-N(1)	1.4822(16)
C(2)-H(2A)	0.9900
C(2)-H(2B)	0.9900
C(3)-N(1)	1.4861(15)
C(3)-C(4)	1.5060(19)
C(3)-H(3A)	0.9900
C(3)-H(3B)	0.9900
C(4)-N(2)	1.4839(17)
C(4)-H(4A)	0.9900
C(4)-H(4B)	0.9900
C(5)-N(2)	1.4799(16)
C(5)-C(6)	1.498(2)
C(5)-H(5A)	0.9900
C(5)-H(5B)	0.9900
C(6)-O(2)	1.4198(17)
C(6)-H(6A)	0.9900
C(6)-H(6B)	0.9900
C(7)-O(3)	1.4210(16)
C(7)-C(8)	1.5006(19)
C(7)-H(7A)	0.9900
C(7)-H(7B)	0.9900
C(8)-N(3)	1.4854(15)
C(8)-H(8A)	0.9900
C(8)-H(8B)	0.9900
C(9)-N(3)	1.4840(15)
C(9)-C(10)	1.5152(17)
C(9)-H(9A)	0.9900
C(9)-H(9B)	0.9900
C(10)-N(4)	1.4814(14)
C(10)-H(10A)	0.9900
C(10)-H(10B)	0.9900
C(11)-N(4)	1.4811(15)
C(11)-C(12)	1.5061(17)
C(11)-H(11A)	0.9900
C(11)-H(11B)	0.9900
C(12)-O(4)	1.4195(15)
C(12)-H(12A)	0.9900
C(12)-H(12B)	0.9900
N(1)-Zn(1)	2.0683(10)
N(1)-H(1N)	0.9300
N(2)-Zn(1)	2.0584(10)

N(2)-H(2N)	0.9300
N(3)-Zn(1)	2.0711(10)
N(3)-H(3N)	0.9300
N(4)-Zn(1)	2.0719(10)
N(4)-H(4N)	0.9300
O(1)-H(1O)	0.8400
O(2)-H(2O)	0.8400
O(3)-H(3O)	0.8400
O(4)-H(4O)	0.8400

O(1)-C(1)-C(2)	109.44(10)
O(1)-C(1)-H(1A)	109.8
C(2)-C(1)-H(1A)	109.8
O(1)-C(1)-H(1B)	109.8
C(2)-C(1)-H(1B)	109.8
H(1A)-C(1)-H(1B)	108.2
N(1)-C(2)-C(1)	110.81(10)
N(1)-C(2)-H(2A)	109.5
C(1)-C(2)-H(2A)	109.5
N(1)-C(2)-H(2B)	109.5
C(1)-C(2)-H(2B)	109.5
H(2A)-C(2)-H(2B)	108.1
N(1)-C(3)-C(4)	110.82(11)
N(1)-C(3)-H(3A)	109.5
C(4)-C(3)-H(3A)	109.5
N(1)-C(3)-H(3B)	109.5
C(4)-C(3)-H(3B)	109.5
H(3A)-C(3)-H(3B)	108.1
N(2)-C(4)-C(3)	108.91(10)
N(2)-C(4)-H(4A)	109.9
C(3)-C(4)-H(4A)	109.9
N(2)-C(4)-H(4B)	109.9
C(3)-C(4)-H(4B)	109.9
H(4A)-C(4)-H(4B)	108.3
N(2)-C(5)-C(6)	109.09(11)
N(2)-C(5)-H(5A)	109.9
C(6)-C(5)-H(5A)	109.9
N(2)-C(5)-H(5B)	109.9
C(6)-C(5)-H(5B)	109.9
H(5A)-C(5)-H(5B)	108.3
O(2)-C(6)-C(5)	111.07(11)
O(2)-C(6)-H(6A)	109.4
C(5)-C(6)-H(6A)	109.4
O(2)-C(6)-H(6B)	109.4
C(5)-C(6)-H(6B)	109.4
H(6A)-C(6)-H(6B)	108.0

O(3)-C(7)-C(8)	108.88(11)
O(3)-C(7)-H(7A)	109.9
C(8)-C(7)-H(7A)	109.9
O(3)-C(7)-H(7B)	109.9
C(8)-C(7)-H(7B)	109.9
H(7A)-C(7)-H(7B)	108.3
N(3)-C(8)-C(7)	110.49(10)
N(3)-C(8)-H(8A)	109.6
C(7)-C(8)-H(8A)	109.6
N(3)-C(8)-H(8B)	109.6
C(7)-C(8)-H(8B)	109.6
H(8A)-C(8)-H(8B)	108.1
N(3)-C(9)-C(10)	109.85(10)
N(3)-C(9)-H(9A)	109.7
C(10)-C(9)-H(9A)	109.7
N(3)-C(9)-H(9B)	109.7
C(10)-C(9)-H(9B)	109.7
H(9A)-C(9)-H(9B)	108.2
N(4)-C(10)-C(9)	110.52(10)
N(4)-C(10)-H(10A)	109.5
C(9)-C(10)-H(10A)	109.5
N(4)-C(10)-H(10B)	109.5
C(9)-C(10)-H(10B)	109.5
H(10A)-C(10)-H(10B)	108.1
N(4)-C(11)-C(12)	110.85(10)
N(4)-C(11)-H(11A)	109.5
C(12)-C(11)-H(11A)	109.5
N(4)-C(11)-H(11B)	109.5
C(12)-C(11)-H(11B)	109.5
H(11A)-C(11)-H(11B)	108.1
O(4)-C(12)-C(11)	109.00(10)
O(4)-C(12)-H(12A)	109.9
C(11)-C(12)-H(12A)	109.9
O(4)-C(12)-H(12B)	109.9
C(11)-C(12)-H(12B)	109.9
H(12A)-C(12)-H(12B)	108.3
C(2)-N(1)-C(3)	110.91(10)
C(2)-N(1)-Zn(1)	119.67(8)
C(3)-N(1)-Zn(1)	106.23(8)
C(2)-N(1)-H(1N)	106.4
C(3)-N(1)-H(1N)	106.4
Zn(1)-N(1)-H(1N)	106.4
C(5)-N(2)-C(4)	112.48(10)
C(5)-N(2)-Zn(1)	118.88(8)
C(4)-N(2)-Zn(1)	106.38(8)
C(5)-N(2)-H(2N)	106.1

C(4)-N(2)-H(2N)	106.1
Zn(1)-N(2)-H(2N)	106.1
C(9)-N(3)-C(8)	111.28(9)
C(9)-N(3)-Zn(1)	106.09(7)
C(8)-N(3)-Zn(1)	120.16(8)
C(9)-N(3)-H(3N)	106.1
C(8)-N(3)-H(3N)	106.1
Zn(1)-N(3)-H(3N)	106.1
C(11)-N(4)-C(10)	110.21(9)
C(11)-N(4)-Zn(1)	119.59(8)
C(10)-N(4)-Zn(1)	105.99(7)
C(11)-N(4)-H(4N)	106.8
C(10)-N(4)-H(4N)	106.8
Zn(1)-N(4)-H(4N)	106.8
C(1)-O(1)-H(1O)	109.5
C(6)-O(2)-H(2O)	109.5
C(7)-O(3)-H(3O)	109.5
C(12)-O(4)-H(4O)	109.5
N(2)-Zn(1)-N(1)	85.76(4)
N(2)-Zn(1)-N(3)	131.09(4)
N(1)-Zn(1)-N(3)	114.76(4)
N(2)-Zn(1)-N(4)	117.60(4)
N(1)-Zn(1)-N(4)	126.92(4)
N(3)-Zn(1)-N(4)	86.05(4)

Symmetry transformations used to generate equivalent atoms:

Table E.46: Anisotropic displacement parameters ($\text{\AA}^2 \times 10^3$) for 8m_alv22_0a. The anisotropic displacement factor exponent takes the form: $-2p^2[h^2a^*2U^{11} + \dots + 2hk a^*b^*U^{12}]$

	U ¹¹	U ²²	U ³³	U ²³	U ¹³	U ¹²
C(1)	18(1)	34(1)	23(1)	-3(1)	2(1)	0(1)
C(2)	18(1)	36(1)	17(1)	2(1)	3(1)	1(1)
C(3)	24(1)	26(1)	32(1)	13(1)	8(1)	7(1)
C(4)	35(1)	17(1)	41(1)	5(1)	18(1)	5(1)
C(5)	53(1)	23(1)	27(1)	-9(1)	16(1)	-10(1)
C(6)	37(1)	47(1)	24(1)	-10(1)	13(1)	-22(1)
C(7)	25(1)	30(1)	26(1)	-4(1)	14(1)	-4(1)
C(8)	25(1)	30(1)	16(1)	0(1)	9(1)	-3(1)
C(9)	23(1)	24(1)	21(1)	7(1)	5(1)	3(1)
C(10)	22(1)	18(1)	26(1)	5(1)	8(1)	4(1)
C(11)	21(1)	24(1)	23(1)	-2(1)	10(1)	2(1)
C(12)	20(1)	29(1)	24(1)	3(1)	10(1)	3(1)
N(1)	19(1)	23(1)	22(1)	4(1)	8(1)	2(1)

N(2)	27(1)	21(1)	22(1)	-2(1)	12(1)	-2(1)
N(3)	18(1)	21(1)	15(1)	0(1)	5(1)	0(1)
N(4)	17(1)	20(1)	18(1)	0(1)	5(1)	-1(1)
O(1)	22(1)	37(1)	25(1)	4(1)	6(1)	4(1)
O(2)	45(1)	37(1)	25(1)	-8(1)	8(1)	-1(1)
O(3)	32(1)	31(1)	42(1)	7(1)	9(1)	2(1)
O(4)	22(1)	25(1)	33(1)	4(1)	9(1)	3(1)
Zn(1)	22(1)	16(1)	17(1)	2(1)	6(1)	3(1)
Cl(1)	25(1)	32(1)	33(1)	-2(1)	11(1)	-7(1)
Cl(2)	26(1)	32(1)	25(1)	2(1)	7(1)	-5(1)

Table E.47: Torsion angles [°] for 8m_alv22_0a.

O(1)-C(1)-C(2)-N(1)	66.45(13)
N(1)-C(3)-C(4)-N(2)	-53.10(14)
N(2)-C(5)-C(6)-O(2)	61.98(14)
O(3)-C(7)-C(8)-N(3)	66.35(13)
N(3)-C(9)-C(10)-N(4)	-53.11(13)
N(4)-C(11)-C(12)-O(4)	63.23(14)
C(1)-C(2)-N(1)-C(3)	163.69(10)
C(1)-C(2)-N(1)-Zn(1)	-72.11(12)
C(4)-C(3)-N(1)-C(2)	167.57(10)
C(4)-C(3)-N(1)-Zn(1)	36.03(12)
C(6)-C(5)-N(2)-C(4)	173.53(11)
C(6)-C(5)-N(2)-Zn(1)	-61.24(13)
C(3)-C(4)-N(2)-C(5)	172.89(10)
C(3)-C(4)-N(2)-Zn(1)	41.10(11)
C(10)-C(9)-N(3)-C(8)	170.99(10)
C(10)-C(9)-N(3)-Zn(1)	38.65(11)
C(7)-C(8)-N(3)-C(9)	168.18(10)
C(7)-C(8)-N(3)-Zn(1)	-67.04(12)
C(12)-C(11)-N(4)-C(10)	171.58(10)
C(12)-C(11)-N(4)-Zn(1)	-65.29(12)
C(9)-C(10)-N(4)-C(11)	168.68(10)
C(9)-C(10)-N(4)-Zn(1)	37.93(11)
C(5)-N(2)-Zn(1)-N(1)	-145.20(10)
C(4)-N(2)-Zn(1)-N(1)	-17.08(8)
C(5)-N(2)-Zn(1)-N(3)	-25.70(12)
C(4)-N(2)-Zn(1)-N(3)	102.42(8)
C(5)-N(2)-Zn(1)-N(4)	84.95(10)
C(4)-N(2)-Zn(1)-N(4)	-146.93(7)
C(2)-N(1)-Zn(1)-N(2)	-136.55(9)
C(3)-N(1)-Zn(1)-N(2)	-10.12(8)
C(2)-N(1)-Zn(1)-N(3)	89.71(9)

C(3)-N(1)-Zn(1)-N(3)	-143.87(7)
C(2)-N(1)-Zn(1)-N(4)	-14.86(10)
C(3)-N(1)-Zn(1)-N(4)	111.56(8)
C(9)-N(3)-Zn(1)-N(2)	109.62(8)
C(8)-N(3)-Zn(1)-N(2)	-17.57(11)
C(9)-N(3)-Zn(1)-N(1)	-143.28(7)
C(8)-N(3)-Zn(1)-N(1)	89.52(9)
C(9)-N(3)-Zn(1)-N(4)	-14.15(8)
C(8)-N(3)-Zn(1)-N(4)	-141.34(9)
C(11)-N(4)-Zn(1)-N(2)	86.90(9)
C(10)-N(4)-Zn(1)-N(2)	-147.93(7)
C(11)-N(4)-Zn(1)-N(1)	-19.85(10)
C(10)-N(4)-Zn(1)-N(1)	105.31(8)
C(11)-N(4)-Zn(1)-N(3)	-138.09(9)
C(10)-N(4)-Zn(1)-N(3)	-12.92(7)

Symmetry transformations used to generate equivalent atoms:

Table E.48: Hydrogen bonds for 8m_alv22_0a [$\text{\AA}$ and $^\circ$].

D-H...A	d(D-H)	d(H...A)	d(D...A)	$\angle(\text{DHA})$
N(4)-H(4N)...O(2)	0.93	2.44	2.9961(13)	119
O(1)-H(1O)...Cl(1)	0.84	2.25	3.0789(10)	167
O(2)-H(2O)...Cl(2)#1	0.84	2.26	3.0775(10)	164
O(3)-H(3O)...Cl(1)#2	0.84	2.32	3.1330(11)	164
O(4)-H(4O)...Cl(2)	0.84	2.25	3.0846(10)	171

Symmetry transformations used to generate equivalent atoms:

#1 $x, -y+1/2, z-1/2$ #2 $-x+2, y-1/2, -z+3/2$

Imidazolinium Salt (1) Data


Figure E.9: The Imidazolinium Salt **1** and the labelling scheme used

Table E.49: Crystal data and structure refinement for 7m_al11_0s.

Identification code	7m_al11_0s
Empirical formula	C ₁₅ H ₂₇ N ₃ O ₅
Formula weight	329.40
Temperature	273(2) K
Wavelength	0.71073 Å
Crystal system	Orthorhombic
Space group	C222(1)
Unit cell dimensions	a = 7.0296(2) Å α = 90°. b = 9.8263(2) Å β = 90°. c = 25.1764(6) Å γ = 90°.
Volume	1739.06(7) Å ³
Z	4
Density (calculated)	1.258 Mg/m ³
Absorption coefficient	0.094 mm ⁻¹
F(000)	712
Crystal size	0.45 x 0.29 x 0.16 mm ³
Theta range for data collection	1.62 to 28.29°.
Index ranges	-9 ≤ h ≤ 9, -13 ≤ k ≤ 11, -31 ≤ l ≤ 33
Reflections collected	10862
Independent reflections	1244 [R(int) = 0.0418]
Completeness to theta = 28.29°	100.0 %
Absorption correction	None
Max. and min. transmission	0.9850 and 0.9587
Refinement method	Full-matrix least-squares on F ²
Data / restraints / parameters	1244 / 0 / 120
Goodness-of-fit on F ²	1.142

Final R indices [$I > 2\sigma(I)$]	$R_1 = 0.0370$, $wR_2 = 0.0981$
R indices (all data)	$R_1 = 0.0400$, $wR_2 = 0.1000$
Absolute structure parameter	-10(10)
Largest diff. peak and hole	0.215 and -0.186 e. $\text{\AA}^{-3}$

Table E.50: Atomic coordinates ($\times 10^4$) and equivalent isotropic displacement parameters ($\text{\AA}^2 \times 10^3$) for 7m_al11_0s. $U(\text{eq})$ is defined as one third of the trace of the orthogonalized U_{ij} tensor.

	x	y	z	$U(\text{eq})$
N(1)	282(2)	2933(1)	2928(1)	24(1)
N(2)	5000	2398(2)	2500	27(1)
O(1)	-2815(2)	4016(2)	3559(1)	48(1)
O(2)	5816(2)	1769(2)	2863(1)	36(1)
O(3)	5000	3651(2)	2500	62(1)
C(1)	-1273(3)	3304(2)	3792(1)	29(1)
C(2)	-971(3)	3888(2)	4348(1)	39(1)
C(3)	753(4)	3264(3)	4617(1)	47(1)
C(4)	2525(3)	3461(3)	4287(1)	52(1)
C(5)	2259(3)	2858(3)	3732(1)	43(1)
C(6)	531(2)	3490(2)	3464(1)	25(1)
C(7)	235(2)	1464(2)	2799(1)	25(1)
C(8)	0	3650(2)	2500	24(1)

Table E.51: Bond lengths [$\text{\AA}$] and angles [$^\circ$] for 7m_al11_0s.

N(1)-C(8)	1.3026(17)
N(1)-C(6)	1.4671(18)
N(1)-C(7)	1.4796(19)
N(2)-O(3)	1.231(3)
N(2)-O(2)#1	1.2443(16)
N(2)-O(2)	1.2443(16)
O(1)-C(1)	1.418(2)
O(1)-H(1A)	0.80(3)
C(1)-C(6)	1.524(2)
C(1)-C(2)	1.529(2)
C(1)-H(1)	0.9800
C(2)-C(3)	1.516(3)
C(2)-H(2A)	0.9700
C(2)-H(2B)	0.9700
C(3)-C(4)	1.509(3)
C(3)-H(3A)	0.9700
C(3)-H(3B)	0.9700
C(4)-C(5)	1.530(3)

C(4)-H(4A)	0.9700
C(4)-H(4B)	0.9700
C(5)-C(6)	1.521(2)
C(5)-H(5A)	0.9700
C(5)-H(5B)	0.9700
C(6)-H(6)	0.9800
C(7)-C(7)#2	1.541(3)
C(7)-H(7A)	0.97(2)
C(7)-H(7B)	0.94(3)
C(8)-N(1)#2	1.3026(16)
C(8)-H(8)	0.93(3)

C(8)-N(1)-C(6)	125.25(13)
C(8)-N(1)-C(7)	110.05(13)
C(6)-N(1)-C(7)	124.65(12)
O(3)-N(2)-O(2)#1	119.78(10)
O(3)-N(2)-O(2)	119.78(10)
O(2)#1-N(2)-O(2)	120.4(2)
C(1)-O(1)-H(1A)	106(3)
O(1)-C(1)-C(6)	110.66(14)
O(1)-C(1)-C(2)	107.49(16)
C(6)-C(1)-C(2)	109.61(14)
O(1)-C(1)-H(1)	109.7
C(6)-C(1)-H(1)	109.7
C(2)-C(1)-H(1)	109.7
C(3)-C(2)-C(1)	111.57(16)
C(3)-C(2)-H(2A)	109.3
C(1)-C(2)-H(2A)	109.3
C(3)-C(2)-H(2B)	109.3
C(1)-C(2)-H(2B)	109.3
H(2A)-C(2)-H(2B)	108.0
C(4)-C(3)-C(2)	111.26(16)
C(4)-C(3)-H(3A)	109.4
C(2)-C(3)-H(3A)	109.4
C(4)-C(3)-H(3B)	109.4
C(2)-C(3)-H(3B)	109.4
H(3A)-C(3)-H(3B)	108.0
C(3)-C(4)-C(5)	110.61(19)
C(3)-C(4)-H(4A)	109.5
C(5)-C(4)-H(4A)	109.5
C(3)-C(4)-H(4B)	109.5
C(5)-C(4)-H(4B)	109.5
H(4A)-C(4)-H(4B)	108.1
C(6)-C(5)-C(4)	110.14(17)
C(6)-C(5)-H(5A)	109.6
C(4)-C(5)-H(5A)	109.6

C(6)-C(5)-H(5B)	109.6
C(4)-C(5)-H(5B)	109.6
H(5A)-C(5)-H(5B)	108.1
N(1)-C(6)-C(5)	110.50(14)
N(1)-C(6)-C(1)	110.74(13)
C(5)-C(6)-C(1)	112.08(13)
N(1)-C(6)-H(6)	107.8
C(5)-C(6)-H(6)	107.8
C(1)-C(6)-H(6)	107.8
N(1)-C(7)-C(7)#2	102.66(8)
N(1)-C(7)-H(7A)	110.5(12)
C(7)#2-C(7)-H(7A)	113.4(12)
N(1)-C(7)-H(7B)	107.8(14)
C(7)#2-C(7)-H(7B)	113.5(14)
H(7A)-C(7)-H(7B)	108.7(17)
N(1)#2-C(8)-N(1)	114.48(19)
N(1)#2-C(8)-H(8)	122.76(9)
N(1)-C(8)-H(8)	122.76(9)

Symmetry transformations used to generate equivalent atoms:

#1 -x+1,y,-z+1/2 #2 -x,y,-z+1/2

Table E.52: Anisotropic displacement parameters ($\text{\AA}^2 \times 10^3$) for 7m_al11_0s. The anisotropic displacement factor exponent takes the form: $-2\pi^2 [h^2 a^{*2} U_{11} + \dots + 2 h k a^* b^* U_{12}]$

	U11	U22	U33	U23	U13
N(1)	34(1)	22(1)	16(1)	-1(1)	-1(1)
N(2)	25(1)	24(1)	32(1)	0	5(1)
O(1)	36(1)	63(1)	46(1)	-21(1)	-11(1)
O(2)	35(1)	37(1)	36(1)	0(1)	-7(1)
O(3)	106(2)	20(1)	60(1)	0	4(2)
C(1)	31(1)	33(1)	24(1)	-3(1)	2(1)
C(2)	44(1)	51(1)	21(1)	-6(1)	5(1)
C(3)	66(1)	59(1)	16(1)	-1(1)	-2(1)
C(4)	42(1)	89(2)	26(1)	-11(1)	-14(1)
C(5)	32(1)	73(1)	23(1)	-9(1)	-5(1)
C(6)	32(1)	28(1)	15(1)	-1(1)	-1(1)
C(7)	31(1)	22(1)	23(1)	1(1)	0(1)
C(8)	29(1)	23(1)	19(1)	0	0(1)

Table E.53: Torsion angles [°] for 7m_al11_0s.

O(1)-C(1)-C(2)-C(3)	-175.64(17)
C(6)-C(1)-C(2)-C(3)	-55.3(2)
C(1)-C(2)-C(3)-C(4)	56.8(3)
C(2)-C(3)-C(4)-C(5)	-56.9(3)
C(3)-C(4)-C(5)-C(6)	56.5(3)
C(8)-N(1)-C(6)-C(5)	-131.43(16)
C(7)-N(1)-C(6)-C(5)	51.3(2)
C(8)-N(1)-C(6)-C(1)	103.77(17)
C(7)-N(1)-C(6)-C(1)	-73.5(2)
C(4)-C(5)-C(6)-N(1)	179.13(17)
C(4)-C(5)-C(6)-C(1)	-56.8(2)
O(1)-C(1)-C(6)-N(1)	-61.85(19)
C(2)-C(1)-C(6)-N(1)	179.77(15)
O(1)-C(1)-C(6)-C(5)	174.24(16)
C(2)-C(1)-C(6)-C(5)	55.9(2)
C(8)-N(1)-C(7)-C(7)#2	-2.6(2)
C(6)-N(1)-C(7)-C(7)#2	175.03(16)
C(6)-N(1)-C(8)-N(1)#2	-176.56(18)
C(7)-N(1)-C(8)-N(1)#2	1.10(9)

Symmetry transformations used to generate equivalent atoms:

#1 -x+1,y,-z+1/2 #2 -x,y,-z+1/2

Table E.54: Hydrogen bonds for 7m_al11_0s [Å and °].

D-H...A	d(D-H)	d(H...A)	d(D...A)	<(DHA)
O(1)-H(1A)...O(2)#3	0.80(3)	2.19(3)	2.977(2)	165(3)
O(1)-H(1A)...O(3)#3	0.80(3)	2.44(3)	3.0969(16)	140(3)

Symmetry transformations used to generate equivalent atoms:

#1 -x+1,y,-z+1/2 #2 -x,y,-z+1/2 #3 x-1,y,z

Zwitterion (2) Data




Figure E.10: The Zwitterion 2 and the labelling scheme used

Table E.55: Crystal data and structure refinement for 8m_alv8_off.

Identification code	8m_alv8_off
Empirical formula	C ₄ H ₁₂ N ₂ O ₄
Formula weight	152.16
Temperature	293(2) K
Wavelength	0.71073 Å
Crystal system	Monoclinic
Space group	P2/c
Unit cell dimensions	a = 8.4164(3) Å α = 90°. b = 5.9335(2) Å β = 116.764(2)°. c = 15.6461(6) Å γ = 90°.
Volume	697.64(4) Å ³
Z	4
Density (calculated)	1.449 Mg/m ³
Absorption coefficient	0.128 mm ⁻¹
F(000)	328
Crystal size	0.47 x 0.11 x 0.09 mm ³
Theta range for data collection	2.71 to 28.33°.
Index ranges	-10 ≤ h ≤ 11, -7 ≤ k ≤ 7, -20 ≤ l ≤ 20
Reflections collected	9150
Independent reflections	1748 [R(int) = 0.0579]
Completeness to theta = 28.33°	100.0 %
Absorption correction	None
Max. and min. transmission	0.9886 and 0.9424
Refinement method	Full-matrix least-squares on F ²
Data / restraints / parameters	1748 / 0 / 120
Goodness-of-fit on F ²	1.027

Final R indices [$I > 2\sigma(I)$]	$R_1 = 0.0458$, $wR_2 = 0.1207$
R indices (all data)	$R_1 = 0.0682$, $wR_2 = 0.1296$
Largest diff. peak and hole	0.591 and -0.203 e.Å ⁻³

Table E.56: Atomic coordinates ($\times 10^4$) and equivalent isotropic displacement parameters ($\text{\AA}^2 \times 10^3$) for 8m_alv8_off. U(eq) is defined as one third of the trace of the orthogonalized U_{ij} tensor.

	x	y	z	U(eq)
C(1)	6350(2)	7346(3)	1400(1)	23(1)
C(2)	7659(2)	8056(3)	1027(1)	23(1)
C(3)	7215(2)	6873(3)	94(1)	24(1)
C(4)	7663(2)	7100(3)	3165(1)	19(1)
N(1)	6823(2)	8256(3)	2344(1)	23(1)
N(2)	8430(2)	7582(3)	-311(1)	21(1)
O(1)	7611(2)	10400(2)	871(1)	33(1)
O(2)	8031(2)	8078(2)	3949(1)	25(1)
O(3)	8045(2)	5030(2)	3128(1)	23(1)
O(4)	0	2601(3)	2500	27(1)
O(5)	5000	2482(3)	2500	35(1)

Table E.57: Bond lengths [$\text{\AA}$] and angles [$^\circ$] for 8m_alv8_off.

C(1)-N(1)	1.450(2)
C(1)-C(2)	1.521(2)
C(1)-H(1A)	0.9700
C(1)-H(1B)	0.9700
C(2)-O(1)	1.410(2)
C(2)-C(3)	1.507(2)
C(2)-H(2)	0.9800
C(3)-N(2)	1.485(2)
C(3)-H(3A)	0.9700
C(3)-H(3B)	0.9700
C(4)-O(2)	1.262(2)
C(4)-O(3)	1.2779(19)
C(4)-N(1)	1.342(2)
N(1)-H(1N)	0.83(2)
N(2)-H(2N)	0.93(2)
N(2)-H(3N)	0.90(3)
N(2)-H(4N)	0.88(2)
O(1)-H(1O)	1.03(4)
O(4)-H(2O)	0.90(2)
O(5)-H(4O)	0.85(2)

N(1)-C(1)-C(2)	112.00(14)
N(1)-C(1)-H(1A)	109.2
C(2)-C(1)-H(1A)	109.2
N(1)-C(1)-H(1B)	109.2
C(2)-C(1)-H(1B)	109.2
H(1A)-C(1)-H(1B)	107.9
O(1)-C(2)-C(3)	108.47(14)
O(1)-C(2)-C(1)	111.74(15)
C(3)-C(2)-C(1)	109.67(14)
O(1)-C(2)-H(2)	109.0
C(3)-C(2)-H(2)	109.0
C(1)-C(2)-H(2)	109.0
N(2)-C(3)-C(2)	111.24(14)
N(2)-C(3)-H(3A)	109.4
C(2)-C(3)-H(3A)	109.4
N(2)-C(3)-H(3B)	109.4
C(2)-C(3)-H(3B)	109.4
H(3A)-C(3)-H(3B)	108.0
O(2)-C(4)-O(3)	122.02(15)
O(2)-C(4)-N(1)	119.19(15)
O(3)-C(4)-N(1)	118.79(15)
C(4)-N(1)-C(1)	124.72(16)
C(4)-N(1)-H(1N)	115.6(14)
C(1)-N(1)-H(1N)	119.5(14)
C(3)-N(2)-H(2N)	110.7(12)
C(3)-N(2)-H(3N)	110.8(14)
H(2N)-N(2)-H(3N)	109.4(17)
C(3)-N(2)-H(4N)	111.2(13)
H(2N)-N(2)-H(4N)	105.6(18)
H(3N)-N(2)-H(4N)	108.9(19)
C(2)-O(1)-H(1O)	110.1(19)

Symmetry transformations used to generate equivalent atoms:

Table E.58: Anisotropic displacement parameters ($\text{\AA}^2 \times 10^3$) for 8m_alv8_Off. The anisotropic displacement factor exponent takes the form: $-2\pi^2 [h^2 a^{*2} U_{11} + \dots + 2 h k a^* b^* U_{12}]$

	U11	U22	U33	U23	U13
C(1)	22(1)	26(1)	17(1)	1(1)	7(1)
C(2)	26(1)	23(1)	17(1)	-1(1)	9(1)
C(3)	28(1)	25(1)	21(1)	-2(1)	12(1)
C(4)	17(1)	22(1)	20(1)	0(1)	10(1)
N(1)	30(1)	21(1)	21(1)	1(1)	13(1)
N(2)	27(1)	20(1)	17(1)	-2(1)	10(1)

O(1)	51(1)	24(1)	27(1)	1(1)	18(1)
O(2)	29(1)	27(1)	19(1)	-5(1)	10(1)
O(3)	27(1)	19(1)	22(1)	2(1)	12(1)
O(4)	33(1)	21(1)	34(1)	0	22(1)
O(5)	28(1)	19(1)	53(1)	0	14(1)

Table E.59: Torsion angles [°] for 8m_alv8_off.

N(1)-C(1)-C(2)-O(1)	-65.54(19)
N(1)-C(1)-C(2)-C(3)	174.14(15)
O(1)-C(2)-C(3)-N(2)	55.83(19)
C(1)-C(2)-C(3)-N(2)	178.12(15)
O(2)-C(4)-N(1)-C(1)	178.96(15)
O(3)-C(4)-N(1)-C(1)	-1.9(3)
C(2)-C(1)-N(1)-C(4)	-100.2(2)

Symmetry transformations used to generate equivalent atoms:

Table E.60: Hydrogen bonds for 8m_alv8_off [Å and °].

D-H...A	d(D-H)	d(H...A)	d(D...A)	<(DHA)
O(1)-H(1O)...O(4)#1	1.03(4)	1.74(4)	2.7620(17)	178(3)
N(2)-H(2N)...O(3)#2	0.93(2)	1.86(2)	2.7867(19)	172.9(18)
N(2)-H(3N)...O(2)#3	0.90(3)	1.90(3)	2.790(2)	172(2)
N(2)-H(4N)...O(2)#4	0.88(2)	1.92(2)	2.782(2)	168.2(19)
O(4)-H(2O)...O(3)#5	0.90(2)	1.79(2)	2.6837(15)	171(2)
O(5)-H(4O)...O(3)	0.85(2)	1.90(2)	2.7482(17)	174(2)

Symmetry transformations used to generate equivalent atoms:

#1 x+1,y+1,z #2 x,-y+1,z-1/2 #3 -x+2,y,-z+1/2
 #4 x,-y+2,z-1/2 #5 x-1,y,z