

References

- Alverson, H., Alverson, M., & Drake, R. E. (2000). An ethnographic study of the longitudinal course of abuse among people with severe mental illness. *Community Mental Health Journal*, 36(6), 557-569.
- American Psychiatric Association (APA) (2000). *Diagnostic and statistical manual of mental disorders* (4th ed. Text Revision). Washington DC: American Psychiatric Association.
- Beeder, A. B., & Millman, R. B. (1997). Patients with psychopathology. In J. H. Lowinson, P. Ruiz, R. B. Millman & J. G. Langrod (Eds), *Substance abuse: A comprehensive textbook* (3rd ed.) (pp. 551-563). Baltimore: Williams & Wilkins.
- Blume, S. B. (1999). Addiction in women. In M. Galanter & H. D. Kleber (Eds), *Textbook of substance abuse treatment* (2nd ed.) (pp. 485-490). Washington DC: American Psychiatric Press, Inc.
- Brady, K. T., Halligan, P., & Malcolm, R. J. (1999). Dual diagnosis. In M. Galanter & H. D. Kleber (Eds), *Textbook of substance abuse treatment* (2nd ed.) (pp. 475-583). Washington DC: American Psychiatric Press, Inc.

- Brink, S., Oosthuizen, P., Emsley, R., Mbanga, I., & Keyter., N. (2003). Relationship between substance abuse and first-episode psychosis-A South African perspective. *South African Journal of Psychology*, 9(1), 7-12.
- Brown, S.A., & Bennett, M.E. (2004). Dual diagnosis. In J.C. Thomas & M. Herson (Eds), *Psychopathology in the workplace: Recognition and adaptation* (pp. 59-74). New York: Brunner-Routledge.
- Clure, C., Brady, K. T., Saladin, M. E., Johnson, D., Waid, R., & Rittenbury, M. (1999). Attention-Deficit/Hyperactivity Disorder and substance use: symptom Pattern and drug choice. *American Journal of Drug and Alcohol Abuse*, 25(3), 441-448.
- Compton III, W. M., Cottler, L. B., Jacobs, J. L., Ben-Abdallah, A., & Spitznagel, E. L. (2003). The role of psychiatric disorders in predicting drug dependence treatment outcomes. *The American Journal of Psychiatry*, 160(5), 890-895.
- Daley, D., C., & Marlatt, G. A. (1997). Relapse prevention. In J. H. Lowinson, P. Ruiz, R. B. Millman & J. G. Langrod (Eds), *Substance abuse: A comprehensive textbook* (3rd ed.) (pp. 458-467). Baltimore: Williams & Wilkins.
- Diamond, D. (2000). *Narrative means to sober ends: Treating addiction and its aftermath*. New York: The Guilford Press.

Dolan, L., Kolthoff, K., Schreck, M., Smilanich, P., & Todd, R. (2003). Gender- specific treatment for clients with co-occurring disorders. *Corrections Today*, 65(6), 100-107.

Durrant, R., & Thakker, J. (2003). *Substance use and Abuse: Cultural and historical perspectives*. California: Sage Publications.

Edmonds, L., & Wilcocks, L. (2000). *Teen drug scene South Africa: a guide for parents and schools* (3rd ed.). Pinegowrie: Aspen Oaks Associates.

Flisher, A. J., Parry, C., Evans, J., Muller, M., & Lombard, C. (2003). Substance use by adolescents in Cape Town: Prevalence and correlates. *Journal of Adolescent Health*, 32(1), 58-65.

Gold, M. S. (1997). Cocaine (and crack): Clinical aspects. In J. H. Lowinson, P. Ruiz, R. B. Millman & J. G. Langrod (Eds), *Substance abuse: A comprehensive textbook* (3rd ed.) (pp. 181-199). Baltimore: Williams & Wilkins.

Gold, M. S., & Tullis, M. (1999). Cannabis. In M. Galanter & H. D. Kleber (Eds), *Textbook of substance abuse treatment* (2nd ed.) (pp. 165-181). Washington DC: American Psychiatric Press, Inc.

- Goodwin, D. W., & Gabrielli, W. F. (1997). Alcohol: Clinical aspects. In J. H. Lowinson, P. Ruiz, R. B. Millman & J. G. Langrod (Eds), *Substance abuse: A comprehensive textbook* (3rd ed.) (pp. 142-148). Baltimore: Williams & Wilkins.
- Green, C. A. (2006). Gender and use of substance abuse treatment services. *Alcohol Research and Health*, 29(1), 55-62.
- Harvard Mental Health Letter (Aug. 2003). *Dual Diagnosis: Part I*, 20(2), 1-4.
- Henquet, C., Krabbendam, L., Spauwen, J., Kaplan, L., Lieb, R., Wittchen, H., & van Os, J. (2005). Prospective cohort study of cannabis use, predisposition for psychosis, and psychotic symptoms in young people. *British Medical Journal*, 330(7481), 11-14.
- Houghton House Website (2006). Houghton House Group of Treatment Centres: About Addiction Recovery Centre. Retrieved July 13, 2006 from <http://www.houghtonhouse.co.za/index.html>
- Hovens, J. G. F. M., Cantwell, D.P., & Kiriakos, R. (1994). Psychiatric comorbidity in hospitalized adolescent substance abusers. *J. Am. Acad. Child Adolesc. Psychiatry*, 33(4), 476-483.
- Howell, D.C. (1999). *Fundamental Statistics for the Behavioral Sciences* (4th ed.). Pacific Grove: Duxbury Press.

- Hubbard, R. L. (1997). Evaluation and outcome of treatment. In J. H. Lowinson, P. Ruiz, R. B. Millman & J. G. Langrod (Eds), *Substance abuse: A comprehensive textbook* (3rd ed.) (pp. 499-511). Baltimore: Williams & Wilkins.
- Hudson, J. I., Weiss, R. D., Pope, H. G., McElroy, S. K., & Mirin, S. M. (1992). Eating disorders in hospitalized substance abusers. *American Journal of Drug and Alcohol Abuse*, 18(1), 75-85.
- Jung, J. (2001). *Psychology of alcohol and other drugs: A research perspective*. London: Sage Publication Inc.
- Kalbag, A.S., & Levin, F.R. (2005). Adult ADHD and substance abuse: Diagnostic and treatment issues. *Substance Use and Misuse*, 40(13/14), 1955-1981.
- Karno, M. P., & Longabaugh, R. (2004). What do we know? Process analysis and the search for a better understanding of project MATCH's anger-by-treatment matching effect. *Journal of Studies on Alcohol*, 65(4), 501-512.
- Kokkevi, A., & Stefanis, C. (1995). Drug abuse and psychiatric comorbidity. *Comprehensive Psychiatry*, 36(5), 329-337.

- Kosten, T. R., & Singha, A. K. (1999). Stimulants. In M. Galanter & H. D. Kleber (Eds), *Textbook of substance abuse treatment* (2nd ed.) (pp. 475-583). Washington DC: American Psychiatric Press, Inc.
- Leavitt, F. (1995). *Drugs and behaviour*. Thousand Oaks California: Sage.
- Little, K. Y., Krolewski, D. M., Zhang, L., & Cassin, B. J. (2003). Loss of striatal vesicular monoamine transporter protein (VMAT2) in human cocaine users. *The American Journal of Psychiatry*, 160(1), 47-55
- Madu, S.N., & Matla, M. P. (2004). Illicit drug use, cigarette smoking and alcohol drinking behaviour among a sample of high school adolescents in the Pietersburg area of the Northern Province, South Africa. *Journal of Adolescence*, 26(1), 121-136.
- McGowan, K. (2004). Pay attention to this. *Psychology Today*, 37(6), 84-85, 87-88, 90-91, 103.
- Moggi, F., Ouimette, P. C., Moos, R. H., & Finney, J. W. (1999). Dual diagnosis patients in substance abuse treatment: Relationship of general coping and substance-specific coping to 1-year outcomes. *Addiction*, 94(12), 1805-1816.

- Mueser, K. T., Rosenberg, S. D., Drake, R. E., Miles, K. M., Wolford, G., Vidaver, R., & Carrieri, K. (1999). Conduct Disorder, Antisocial Personality Disorder and Substance Use Disorders in Schizophrenia and Major Affective Disorders. *Journal of Studies on Alcohol*, 60(2), 278-279.
- Myers, M. G., Brown, S. A., & Mott, A. M. (1995). Preadolescent conduct disorder behaviours predict relapse and progression of addiction for adolescent alcohol and drug abusers. *Alcoholism: Clinical and Experimental Research*, 19(6), 1528-1536.
- O' Brien, M.S., Wu, L., & Anthony, J.C. (2005). Cocaine use and the occurrence of panic attacks in the community: A case-crossover approach. *Substance Use and Misuse*, 40(3), 285-297.
- Parry, C., & Bennets, A. (1998). *Alcohol policy and public health in South Africa*. Cape Town: Oxford University Press.
- Pluddeman, A., Parry, C., Bhana, A., Harker, N., Potgieter, H., Gerber, W., & Johnson, C. (2004). Monitoring alcohol and drug abuse trends in South Africa (July 1996-June 2004). South African Community Epidemiology Network on Drug Use. *Research Brief*, 7(2), 1-12.

- Pluddeman, A., Parry, C., Bhana, A., Harker, N., Potgieter, H., Gerber, W., & Johnson, C. (2005). Monitoring alcohol and drug abuse trends in South Africa (July 1996-June 2005). South African Community Epidemiology Network on Drug Use. *Research Brief*, 8(2), 1-12.
- Pluddeman, A., Parry, C., Bhana, A., Harker, N., Potgieter, H., Gerber, W., & Johnson, C. (2006). Monitoring alcohol and drug abuse trends in South Africa (July 1996-June 2006). South African Community Epidemiology Network on Drug Use. *Update*, 1-2.
- Professional Board for Psychology. (2002). *Ethical code of professional conduct*. Retrieved March 4, 2005 from <http://www.hpsca.co.za/professional-boards/Psychology/Documents/F223.pdf>.
- Romach, M.K., & Sellers, E.M. (1998). Alcohol dependence: Women, biology and pharmacotherapy. In E. F. McCance-Katz & T. R. Kosten (Eds), *New treatments for chemical addictions* (pp. 35-73). Washington DC: American Psychiatric Press, Inc.
- Rosenfield, S., Phillips, J., & White, H. (2006). Gender, race and the self in mental health and crime. *Social Problems*, 53(2), 161-184.
- Ross, S., Dermatis, H., Levounis, P., & Galanter, M. (2003). A comparison between dually diagnosed inpatients with and without Axis II comorbidity and the relationship to treatment outcome. *The American Journal of Drug and Alcohol Abuse*, 29(2), 263-279.

- Ryan, R.M., Plant, R.W., & O'Malley, S. (1995). Initial motivations for alcohol treatment: Relations with patient characteristics, treatment involvement, and dropout. *Addictive Behaviours*, 20(3), 279-297.
- Sacks, S., & Ries, R. K. (2003). *Substance abuse treatment for persons with co-occurring disorders: A treatment improvement protocol TIP 42*. US Department of health and human services. Public Health Service. Substance abuse and mental health services administration. Center for substance abuse treatment. Rockville, MD.
- Sadock, B. J., & Sadock, V. A. (2003). *Sadock & Sadock 's synopsis of psychiatry: Behavioural Sciences/ Clinical Psychiatry* (9th ed.). Philadelphia PA: Lippincott Williams & Wilkins.
- SAS Institute (2002). The SAS System for Windows Release 9.1. Cary, NC: SAS Institute Inc.
- Schuckit, M. A. (1999). Goals of treatment. In M. Galanter & H. D. Kleber (Eds), *Textbook of substance abuse treatment* (2nd ed.) (pp.89-95). Washington D.C: American Psychiatric Press.
- Schuckit, M. A. (2000). *Drug and alcohol abuse: A clinical guide to diagnosis and treatment* (5th ed.). New York: Kluwer Academic/Plenum Publishers.
- Sharlene, K., & Shane, D. (2004). Injecting and non-injecting cocaine use in Sydney, Australia: physical and psychological morbidity. *Drug & Alcohol Review*, 23(4), 391-398.

- Smith, D. E., & Wesson, D. R. (1999). Benzodiazepines and other sedative-hypnotics. In M. Galanter & H. D. Kleber (Eds), *Textbook of substance abuse treatment* (2nd ed.) (pp. 239-250). Washington DC: American Psychiatric Press, Inc.
- Stanley, S., & Pearson, F. S. (2003). Co-occurring substance use and mental disorders in offenders: Approaches, findings and recommendations. *Federal Probation*, 67(2), 32-39.
- Strathdee, G., Manning, V., Best, D., Keaney, F., Bhui, K., Witton, J., Wall, S., McGillivray, L., Marsden, J., Johnson, F., Piek., C., & Wilson-Jones, C. (2002). Dual diagnosis in primary care group. *National Treatment Agency for Substance Misuse*. London: Department of Health.
- Strebel, A., Stacey, M., & Msomi, N. (1999). Gender and psychiatric diagnosis: a profile of admissions to mental hospitals in the Western Cape Province, South Africa. *Archives of Women's Health*, 2, 75-81.
- Swartz, L. (1998). *Culture and mental health: A South African view*. Cape Town: Oxford University Press.
- Taraldsen, W. K., Eriksen, L., & Gotestam, K. G. (1996). Prevalence of eating disorders among Norwegian women and men in a psychiatric outpatient unit. *The International Journal of Eating Disorders*, 20(2), 185-190

Todd, J., Green, G., Harrison, M., Ikuesan, B., Self, C., Baldacchino, A., & Sherwood, S. (2004).

Defining dual diagnosis of mental illness and substance misuse: some methodological issues. *Journal of Psychiatric and Mental Health Nursing*, 11, 48-54.

Vaillant, G. E. (2000). *The natural history of alcoholism revisited*. Cambridge: Harvard University Press.

Watkins, K. E., Hunter, S.B., Wenzel, S.L., Tu, W., Paddock, S.M., Griffin, A., & Ebener., P. (2004). Prevalence and characteristics of clients with co-occurring disorders in outpatient substance abuse treatment. *American Journal of Drug and Alcohol Abuse*, 30(4), 749-764.

Weaver, T., Charles, V., Carnwath, Z., Madden, P., Renton, A., Stimson, G., Tyrer, P., Barnes, T., Bench, C., & Paterson, S. (2002). Co-morbidity of substance misuse and mental illness collaborative study. *National Treatment Agency for Substance Misuse*. London: Department of Health.

Weiss, R. D. (1999). Inpatient treatment. In M. Galanter & H. D. Kleber (Eds), *Textbook of substance abuse treatment* (2nd ed.) (pp. 413-422). Washington DC: American Psychiatric Press, Inc.

Zervogiannis, F.H., Wiechers, E., & Bester, G. (2003). The “E” in rave: A profile of young Ecstasy (MDMA) users. *South African Journal of Psychology*, 33(3), 162-169.