

REFERENCES

Alaniz R. C, Thomas S. A, Perez- Melgosa M, Mueller K,

Farr A. G, Palmiter R.G and Wilson C. B

Dopamine β -hydroxylase deficiency impairs cellular immunity

Proc. Natl. Acad. Sci. USA 1999; 96: 2274-2278

Alcaide J, Altet M.N, Plans P, Parron I, Folguera LI, Salto E, Dominguez

A, Pardeli H and Salleras LI

Cigarette smoking as a risk factor for tuberculosis in young adults: a case-control study

Tuberc. Lung Dis. 1996; 77: 112-116

Al-Omar I. A and Oluboyede O. A

Serum ferritin and other iron parameters in patients with pulmonary tuberculosis

Saudi. Med. J. 2002; 23: 244-246

Awotedu A.A, Sofowora E.O and Ette S.I

Ascorbic acid deficiency in pulmonary tuberculosis

E. Afr. Med. J. 1984; 61: 283-287

Bakaev V. V and Duntau A.P

Ascorbic acid in blood serum of patients with pulmonary tuberculosis and pneumonia

Int. J. Tuberc. Lung. Dis. 2004; 8: 263-266

Barnes P. F. and Havlier D. V

Tuberculosis in patients with Human Immunodeficiency Virus Infection

N. Engl. J. Med. 1999; 340: 367-373

Baynes R. D, Flax H, Bothwell T.H, Bezwoda W.R, MacPhail A. P,

Atkinson P and Lewis D.

Haematological and iron-related measurements in active pulmonary tuberculosis

Scand. J. Haematol. 1986; 36: 280-287

Baynes R, Bezwoda W, Bothwell T, Khan Q and Mansoor N

The non-immune inflammatory response: serial changes in plasma iron, iron-binding capacity, lactoferrin, ferritin and C-reactive protein

Scand. J. Clin. Lab. Invest. 1986; 46: 695-704

Bridges K. R

Ascorbic acid inhibits lysosomal autophagy of ferritin

J. Biol. Chem. 1985; 262: 14773-14778

Byrd R. P, Mehta J. B and Roy T.M.

Malnutrition and Pulmonary Tuberculosis

Clin. Infect. Dis. 2002; 35: 634-635

Caso A. J. A, Tena J. G, Llorens M. M and Moreno R

High serum ferritin concentration in an AIDS patient with military tuberculosis

Clin. Infect. Dis. 1997; 25: 1263-1264

Churchyard G. J and Grant A. D

HIV Infection, Tuberculosis and Non-tuberculosis Mycobacteria

S. Afr. Med. J. 2000; 90 : 472-476

Corbett E. L, Watt C. J, Walker N, Maher D, Williams

B. G, Raviglione M. C and Dye C

The growing burden of tuberculosis. Global trends and interactions with the HIV epidemic

Arch. Intern. Med. 2003; 163: 1009-1021

Den Boon S, Van Lill S.W. P, Borgdorff M. W, Verver S, Bateman E. D, Lombard C. J, Enarson D.A and Beyers N

Association between smoking and tuberculosis infection: a population survey in a high tuberculosis incidence area

Thorax 2005; 60: 555-557

Dietrich M, Block G, Norkus E. P, Hudes M, Traber G, Cross C. E and Packer L

Smoking and exposure to environmental tobacco smoke decrease some plasma antioxidants and increase gamma-tocopherol in vivo after adjustment for dietary antioxidant intakes

Am. J. Clin. Nutr. 2003; 77:160-6

Dye C, Scheele S, Dolin P. J, Phanathia I, Raviglione M. C

Global Burden of Tuberculosis: Estimated Incidence, Prevalence and Mortality by Country

JAMA 1999; 282: 677-686

Ellis M.E and Tayoub. F

Adrenal function in tuberculosis

Br. J. Dis. Chest 1986; 80: 7-12

Fätkenheuer G, Taelman H, Lepage H, Schwenk A and
Wenzel R

The return of tuberculosis

*Diag. Micr. Infect. Dis.*1999; 34 : 139-146

Gabay C and Kushner I

Acute-phase proteins and other systemic responses to inflammation

N. Engl. J. Med. 1999; 340: 448-454

Getz H. R, Long E. R and Henderson H. J

A study of the relation of nutrition to the development of tuberculosis

*Am. Rev. Tuberc.*1951; 64 : 281-393

Gobin J and Horwitz M. A

Exochelins of *Mycobacterium tuberculosis* remove iron from human iron-binding
proteins and donate iron to Mycobactins in the *M. tuberculosis* cell wall

J. Exp. Med. 1996; 183: 1527-1532

Good R. A

Nutrition and Immunity

J. Immunol. 1981; 1: 3-11

Goralczyk R, Moser U. K, Matter U and Weiser H

Regulation of steroid hormone metabolism requires L-ascorbic acid

Ann. N. Y. Acad. Sci. 1992; 669: 349-351

Hafeiz A.A, Issa H.A., EL- Kammah B, Abdel-Hafez M.A.

Abdou M.A, Abdel- Khalel M and Ramadan S.M.

Plasma catecholamines in pulmonary tuberculosis

Kekkaku. 1992; 67: 647-652

Hemilä H, Kaprio J, Pietinen P, Albanes D and Heinonen O. P

Vitamin C and other compounds in vitamin C rich food in relation to risk of tuberculosis in male smokers

Am. J. Epidemiol. 1999; 150: 632-641

Hernandez-Pando M, De La Luz Streber M, Orozco H, Arriaga K, Pavon L,

Marti O, Lightman S.L and Rook G.A.W.

Emergent immunoragulatory properties of combined glucocorticoid and anti-glucocorticoid steroids in a model of tuberculosis

Q. J. Med. 1998; 91 : 755-766

Hornsby P. J, Harris S. E and Aldern K. A

The role of ascorbic acid in the function of the adrenal cortex: studies in
adrenocortical cells in culture

Endocrinology 1985; 117: 1264-1271,

Hudelson P.

Gender differentials in tuberculosis: the role of socio-economic and cultural
Factors

Tubercle. Lung. Dis. 1996; 77: 391-400

Ikeogu M. O, Wolf B and Mathe S

Pulmonary manifestations in HIV seropositivity and malnutrition in Zimbabwe

Arch. Dis. Child. 1997; 76: 124-128

Karyadi E, Schultink W, Nelwan R.H.H, Gross R, Amin Z,

Dolmans W. M.V, Van der Meer J. W.M, Hautvast J. G.A.J and

West C. E

Poor micronutrient Status of Active Pulmonary Tuberculosis Patients in
Indonesia

J. Nutr. 2000; 130: 2953-2958

Keven K., Uysal A.R, Erdogan G

Adrenal function during tuberculosis infection and effects of antituberculosis treatment on endogenous and exogenous steroids

Int. J. Tuberc. Lung Dis. 1998; 2 :419-424

Kolappan C and Gopi P.G

Tobacco smoking and pulmonary tuberculosis

Thorax 2002; 57:964-966

Lawn S .D, Obeng J, Acheampong J. W and Griffin G.E

Resolution of the acute-phase response in West African patients receiving treatment for pulmonary tuberculosis

Int. J. Tuberc. Lung Dis. 2000; 4 : 340-344

Le Roux I.M and Le Roux P.J

Survey of the health and nutrition status of a squatter community in Khayelitsha

S. Afr. Med. J. 1991; 79: 500-503

Louw J. A, Werbeck A, Louw M. E. J, Kotze T.J.V.W, Cooper R and Labadarios D

Blood vitamin concentrations during the acute- phase response

Crit. Care. Med. 1992; 20: 934-41.

Madebo T, Lindtjorn B, Aukrust P and Berge R. K

Circulating antioxidants and lipid peroxidation products in untreated tuberculosis patients in Ethiopia

Am. J. Clin. Nutrition 2003; 78: 117-122

Marchand C. M and Pelletier O

Studies with an improved white cell isolation method to assess the vitamin C status in surveys

Int. J. Vit . Nutr. Res. 1977; 47: 236-247

Maurya V, Vijayan V.K, Shah A

Smoking and tuberculosis: as association overlooked

Int. J. Tuberc. Lung Dis. 2002; 6: 942-951

Mayer J

Nutrition and Tuberculosis

Postgrad. Med. 1971; 50 : 53-56

Morris C. D.W, Bird A. R and Nell H

The haematological and biochemical changes in severe pulmonary tuberculosis

Q. J. Med. 1989; 272: 1151-1159

Niyongabo T, Henzel D, Idi M, Nimubona S

Gikoro E, Melchior J. C, Matheron S, Kamanfu G,

Samb B, Messing B, Begue J, Aubry P and Larouze B

Tuberculosis, Human Immunodeficiency virus infection, and malnutrition in

Burundi

Nutrition 1999; 15: 289-293

Padayatty S. J and Levin M

New insights into the physiology and pharmacology of vitamin C

C. M. A.J. 2001; 3: 353-355

Perronne C

Tuberculosis, HIV infection, and malnutrition: an infernal trio in Central Africa

Nutrition 1999; 15: 321-322

Plit M.L, Theron A.J, Fickl H, Van Rensburg C.E.J, Pendel S, Anderson R

Influence of antimicrobial chemotherapy and smoking status on the plasma concentrations of vitamin C, vitamin E, β -carotene, acute phase reactants, iron and lipid peroxides in patients with pulmonary tuberculosis

Int. J. Tuberc. Lung Dis. 1998; 2: 590-596

Prasad G.A., Sharma S.K., Mohan A, Gupta. N, Bajaj.S, Saha P.K, Misra N.K,
Kochupillai N. P and Pande J.N.

Adrenocortical reserve and morphology in tuberculosis

Indian J. Chest Dis. Allied Sci. 2000; 42: 83-93

Preston A. M, Rodriguez C, Rivera C. E and Sahai H

Influence on environmental tobacco smoke on vitamin C status in children

Am. J. Clin. Nutr. 2003; 77: 162-72

Ramer-Quinn S. D, Baker R. A and Sanders V. M

Activated T Helper 1 and T Helper 2 Cells differentially express the β -2-
adrenergic receptor

J. Immunol. 1997; 159: 4857-4867

Redman A, Möbius K, Hiller H.H, Oelkers W and Bähr V

Ascorbate depletion prevents aldosterone stimulation by sodium deficiency in the
guinea pig

Eur. J. Endocrinol. 1995; 133: 499-506

Rook G.A.W, Honour J, Kon O.M, Wilkinson R.J, Davidson R and Shaw R.J

Urinary adrenal steroid metabolites in tuberculosis – a new clue to pathogenesis

Q. J. Med. 1996; 89:333-341

Sanchez-Moreno C, Cano M. P, De Ancos B, Plaza L,
Olmedilla B, Granado F and Martin A

High- pressurized orange juice consumption affects plasma vitamin C,
antioxidative status and inflammatory markers in healthy humans

J. Nutr. 2003; 133: 2204-2209

Sarma R. G, Immanuel C, Ramachandran G, Krishnamurthy P.V,
Kumaraswami V and Prabhakar .R

Adrenocortical function in patients with pulmonary tuberculosis

Tubercle 1990; 71: 277-282

Schwenk A and Macallan D. C

Tuberculosis, malnutrition and wasting

Curr. Opin Clin. Nutr. Metab. Care 2000; 3: 285-291

Stocker R, Neuzil J, Witting P. K

Alpha-tocopheryl hydroquinone is an efficient multifunctional inhibitor of radical-
initiated oxidation of low density lipoprotein lipids

Proc.Ntl. Acad. Sci. USA 1997; 94: 7885-7890

Strachan D.P, Powell K.J, Thaker A, Millard F.J.C and Maxwell J.D.

Vegetarian diet as a risk factor for tuberculosis in immigrant South London

Asians

Thorax 1995; 50: 175-180

Thomas S. A. and Palmiter R. D

Thermoregulatory and metabolic phenotypes of mice lacking noradrenaline and

Adrenaline

Nature 1997; 387: 94-97

Toth I and Bridges K. R

Ascorbic acid enhances ferritin mRNA translation by an IRP/ Aconitase switch

J. Biol. Chem. 1995; 270: 19540-19544

Venter F. W. D, Panz V. R, Feldman C and Joffe B. F

Adrenocortical function in hospitalised patients with active pulmonary

tuberculosis receiving a rifampicin-based regimen- a pilot study

S. Afr. Med. J. 2006; 96: 62-66

Yach D.

Partnering for better lung health: improving tobacco and tuberculosis control

Int. J. Tuberc. Lung Dis. 2000; 4: 693-697