

REFERENCES

1. Chollat-Treguet. Women and tobacco: World Health Organisation Geneva, 1992.
2. The Royal College of Physicians. Smoking or health; London. Pitman Medical, 1977.
3. Borio G. Tobacco timeline. www.tobaccorg/history/tobacco_history.html, 2001 (Accessed 20-05-2005).
4. Mackay j and Eriksen M. The tobacco atlas. World Health Organisation, Geneva, Switzerland, 2002.
5. Collishaw NE and Lopez AD: The tobacco epidemic: A global public health emergency. Tobacco Alert. Geneva: World health Organisation, 1996.
6. World Bank Development Report. Investing in health. Oxford: Oxford University Press: 1994.
7. Shopland D. Cigarette smoking behaviour and consumption characteristics for the Asia-Pacific region. World Smoking and Health, 1989: 14; 7-9)
8. World Health Organisation. Tobacco or health. A Global Status Report. World Health Organisation, 1997,
9. Reddy P, Meyer-Weitz A, Yach D. Smoking status, knowledge of health effects and attitudes towards tobacco control in South Africa. South African Medical Journal, 1996: 86; 1389 -93.
10. Van Walbeek C. Recent trends in smoking prevalence in South Africa – some evidence from AMPS data South African Medical Journal, 2002: 92; 468-472.
11. Dehran S and Saadhna P. The surveillance and monitoring of tobacco control in South Africa. National Health Promotion R&D Group Medical Research Council of South Africa, 2002.
12. Pelttzer K. Tobacco smoking among black and white South Africans. South African Medical Journal, 2001: 78; 115-8.
13. Pelttzer K. Tobacco use among black South Africans university students. Attitudes, risk awareness and health locus of control. Curations, 2001: 24; 4-8.
14. Meyer-Weitz A, Reddy P and Levine J. The impact of South Africa's first tobacco control legislation on adults' smoking status: February to November. 1998.
15. Steyn K, Bradshaw D Saloojee Y and Norman R. Tobacco use in South Africans during 1998. The first Demographic and Health Survey. Journal of Cardiovascular Risk, 2002: 9;161-170.

16. Research Release No3. Recent trends in smoking prevalence in South Africa. Some evidence from AMPS data. Economics of Tobacco Control Project. University of Cape Town, 2001.
17. Guthrie T, Shung-King M, Steyn K and Mathamba V. Children and tobacco in Southern Africa. A literature review of health-effects, youth smoking and tobacco control measures. Child Health Unit and Medical Research Council, 2001.
18. Reddy P, Sawart D. Report on the results of the Global Youth Tobacco Survey (GYTS;2002) in South Africa. National Centre for Chronic Disease Prevention and Health Promotion. Global Tobacco Prevention and Control. World Health Organisation and Canadian Public Health Association. 2002.
19. Center for Diseases Control: Tobacco use and cessation counselling. Global Health Professionals Survey (GYHPS): A pilot study, 10 countries.
www.cdc.gov/mmwr/preview/mmwrhtml/mm5420a2.htm (Accessed February 2006).
20. Connolly GN, Winn DM and Hecht SS. The re-emergence of smokeless tobacco. *New England Journal of Medicine*, 1986: 314; 1020-7
21. Office of Smoking and Health. United States Public Health Service. The health consequences of smokeless tobacco. A report of The Surgeon General. Washington DC: US Public Health Services, 1986.
22. Ayo-Yusuf OA, Swart TJP and Picworth WB: Nicotine delivery capabilities of smokeless tobacco products and implications for control dependence in South Africa. *Tobacco Control*, 2004: 13; 186-189.
23. Maziak W, Ward KD, Afifi-Soweid RA and Eisengerg T: Tobacco smoking using a water pipe: A re-emerging strain in a global epidemic. *Tobacco Control* 2004: 13; 327-333.
24. World Health Organisation. The World Health Report 2002: Reducing risks, promoting healthy life. WHO Geneva, 2002.
25. Ernster VL. "Impact of tobacco use on women's health". Women and the tobacco epidemic: Challenges of the 21st Century. The World Health Organisation in Collaboration with The Institute for Global Tobacco Control, John Hopkins School of Public Health, 2001.
26. Gro Harlem Bruntland: Director-General WHO. In The tobacco atlas. Forward:" A message from: Geneva". Edited by MacKay J and Eriksen. World Health Organisation publication, 2002.
27. Mackay J. A forward: Strategies successes and setbacks: A forward; Edited by Joy de Beyer and Linda Waverly Brigden. A compilation of the World Bank and Research for International Tobacco Control (RITC), 2003.

28. Murray CJL and Lopez AD. Alternative projections of mortality and disability by 1990-2020: Global burden of diseases study. *Lancet*, 1997: 349; 1498-1504.
29. Department of Health and Social Security. Prevention and health: Everybody's business. A reassessment of public and personal health. The Health Department of Great Britain and Northern Ireland. Her Majesty's Stationary Office (HMSO). Department of Health and Social Security, 1976.
30. World Health Organisation. Tobacco: A major health hazard: Edited by Zaridze DG and Peto R. International Agency for Research on Cancer IARC Scientific Publication No 74. Lyon. WHO, 1986.
31. Wald N and Hackshaw A: Cigarette smoking. An epidemiological overview. *British Medical Bulletin*,. 1996: 52:: 3-11.
32. Troisi RD, Speizer FE and Rosner B. Cigarette smoking and incidence of chronic bronchitis and asthma in women. *Chest*,1995:108;1557-61.
33. Everett k. Odendaal H. and Steyn K: Doctors' attitudes and practices regarding smoking cessation during pregnancy. *South African Medical Journal*, 2005: 95; 350-354.
34. Center for Diseases Control and Prevention. Preventing tobacco use among young people: A Report of the Surgeon General. Atlanta G. A.: National Center for Chronic Disease Prevention and Health Promotion, Center for Disease Control and Prevention, 1994.
35. Hirschfelder AB. Encyclopaedia of smoking and tobacco. Oryx Press Phoenix.1999
36. Owen-Smith V, Hannaford PC and Wasrtsyj M. Smoking status and risk estimates for myocardial infraction among women recruited for the Royal College of General Practitioners' Oral Contraception Study in the United Kingdom. *Journal of Epidemiology and Community Health*, 1998: 52:: 420-4.
37. U.S. Department of Health and Human Services. The health consequences of smoking: Nicotine addiction. A Report of the Surgeon General. Washington Dc: US Government Printing Office, 1998.
38. Forsen L, Bjorndel A and Bjortvert K. Interaction between current smoking, leanness, and physical inactivity in the prediction of hip fractures. *Journal of Bone Miner and Respiration*, 1994:9; 1671-8.
39. Anda RF, Williamson DF and Escobedo L. Depression and stages of smoking. A National Perspective. *Journal of American Medical Association*,. 1990:264;1541-5.
40. Sitas F, Urban M, Bradshaw D, Kielkowski D, Bah S and Peto R. Tobacco attributable deaths in South Africa. *Tobacco Control*, 2004: 13; 396-399.

41. Barklay L: Use of chewing tobacco or snuff may increase mortality from heart disease, stroke. Reviewed by Vogin G. D. *Cancer Causes Control*, 2005: 16; 347-358.
42. Tziomalos K and Charsoulis F, Endocrine effects of tobacco smoking. *Clinical Endocrinology*, 2004: 61; 664-674.
43. The Royal College of Physicians. Health or smoking": A Report. Pitman Publishers, New Zealand, 1975.
44. Saloojee Y. Tobacco smoke pollution. Occasional paper. National Council Against Smoking. 2005.
45. Kriz P, Bobak M and Kriz B: Parental smoking, socio-economic factors and the risk of invasive meningococcal disease in children: A population based case-control study. *Arch Dischild*, 2000: 83; 117-121.
46. Mc.Marrow MJ and Foxx RM. Nicotine's role in smoking: An analysis of nicotine regulation. *Psychology Bulletin*, 1993: 93; 302-27
47. Benowitz NL. Nicotine pharmacology and addiction. In Benowitz NL.ed. New York, NY: Oxford University Press, 1999.
48. Iverson L. The biology of nicotine dependence: John Willey and Sons. A Wiley Interscience Publication. The CIBA Foundation, 1990.
49. Schiffman M. The tobacco withdrawal syndrome. In Krasnegor NA (ed): Cigarette smoking as a dependence process. National Institute of Drug Abuse Research Monograph 23. US department of Health, Education and Welfare. Public Health Science, Alcohol, Drug Abuse and Mental Health Administration. National Institute of Drug Abuse, 1978.
50. Engel J. The complete South African health guide; Juta, Western Cape, 1996.
51. Barry M. The influence of the U.S. tobacco companies on the health economy and environment in developing countries. *The New England Journal of Medicine*; 1999: 324-130; 917-920.
52. Wilkins N. "The economics of tobacco control toolkit development". March 30-31. Briefing note prepared for the WHO meeting on the Development of Toolkits for Tobacco Control and Economic intervention, Geneva, 2000.
53. Tren R. "Smoked out"; Anti-tobacco activism at The World Bank: Free Market Foundation (FMF) of Southern Africa. Occasional paper No. 6, 2000.
54. Chollat-Traquet C. Evaluating tobacco control activities: Experiences and guiding principles. World Health Organisation, Geneva, 1996.

55. Robbins AS, Fonseca VP, Chao SY, Coil GA, Bell SN and Amoroso PJ: Short term effects on hospitalisation and the associated lost workdays in a young healthy population. *Tobacco Control*, 2000; 9; 389-396.
56. Swaenor D and Kyle K. Legislation and applied economics in the pursuit of public health. *Canada Tobacco Control Policy; Strategies, successes and setbacks*. Edited by Joy de Beyer and Linda Waverly Brigden. A compilation of the World Bank and Research for International Tobacco Control (RITC), 2003.
57. Saloojee Y. "Tobacco control: A case study (South Africa)" In *Proceedings of the all Africa Conference on Tobacco and Health*. Harare. Zimbabwe. 1 November 1993.
58. Hansard. 1993 Debates of parliament, No 19; Republic of South Africa. Fifth session-ninth parliament. June 1-4:10105-58. In Malan M and Leaver R *Political Change in South Africa: New Tobacco Control Policy*. Tobacco control Policy: A forward: Strategies, Successes and Setbacks. Edited by Joy de Beyer and Linda Waverly Brigden. A compilation of the World Bank and Research for International Tobacco Control (RITC), 2003.
59. Van Walbeek C. Tobacco excise taxation in South Africa. University of Cape Town in collaboration with the Center for Tobacco control and Research and Education (University of California, San Francisco). WHO, 2003.
60. Saloojee Y. Tobacco Control. The South African Health report: Chapter 22. www.hst.org.za/sahr/2000/chapter22.htm, 2000. (Accessed September 2004).
61. Van Walbeek C. The economics of tobacco control in South Africa. University of Cape Town, 2002.
62. World Health Organisation. WHO Framework Convention of Tobacco Control. WHA56.1. Agenda item13. The 56th World Health Assembly. Geneva, Switzerland, 2003.
63. Crofton DW, Frouer PP and Tessier JF. Medical education on tobacco: Implications of a worldwide survey. *Medical Education*1994, 28: 187-196.
64. Crofton J and Tessier JF. A worldwide survey of knowledge and attitudes of tobacco among medical students. In Richmond R, ed: *Educating medical students about tobacco planning and implementation*. Paris International Union Against Tuberculosis and Lung Disease, 1997: 271-280.
65. Lantz PM, Jacobson PD, Warner KE, Wasserman J, Pollack HA, Berson J and Ahlstrom A: Investing in youth tobacco control: a review of smoking and control strategies. *Tobacco Control*, 2000; 9; 47-63.
66. American Cancer Society (ACS)/International Union Against Cancer (UICC), Getting doctors to quit and lead: Practical strategies for engaging doctors in full

- range tobacco control activities: Global tobacco control. Global Link publications 2003. www.globallink.org/tobacco/docs/advocay/doctors.shtml, (Accessed Septembers 2004).
67. Fowler G. Review of the role of general practitioners in tobacco control. Tobacco and health, Edited by Kareen Slama, Plenum Press, New York, 1995.
 68. Simpson D. Tobacco Control Resource Center: Doctors and tobacco: Medicine's big challenge. European Commission, 2002.
 69. Hamadah RR. Smoking habits of medical students in Bahrain. Journal of Smoking Related Disorders, 1994: 5; 189-195.
 70. Cunningham J. Smoke and mirrors; The Canadian tobacco war; International Development and Research Center. Ottawa, ON, Canada, 1999.
 71. Ferry LH, Grissino LM and Runfola PS. Tobacco dependence curricula in US undergraduate medical education. Journal of the American Medical Association, 1999: 282;:825-9.
 72. Egger G, Spark R, Lawson J. Health promotion; strategies and methods. Star Printery pty limited. Mc Graw Hill Book Company, Sydney, 1994.
 73. Richmond RL, Kehoe L and Debono DS. Worldwide survey of education on Tobacco in Medical Schools. Tobacco Control, 1998: 1; 247-52.
 74. Crofton JW, Tessier JF and Freour PP. European medical schools and tobacco. Medical Education, 1996: 30; 434-427.
 75. Ghanz K. Community and group intervention models of health behaviour change. In Ghanz K., Lewis F.M., Rimer B.K. eds. Health Behaviour and Health Education Theory Research and Practice 2nd ed. San Francisco, CA, 1997: 237-8.
 76. Ramstrom L, Ram M and Wood M. Guidelines on smoking. World Health Organisation and the International Union Against Cancer. Geneva, 1988.
 77. Masironi R. Doctors as non-smoking exemplars. In educating medical students about tobacco. Planning and implementation. Edited by Richmond R. International Union Against Tuberculosis and Lung Disease, 1996.
 78. Amos A. Medical students as tobacco control advocates. In educating medical students about tobacco. Planning and implementation. Edited by Richmond R. International Union Against Tuberculosis and Lung Disease, 1996.
 79. Slama K. The Effect of doctor's advice. Tobacco and health, Edited by Karen Slama. Plenum Press, New York, 1995.

80. Ishii T, Teramoto S, Miyeshita A, Ishigat Subuyo Y, Kimura H, Kuwashira I and Matsuse T. Department of Geriatric Medicine, University of Tokyo. Questionnaire on the attitude of the physicians in educating the elderly patients with chronic obstructive pulmonary disease about smoking cessation. *Nippon Ronen Igakkari Zasshi*, 2002; 39; 308-13.
81. Grant FM, Coleman MJ, van der Merwe WG, Giles HC and Rubidge SP: Attitudes of health personnel towards smoking restrictions. *South African Medical Journal* 1989; 75; 449-50.
82. Birkholtz FF and Louw S. Smoking among health care students. *South African Medical Journal* 1996; 86; 984.
83. Hill O, Ergor G and Ceylan E. Knowledge and attitudes about smoking among students in a medical faculty. *Turkish respiratory Journal*, 2004; 5; 1086-091.
84. Vakefliu Y, Argiri D, Peposhi I, Argon S and Melani AS. Tobacco smoking habits, beliefs and attitudes among medical students in Tirana, Albania. *Preventive Medicine* 2002; 34; 370-3.
85. Hennyngfield JE and Slade J. Tobacco dependence regulations: Public Health and Regulatory Issues. *Food Drug Laws Journal* 1998;53 (supplement): 75-114.
86. Saloojee y and Seffrin J. Introduction to the ACS/UICC Strategy Planning Guide Series. <http://health.osf.lt/downloads/news/04Advocacy%20Planning%Guide%20draft%204-10-03.doc>. (Accessesed June 2006)
87. United States Public Health Service. Treatment of tobacco use and dependence. US Public Health Services, Washington DC. 2000. <http://www.surgeongeneral.900/tobacco/>. (Accessed September 2004).
88. Raw M, McNeill A, West R. Smoking cessation. Guidelines for health professionals. A guide to effective smoking cessation interventions for the healthcare system. *Thorax* 1998; 53 (supplement 5): S 1-19.
89. Wetter DW, Fione ML, Gritz ER. The Agency for Health Care Policy and Research: Smoking cessation clinical practice guidelines: Findings and implications for psychologists. *American Psychology*, 1998.
90. Brigham J. Why women and girls use tobacco. In *Women and the tobacco epidemic. Challenges of the 21st Century*. The World Health Organisation in collaboration with The Institute for Global Tobacco Control, John Hopkins School of Public Health, 2001.
91. Foulds J, Ranstrom L, Burke M, Fegerstrom K. Effects of smokeless tobacco (snus) on smoking and public health in Sweden. *Tobacco Control*, 2003; 12; 341.

92. National Council against smoking. Stop smoking make a fresh start. Your personal guide to quitting. Occasional publication.2005.
93. Grimwood A, Crewe M and Betteridge D. HIV/AIDS-current Issues. South African Health Review, 2000: 287-300.
94. Beaglehole R, Bonita R and Kjellstrom T. Basic Epidemiology. WHO Geneva, 1993.
95. Velicier. The development of an initial validation of the smoking policy inventory. Tobacco Control, 1994: 3; 347-355.
96. Cooper R, Gorcegiz P, Akturk N, Akyol S and Pocori E. Smoking habits of medical students in Turkey. Has anything changed?. Dokuz Eylil University, Department of Radiation Oncology, Izmir-Turkey. Turkish Journal of Cancer, 2004: 34; 146-149.
97. University of the Witwatersrand School of Statistics and Actuarial Science. Statistical Research Design and Analysis, 2003.
98. Richmond RL and Kehoe L. Smoking behaviour and attitudes among Australian medical students. Medical education, 1997: 31; 169-76.
99. Ksalokova E, Kozak J and Rames J. Czech medical faculties and smoking. Central European Journal of Public Health, 1995: 3; 97-99.
100. Office of population Censuses and Surveys. General Household Survey. London HMSO, 1990.
101. Russell MAH, Wilson C, Taylor C and Baker CD. Effects of general practitioners' advice against smoking. British Medical Journal, 1979: 2; 231-5.
102. Saloojee Y and Stein K. Educating medical students about tobacco. Paper prepared for the World No Tobacco Day. May 31 2005.
103. Fakhfakh R, Hsairi M and Ben-Rondhane H. Smoking among medical students in Tunisia; Trends in behaviour and attitudes. Sante, 1996: 6; 37-42.
104. Tessier JF, Freour PP and Crofton. Smoking habits and attitudes of medical students towards smoking and anti-smoking campaigns in 14 European countries. European Journal of Epidemiology, 1989:5: 311-312.
105. Tessier JF, Freour PP and Belougne D. Smoking habits and attitudes of medical students towards smoking and anti-smoking campaigns in 9 Asian countries. International Journal of Epidemiology, 1992: 21; 298-304.
106. Tessier JF, Freour PP and Belougne D. Smoking behaviour and attitudes towards smoking and anti-smoking campaigns in Australia, Japan, USA and the former USSR (Russia and Estonia). Tobacco Control 1993: 2; 24-29.

107. Dekker HM, Looman C and Adriaanse HP. Prevalence of smoking and medical students and the generation effect in the Netherlands. *Social Science and Medicine*, 1993; 36; 817-822.
108. Warner K, Chaloupka F, Cooks P, Manning W, Townsend J. Criteria for determining an option for cigarette tax: The economists perspective. *Tobacco Control*, 1995; 4:380 – 386.
109. Elkind A k. Smoking: how medical students see the doctor's role. *Public Health*, 1983.
110. Baldwin DC, Hughes PH and Conrad SE. Substance use among senior medical students. A survey of 23 medical schools. *Journal of the American Medical Association*, 1991: 265; 2074-2078
111. Saloojee Y. Personal interaction at the National Council Against Smoking. June 2005.
112. The Royal College of Physicians. Recommendations: Smoking and the young, London. Pitman Medical, 1992.
113. Naidoo S. Personal interaction at the Department of Public Health: *Discussion on analysis, planning, implementation, evaluation and training/research for public health law assignment*. University of the Witwatersrand medical school. September 2003.
114. Pruit SD and Epping-Jordan JAE. Preparing 21st century global healthcare workforce. *British Medical Journal*, 2005: 330; 637-9.
115. Radebe H. Doctors score well as “most trusted” group in society. Business Day/ACNielsen research collaboration. Business Day, June 2005.