

References

- Aben, I., Denollet, J., Lousberg, R., Verhey, F., Wojciechowski, F., & Honig, A. (2002). Personality and vulnerability to depression in stroke patients: A 1-year prospective follow-up study. *Stroke*, *33*(10), 2391-2395.
- Adams, H.P., Adams, R.J., Brott, T., del Zoppo, G.J., Furlan, A., Goldstein, L.B.,...Hademenos, G.J. (2003). Guidelines for the early management of patients with ischemic stroke. *Stroke*, *34*(4), 1056–1083.
- Alarcon, F., Zijlmans, J.C.M., Duenas, G., & Cevallos, N. (2004). Post-stroke movement disorders: A report of 56 patients. *Journal of Neurology, Neurosurgery & Psychiatry*, *75*, 1568-1574.
- American Psychiatric Association. (2000). *Diagnostic and Statistical Manual of Mental Disorders*. (4th ed - text revision). Washington, DC.: American Psychiatric Publishing.
- Anderson, C.S., Linto, J., & Stewart-Wynne, E.G. (1995). A population-based assessment of the impact and burden of caregiving for long-term stroke survivors. *Stroke*, *26*, 843-849.
- Anderson, M.C., Ochsner, K.N., Kuhl, B., Cooper, J., Robertson, E., Gabrieli, S.W., Glover, G.H., & Gabrieli, J.D.E. (2004). Neural systems underlying the suppression of unwanted memories. *Science*, *303*(5655), 232-235.
- Angelelli, P., Paolucci, S., Bivona, U., Piccardi, L., Ciurli, P., Cantagallo, A.,...Pizzamiglio, L. (2004). Development of neuropsychiatric symptoms in post stroke patients: A cross-sectional study. *Acta Psychiatrica Scandinavica*, *110*, 55-63.
- Armstrong, C. (1991). Emotional changes following brain injury: Psychological and neurological components of depression, denial and anxiety. *The Journal of Rehabilitation*, *57*, 15–22.

- Ashburn, A. (1997). Physical recovery following stroke. *Physiotherapy*, 8(9), 480–490.
- Astrom, M. (1996). Generalized anxiety disorder in stroke patients: A 3-year longitudinal study. *Stroke*, 27, 270–275.
- Astrom, M., Asplund, K., & Astrom, T. (1992). Psychosocial function after stroke. *Stroke*, 23, 527-531.
- Baddeley, A.D. (1998). *Human Memory: Theory and Practice*. (rev. ed.). Boston: Allyn & Bacon.
- Baker, R., Holloway, J., Thomas, P.W., Thomas, S., & Owens, M. (2002). Emotional processing and panic. *Behaviour Research & Therapy*, 42(11), 1271-1287.
- Baker, R., Thomas, S., Thomas, P.W., Gower, P., Santonastaso, M., & Whittlesea, A. (2010). The Emotional Processing Scale: Scale refinement and abridgement (EPS-25). *Journal of Psychosomatic Research*, 68, 83-88.
- Baker, R., Thomas, S., Thomas, P.W., & Owens, M. (2007). Development of an emotional processing scale. *Journal of Psychosomatic Research*, 62(2), 167-178.
- Bernstein, D.A., Penner, L.A., Clarke-Stewart, A., & Roy, E.J. (2006). *Psychology* (7th ed.). Boston: Houghton Mifflin.
- Bethoux, F., Calmels, P., & Gautheron, V. (1999). Changes in the quality of life of hemiplegic stroke patients with time: A preliminary report. *American Journal of Physical Medicine & Rehabilitation*, 78, 19-23.
- Bodini, B., Iacoboni, M., & Lenzi, G.L. (2004). Acute stroke effect on emotions: An interpretation through the mirror system. *Current Opinion in Neurology*, 17, 55-60.

- Bourgeois, J.A., Hilty, D.M., Chang, C.H., Wineinger, M.A., & Servis, M.E. (2004). Poststroke neuropsychiatric illness: An integrated approach to diagnosis and management. *Current Treatment Options in Neurology*, 6(5), 403-420.
- Boyle, G.J. (1991). Does item homogeneity indicate internal consistency or item redundancy in psychometric scales? *Personality and Individual Differences* 12(3), 291–294.
- Brown, D., Ransom, J., Hass, S., Petty, G., O’Fallon, M., Whisnant, P., & Leisbon, L. (1999). Use of nursing home after stroke and dependence on stroke severity: A population-based analysis. *Stroke*, 30, 924–929.
- Butcher, J.N., Atlis, M.M., & Hahn, J. (1989). The Minnesota Multiphasic Personality Inventory-2: MMPI-2. In M. Hersen (Ed.), *Comprehensive Handbook of Psychological Assessment* (pp. 30-35). London, England: John Wiley & Sons.
- Butcher, J.N., Dahlstrom, W.G., Graham, J.R., Tellegen, A., & Kaemmer, B. (1989). Minnesota Multiphasic Personality Inventory-2: Manual for administration and scoring. Minneapolis, MN: University of Minnesota Press.
- Callow, A.D. (2006). Cardiovascular disease 2005: The global picture. *Vascular Pharmacology*, 45, 302-307.
- Caramazza, A., & Coltheart, M. (2006). Cognitive neuropsychology twenty years on. *Cognitive Neuropsychology*, 23, 3-12.
- Carlsson, G.E., Moller, A., & Blomstrand, C. (2003). Consequences of mild stroke in persons <75 - A 1-year follow-up. *Cerebrovascular Diseases*, 16(4), 383-388.
- Carmichael, S.T. (2003). Plasticity of cortical projections after stroke. *The Neuroscientist*, 9, 64-75.

- Carod-Artal, J., Egido, J.A., Gonzalez, J.L., & de Seijas, V. (2000). Quality of life among stroke survivors evaluated 1 year after stroke. *Stroke*, 31, 2999-3000.
- Carota, A., Staub, F., & Bogousslavsky, J. (2002). Emotions, behaviours and mood changes in stroke. *Current Opinion in Neurology*, 15, 57-69.
- Carver, C. S., & Scheier, M. F. (2000). *Perspectives on personality* (4th ed.) Boston: Allyn and Bacon.
- Censori, B., Manara, O., Agostinis, C., Camerlingo, M., Casto, L., Galavotti, B.,...Mamoli, A. (1996). Dementia after first stroke. *Stroke*, 27, 1205-1210.
- Chou, H.Y., Weng, M.C., Huang, M.H., & Chen, T.W. (2006). Conversion disorder in stroke: a case report. *Kaohsiung Journal of Medical Sciences*, 22, 586-595.
- Cohen, R.J., & Swerdlik, M.E. (2005). *Psychological testing and assessment: An introduction to tests and measurement*. (6th ed.). New York, NY: McGraw-Hill.
- Coltheart, M. (2004). Brain imaging, connectionism, and cognitive neuropsychology. *Cognitive Neuropsychology*, 21, 21-25.
- Cortina, J.M. (1993). What is coefficient alpha: An examination of theory and applications. *Journal of Applied Psychology*, 78, 98-104.
- Cox, A.M., McKeivitt, C., Rudd, A.G., & Wolfe, C.D. (2006). Socioeconomic status and stroke. *The Lancet Neurology*, 2, 181-188.
- Cummins, R.A. (1997). *Comprehensive Quality of Life scale – Adult: ComQOL-A5* (5th Ed.). Melbourne: School of Psychology Deakin University.
- Cummins, R.A. (1999). A psychometric evaluation of the Comprehensive Quality of Life scale - (5th Ed). In L.L. Yuan, B. Yeun & C. Low (Eds.), *Urban quality of life: critical issues and options* (pp. 32-47). Singapore: University of Singapore Press.

- Damasio, A.R., & Van Hoeson, G.W. (1983). Emotional disturbances associated with focal lesions of the limbic frontal lobe. In K. Heilman & P. Satz (Eds.), *Neuropsychology of human emotion* (pp. 85-110). New York, NY: Guilford Press.
- Darby, D., & Walsh, K. (2005). *Walsh's Neuropsychology: A clinical approach* (5th ed.). Edinburgh: Churchill-Livingstone.
- Daw, J. (2001). Psychological Assessment Shown to be as valuable as Medical Tests. *Monitor on Psychology*, 32 (7). Retrieved March 10, 2002, from <http://www.apa.org/monitor/julaug01/psychassess.html>.
- de Haan, R., Aaronson, N., Limburg, M., Langton Hewer, R.L., & van Crevel, H. (1993). Measuring quality of life in stroke. *Stroke*, 24, 320-327.
- Dennis, M., O'Rourke, S., Lewis, S., Sharpe, M., & Warlow, C. (1998). A quantitative study of the emotional outcome of people caring for stroke survivors. *Stroke*, 29, 1867-1872.
- Elbaum, J., & Benson, D.M. (Eds.). (2007). *Acquired Brain Injury: An Integrative Neuro-Rehabilitation Approach*. New York, NY: Springer.
- Farrow, T.F., Zheng, Y., Wilkinson, I.D., Spence, S.A., Deakin, J.F., Tarrier, N., Griffiths, P.D., & Woodruff, P.W. (2001). Investigating the functional anatomy of empathy and forgiveness. *Neuroreport*, 12(11), 2433-2438.
- Felce, D., & Perry, J. (1995). Quality of life: Its definition and measurement. *Research in Developmental Disabilities*, 16, 51-74.
- Fellous, J.M., Armony, J.L., & LeDoux, J.E. (2002) Emotional Circuits and Computational Neuroscience. In M.A. Arbib (Ed.), *The handbook of brain theory and neural networks* (2nd Ed.). Cambridge: The MIT Press.

- Ferris, C. & Bramston, P. (1994). Quality of life in the elderly: A contribution to its understanding. *Australasian Journal on Ageing*, 13, 120-123.
- Freud, S. (1940). An outline of psycho-analysis. *The International Journal of Psychoanalysis*, 21, 27-84.
- Fritz, V.U. (1997). Stroke incidence in South Africa. *South African Medical Journal*, 87, 584-585.
- Gainotti, G. (1993). Emotional and psychosocial problems after brain injury. *Neuropsychological Rehabilitation*, 3(3), 259-277.
- Gainotti, G., & Marra, C. (2002). Determinants and consequences of post-stroke depression. *Current Opinion in Neurology*, 15(1), 85-89.
- Ghika-Schmid, F., & Bogousslavsky, J. (2001). Disorders of mood and behaviour. In J. Bogousslavsky & L. Caplan (Eds.), *Stroke syndromes* (2nd ed., pp. 205-302). Cambridge, UK: Cambridge University Press.
- Gazzaniga, M.S., Ivry, R.b., & Mangun, G.R. (2002). *Cognitive neuroscience: the biology of the mind* (2nd Ed.). New York, NY: W.W. Norton & Company, Inc.
- Gokkaya, N.O., Aras, M.D., & Cakci, A. (2005). Health related quality of life of Turkish stroke survivors. *International Journal of Rehabilitation Research*, 28, 229-235.
- Goldstein, L.A. & McNeil, J.E. (2004). *Clinical neuropsychology: A practical guide to assessment and management for clinicians*. England: John Wiley & Sons.
- Graham, J.R. (2005). *MMPI-2: Assessing personality and psychopathology*. New York, NY: Oxford University Press.
- Grattan, L., Ghahramanlou, M., Aronoff, J., Wozniak, M.A., Kittner, S.J., & Price, T. (2001). An empirical study of personality change after stroke. *Stroke* 32, 318-322.

- Groth-Marnat, G. (2003). *Handbook of psychological assessment*. (4th ed.). England: John Wiley & Sons.
- Habib, M. (2000). Disorders of motivation. In: J. Bogousslavsky & J.L. Cummins (Eds.), *Behaviour and mood disorders in focal brain lesions* (pp. 261-285). Cambridge: Cambridge University Press.
- Hatcher, L. (1994). *A step-by-step approach to using SAS for factor analysis and structural equation modelling*. USA: SAS Publishing.
- Heilman, K.M., Blonder, L.X., Bowers, D., & Valenstein, E. (2003). Emotional disorders associated with neurological diseases. In K.M. Heilman & E. Valenstein (Eds.), *Clinical Neuropsychology* (pp. 447-478). New York, NY: Oxford University Press.
- Holbrook, M., & Skilbeck, C. (1983). An activities index for use with stroke patients. *Age and Ageing*, 12, 166-170.
- House, A., Dennis, M., Molyneux, A., Warlow, C., & Hawton, K. (1989). Emotionalism after stroke. *British Medical Journal*, 298, 991-994.
- Howell, D.C. (2004). *Fundamental statistics for the behavioural sciences* (5th Ed.). New York, NY: Brooks/Cole-Thomson Learning.
- Kaplan, A. (2005). Neuropsychiatric symptoms in post stroke patients. *Psychiatric Times*, 22(1), 1-9.
- Kauhanen, M., Korpelainen, J., Hiltunen, P., Brusin, E., Mononen, H., Maatta, R.,...Myllyla, V. (1999). Poststroke depression correlates with cognitive impairment and neurological deficits. *Stroke*, 30, 1875-1880.

- Kauhanen, M., Korpelainen, J., Hiltunen, P., Nieminen, P., Sotaniemi, K., & Myllyla, V. (2000). Domains and determinants of quality of life after stroke caused by brain infarction. *Archives of Physical Medicine and Rehabilitation*, 81, 1541-1546.
- Kelly-Hayes, M., Beiser, A., Kase, C.S., Scaramucci, A., D'Agostino, R.B., & Wolf, P.A. (2003). The influence of gender and age on disability following ischemic stroke: the Framingham study. *Journal of Stroke and Cerebrovascular Diseases*, 12, 119-126.
- Kim, J., & Mueller, C. (1978). *Introduction to factor analysis: What it is and how to do it*. Thousand Oaks, CA: Sage Publications.
- King, R. B., Shade-Zeldow, Y., Carlson, C. E., Feldman, J. L., & Philip, M. (2002). Adaptation to stroke: A longitudinal study of depressive symptoms, physical health, and coping process. *Topics in Stroke Rehabilitation*, 9(1), 46-66.
- Lane, R.D., Reiman, E.M., Axelrod, B., Yun L.S., Holmes, A., & Schwartz, G.E. (1998). Neural correlates of levels of emotional awareness: Evidence of an interaction between emotion and attention in the anterior cingulate cortex. *The Journal of Cognitive Neuroscience*, 10, 525-535.
- LeDoux, J. (1998). *The emotional brain: The mysterious underpinnings of emotional life*. New York, NY: Simon and Schuster
- Lezak, M. D. (2004). *Neuropsychological Assessment* (4th ed.). New York, NY: Oxford University Press.
- Lishman, W. A. (1987). *Organic psychiatry* (2nd ed.). Oxford: Blackwell.
- McAlinden, N.M., & Oei, T.P.S. (2006). Validation of the Quality of Life Inventory for patients with anxiety and depression. *Comprehensive Psychiatry*, 47, 307-314.

Mouton, J., & Marais, H.C. (1990). *Basic concepts in the methodology of the social sciences*.

Pretoria: Human Sciences Research Council.

Murdoch, G.E. (2010). *Acquired speech and language disorders: A neuroanatomical and functional neurological approach (2nd ed.)*. New York, NY: Chapman and Hall.

Nelson, L. D., Cicchetti, D., & Satz, P. (1993). Emotional sequelae of stroke: A longitudinal perspective. *Journal of Clinical and Experimental Neuropsychology*, 16, 796-801.

Norman, R., Bradshaw, D., Schneider, M., Joubert, J., Groenewald, P., Lewin, S.,...Pieterse, D. (2007). A comparative risk assessment for South Africa in 2000: Towards promoting health and preventing disease. *South African Medical Journal*, 97, 637-641.

Owensworth, T. L., & Oei, T.P. (1998). Depression after traumatic brain injury: Conceptualization and treatment considerations. *Brain injury*, 12, 735-751.

Paolucci, S., Antonucci, G., Pratesi, L., Traballese, M., Grasso, M., & Lubich, S. (1999). Poststroke depression and its role in rehabilitation of inpatients. *Archives of Physical Medicine Rehabilitation*, 80, 985-989.

Phillips, M.L., Drevets, W.C., Rauch, S.L., & Lane, R. (2003a). Neurobiology of emotion perception: The neural basis of normal emotion perception. *Biological Psychiatry*, 54, 504-514.

Phillips, M.L., Drevets, W.C., Rauch, S.L., & Lane, R. (2003b). Neurobiology of emotion perception II: Implications for major psychiatric disorders. *Biological Psychiatry*, 54, 515-528.

Powers, W. J. (1990). Stroke. In Pearlman, A. L. & Collins, R. C. (Eds.), *Neurobiology of disease*. New York, NY: Oxford University Press.

Princeton University (2006). Cognitive science laboratory. Retrieved on October 17, 2008, from:
<http://wordnet.princeton.edu>

Prigatano, G. P. (1999). *Principles of neuropsychological rehabilitation*. New York, NY: Oxford University Press.

Quereshi, M.Y. & Rosemary, K.L. (1996). Factor analysis of MMPI-2 basic scales among college students. *Current Psychology*, 15, 167-178.

Rachman, S. (1980). Emotional processing. *Behavior research and therapy*, 18, 51-60.

Robinson, R.G., Kubos, K.L., Starr, L.B., Rao, K., & Price, T.R. (1984). Mood disorders in stroke patients: Importance of location of lesion. *Brain*, 107, 81-93.

Robinson, R.G. (2006). *The clinical neuropsychiatry of stroke: cognitive, behavioural and emotional disorders following vascular injury* (2nd ed.). New York, NY: Cambridge University Press.

Robinson, R.G., & Starkstein, S.E. (2002a). Neuropsychiatric aspects of cerebrovascular disorders. In S.C. Yudofsky & R.E. Hales (Eds.), *Textbook of neuropsychiatry and clinical neuroscience* (2nd ed.). Washington, D.C: American Psychiatric Press.

Robinson, R.G., & Starkstein, S.E. (2002b). Post stroke depression: Epidemiology, pathophysiology, and biological treatment. *Biological Psychiatry*, 52, 253-264.

Rosenberg, R.N. (1991). *Comprehensive Neurology*. New York, NY: Raven Press.

Rosenthal, R., & Rosnow, R. L. (1991). *Essentials of behavioural research: Methods and data analysis* (2nd ed.). New York, NY: McGraw-Hill.

Ross, E., & Deverell, A. (2004) *Psychosocial approaches to health, illness and disability*. Pretoria: Van Schaik.

SAS Institute, Inc. (2008). SAS Enterprise Guide (Version 9.1.3) [Computer software]. USA:
SAS Institute, Inc.

SASPI Project Team. (2004). Prevalence of stroke in rural South Africa. Results from the Southern African Stroke Prevention Initiative (SASPI) Agincourt Field Site. *Stroke*, 35, 627-632.

Schachter, D.L., Wagner, A.D., & Buckner, R.L. (2000). Memory systems of 1999. In E. Tulving and F.I.M. Craik (Eds.), *The Oxford Handbook of Memory*. New York, NY: Oxford University Press.

Schulze, S. (2003). Views on the combination of quantitative and qualitative research approaches. *Progressio*, 25(2), 8-20.

Sim, K. Mahendran, R., & Chong, S.A. (2005). Health-related quality of life and psychiatric comorbidity in first episode psychosis. *Comprehensive Psychiatry*, 46, 278-283.

Singh, A., Herrmann, N., & Black, S.E. (1998). The importance of lesion location in poststroke depression: A critical review. *Canadian Journal of Psychiatry*, 43, 921-927.

Statistics South Africa. (2007). *Mortality and causes of death in South Africa, 2007: Findings from death notification (P0309.3)*. Statistics South Africa. Retrieved from <http://www.statssa.gov.za/publications/P03093/P030932007.pdf>

Staub, F., & Bogousslavsky, J. (2001). Fatigue after stroke: A major but neglected issue. *Cerebrovascular Diseases*, 12, 75-81.

Stern, E., & Silbersweig, D.A. (2001). Advances in functional neuroimaging methodology for the study of brain systems underlying human neuropsychological function and dysfunction. *Journal of Clinical Experimental Neuropsychology*, 23(1), 3-18.

- Stewart, A.V., Eales, C.J., & De Charmoy, S. (2000). The knowledge profile of patients with hypertension. *The South African Journal of Physiotherapy*, 56(4), 17-21.
- Steyn, K., Gaziano, T.A., Bradshaw, D., Laubscher, R. & Fourie, J. (2001). Hypertension in South African adults: results from the demographic and health survey. *Journal of Hypertension*, 19, 1717-1725.
- Stone, J., Townend, E., Kwan, J., Haga, K., Dennis, M.S., & Sharpe, M. (2004). Personality change after stroke: Some preliminary observations. *Journal of Neurology, Neurosurgery and Psychiatry*, 75, 1708-1713.
- Storey, P.B. (1970). Brain damage and personality change after subarachnoid haemorrhage. *The British Journal of Psychiatry*, 117, 129-142.
- Sturm, J.W., Donnan, G.A., Dewey, H.M., Macdonnell, R.A.L., Gilligan, K.A., & Thrift, A.G. (2004). Determinants of handicap after stroke: The North East Melbourne Stroke Incidence Study (NEMESIS). *Stroke*, 35, 715-720.
- Tatemichi, T.K., Desmond, D.W., Stern, Y., Paik, M., Sano, M., & Bagiella, E. (1994). Cognitive impairment after stroke: Frequency, patterns, and relationship to functional abilities. *Journal of Neurology, Neurosurgery, & Psychiatry*, 57, 202-207.
- Thombs, B.D., Bass, E.B., Ford, D.E., Stewart, K.J., Tsilidis, K.K., Patel, U.,...Ziegelstein, R.C. (2007). [Review of the evidence *Prevalence of depression in survivors of acute myocardial infarction*. *Journal of General Internal Medicine*, 21, 30-38.
- Tipping, B. (2008). Issues in the long-term management of stroke. *Continuing Medical Education*, 26(2), 70-74.

- U.S. Department of Health and Human Services Centers for Disease Control and Prevention. (2003). A public health action plan to prevent heart disease and stroke. Atlanta, GA: U.S. Department of Health and Human Services, Centers for Disease Control and Prevention.
- Vanhook, P. (2009). The domains of stroke recovery: A synopsis of the literature. *Journal of Neuroscience Nursing, 41*, 6-17.
- Viitanen, M., Fugl-Meyer, K.S., Bernspang, B., & Fugl-Meyer, A.R. (1988). Life satisfaction in long-term survivors after stroke. *Scandinavian Journal of Rehabilitation Medicine, 20*, 17-24.
- Visser-Keizer, A. (2004). *The impact of emotional and cognitive changes after stroke: A longitudinal community-based study*. Groningen: University of Groningen.
- von Kummer, R., Bourquain, H., Bastianello, S., Bozzao, L., Manelfe, C., Meier, D., & Hacke, W. (2001). Early prediction of irreversible brain damage after ischemic stroke. *Radiology, 219*, 95-100.
- Wade, D.T., & Collin, C. (1988). The Barthel ADL Index: A standard measure of physical disability? *Disability & Rehabilitation, 10*(2), 64-67.
- Wade, D.T., Legh-Smith, J., & Hewer, R.A. (1987). Depressed mood after stroke: A community study of its frequency. *The British Journal of Psychiatry, 151*, 200-205.
- Ward, N.S. (2005). Mechanisms underlying recovery of motor function after stroke. *Postgraduate Medical Journal, 81*, 510-514.
- Wasserman, S., de Villiers, L., & Bryer, A. (2009). Community-based care of stroke patients in a rural African setting. *South African Medical Journal, 99*, 579-583.

World Health Organization. (1958). The first ten years of the World Health Organization.
Geneva: World Health Organization.

Whyte, E. M., & Mulsant, B. H. (2002). Post stroke depression: Epidemiology,

pathophysiology, and biological treatment. *Biological Psychiatry*, 52, 253-264.

Williams, L.S. (1998). Health-related quality of life outcomes in stroke. *Neuroepidemiology*, 17,
116-120.

Zillmer, E.A., Spiers, M.V., & Culbertson, W.C. (2008). *Principles of Neuropsychology* (2nd
ed.). Belmont, CA: Wadsworth.

WILSEY