

Bahr, G.M., Rook, G.A.W., Shahin, A., Stanford, J.L., Sattar, M.I., and Behbehani, K. 1988. HLA-DR-associated isotype-specific regulation of antibody levels to mycobacteria in rheumatoid arthritis. *Clin. exp. Immunol.* 72: 26 - 31.

Becker, A., and Gold, M. 1978. Isolation of the bacteriophage lambda A-gene protein. *Proc. Natl. Acad. Sci. USA.* 72: 581 - 583.

32

Berger, S.L. 1987. Quantifying <sup>32</sup>P-labeled and unlabeled nucleic acids. *Methods Enzymol.* 152: 49 - 50.

Bhattacharya, S., and Bhattacharya, A. 1984. Molecular cloning of *Mycobacterium tuberculosis* H37Ra in *Escherichia coli*. *Indian J. Biochem. Biophys.* 21: 201 - 202.

Birge, E.A. 1981. Bacterial and bacteriophage genetics: An introduction. Springer Verlag, Berlin.

Boom, W.H., Hussons, R.N., Young, R.A., David, J.R., and Plessens, W.F. 1987. *In vivo* and *in vitro* characterization of murine T-cell clones reactive to *Mycobacterium tuberculosis*. *Infect. Immun.* 55 (9): 2223 - 2229.

Brown, A.E., Holzer, T.J., and Andersen, B.R. 1987. Capacity of human neutrophils to kill *Mycobacterium tuberculosis*. *J. Infect. Dis.* 156 (6): 985 - 989.

Beutler, B.A., and Cerami, A. 1985. Recombinant interleukin 1 suppresses lipoprotein lipase activity in 3T3-L1 cells. *J. Immunol.* 135: 3969 - 3972.

Bevilacqua, M.P., Foher, J.S., Majeau, G.R., Fiers, W., Cotran, R.S., and Gimbrone, M.A. 1986. Recombinant tumor necrosis factor induces procoagulant activity in cultured human vascular endothelium: characterisation and comparison with the action of interleukin 1. *Proc. Natl. Acad. Sci. USA.* 83: 4533 - 4537.

Calmette, A. 1931. Preventive vaccination against tuberculosis with BCG and the Lubeck casualties. *J. Am. Med. Ass.* 96 (1): 58 - 59.

Chaparas, S.D. 1982. The immunology of mycobacterial infections. *Crit. Rev. Microbiol.* 2: 139 - 197.

Clark-Curtiss, J.E., Jacobs, W.R., Docherty, M.A., Ritchie, L.R., and Curtiss III, R. 1985. Molecular analysis of DNA and construction of genomic libraries of *Mycobacterium leprae*. *J. Bacteriol.* 161 (3): 1095 - 1102.

Closs, O., Harboe, M., Axelsen, N.H., Bunch-Christensen, K., and Magnusson, M. 1980. The antigens of *Mycobacterium bovis*, strain BCG, studied by crossed immunoelectrophoresis. *Scand. J. Immunol.* 12: 249 - 263.

Coates, A.R.M., Allen, B.W., Hewitt, J., Ivanyi, J., and Mitchison, D.A. 1981. Antigenic diversity of *Mycobacterium tuberculosis* and *Mycobacterium bovis* detected by means of monoclonal antibodies. *Lancet.* ii: 167 - 169.

Cohen, M.L., Mayer, L.W., Rumschlag, H.S., Yakus, M.A., Jones, J.R., and Good, R.C. 1987. Expression of proteins of *Mycobacterium tuberculosis* in *Escherichia coli* and potential of recombinant genes and proteins for development of diagnostic reagents. *J. Clin. Microbiol.* 25 (7): 1176 - 1180.

Collins, F.M. 1988. Cell-mediated and humoral responses to mycobacterial infection. *Clin. Immunol. Newsletter.* 2 (4): 53 - 57.

Collins, F.M., Lamb, J.R., and Young, D.B. 1988. Biological activity of protein antigens isolated from *Mycobacterium tuberculosis* culture filtrate. *Infect. Immun.* 56 (5): 1260 - 1266.

Damiani, G., Bianco, A., Beltrame, A., Vismara, D., Mezzopreti, M.F., Colizzi, V., Young, D.B., and Bloom, B.R. 1988. Generation and characterization of monoclonal antibodies to 28-, 35-, and 65-Kilodalton proteins of *Mycobacterium tuberculosis*. *Infect. Immun.* 56 (5): 1281 - 1287.

Daniel, T.M. 1987. New approaches to the rapid diagnosis of tuberculous meningitis. *J. Inf. Dis.* 155 (4): 599 - 602.

Daniel, T.M., and Janicki, B.W. 1978. Mycobacterial antigens: a review of their isolation, chemistry, and immunological properties. *Microbiol. Rev.* 42 (1): 84 - 113.

Daniel, T.M., and Olds, G.R. 1985. Demonstration of shared epitopes among mycobacterial antigens using a monoclonal antibody. *Clin. Exp. Immunol.* 60: 249 - 258.

Daniel, T.M., Oxtoby, M.J., Pinto, E.M., and Moreno, E.S. 1981. The immune spectrum in patients with pulmonary tuberculosis. *Am. Rev. Resp. Dis.* 123: 556 - 559.

Davis, L.G., Dibrner, M.D., and Battey, J.F. 1986. *Basic methods in molecular biology*. Elsevier Publishing Co.

Davis, R.W., Botstein, D., and Roth, J.R. 1980. *Advanced bacterial genetics: a manual for genetic engineering*. Cold Spring Harbor Laboratory, Cold Spring Harbor, New York.

Drutz, D.J., and Graybill, J.R. 1987. *Infectious diseases in Basic and Clinical Immunology*, Sixth edition. Stiles, D.P., Stobo, J.D., and Wells, J.V. eds. Appleton and Lange.

Ellner, E.J. 1986. Immune dysregulation in human tuberculosis. *J. Lab. Clin. Med.* 108: 142 - 149.

Emmrich, F., Thole, J., Van Embden, J., and Kaufmann, S.H.E. 1986. A recombinant 64 Kilodalton protein of *Mycobacterium bovis* Bacillus Calmette-Guérin specifically stimulates human T4 clones reactive to mycobacterial antigens. *J. Exp. Med.* 163: 1024 - 1029.

Engers, H.D., Abe, M., Bloom, B.R., Mehra, V., Britton, W., Buchanan, T.M., Khanolkar, S.K., Young, D.B., Closs, O., Gillis, T., Harboe, M., Ivanyi, J., Kolk, A.H.J., and Shepard, C.C. 1985. Results of a World Health Organization - sponsored workshop on monoclonal antibodies to *Mycobacterium leprae*. *Infect. Immun.* 48: 603 - 605.

Flesch, I., and Kaufmann, S.H.E. 1987. Mycobacterial growth inhibition by interferon- $\gamma$ -activated bone marrow macrophages and differential susceptibility among strains of Mycobacterium tuberculosis. J. Immunol. 138 (12): 4408 - 4413.

Grange, J.M. 1980. Mycobacterial diseases. Current topics in infection series, Volume 1. Edward Arnold Publishers.

Hahn, H., and Kaufmann, S.H.E. 1981. The role of cell-mediated immunity in bacterial infections. Rev. Infect. Dis. 3 (6): 1221 - 1249.

Hansen, P.W., Petersen, C.M., Povlsen, V.J., and Kristensen, T. 1987. Cytotoxic human HLA class II restricted purified protein derivative-reactive T-lymphocyte clones. iv. Analysis of HLA restriction pattern and mycobacterial antigen specificity. Scand. J. Immunol. 25: 295 - 303.

Harboe, M., Nagai, S., Patarroyo, M.E., Torres, M.L., Ramirez, C., and Cruz, N. 1986. Properties of proteins MPB64, MPB70, and MPB80 of Mycobacterium bovis BCG. Infect. Immun. 52 (1): 293 - 302.

Hopwood, D.A., Kieser, T., Colston, M.J., and Lamb, F.I. 1988. Molecular biology of mycobacteria. Brit. Med. Bull. 44 (3): 528 - 546.

Husson, R.N., and Young, R.A. 1987. Genes for the major protein antigens of Mycobacterium tuberculosis: the etiologic agents of tuberculosis and leprosy share an immunodominant antigen. Proc. Natl. Acad. Sci. USA. 84: 1679 - 1683.

Huygen, K., Palfliet, K., Jurion, F., Hilgers, J., Ten Berg, R., Van Vuuren, J.P., and De Bruyn, J. 1988. H-2-linked control of in vitro gamma interferon production in response to a 32-kilodalton antigen (P32) of Mycobacterium bovis Bacillus Calmette Guerin. Infect. Immun. 56 (12): 3196 - 3200.

Huynh, T.V., Young, R.A., and Davis, R.W. 1985. Constructing and screening cDNA libraries in gt 10 and gt 11 in DNA cloning techniques: a practical approach. Grover, D. Ed. IRL, Oxford.

- Imaeda, T., Barksdale, L., and Kirchheimer, W.F. 1982. Deoxyribonucleic acid of Mycobacterium lepraemurium: its genome size, base ratio, and homology with those of other mycobacteria. Int. J. Sys. Bacteriol. 32 (4): 456 - 458.
- Ivanyi, J. 1986. Pathogenic and protective interactions in mycobacterial infections. Clin. Immunol. Allergy. 6 (1): 127 - 157.
- Ivanyi, J., Sinha, S., Aston, R., Cussell, D., Keen, M., and Sengupta, U. 1983. Definition of species specific and cross-reactive antigenic determinants of Mycobacterium leprae using monoclonal antibodies. Clin. Exp. Immunol. 52: 528 - 536.
- Jacobs, W.R., Docherty, M.A., Curtiss III, R., and Clark-Curtiss, J.E. 1986. Expression of Mycobacterium leprae genes from a Streptococcus mutans promoter in Escherichia coli K-12. Proc. Natl. Acad. Sci. USA. 83: 1926 - 1930.
- Janicki, B.W., Chaparas, S.D., Daniel, T.M., Kubica, G.P., Wright, G.L., and Yee, G.S. 1971. A reference system for antigens of Mycobacterium tuberculosis. Am. Rev. Resp. Dis. 104: 602 - 604.
- Kadival, G.V., Samuel, A.M., Mazerello, T.B.M.S., and Chaparas, S.D. 1987. Radioimmunoassay for detecting Mycobacterium tuberculosis antigen in cerebrospinal fluids of patients with tuberculous meningitis. J. Inf. Dis. 155 (4): 608 - 611.
- Kalish, S.B., Radin, R.C., Phair, J.P., Levitz, D., Zeiss, C.R., and Metzger, E. 1983. Use of an enzyme-linked immunosorbent assay technique in the differential diagnosis of active pulmonary tuberculosis in humans. J. Inf. Dis. 147 (3): 523 - 530.
- Kaufmann, S.H.E., Vath, U., Thole, J.E.R., Van Embden, J.D.A., and Emmrich, F. 1987. Enumeration of T cells reactive with Mycobacterium tuberculosis organisms and specific for the recombinant 64-kDa protein. Eur. J. Immunol. 17: 351 - 357.

Kemp, D.J., Coppel, R.L., Cowman, A.F., Saint, R.B., Brown, G.V., and Anders, R.F. 1983. Expression of Plasmodium falciparum blood-stage antigens in Escherichia coli: detection with antibodies from immune humans. Proc. Natl. Acad. Sci. USA. 80: 3787 - 3791.

Kingston, A.E., Salgame, P.R., Mitchison, N.A., and Colston, M.J. 1987. Immunological activity of a 14-Kilodalton recombinant protein of Mycobacterium tuberculosis H37Rv. Infect. Immun. 55 (12): 3149 - 3154.

Kobayashi, I., Murialdo, H., Craseman, J.M., Stahl, M.M., and Stahl, F.W. 1982. Orientation of cohesive end site cos determines the active orientation of X sequence in stimulating rec.A.rec.B-mediated recombination in phage lytic infections. Proc. Natl. Acad. Sci. USA. 79: 5981 - 5985.

Kolk, A.H.J., Ho, M.L., Klatser, P.R., Eggelte, T.A., Kuijper, S., De Jonge, S., and Van Leeuwen, J. 1984. Production and characterization of monoclonal antibodies to Mycobacterium tuberculosis, M. bovis (BCG), and M. leprae. Clin. Exp. Immunol. 58: 511 - 521.

Laemmli, U.K. 1970. Cleavage of structural proteins during the assembly of the head of bacteriophage T4. Nature 227: 680 - 685.

Lamb, F.I., Kingston, A.E., Estrada-Garcia, I., and Colston, M.J. 1988. Heterologous expression of the 65-Kilodalton antigen of Mycobacterium leprae and murine T-cell responses to the gene product. Infect. Immun. 56 (5): 1237 - 1241.

Lamb, J.R., Ivanyi, J., Rees, A., Young, R.A., and Young, D.B. 1986. The identification of T cell epitopes in Mycobacterium tuberculosis using human T lymphocyte clones. Lepr. Rev. 57 (Suppl. 2): 131 - 137.

Lamb, J.R., and Rees, A.D.M. 1988. Antigen specificity and function of human T lymphocyte clones reactive with mycobacteri... Brit. Med. Bull. 44 (3): 600 - 610.

Kemp, D.J., Coppel, R.L., Cowman, A.F., Saint, R.B., Brown, G.V., and Anders, R.F. 1983. Expression of Plasmodium falciparum blood-stage antigens in Escherichia coli: detection with antibodies from immune humans. Proc. Natl. Acad. Sci. USA. 80: 3787 - 3791.

Kingston, A.E., Salgame, P.R., Mitchison, N.A., and Colston, M.J. 1987. Immunological activity of a 14-Kilodalton recombinant protein of Mycobacterium tuberculosis H37Rv. Infect. Immun. 55 (12): 3149 - 3154.

Kobayashi, I., Murialdo, H., Craseman, J.M., Stahl, M.M., and Stahl, F.W. 1982. Orientation of cohesive end site cos determines the active orientation of X sequence in stimulating rec.A.rec.B-mediated recombination in phage lytic infections. Proc. Natl. Acad. Sci. USA. 79: 5981 - 5985.

Kolk, A.H.J., Ho, M.L., Klatser, P.R., Eggelte, T.A., Kuijper, S., De Jonge, S., and Van Leeuwen, J. 1984. Production and characterization of monoclonal antibodies to Mycobacterium tuberculosis, M. bovis (BCG), and M. leprae. Clin. Exp. Immunol. 58: 511 - 521.

Laemmli, U.K. 1970. Cleavage of structural proteins during the assembly of the head of bacteriophage T4. Nature 227: 680 - 685.

Lamb, F.I., Kingston, A.E., Estrada-Garcia, I., and Colston, M.J. 1988. Heterologous expression of the 65-Kilodalton antigen of Mycobacterium leprae and murine T-cell responses to the gene product. Infect. Immun. 56 (5): 1237 - 1241.

Lamb, J.R., Ivanyi, J., Rees, A., Young, R.A., and Young, D.B. 1986. The identification of T cell epitopes in Mycobacterium tuberculosis using human T lymphocyte clones. Lepr. Rev. 57 (Suppl. 2): 131 - 137.

Lamb, J.R., and Rees, A.D.M. 1988. Antigen specificity and function of human T lymphocyte clones reactive with mycobacteria. Brit. Med. Bull. 44 (3): 600 - 610.

Lamb, J.R., and Young, D.B. 1987. A novel approach to the identification of T-cell epitopes in Mycobacterium tuberculosis using human T-lymphocyte clones. Immunol. 60: 1 - 5.

Lancet Editorial. 1980. Bad news from India. Lancet. i: 73.

Lin, W., and Kasamatsu, H. 1983. On the electrotransfer of polypeptides from gels to nitrocellulose membranes. Analyt. Biochem. 128: 302 - 311.

Lowrie, D.B. 1983. Mononuclear phagocyte - mycobacterium interaction in The biology of the mycobacteria, Volume 2. Ratledge, C., and Stanford, J. Eds. Academic Press, London.

Lu, M.C., Lien, M.H., Becker, R.E., Heine, H.C., Buggs, A.M., Lipovsek, D., Gupta, R., Robbins, P.W., Grosskinsky, C.M., Hubbard, S.C., and Young, R.A. 1987. Genes for immunodominant protein antigens are highly homologous in Mycobacterium tuberculosis, Mycobacterium africanum, and the vaccine strain Mycobacterium bovis BCG. Infect. Immun. 55 (10): 2378 - 2382.

Maniatis, T., Fritsch, E.F., and Sambrook, J. 1982. Molecular cloning. A laboratory manual. Cold Spring Harbor Laboratory, Cold Spring Harbor, New York.

McCutchan, T.F., Hansen, J.L., Dame, J.B., and Mullins, J.A. 1984. Mung bean nuclease cleaves Plasmodium genomic DNA at sites before and after genes. Science. 225: 625 - 628.

Mehra, N.K., and Bovornkitti, S. 1986. HLA and tuberculosis - a reappraisal. Asian Pacific J. Allergy Immunol. 4: 149 - 156.

Mehra, V., Sweetser, D., and Young, R.A. 1986. Efficient mapping of protein antigenic determinants. Proc. Natl. Acad. Sci. USA. 83: 7031 - 7017.

Morris, S.L., Rouse, D.A., Hussong, D., and Chaparas, S.D. 1988. Isolation and characterisation of a recombinant  $\lambda$  gt 11 bacteriophage which expresses an immunoreactive Mycobacterium intracellulare protein in E.coli. Infect. Immun. 56 (12): 3026 - 3031.

Muller, I., Cobbold, S.P., Waldmann, H., and Kaufmann, S.H.E. 1987. Impaired resistance to Mycobacterium tuberculosis infection after selective in vivo depletion of L3T4 and LYT-2 T cells. Infect. Immun. 55 (9): 2037 - 2041.

Mustafa, A.S., Gill, H.K., Nerland, A., Britton, W.J., Mehra, V., Bloom, B.R., Young, R.A., and Godal, T. 1986. Human T-cell clones recognize a major M.leprae protein antigen expressed in E.coli. Nature 319: 63 - 66.

Mustafa, A.S., and Godal, T. 1987. BCG induced CD4<sup>+</sup> cytotoxic T cells from BCG vaccinated healthy subjects: relation between cytotoxicity and suppression in vitro. Clin. Exp. Immunol. 69: 255 - 262.

Nagao, S., Takada, H., Yagawa, K., Kutsukaka, H., Shiba, T., Kusumoto, S., Kawata, S., Hasegawa, A., Kiso, M., Azuma, I., Tanaka, A., and Kotani, S. 1987. Structural requirements of muramylpeptides for induction of necrosis at sites primed with Mycobacterium tuberculosis in guinea pigs. Infect. Immun. 55 (5): 1279 - 1288.

North, R.J., Mackaness, G.B., and Elliot, R.W. 1972. The histogenesis of immunologically committed lymphocytes. Cell. Immunol. 7: 166 - 169.

Oftung, F., Mustafa, A.S., Husson, R., Young, R.A., and Godal, T. 1987. Human T cell clones recognize two abundant Mycobacterium tuberculosis antigens expressed in Escherichia coli. J. Immunol. 138 (3): 927 - 931.

Olds, G.R., Sanson, A.J., and Daniel, T.M. 1987. Characterization of Mycobacterium tuberculosis antigen 5 epitopes by using a panel of 19 monoclonal antibodies. J. Clin. Microbiol. 25: 471 - 475.

Orme, I.M., 1987. Aging and immunity to tuberculosis: increased susceptibility of old mice reflects a decreased capacity to generate mediator T lymphocytes. *J. Immunol.* 138 (12): 4414 - 4418.

Orme, I.M. 1987 b. The kinetics of emergence and loss of mediator T lymphocytes acquired in response to infection with *Mycobacterium tuberculosis*. *J. Immunol.* 138 (1): 293 - 298.

Orme, I.M. 1988. Characteristics and specificity of acquired immunologic memory to *Mycobacterium tuberculosis* infection. *J. Immunol.* 140 (10): 3589 - 3593.

Ottenhoff, T.H.M., Klatser, P.R., Ivanyi, J., Ellerink, D.G., De Wit, M.Y.L., and De Vries, R.R.P. 1986. *Mycobacterium leprae*-specific protein antigens defined by cloned human helper T cells. *Nature* 319: 66 - 68.

Perbal, B. 1984. A practical guide to molecular cloning. John Wiley and Sons.

Picken, R.N., Plotch, S.J., Wang, Z., Lin, B.C., Donegan, J.J., and Yang, H.L. 1988. DNA probes for mycobacteria 1. Isolation of DNA probes for the identification of *M. tuberculosis* complex and for mycobacteria other than *tuberculosis* (MOTT). *Molecular and cellular probes* 2: 111 - 124.

Radford, J.A., Duffield, B.J., and Plackett, P. 1988. Cloning of a species-specific antigen of *Mycobacterium bovis*. *Infect. Immun.* 56 (4): 921 - 925.

Raymond, C.A. 1986. Increase in AIDS-associated illnesses focusses new attention on an old nemesis. *J. Am. Med. Ass.* 256 (24): 3323 - 3324.

Reggiardo, Z., and Middlebrook, G. 1974. Failure of passive serum transfer of immunity against aerogenic tuberculosis in rabbits. *Proc. Soc. Exp. Biol. Med.* 145: 173 - 175.

Ribera, E., Martinez-Vazquez, J.M., Ocana, I., Segura, R.M., and Pasaval, C. 1987. Activity of adenosine deaminase in cerebrospinal fluid for the diagnosis and follow-up of tuberculous meningitis in adults. *J. Inf. Dis.* 155 (4): 603 - 607.

Rook, G.A.W. 1987. Progress in the immunology of the mycobacterioses. *Clin. Exp. Immunol.* 69: 1 - 9.

Rock, G.A.W., Steele, J., Fraher, L., Barker, S., Karmali, R., O'Riordan, J., and Stanford, J. 1986. Vitamin D3, gamma interferon, and control of proliferation of Mycobacterium tuberculosis by human monocytes. *Immunology.* 57: 159 - 162.

Rook, G.A.W., Taverne, J., Leveton, C., and Steele, J. 1987. The role of gamma-interferon, vitamin D3 metabolites, and tumour necrosis factor in the pathogenesis of tuberculosis. *Immunology* 62: 229 - 234.

Sackl, M.J. 1985. Monoclonal antibodies and recombinant DNA technology: present and future uses in leprosy and tuberculosis. *Int. J. Lepr.* 53 (4): 618 - 640.

Shinnick, T.M. 1987. The 65-kilodalton antigen of Mycobacterium tuberculosis. *J. Bacteriol.* 169 (3): 1080 - 1088.

Shinnick, T.M., Krat, C., and Schadow, S. 1987 a. Isolation and restriction site maps of the genes encoding five Mycobacterium tuberculosis proteins. *Infect. Immun.* 55 (7): 1718 - 1721.

Shinnick, T.M., Sweetser, D., Thole, J., Van Embden, J., and Young, R.A. 1987. The etiologic agents of leprosy and tuberculosis share an immunoreactive protein antigen with the vaccine strain Mycobacterium bovis BCG. *Infect. Immun.* 55 (8): 1932 - 1935.

Shinnick, T.M., Vodkin, M.H., and Williams, J.C. 1988. The Mycobacterium tuberculosis 65-Kilodalton antigen is a heat shock protein which corresponds to common antigen and the Escherichia coli GroEL protein. Infect. Immun. 56 (2): 446 - 451.

Snider, D.E. 1987. Tuberculosis and body build. J. Am. Med. Ass. 258 (22): 3299.

Snyder, M., Elledge, S., Sweetser, D., Young, R.A., and Davis, R.W. 1987.  $\lambda$ gt 11: Gene isolation with antibody probes and other applications. Methods in Enzymology 154: 107 - 128.

Stanley, K.K. 1983. Solubilization and immune detection of  $\beta$ -galactosidase hybrid proteins carrying foreign antigenic determinants. Nucl. Acids Res. 11 (12): 4077 - 4092.

Stroebel, A.B., Daniel, T.M., Lau, J.H.K., Leong, J.C.Y., and Richardson, H. 1982. Serologic diagnosis of bone and joint tuberculosis by an enzyme-linked immunosorbent assay. J. Inf. Dis. 146 (2): 280 - 283.

Stryer, L. 1988. Biochemistry. 3rd Ed. W.H. Freeman and Company, New York.

Ten Dam, H.G. 1984. Research on BCG vaccination. Adv. Tuberc. Res. 21: 79 - 106.

Thole, J.E.R., Dauwerse, H.G., Das, P.K., Groothuis, D.G., Schouls, L.M., and Van Embden, J.D.A. 1985. Cloning of Mycobacterium bovis BCG DNA and expression of antigens in Escherichia coli. Infect. Immun. 50 (3): 800 - 806.

Thole, J.E.R., Van Schooten W.C.A., Keulen, W.J., Hermans, P.W.M., Janson, A.A.M., De Vries, R.R.P., Kolk, A.H.J., and Van Embden, J.D.A. 1988. Use of recombinant antigens expressed in Escherichia coli K-12 to map B-cell and T-cell epitopes on the immunodominant 65-Kilodalton protein of Mycobacterium bovis BCG. Infect. Immun. 56 (6): 1633 - 1640.

Towbin, H., Staehelin, T., and Gordon, J. 1979. Electrophoretic transfer of proteins from polyacrylamide gels to nitrocellulose sheets: procedure and some applications. *Proc. Natl. Acad. Sci. USA.* 76 (9): 4350 - 4354.

Wadee, A.A. 1985. Immunology of tuberculosis. *Cont. Med. Ed.* 3: 92 - 97.

Wadee, A.A., Cohen, J.D., and Rabson, A.R. 1987. An enzyme-linked immunosorbent assay using adsorbed mycobacterial sonicates for the serodiagnosis of tuberculosis. *S. Afr. Med. J.* 71: 154 - 156.

Wadee, A.A., Cohen, J.D., and Rabson, A.R. 1987 b. Gamma interferon reverses inhibition of leukocyte bactericidal activity by a 25-Kilodalton fraction from *Mycobacterium tuberculosis*. *Infect. Immun.* 55 (11): 2777 - 2782.

Wadee, A.A., Cohen, J.D., and Rabson, A.R. 1989. A 180-kilodalton protein from *Mycobacterium tuberculosis* defined by a human T cell clone. *J. Clin. Lab. Immunol.* In press.

Wiker, H.G., Harboe, M., Bennedsen, J., and Closs, O. 1988. The antigens of *Mycobacterium tuberculosis* H37Rv, studied by crossed immunoelectrophoresis. Comparison with a reference system for *Mycobacterium bovis* BCG. *Scan. J. Immunol.* 27: 223 - 239.

Worsaae, A., Ljungqvist, L., Haslov, K., Heron, I., and Bennedsen, J. 1987. Allergenic and blastogenic reactivity of three antigens from *Mycobacterium tuberculosis* in sensitized guinea pigs. *Infect. Immun.* 55 (12): 2922 - 2927.

Wu, R., Wu, T., and Ray, A. 1987. Adaptors, linkers, and methylation. *Methods in Enzymology.* 152: 343 - 349.

Youmans, G.P. 1986. Tuberculosis in The biologic and clinical basis of infectious diseases. Youmans, G.P., Paterson, P.Y., and Sommers, H.M. Eds. W.B. Saunders Company.

Young, D., Lathiga, R., Hendrix, R., Sweetser, D., and Young, R.A. 1988. Stress proteins are immune targets in leprosy and tuberculosis. *Proc. Natl. Acad. Sci. USA.* 85: 4267 - 4270.

Young, D.B. 1988. Structure of mycobacterial antigens. *Brit. Med. Bull.* 44 (3): 562 - 583.

Young, D.B., Kent, L., Rees, A., Lamb, J., and Ivanyi, J. 1986. Immunological activity of a 38-Kilodalton protein purified from *Mycobacterium tuberculosis*. *Infect. Immun.* 54 (1): 177 - 183.

Young, D.B., Kent, L., and Young, R.A. 1987. Screening of a recombinant mycobacterial DNA library with polyclonal antiserum and molecular weight analysis of expressed antigens. *Infect. Immun.* 55 (6): 1421 - 1425.

Young, D.B., and Lamb, J.R. 1986. T lymphocytes respond to solid-phase antigen: a novel approach to the molecular analysis of cellular immunity. *Immunology* 59: 167 - 171.

Young, R.A., Bloom, B.R., Grosskinsky, C.M., Ivanyi, J., Thomas, D., and Davis, R.W. 1985. Dissection of *Mycobacterium tuberculosis* antigens using recombinant DNA. *Proc. Natl. Acad. Sci. USA.* 82: 2583 - 2587.


Young, R.A., and Davis, R.W. 1983. Efficient isolation of genes by using antibody probes. *Proc. Natl. Acad. Sci. USA.* 80: 1194 - 1196.

Young, R.A., and Davis, R.W. 1983 b. Yeast RNA polymerase II genes: isolation with antibody probes. *Science* 222: 778 - 782.

Young, R.A., and Davis, R.W. 1985. Immunoscreening  $\lambda$  gt 11 recombinant DNA expression libraries in *Genetic engineering: principles and methods*, volume 7. Setlow, J.K., and Hollander, A. Eds. Plenum Publishing Corporation.

Young, R.A., Mehra, V., Sweetser, D., Buchanan, T.,  
Clark-Curtiss, J., Davis, R.W., and Bloom, B.R. 1985. Genes  
for the major protein antigens of the leprosy parasite  
*Mycobacterium leprae*. *Nature* 316: 450 - 452.





**Author** Chezzi C

**Name of thesis** Cloning of the DNA of Mycobacterium tuberculosis and analysis of the expressed protein antigens 1989

***PUBLISHER:***

University of the Witwatersrand, Johannesburg

©2013

***LEGAL NOTICES:***

**Copyright Notice:** All materials on the University of the Witwatersrand, Johannesburg Library website are protected by South African copyright law and may not be distributed, transmitted, displayed, or otherwise published in any format, without the prior written permission of the copyright owner.

**Disclaimer and Terms of Use:** Provided that you maintain all copyright and other notices contained therein, you may download material (one machine readable copy and one print copy per page) for your personal and/or educational non-commercial use only.

The University of the Witwatersrand, Johannesburg, is not responsible for any errors or omissions and excludes any and all liability for any errors in or omissions from the information on the Library website.