DECLARATION

I, Mireille Yimnga Ngantcha Chamba Kapseh Cheyip, declare that this research

report is my own work. It is being submitted for the degree of Master of Science

in Medicine in the branch of Epidemiology and Biostatistics in the University of

the Witwatersrand, Johannesburg. It has not been submitted before for any

degree or examination at this or any other University.

.....

......day of2005

ii

Dedicated to Bonny, Mama and Joseph for all their sacrifices

ABSTRACT

Background: In association with other occupational exposures like silica dust and radon, cigarette smoking impacts on the health of miners, especially with regard to the risk of developing COPD, PTB and lung cancer. These compensable diseases place a great burden on both miners and mines. The prevalence of smoking among black miners in South Africa is unknown and data for white miners are not recent.

Objectives: To determine the prevalence of smoking and smoking trends in miners in a platinum mining company from 1998 to 2002 and to describe some important factors associated with their smoking habits.

Methods: This was a cross-sectional study using medical surveillance data about employees of a platinum mining company from 1998 to 2002.

Results: Over 80000 repeated records of over 25000 miners were studied over the five-year period. The prevalence of smokers was 44.4%. Miners were less likely to smoke in 2002 than in 1998 (OR 0.23, Cl 0.21 – 0.25). Over this period, smoking prevalence dropped from 43.3% to 31.3%. The decrease was evident in most socio-demographic groups. There was also a decrease in cigarette consumption over time (p<0.001). Multivariable analysis showed that whites were more likely to "always" and/or "ever" smoke than blacks (adjusted OR=2.4, Cl 1.79-3.20 and OR 2.5, Cl 1.98-3.27, respectively).

Conclusion: Even though there has been a decline in smoking prevalence since 1998, the relatively higher prevalence in platinum miners compared to that of the general population, and the additional effect of occupational exposures, are still a public health concern. There is need to establish smoking cessation and prevention programmes and to continue collecting detailed smoking information during annual surveillance programmes that could be used to monitor the effectiveness of such programmes.

ACKNOWLEDGEMENTS

To Prof Mary Ross and Dr Jill Murray for supervising this work, Safety in Mines Research Advisory Committee (SIMRAC) for funding my research, Dr Rob Dowdeswell for making the data available and his assistance, Prof Jonathan Levin and Ms Gill Nelson for statistical support and write up, and Dr Renay Weiner for her continued advice and encouragement.

The School of Public Health for making facilities accessible for the completion of the work. Especially Lindy Mphalele (my sweetie) for her ever-ready assistance and Dr Daniel Ansong ('Prof') for his endless assistance.

My husband Bonny and my parents and parents-in-law for their continued moral and financial support

My baby Joseph who had to be taken care of by others so that I could complete this work.

The contributions of my classmates, especially Dr George Awvounda and many others who have not been mentioned here were greatly appreciated.

Above all, I give thanks to the Almighty God for strength, life and His inspiration throughout the course.

TABLE OF CONTENTS

		Page	
Decla	ration	ii	
Dedic	ation	iii	
Abstra	Abstracti		
Acknowledgements			
Table of Contentsvi			
List of Figuresix			
List of	f Tables	x	
1.0	INTRODUCTION	1	
1.1	Global burden of smoking	2	
1.2	Burden of smoking in South Africa	2	
1.3	Health Effects of smoking in South African miners	3	
1.3.1	COPD in miners and lung function impairment in miners	5	
1.3.2	Pulmonary Tuberculosis in miners	6	
1.3.3	Lung cancer in miners	6	
1.3.4	Hearing impairment and smoking	7	
1.4	Economic burden and compensation	7	
1.5	Motivation for the study	9	
1.6	Study objectives	11	

2.0	MATERIALS AND METHODS	.12
2.1	Study design	.12
2.2	Study setting	.12
2.3	Study population and subjects	.12
2.4	Study variables	.13
2.5	Data analysis	.15
3. 0	RESULTS	.18
3.1	Demographics	.18
3.2	Smoking Status	.19
3.2.1	Smoking status by race	.19
3.2.2	Smoking status by age group and race	.21
3.2.3	Smoking status by job grade and race	.22
3.3	Cigarette consumption	.25
3.3.1	Cigarette consumption and race	.25
3.3.2	Cigarette consumption, age group and race	.26
3.3.3	Cigarette consumption and gender	.29
3.3.4	Cigarette consumption, job grade and race	.30
3.4	Trend Analysis	32
3.4.1	Trends in smoking prevalence by race	.34
3.4.2	Trends in smoking prevalence by job grade and race	.35
3.4.3	Trends in smoking prevalence by age group and race	.37
3.4.4	Trends in cigarette consumption by race	.38

3.4.5	Trends in cigarette consumption and job grade40	
3.5	Multivariable Analysis42	
3.5.1	Ever smokers42	
3.5.2	Always smokers	
3.5.3	Trend in smoking44	
3.5.4	Cigarette consumption45	
4.0	DISCUSSION AND CONCLUSIONS47	
4.1	Introduction	
4.2	Changes in smoking prevalences47	
4.2.1	Changes in overall prevalence	
4.2.2	Changes in prevalence by demographic groups49	
4.3	Changes in cigarette consumption52	
4.4	New smokers53	
4.5	Ex-smokers53	
4.6	Limitations of the study55	
4.7	Conclusion55	
4.8	Recommendations56	
DEEEDENCES 50		

List of figures

	page
Figure 3.1:	Distribution of subjects by the number of years of participation
	in the study19
Figure 3.2:	Smoking status of employees by age group: Blacks21
Figure 3.3:	Smoking status of employees by age group: Whites22
Figure 3.4:	Smoking status of employees by job grade: Blacks24
Figure 3.5:	Smoking status of employees by job grade: Whites24
Figure 3.6:	Smoking prevalence in various consumption categories by
	race
Figure 3.7:	Distribution by age group and cigarette consumption:
	Black mine employees
Figure 3.8:	Distribution by age group and cigarette consumption:
	White mine employees28
Figure 3.9:	Cigarette consumption by gender29
Figure 3.10:	Distribution by job grade and cigarette consumption:
	Black mine employees31
Figure 3.11:	Distribution by job grade and cigarette consumption:
	White mine employees31
Figure 3.12:	Smoking prevalence by race (1998 – 2002)34
Figure 3.13:	Smoking prevalence by job grade from 1998 – 2002:
	Black mine employees 36

Figure 3.14:	Smoking prevalence by job grade from 1998 – 2002:	
	White mine employees	36
Figure 3.15:	Smoking prevalence by age group from 1998 – 2002:	
	Black mine employees.	37
Figure 3.16:	Smoking prevalence by age group from 1998 – 2002:	
	White mine employees	37
Figure 3.17:	Trend in cigarette consumption from 1998 - 2002:	
	Black smokers	39
Figure 3.18:	Trend in cigarette consumption from 1998 - 2002:	
	White smokers	39
Figure 3.19:	Trend in cigarette consumption by job grade from	
	1998 – 2002: Grade A	40
Figure 3.20:	Trend in smoking consumption by job grade from	
	1998 – 2002: Grade B	41
Figure 3.21:	Trend in smoking consumption by job grade from	
	1998 – 2002: Grade C	41

List of tables

	page
Table 3.1:	Demographic characteristics of platinum mine employees at
	entry Into study
Table 3.2:	Smoking status of employees by race20
Table 3.3:	Cigarette consumption of employees over
	the study period
Table 3.4:	Demographic characteristics of platinum mine
	employees from 1998 - 2002
Table 3.5:	Smoking status and cigarette consumption of platinum mine
	employees from 1998 – 200234
Table 3.6:	Adjusted Odds ratio for "ever smoking" with associated
	factors43
Table 3.7:	Adjusted Odds ratio for "always smoking" with associated
	factors44
Table 3.8:	Smoking trend by associated factors over the five
	years period45
Table 3.9:	Relationship between number of cigarettes smoked and
	associated factors46