

REFERENCES

Al-Ammar A.S and Barnes R.M., (1998) Internal Standardization, *Journal of Atomic Spectroscopy*, vol. 19, pp. 18.

Alary, J-F., Hernandez, G. and Salin E. D. (1995), Zeolite slurry analysis using freon-assisted graphite furnace vaporization for inductively coupled plasma atomic emission spectrometry, *Applied Spectroscopy*, vol. 49, pp. 1796–1803.

Alcock, N. W. (1995), Flame, flameless and plasma spectroscopy, *Analytical Chemistry* 67 (12), pp. 503R-506R.

American Chemical Society, Committee on Environmental Improvements (ACS-CEI) (1980), Guidelines for data acquisition and data quality evaluation in environmental chemistry, *Analytical Chemistry*, vol. 52, pp. 2242-2249.

Amin, M.N., Kaneco, S., Suzuki, T. and Ohta, K. (2003), Slurry sampling electrothermal atomic absorption spectrometric determination of copper in herbal medicine samples with a molybdenum tube atomizer, *Microchemical Journal*, vol. 74, issue. 2, pp. 181-186.

Arcinus, A. (2000), Overview of inductively coupled plasma optical emission spectroscopy (ICP-OES) for use in barium concentration determination. In: <http://people.ucsc.edu/~jarcinas/Ba%20by%20ICP-OES%20paper.doc>

Arienzo, M. and Scrudato, R. (2001), J. Haz. Mats., vol. 87, pp. 187-198.

Balcerzak, M. (2002), Sample digestion methods for the determination of traces of precious metals by spectrometric techniques, *Analytical Sciences*, vol.18, pp. 737-750.

Barefoot, R.R. (1998), Determination of precious metals in geological materials by inductively coupled plasma mass spectrometry, *Journal of Analytical Atomic Spectrometry*, vol.13, no.10, pp. 1077-1084.

Baralkiewicz, D. (2001), Fast determination of lead in lake sediment samples using electrothermal atomic absorption spectrometry with slurry samples introduction, *Talanta*, vol. 56, issue 1, pp. 105–114.

Baralkiewicz, D. and Gramowska, H. (2004), Study of parameters associated with the determination of cadmium in lake sediments by slurry sampling electrothermal atomic absorption spectrometry, *Analytica Chimica Acta*, vol. 510, pp. 249-256.

Baralkiewicz, D., Gramowska, H., Kózka M. and Kanecka, A. (2005), Determination of mercury in sewage sludge by direct graphite furnace atomic absorption spectrometry, *Spectrochimica Acta, part B: Atomic Spectroscopy*, vol. 60, pp. 409-413.

Baralkiewicz, D. and Siepak, J. (2001), Slurry sampling for electrothermal atomic absorption spectrometric determination of chromium, nickel, lead and cadmium in sewage sludge, *Analytica Chimica Acta*, vol. 437, issue 1, pp. 11-16.

Bauer, H. H., Christian, G. D., Oreilly, J. E. (1978), Instrumental Analysis, International student edition, Allyn and Bacon, Inc. Massachusetts, Chapter 2, 3.

Beamish, F.E. (1966), The analytical chemistry of the noble metals, Pergamon, Oxford, pp. 609. In: Totland, M., Jarvis I. and Jarvis, K.E. (1993), Determination of the platinum group elements and gold in solid samples by slurry nebulization ICP-MS, *Chemical Geology*, vol.104, no.1-4, pp. 103-108.

Bencs, L., Ravindra, K. and Van Grieken, R. (2003), Methods for the determination of platinum group elements originating from the abrasion of automotive catalytic converters, *Spectrochimica Acta part B*, vol. 53. pp. 1723-1755.

Bermejo-Barrera, P., Barciela-Alonso, M.C., Moreda-Piñeiro, J., González-Sixto, C. and Bermejo-Barrera, A. (1996), Determination of trace metals (As, Cd, Hg, Pb and Sn) in marine sediment slurry samples by electrothermal atomic absorption spectrometry using palladium as a chemical modifier, *Spectrochimica Acta, Part B: Atomic Spectroscopy*, vol. 51, issue 9-10, pp. 1235-1244.

Bermejo-Barrera, P., Moreda-Piñeiro, A., Moreda-Piñeiro, J. and Bermejo-Barrera, A. (1998), Acid pre-digestion as a slurry pretreatment for the determination of Ca, Cu, K, Mg, Na and Zn in human scalp hair by flame atomic absorption/emission spectrometry with a high-performance nebulizer, *Journal of Analytical Chemistry*, vol. 360, issue. 6, pp. 707-711.

Bermejo-Barrera, P., Moreda-Piñeiro, A., Moreda-Piñeiro, J. and Bermejo-Barrera, A. (1997), Determination of nickel in human scalp hair by slurry sampling - electrothermal atomic absorption spectrometry, *Analytical Chimica Acta*, vol. 349, issue 1-3, pp. 319–325.

Bermejo-Barrera, P., Moreda-Piñeiro, A., Romero-Barbeito, T., Moreda-Piñeiro, J. and Bermejo-Barrera, A. (1999), Use of aqueous slurry sampling for the determination of lead in human hair samples by electrothermal atomic absorption spectrometry, *Analytica Chimica Acta*, vol. 398, issue. 2 - 3, pp. 263-272.

Bermejo-Barrera, P., Verdura-Constenla, E.M., Moreda-Pineiro, A. and Bermejo-Barrera, A. (1999), Rapid acid leaching and slurry sampling procedures for the determination of methyl-mercury and total mercury in human hair by electrothermal atomic absorption spectrometry, *Analytica Chimica Acta*, vol. 398, issue. 2-3, pp. 263-272.

Bitterli, B.A., Cousin, H. and Magyar, B. (1997), Determination of metals in airborne particles by electrothermal vaporization inductively coupled plasma mass spectrometry after accumulation by electrostatic precipitation, *Journal of Analytical Atomic Spectrometry*, vol. 12, pp. 957-961.

Boss, C. B. and Freedman, K. (1997), Concepts, instrumentation and technique for inductively coupled plasma optical emission spectroscopy, 2nd edition, Perkin Elmer.

Boulos, M.I. and Barnes, R.M. (1981), Induction plasma modeling: state of the art. In: Barnes R.M. (Editor), developments in atomic plasma spectrochemical analysis, Heyden, London, pp. 20-34.

Boulos, M.I. and Barnes, R.M. (1987), Plasma modeling and computer simulation, In: Boumans, P.W.J.M., Inductively coupled plasma emission spectroscopy, part II: applications and fundamentals, John Wiley and Sons, New York, pp. 289-352.

Boumans, P. W. J. M. (1996), Inductively coupled plasma-emission spectroscopy, Part 1, John Wiley & Sons, New York, pp. 584.

Boumans, P.W.J.M. (1984), Line coincidence tables for Inductively Coupled Plasma Atomic Emission Spectrometry, vols. 1 and 2, Pergamon, Oxford, 2nd ed., pp. 584 and 486 respectively.

Boumans, P.W.J.M and Vrakking, J.J.A.M. (1987), Detection limits of about 350 prominent lines of 65 elements observed in 50 and 27 MHz Inductively Coupled Plasmas (ICP): effects of source characteristics, noise and spectral bandwidth – “standard” values for the 50-MHz ICP, *Spectrochimica Acta*, vol. 42B, pp. 553–579.

Bradford, T. and Cook, N. M. (1997), Inductively coupled plasma, In: <http://ewr.cee.vt.edu/environmental/teach/smprimer/icp/icp.html>

Brenner, I.B and Eldad, H. (1986), A spectral line atlas for the determination of trace, minor and major elements in geological materials – an update and overview, *ICP Information Newsletter*, vol. 12, pp. 243–310.

Brenner, I.B., Zander, A., Cole, M. and Wiseman, A. (1997), *Journal of Analytical Atomic Spectrometry*, vol. 12, pp. 897.

Brooks, C. (2001), Analysis? Which analysis, of what and why, 20th IGES, Santiago, Chile, unpublished manuscript.

Byrne, J.P., Grégoire, D.C., Benyounes, M.E. and Chakrabarti, C.L. (1997), Vaporization and atomization of the platinum group elements in the graphite furnace investigated by electrothermal vaporization-inductively coupled plasma-mass spectrometry, *Spectrochimica Acta, Part B: Atomic Spectroscopy*, vol. 52, issue 11, pp. 1575-1586.

Cabri, L.J. (1981), Platinum-Group Elements: Mineralogy, geology, recovery, *CIM*, special vol. 23 (Ed), pp. 267.

Cal-Prieto, M.J., Felipe-Sotelo, M., Carlosena, A., Andrade, J.M., Lopez-Maha, P., Muniategui, S. and Prada, D (2000), Slurry sampling for direct analysis of solid materials by Electrothermal Atomic Absorption Spectrometry (ETAAS); A literature review from 1990 to 2000, *Talanta*, vol. 56, issue 1, pp. 1–51.

Canals, A., Hernandis, V., Todolí, J. L. and Browner, R. F. (1995), Fundamental studies on pneumatic generation and aerosol transport in atomic spectrometry: effect of mineral acids on emission intensity in inductively coupled plasma atomic emission spectrometry, *Spectrochimica Acta Part B: Atomic Spectroscopy*, vol. 50, issue 4-7, pp. 305-321.

Carre, M., Poussel, E. and Mermet, J.M. (1992), *Journal of Analytical Atomic Spectrometry*, vol. 7, pp. 791.

Cava-Montesinos, P., Cervera, M.L., Pastor, A. and De la Guardia, M. (2004), Determination of As, Sb, Se, Te and Bi in milk by slurry sampling hydride generation atomic fluorescence spectrometry, *Talanta*, vol. 62, issue 1, pp. 173-182.

Cíntia, S., Telma, B and Joaquim, A.N. (2001), Analysis of cement slurries by inductively coupled plasma optical emission spectrometry with axial viewing, *Spectrochimica Acta Part B: Atomic Spectroscopy*, vol. 9, pp. 29–33.

Coedo, A.G., Dorado, T., Padilla, I., Maibusch R. and Kuss, H.M. (1999), Slurry sampling electrothermal vaporization inductively coupled plasma mass spectrometry (ETV-ICP-MS) for steel making flue dust analysis, *Spectrochimica Acta Part B: Atomic Spectroscopy*, vol. 55, pp. 185–196.

Cotton F.A and Wilkinson G., *Advanced Inorganic Chemistry*, Fifth Edition, Wiley Interscience-John Willey and Sons, NewYork, 2001, pp. 937.

Date, A.R., Davies, E.A. and Cheung, Y.Y. (1987), The potential of fire assay and inductively coupled plasma source mass spectrometry for the determination of platinum group elements in geological materials, *Analyst (London)*, vol. 112, pp. 1217-1222.

Derjaguin, B.V. and Landau, L. (1941), *Acta Physiochim. URSS*, 14, 633.

De Silva, K.N. and Guevremont, R. (1990), A fluidized-bed Powder Sampler for inductively coupled plasma emission: Hardware design, performance evaluation with geological reference materials, *Spectrochimica Acta*, vol. 45B, pp. 997-1011.

Detcheva, A., Gentscheva, G., Havezov, I., Ivanova, E. (2002), Slurry sampling ETAAS determination of sodium impurities in optical crystals of potassium titanyl phosphate and potassium gadolinium tungstate, *Talanta*, vol. 58, issue 3, pp. 489–495.

Dias, L.F., Saint'Pierre, T.D., Maia, S.M., Mesquita da Silva, M.A., Frescura, V.L.A., Welz, B. and Curtius, A.J. (2002), Determination of arsenic, lead, selenium and tin in sediments by slurry sampling electrothermal vaporization inductively coupled plasma mass spectrometry using Ru as permanent modifier and NaCl as a carrier, *Spectrochimica Acta Part B: Atomic Spectroscopy*, vol. 57, issue 12, pp. 2003-2015.

Dobrowolski, R. (1996), Determination of Ni and Cr in soils by slurry graphite furnace atomic absorption spectrometry, *Spectrochimica Acta part B: Atomic Spectroscopy*, vol. 51, issue 2, pp 221–227.

Dobrowolski, R. and Mierzwa, J. (1997), Slurry sampling hydride generation atomic absorption spectrometry (HGAAS) for determination of extractable/soluble arsenic in sediment samples, *Spectrochimica Acta part B: Atomic Spectroscopy*, vol. 58, issue 2, pp. 117-122.

Donnelly, T.H. (1970), Determination of platinum in ores and minerals concentrates, *Proceedings-Australasian Institute of Mining and Metallurgy*, vol. 236, pp. 61-67.

Dubuisson, C., Poussel, E. and Mermet, J.M., (1998), *Journal of Analytical Atomic Spectrometry*, vol. 19, pp. 1265.

Ebdon, L. and Collier, A.R. (1988a), Direct atomic spectrometric analysis by slurry atomization, Part 5: Analysis of kaolin using inductively coupled plasma atomic emission spectrometry, *Journal of Analytical Atomic Spectrometry*, vol. 3, pp. 557-561.

Ebdon, L. and Collier, A.R. (1988b), Particle size effects on kaolin slurry analysis by inductively coupled plasma - atomic emission spectrometry, *Spectrochimica Acta*, vol. 43B, pp. 355-369.

Ebdon, L., Foulkes, M.E., Parry, H.G.M. and Tye, C.T. (1988), Direct atomic spectrometric analysis by slurry atomization, Part 7, Analysis of coal using inductively coupled plasma mass spectrometry, *Journal of Analytical Atomic Spectrometry*, vol. 3, pp. 753-761.

Ebdon, L., Foulkes, M.E and Sutton, K. (1997), Slurry nebulization in plasmas, *Journal of Analytical Atomic Spectrometry*, vol. 12, pp. 213-229.

Ebdon, L. and Goodall, P. (1992), Thermochemical effects in hexafluoroethane (Freon 116) modified argon inductively coupled plasmas, *Spectrochimica Acta*, vol. 47B, pp. 1247–1257.

Ebdon, L. and Wilkinson, J.R. (1987a), Direct atomic spectrometric analysis by slurry atomization, Part 1, Optimization of whole coal analysis by inductively coupled plasma atomic emission spectrometry, *Journal of Analytical Atomic Spectrometry*, vol. 2, pp. 325-328, In: Totland M., Jarvis, I. and Jarvis, K.E. (1993), Determination of the platinum group elements and gold in solid samples by slurry nebulization ICP-MS, *Chemical Geology*, vol. 104, no. 1-4, pp. 103-108.

Ebdon, L. and Wilkinson, J.R. (1987b), Direct atomic spectrometric analysis by slurry atomization, Part 3, Whole coal analysis by inductively coupled plasma atomic emission spectrometry, *Journal of Analytical Atomic Spectrometry*, vol. 2, pp. 325-328.

Epstein, M.S., Carnrick, G.R. and Slavn, W. (1989), Abstract – EMBASE, *Analytical Chemistry*, vol. 61 pp. 1414.

Evans, E.H. and Giglio, J.J. (1998). In: Barefoot R.R., Determination of precious metals in geological materials by inductively coupled plasma mass spectrometry, *Journal of Analytical Atomic Spectrometry*, vol. 13, no. 10, pp. 1077-1084.

Felipe-Sotelo, M., Carlosena, A., Andrade, J. M, Fernández, E., López-Mahía, P., Muniategui, S. and Prada, D. (2004), Development of a slurry-extraction procedure for direct determination of cobalt by electrothermal atomic absorption spectrometry in complex environmental samples, *Analytica Chimica Acta*, vol. 522, issue 2, pp. 259–266.

Fuller, C.W., Hutton, R.C. and Preston, B. (1981), Comparison of flame, electrothermal and inductively coupled plasma atomization techniques for the direct analysis of slurries, *Analyst (London)*, vol. 106, pp. 913-920.

Galbacs, G., Szorcsik, A., Galbacs, Z., Buzas, N. and Haraszti, T. (2000), Slurry nebulization ICP-AES spectrometry method for the determination of tin in organotin (IV) complexes, *Talanta*, vol. 52, issue 6, pp. 1061–1067.

Gentscheva, G., Detcheva, A., Havezov, I. and Ivanova, E. (2003), Slurry sampling electrothermal atomic absorption spectrometric determination of sodium and iron impurities in optical crystals of rubidium titanyl phosphate, *Microchimica Acta*, vol. 144, pp. 115–118.

Gonzales, M., Gallego, M. and Valcarcel, M. (1998), Determination of Cr, Ni and Co in wheat flour using slurry sampling by electrothermal atomic absorption spectrometry, *Talanta*, vol. 48, pp. 1051–1060.

Goodall, P., Foulkes, M.E. and Ebdon L. (1993), Slurry nebulization inductively coupled plasma spectrometry – the fundamental parameters discussed, *Spectrochimica Acta*, vol. 48b, no. 13, pp. 1563–1577.

Goodfellow, J., (2003), ICP-OES, In: www.shef.ac.uk/~suwic/cem_icp_oes.htm

Gowing, C.J.B. and Potts, P.J. (1991), Evaluation of a rapid technique for the determination of precious metals in geological samples based on a selective aqua regia leach, *Analyst (London)*, vol. 116, pp. 773–779.

Gray, A.L., and Williams, J.G. (1987), Oxide and doubly charged ion response of a commercial inductively coupled plasma mass spectrometry instrument, *Journal of Analytical Spectrometry*, vol. 2, pp. 81-82.

Gregoire, D.C. (1988), Determination of Pt, Pd, Ru and Ir in geological materials by ICP-MS with sample introduction by electrothermal vaporization, *Journal of Analytical Atomic Spectrometry*, vol. 3, 1988, pp. 309-314.

Güryelük, H., Tyson J.F. and Usen P.T. (2002), Determination of extractable arsenic in soils using slurry sampling-on-line microwave extraction – hydride - generation atomic absorption spectrometry, *Spectrochimica Acta Part B: Atomic Spectroscopy*, vol. 55, pp. 935–942.

Halicz, L. and Brenner, I.B. (1995), Nebulization of slurries and suspensions of geological materials for inductively coupled plasma-atomic emission spectrometry, *Spectrochimica Acta*, vol. 42B, pp. 207-217.

Hartley, F.R. (Ed) (1991), Chemistry of Platinum Group Metals, *Elsevier*, Amsterdam.

Hauptkorn, S. and Krivian, V. (1996), Solution and slurry sampling electrothermal atomic absorption spectrometry for the analysis of high purity quartz, *Spectrochimica Acta Part B: Atomic Spectroscopy*, vol. 51, issue 9-10, pp. 1197–1210.

Hoffman, E.L. and Dunn, B. (1999), The geology, geochemistry, mineralogy and mineral beneficiation of platinum group elements, Canadian Institute of Mining and Metallurgy, special edition, vol. 54.

Howard A.G. and Statham P.J., (1993), Inorganic trace analysis: philosophy and practice, John Willey and Sons, West Sussex, England, pp. 67-70.

Hulbert, L. (2001), Genetic models and implications for PGE exploration, *Act. labs.*, short course presentation.

Hyun, J.H., Lim, H.B. and Lim, C.H. (1997), Application of slurry sample introduction to a low-power inductively coupled plasma atomic emission spectrometer incorporating a mini-torch, *Analytica Chimica Acta*, vol. 342, issue 1, pp. 83–89.

Jackson, S.E., Fryer, B.J., Gosse, W., Healey, D.C., Longerich, H.P. and Strong, D.F. (1990), Determination of the precious metals in geological materials by inductively coupled plasma-mass spectrometry (ICP-MS) with nickel sulfide fire-assay collection and tellurium co-precipitation, In: Potts P.J., Dupuy C. and Bowles J.F.W. (Guest-Editor), Microanalytical methods in mineralogy and geochemistry, *Chemical geology*, vol. 83, special issue, pp. 119-132.

Jarvis, I. (1992), Sampling preparation for ICP-MS, In: Jarvis K.E., Gray A.L. and Houk R.S., *Handbook of Inductively Coupled Plasma Mass Spectrometry*, Blackie, Glasgow, pp. 172-224.

Jarvis, I. and Jarvis, K.E. (1992), Plasma spectrometry in the earth sciences: techniques, applications and future trends. In: Jarvis, I. and Jarvis K.E. (Guest-Editors), Plasma spectrometry in the earth sciences, *Chemical Geology*, vol. 95, pp.1-33.

Jarvis, K.E. (1992), Role of slurry nebulization for the analysis of geological samples by inductively coupled plasma mass spectroscopy, In: Jarvis, I. and Jarvis, K.E. (Guest-editors), Plasma spectrometry in the earth sciences, *Chemical Geology*, vol. 95, special issue, pp. 73-84.

Jarvis, K.E. and Williams, J.G. (1989), The analysis of geological samples by slurry nebulization inductively coupled plasma-mass spectroscopy (ICP-MS), *Chemical Geology*, vol. 77, pp. 53-63.

Juvonen, R., Kallio, E. and Lakomaa, T. (1994), Determination of precious metals in rocks by inductively coupled plasma mass spectrometry using nickel sulfide concentration, comparison with other pretreatment methods, *Analyst (Cambridge, United Kingdom)*, vol. 119, no. 4, pp 617-621.

Kalnicky, D.J., Kniseley, R.N. and Fassel, V.A. (1975), Inductively coupled plasma – optical emission spectroscopy – excitation temperatures experienced by analyte species, *Spectrochimica Acta*, vol. 30B, pp. 511-525.

Kamogawa, M.Y., Nogueira, A.R.A., Costa, L.M., Garcia, E.E. and Nobrega, J.A. (2001), A new strategy for preparation of hair slurries using cryogenic grinding and water-soluble tertiary-amines medium, *Spectrochimica Acta Part B: Atomic Spectroscopy*, vol. 56, issue. 10, pp. 1973-1980.

Kamogawa, M.Y., Rita, A., Nogueira, A., Letícia, M., Costa, L. M., Garcia, E. E. and Nóbrega, J. A. (2001), A new strategy for preparation of hair slurries using cryogenic grinding and water-soluble tertiary-amines medium, *Spectrochimica Acta Part B: Atomic Spectroscopy*, vol. 56, issue 10, pp. 1973–1980.

Keppler, B.K. (1993), Metal complexes in cancer chemotherapy, VCH, Weinheim.

Kin, C.N., Zerezghi, M. and Caruso, J.A. (1984), Direct powder injection of NBS coal fly ash in inductively coupled plasma atomic emission spectrometry with rapid scanning spectrometric detection, *Analytica Chimica*, vol. 56, pp. 417–421.

Langmyhr, F.J. (1978), Approaches to direct analysis of solid samples, *Analyst*, vol. 104, pp. 1244.

Levasseur-Thériault, G., Reber, C., Aronica C. and Luneau, D. (2006), Large Pressure-Induced Red Shift of the Luminescence Band Originating from Non-stacked Square-Planar $[\text{Pt}(\text{SCN})_4]^{2-}$ in a Novel Trimetallic Complex, *Inorganic Chemistry*, vol. 45(6) pp 2379 - 2381; (Communication) DOI: [10.1021/ic051836b](https://doi.org/10.1021/ic051836b)

Liao, H.C. and Jiangu, S.J. (1999), Determination of cadmium, mercury and lead in coal fly ash by ultrasonic slurry sampling electrothermal vaporization isotope dilution inductively coupled plasma mass spectrometry (USS-ETV-ID-ICP-MS) *Spectrochimica Acta Part B: Atomic Spectroscopy*, vol. 54, pp. 1233–1242.

Lopez-Garcia, I., Arnau-Jerez, I., Campillo, N. and Hernandez-Cordoba, M. (2004), Determination of tin and titanium in soils, sediments and sludges using electrothermal atomic absorption spectrometry with slurry sample introduction *Talanta*, vol. 62, issue 2, pp. 413-419.

Lopez-Garcia, I., Campillo, N., Arnau-Jerez, I. and Hernandez-Cordoba, M. (2003), Slurry sampling for the determination of silver and gold in soils and sediments using electrothermal atomic absorption spectrometry, *Spectrochimica Acta Part B: Atomic Spectroscopy*, vol. 58, issue 9, pp. 1715–1721.

López-García, I., Sánchez-Merlos, M., Hernández-Córdoba, M. (1997), Arsenic and antimony determination in soils and sediments by graphite furnace atomic absorption spectrometry with slurry sampling, *Spectrochimica Acta Part B: Atomic Spectroscopy*, vol. 52, issue 4, pp. 437–443.

López-García, I., Sánchez-Merlos, M. and Hernández-Córdoba, M. (1997), Determination of mercury in soils and sediments by graphite furnace atomic absorption spectrometry with slurry sampling, *Spectrochimica Acta Part B: Atomic Spectroscopy*, vol. 52, issue 14, pp. 2085-2092.

López-García, I., Sánchez-Merlos, M. and Hernández-Córdoba, M. (1996), Slurry sampling for the determination of lead, cadmium and thallium in soils and sediments by electrothermal atomic absorption spectrometry with fast-heating programs, *Analytica Chimica Acta*, vol. 328, issue 1, pp. 19–25.

Lu, H.H. and Jiang, S.J. (2001), Organic acids as the modifier to determine Zn, Cd, Tl and Pb in soil by slurry sampling electrothermal vaporization inductively-coupled plasma mass spectrometry, *Analytica Chimica Acta*, vol. 429, issue 2, pp. 247-255.

Ludke, C., Hoffmann, E., Skole, J. and Artelt, S. (1996), Particle analysis of car exhaust by ETV-ICPMS, Fresenius', *Journal of Analytical Chemistry*, vol. 355, pp. 261-263.

Lustig, S., Zang, B., Michalke, B., Schramel, P. and Beck, W. (1997), Fresenius', *Journal of Analytical Chemistry*, vol. 357, pp. 1157.

Maitlis, P.M., Russell, M.J.H. and Espinet, P. (1982), Comprehensive organometallic chemistry, pergamon press, Oxford, Chapters 38.1-38.9 (Palladium), Chapter 39 (Platinum).

Marco, P., Hernandez, L.M., Caraballo, E.A., Pascusso, C. and Alvarado, J. (2003), Determination of manganese in brain samples by slurry sampling graphite furnace atomic absorption spectrometry, *Talanta*, vol. 59, issue 5, pp. 897–904.

Marjanovic, L., McCrindle, R.I., Barend, M., Botha, M.B. and Potgieter, H.J. (2004), Use of a simplified generalized standard additions method for the analysis of cement, gypsum and basic slag by slurry nebulization ICP-OES, *Bioanalytical Chemistry*, vol. 379, pp. 104–107.

Matusiewicz, H. and Golik, B. (2004), Simultaneous determination of macro and trace elements in biological reference materials by microwave induced plasma optical emission spectrometry with slurry sample introduction, *Spectrochimica Acta, Part B: Atomic Spectroscopy*, vol. 59, pp. 749–754.

McKinstry, P.J., Indyk, H.E. and Kim, N.D. (1999), The determination of major and minor elements in milk and infant formula by slurry nebulisation and inductively coupled plasma-optical emission spectrometry (ICP-OES), *Food Chemistry*, vol. 65, pp. 245–252.

Merten, D., Heitland, P. and Broekaert, J.A.C., Modelling of the evaporation behaviour of particulate material for slurry nebulization inductively coupled plasma atomic emission spectrometry, *Spectrochimica Acta Part B: Atomic Spectroscopy*, vol. 52, issue 13, pp. 1905–1922.

Meyer, G.A. and Barnes, M.R. (1985), Analytical inductively coupled nitrogen and air plasmas, *Spectrochimica Acta*, vol. 40B, pp. 893-905.

Michaud, E. and Meemet, J.M. (1982), Iron spectrum in the 200 – 300 nm range emitted by an inductively coupled argon plasma, *Spectrochimica Acta*, vol. 37B, pp. 145-164.

Mierzwa J., Sun, Y.C., Chung, Y.T. and Yang, M.H. (1998), Comparative determination of Ba, Cu, Fe, Pb and Zn in tea leaves by slurry sampling electrothermal atomic absorption and liquid sampling inductively coupled plasma atomic emission spectrometry, *Talanta*, vol. 47, pp. 1263–1270.

Miller-Ihli, N. J. (1995), Slurry sampling graphite furnace atomic absorption spectrometry: a preliminary examination of results from an international collaborative study, *Spectrochimica Acta Part B: Atomic Spectroscopy*, vol. 50, issue 4-7, pp. 477–488.

Miller-Ihli, N.J. (1997), Ultrasonic slurry sampling graphite furnace atomic absorption spectrometry: analytical considerations for analysis of a high density glass material, *Spectrochimica Acta Part B: Atomic Spectroscopy*, vol. 52, issue 4, pp. 431–436.

Ming-Jyh, L.; Shiuh-Jen, J. and Yi-Ching, L. (1997), Determination of mercury in fish samples by slurry sampling electrothermal vaporization inductively coupled plasma mass spectrometry, *Spectrochimica Acta Part B: Atomic Spectroscopy*, vol. 52, issue 6, index 2, pp. 779–785.

Mitchel, R.H and Keays, R.R. (1987), Abundance and distribution of gold, palladium and indium in some spinel and garnet hercynites: implications for the nature and origin of precious metal-rich inter-granular components in the upper mantle, *Geochimica Cosmochimica Acta*, vol. 45, pp. 2425-2442.

Mochizuki, T., Sakashita, A., Iwata, H., Ishibashi, Y. and Gunji, N. (1989), Slurry nebulization technique for direct determination of rare earth elements in silicate rocks by inductively coupled plasma mass spectrometry, *Anal. Sci.*, vol. 5, pp. 311-317.

Mokgalaka, N.S, McCrindle, R.I., Botha, M.B. and Marjanovic, L. (2001), Internal standard method for the determination of Au and some platinum group metals using inductively coupled plasma optical emission spectrometry, *South African Journal of Chemistry*, vol. 55, pp. 72–86.

Mokgalaka, N.S, Wondimu, T. and McCrindle, .I.R. (2004), Reductive separation and slurry nebulization of converter matte for ICP-OES analysis of some platinum group metals and gold, *Journal of Analytical Atomic Spectrometry*, vol.19, no. 11, 1493–1497.

Montaser, A. (1992), "Assessment of the potentials and limitations of plasma sources compared to ICP discharges for analytical spectrometry", In: Montaser, A. and Golightly, D.W., Inductively coupled plasmas in analytical atomic spectrometry, 2nd edition, VCH, New York.

Montaser, A. (1997), Inductively coupled plasma mass spectrometry, Wiley-VCH, Washington D.C.

Montaser, A., McLean, J. A. and Liu, H. (1998), Inductively coupled mass spectroscopy, Wiley-VCH, Inc.

Moreda-Pineiro, J., Lopez-Maha, P., Muniategui-Lorenzo, S., Fernandez-Fernandez, E. and Prada-Rodriguez, D. (2002), Direct mercury determination in aqueous slurries of environmental and biological samples by cold vapour generation-electrothermal atomic absorption spectrometry, *Analytica Chimica Acta*, vol. 460, issue. 1, pp. 111-122.

Myers, S.A. and Tracy, D.H. (1983), *Spectrochimica Acta*, part B, vol. 33, pp. 1227.

Noorbasha, N. M. and Sunil, J. K. (1999), Slurry - sampling with rapid atomization verses microwave digestion with conventional atomization for determination of copper, manganese and nickel in an algae matrix using transverse heated–electrothermal atomic absorption spectrometry, *Analytica Chimica Acta*, vol. 404, pp. 295-302.

Nygaard, D.D. and Leighty, D.A. (1985), Inductively coupled plasma emission lines in the vacuum ultraviolet, *Applied Spectroscopy*, vol. 39, pp. 968-976.

Parent, M., Vanhoe, H., Moens, L. and Dams, R (1997), *Talanta*, vol.44, pp.221.

Perry, B.J., Barefoot, R.R. and Van Loon, J.C. (1995), Trace analytical chemistry, vol.14, pp. 388.

Parsons, M.L., Forster, A. and Anderson, D. (1980), An atlas of spectral interferences in ICP spectroscopy, Plenum, New York, N.Y., pp. 654.

Phelps, F.M. (1982), MIT wavelength tables, wavelength by element. Massachusetts Institute of Technology Press, vol. 2, Cambridge, pp. 810.

Ploetgaerts, G., Baerten, H. and Hoenig, M. (1997), Introduction of solid environmental samples as slurry into inductively coupled plasma-emission spectrometry: an alternative for routine analyses? *Analysis*, vol. 25, issue 9 - 10, pp. 336–340.

Potts, P.J. (1987), A handbook of silicate rock analysis, Blackie, London, pp. 622.

Poussel, E. and Mermet, J.M. (1995), Simultaneous measurements of signal and background in inductively coupled plasma atomic emission spectrometry: effects on precision, limit of detection and limit of quantitation, *Spectrochimica Acta: Part B*, vol. 51, pp. 75–85.

Raeymaekers, B., Graule, T., Broekkaert, J.A.C., Adams, F. and Tschopel, P. (1988), *Spectrochimica Acta*, vol. 43B, pp. 923.

Ramsey, M.H. and Coles, B.J. (1992), Strategies of multi-element calibration for maximizing the accuracy of geochemical analysis by inductively coupled plasma – atomic emission spectrometry, In: Jarvis I. and Jarvis K.E., Plasma spectrometry in the earth Sciences, *Chemical Geology*, vol. 95, pp. 99–112.

Reddi, G.S. and Rao, C.R.M. (1999), *Analyst (London)*, vol. 124, pp. 1531.

Renfrow, M.B., Riley Jr., J.M. and Riley, J.T. (1997), Inductively coupled plasma-atomic emission spectrometric analysis of aqueous slurries of solids *Microchemical Journal*, vol. 56, issue 1, pp. 30-39.

Ribeiro, A.S., Vieira, M.A. and Curtius, A.J. (2004), Determination of hydride forming elements (As, Sb, Se, Sn) and Hg in environmental reference materials as acid slurries by on-line hydride generation inductively coupled plasma mass spectrometry, *Spectrochimica Acta Part B: Atomic Spectroscopy*, vol. 59, issue 2, pp. 243-253.

Romero, X., Poussel, E and Mermet, J.M. (1997), *Spectrochimica Acta, part B*, vol. 52, pp. 487.

Saba, C.S., Rhine, W.E. and Eisentraut, K.J. (1981), *Analytical Chemistry*, vol. 53, pp. 1099.

Salin, E.D. and Horlick, G. (1980), *Analytical Chemistry*, vol. 52, pp. 1578, In: Ebdon, L. and Collier, A.R. (1988a), Direct atomic spectrometric analysis by slurry atomization, Part 5, Analysis of kaolin using inductively coupled plasma atomic emission spectrometry, *Journal of Analytical Atomic Spectrometry*, vol. 3, pp.557-561.

Schäffer, U. and Krivan, V. (1996), Slurry sampling electrothermal atomic absorption spectrometry for the analysis of graphite powders, *Spectrochimica Acta Part B: Atomic Spectroscopy*, vol. 51, issue 9 - 10, pp. 1211–1222.

Schneider, G. and Krivan, V. (1995), Slurry and liquid sampling using electrothermal atomic absorption spectrometry for the analysis of zirconium dioxide based materials, *Spectrochimica Acta Part B: Atomic Spectroscopy*, vol. 50, issue 13, pp. 1557–1571.

Schwedt, G. (1997), Essential guide to analytical chemistry, John Wiley and Sons, England, 96-199.

Scoates, R.F.J. and Eckstrand, O.R. (1986), Platinum-group elements in the upper central layered zone of the Fox River sill, Northeastern Manitoba, *Economic Geology*, vol. 81, pp. 1137-1146.

Skoog, D. A., West, D. M. and Holler, F. J. (1992), Fundamentals of Analytical Chemistry, 6th edition, Saunders College Publishing, New York, Chapter 19.

Sen Gupta, J.G. and Gregoire, D.C. (1992), Determination of ruthenium, palladium and iridium in 27 international reference silicates and iron formation rocks, ores and related materials by isotope dilution inductively coupled plasma-mass spectrometry, *Geostand. Newsletter*, vol. 13, pp. 197-204.

Silva, C.S., Blanco, T. and Nobrega, J.A. (2002), Analysis of cement slurries by inductively coupled plasma optical emission spectrometry with axial viewing, *Spectrochimica Acta Part B: Atomic Spectroscopy*, vol. 57, issue 1, pp. 29-33.

Starn, T.K. and Hieftje, G.M. (1992), Acoustically driven device for introducing solid samples into inductively coupled plasma, *Applied Spectroscopy*, vol. 46, pp. 1454-1459.

Talkington, R.W. and Watkinson, D.H. (1986), Whole rock platinum-group element trends in chromite-rich rocks in ophiolitic and stratiform igneous complexes, In: Gallager M.J., Ixer R.A. and Neary C.R., *Metallogeny of basic and ultrabasic rocks*, *Inst. Min. Metall.*, pp. 427-440.

Tianyou, P., Gang, C., Xiaohai, S., Zucheng, J. and Bin, H. (2001), Electrothermal vaporization-inductively coupled plasma-atomic emission spectrometry for the direct determination of trace amounts of impurities in slurries of silicon carbide, *Analytica Chimica Acta*, vol. 433, no. 2, pp. 255-262.

Totland, M., Jarvis, I., and Jarvis, K.E. (1992), An assessment of dissolution techniques for the analysis of geological samples by plasma spectroscopy, In: Jarvis, I. and Jarvis K.E., *Plasma spectrometry in the earth sciences*, *Chemical Geology*, vol. 95, special issue, pp. 35-62.

Totland, M., Jarvis, I. and Jarvis, K.E. (1993), Determination of the platinum group elements and gold in solid samples by slurry nebulization ICP-MS, *Chemical Geology*, vol. 104, no.1 - 4, pp. 103-108.

Tyler, G. and Horiba, J. Y. (2000), Inductively coupled plasma optical emission spectroscopy. In: http://icp-oes.com/rf_generators.htm

Van Borm, W.A.H., Broekaert, J.A.C., Klockenkamper, R., Tschopel, P. and Adams, F. C. (1991), *Spectrochimica. Acta*, vol. 46B, pp. 1033.

Van Loon, J.C. and Barefoot, R.R. (1991), Determination of the precious metals-selected instrumental methods, Wiley, Chichester, pp. 276.

Varga, I., Csempesz, F. and Záray, G. (1996), Effect of pH of aqueous ceramic suspensions on colloidal stability and precision of analytical measurements using slurry nebulization inductively coupled plasma atomic emission spectrometry, *Spectrochimica Acta Part B: Atomic Spectroscopy*, vol. 51, issue 2, pp. 253–259.

Verbeek, A.A. and Brenner, I.B. (1989), Slurry nebulization of geological materials into argon, argon-nitrogen and argon-oxygen inductively coupled plasmas, *Journal of Analytical Atomic Spectrometry*, vol. 4, pp. 23-26.

Verway, E.J.W. and Overbeek, J. Th.G. (1948) Theory of the Stability of Lyophobic Colloids, Elsevier, Amsterdam.

Vieira, M.A., Ribeiro, A.S., Adilson, J. and Curtius, A.J. (2004), Slurry sampling of sediments and coal for determination of Sn by hydride generation graphite furnace electro-thermal atomic absorption spectrometry (HG-GF-ETAAS) with retention in the graphite tube treated with Th or W as permanent modifiers, *Analytica Chimica*, vol. 58, pp. 3126.

Vieira, M.A., Welz, B. and Curtius, A.J. (2002), Determination of arsenic in sediments, coal and fly ash slurries after ultrasonic treatment by hydride generation atomic absorption spectrometry and trapping in an iridium-treated graphite tube, *Spectrochimica Acta Part B: Atomic Spectroscopy*, vol. 57, issue 12, pp. 2057-2067.

Vinas P., Pardo-Martínez, M. and Hernández-Córdoba, M. (1995), Slurry-ETAAS determination of aluminium and chromium in vegetables using hydrogen peroxide as a matrix modifier.

Viñas, P., Pardo-Martínez, M. and Hernández-Córdoba, M. (2000), Rapid determination of selenium, lead and cadmium in baby food samples using electrothermal atomic absorption spectrometry and slurry atomization, *Analytica Chimica Acta*, vol. 412, pp. 121–130.

Walsh, J.N. (1992), Use of multiple internal standards for high-precision, routine analysis of geological samples by inductively coupled plasma – atomic emission spectrometry, In: Jarvis, I. and Jarvis K.E., Plasma spectrometry in the earth sciences, *Chemical Geology*, vol. 95, pp. 113–121.

Wagner, B., Slawmir, G., Ewa, B. and Adam, H. (1999), Determination of iron and copper in old manuscript by slurry sampling graphite furnace atomic absorption spectrometry (GFAAS) and laser ablation inductively coupled plasma mass spectrometry (LA ICP-MS), *Spectrochimica Acta, Part B: Atomic Spectroscopy*, vol. 54, pp. 797-804.

Wen-Kang C., Cheng C.Y., Bai-Luh W., Chao-Chin H., Jya-Jyun, Y., Chien C. and Sheng-Chu, K. (1997), Direct determination of selenium in serum by electrothermal atomic absorption spectrometry using automated ultrasonic slurry sampling, *Spectrochimica Acta Part B: Atomic Spectroscopy*, vol. 53, pp. 131-138.

Williams, J.G., Gray, A.L., Norman, P. and Ebdon, L. (1987), Feasibility of solid sample introduction by slurry nebulisation for inductively coupled plasma mass spectrometry, *Journal of Analytical Atomic Spectrometry*, vol. 2, pp. 469-472.

Winge, R.K., Fassel, V.A., Peterson, V.J. and Floyd, M.A. (1985), Inductively coupled plasma – atomic emission spectroscopy – an atlas of spectral information, Elsevier, Amsterdam, pp. 584.

Wohlers, C.C. (1985), Experimentally obtained wavelength tables for the ICP, *ICP Information Newsletter*, vol. 10, pp. 593-688.

Yi-Ching, L. and Shiu-Jen, J. (1998), Determination of Cu, Zn, Cd and Pb in fish samples by slurry sampling electrothermal vaporization inductively coupled plasma mass spectrometry, *Analytica Chimica Acta*, vol. 359, issue 1-2, pp. 205–212.

Yi-Ching, L., Shiu-Jen J. and Shu-Feng C. (1998), Determination of Ge, As, Se, Cd and Pb in plant materials by slurry sampling electrothermal vaporization inductively coupled plasma-mass spectrometry, *Analytica Chimica Acta*, vol. 372, pp. 365–372.

Zerezghi, K.C.N.M. and Caruso, J. (1984), Direct powder injection of NBS coal fly ash in inductively coupled plasma atomic emission spectrometry with rapid scanning spectrometric detection, *Analytica. Chimica*, vol. 56, pp. 417–421.