

BIBLIOGRAPHY

- 1) A.Frati, M.Salvate et al. Inflammation markers and risk factors for recurrence in 35 patients with a post traumatic CSDH a prospective study. J neurosurg 100:24 – 32, 2004.
- 2) Alexander, E jr. CSDH in children. In: Apuzzo MLJ ed Brain surgery. Volume 2; 1993: 1315 – 1321.
- 3) Aoki N: A new therapeutic method for CSDH in adult: replacement of the haematoma with oxygen via percutaneous subdural tapping. Neurosurgery 1992; 38: 253 –6.
- 4) B.Jennett, M.Bond: Assessment of outcome after severe brain damage. The Lancet, March 1,1975.
- 5) Black DW:Mental changes resulting from subdural haematoma. Br J Psychiatry 145:200,1984.
- 6) Camel M, Grubb RL: Treatment of CSDH by twist drill craniotomy with ontinuous catheter drainage. J neurosurg 65: 183 – 187, 1986.
- 7) Diamond T, Chee CP, et al: subdural haematoma associated with long term oral anticoagulation. Br J Neurosurgery 2(3): 351 – 355,1998.
- 8) Drapkin AJ: Endoscopy for CSDH. Surg neurol 1997; 48:427
- 9) Elie M,Primeau F,Cole MG:Chronic subdural haematoma in the elderly. A case report. J Geriatr Psychiatry Neurol 9:100, 1996.
- 10) Ernestus RI, Beldzinski P, et al: CSDH: Surgical treatment and outcome in 104 patients. Surg Neurol 48:220 – 222; 1997.
- 11) Fogelholm R, Walimo O: Epidemiology of chronic subdural haematoma. Acta Neurochir (Wien) 32:247-250,1975.
- 12) Fukui.s: Evaluation of surgical treatment of chronic subdural haematoma in extremely aged patients: No To Shinkaei.45 (5): 449-53,May 1993.
- 13) Gelabert-Gonzalez M et al: CSDH in patients over 80 years of age. Neurocirugia. 12 (4): 325-30,Aug 2001.

- 14) Hamilton M, Frizell B, Tranmer B: CSDH: The role of craniotomy re-evaluated.
Neurosurgery 33:67 – 72, 1993.
- 15) Hellwig N, Kuhn TJ, et al: Endoscopic treatment of septated CSDH. surg.neurol
1996; 45:272 – 7.
- 16) H.Murakami; et al: Why do CSDH continue to grow slowly and not coagulate?
Role of thrombomodulin in the mechanism. J Neurosurg 96: 877 – 884,2002.
- 17) Ito H, Yamamoto S, Komai T, et al: Role of local hyperfibrinolysin in the etiology of
CSDH J. Neurosurg 45: 26- 31,1976.
- 18) Ito H,Komai T, Yamamoto S: Fibrinolytic enzyme in the lining walls of CSDH. J
neurosurg 48:197,1978.
- 19) Kulkarni T, Tanimoto T, et al: coagulopathy in CSDH.. Neurol Med chir 31: 32 –
36,1991.
- 20) Kawamata T, Takeshita.M, et.al: management of intracranial haemorrhage associated
with anticoagulant therapy. Surg Neurol 44:438 – 443,1995.
- 21) Kitakami p. et al: carbon dioxide gas replacement of CSDH using single burr hole
irrigation. Surg Neurol 43:574 – 2,1995.
- 22) Kotwica Z, Brzezinski J: CSDH treated by burr hole and closed drainage system:
personal experience in 131 patients. Br J Neurosurg 5:461 – 465,1991.
- 23) Kotwica Z,Polis L: The association of arteriovenous malformation, aneurysm and
CSDH.Zentralbl neurochir 47:158-160,1986.
- 24) Kudo H,Kuwamura K,Izawa I:Chronic subdural haematoma in elderly people: Present
status on Awaji Island and epidemiological prospect. Neurol Med Chir 32:207-209,
1992.
- 25) Mattle H, Kohler S, et al: anticoagulation related intracranial extra cerebral haemorrhage.
J Neurol Neurosurgery psychiatry 52: 829 – 837,1989.
- 26) Markwalder TM: chronic subdural haematoma: a review. J Neurosurg

- 54: 637-645,1981.
- 27) Markwalder TM, Seiler RW: CSDH: To drain or not to drain. Neurosurgery. 16:185,1995.
- 28) Markwalder TM, Steinsiepe KF, et al: The course of CSDH after burr hole craniotomy and closed drainage system. J. Neurosurg 55:390 – 96,1989.
- 29) MC Kenzie CR, Rengachary SS et al: Subdural haematoma associated with metastatic neoplasm. Neurosurgery 27:619-625,1990.
- 30) MC Kisson W, Richardson A, Blooms WH: subdural hematoma. A review of 389 cases. Lancet: 1:1365 – 1369,1960.
- 31) Melamed E, Levy S et al: Chronic subdural haematoma simulating cerebral Ischemic attacks, J neurosurg 42:101-103,1975.
- 32) Munk PL et al: Middle fossa arachnoid cyst and subdural haematoma: CT studies. J Comput Assist Tomogr 12:1073-1075,1988.
- 33) Naganuma H, Fukamachi A et al: Spontaneous resolution of CSDH. Neurosurgery 19 (5): 794-798,1986.
- 34) Nakaguchi H, Tanishima T, Yoshimasu N: Factors in the natural history of CSDH that influence their post operative recurrence J. Neurosurgery 95:256 – 262,2001.
- 35) Robinson RG: CSDH. Surgical management in 133 patients. J Neurosurgery 61:238 – 342,1984.
- 36) Rozzelle CJ, Wofford JL, Branch CL: Predictors of hospital mortality in older patients with chronic subdural haematoma JAM Geriatr Soc 43:240 – 244,1995.
- 37) Rychlicki F, Recchioni MA et al: Percutaneous twist drill craniostomy for the treatment of CSDH Acta Neurochir (Wien)139:818-826, 1991.
- 38) Sambasivan M: An overview of CSDH: Experience with 2300 cases. Surg Neurol 47 418 – 422,1997.
- 39) Suzuki K, Endo S, et al: Inflammatory cytokines locally elevated in CSDH. Acta Neurochir

140:51 – 55, 1998.

- 40) Suzuki M, Kudo A, et al: Local hypercoagulation activity precedes hyperfibrinolytic activity in the subdural space during development of CSDH from subdural effusion. *Acta Neurochir* 140:261 – 266, 1998.
- 41) Suzuki J, Takau A: Nonsurgical treatment of CSDH. *J Neurosurg* 33:549-553, 1970
- 42) Tabaddor K, Shulman K: Definitive treatment of CSDH by twist drill craniotomy and closed drainage. *J Neurosurgery* 46:220 – 226, 1977.
- 43) Thomas LN, Gurdjian ES: Intracranial haematomas of traumatic origin. In: Youmans, ed. *Neurological surgery* 2. Philadelphia: Saunders, 960-968, 1973.
- 44) Tinetti ME, Speechley M, Ginter SF: Risk factor for fall among elderly person living in the community. *N Eng J Med* 319: 1701 – 1707, 1988.
- 45) Van Havenberg T, Van Cabubergh, et al : Outcome of CSDH: Analysis of prognostic factors. *Br J. Neurosurgery* 10: 35 – 39, 1996.
- 46) Vaguero J, Zurita M, Cinur R: Vascular endothelial growth – permeability factor in granulation tissue of CSDH. *Acta Neurochir* 144:343 – 347, 2002
- 47) Virchow R: Das Hamaton der dura mater, *Verh phys Med Ges courzburg* 7:134 – 142, 1857.
- 48) Wakai S, Hashimoto k, Watanabe, et al: Efficacy of closed drainage in treating CSDH: A prospective comparison study. *J Neurosurgery* 26:771, 1990.
- 49) Wint Zew AR, De Jonge H, et al: The risk of intracerebral haemorrhage during oral anticoagulant treatment: A population based. *Surgery Ann Neurol* 16:553 – 558, 1984
- 50) Yoshimoto T, Kwaks: Frontal small craniotomy and irrigation for treatment of CSDH. *Br J Neurosurg* 11:150 – 151, 1997.