



Appendix 1e: Hand specimen photographs of the samples from the Eyreville B drill core collected by R.L. Gibson.



Sample RG7, Exmore Breccia, 1393.13 m. A) front view, B) back view.

A



B



Sample RG8, Exmore Breccia, 1393.69 m. A) front view, B) back view.



Sample RG9, Exmore Breccia, 1395.13 m. A) front view, B) back view.

A



B




Sample RG10, Exmore Breccia, 1395.39 m. A) front view, B) back view.

A



B



Sample RG11, Exmore Breccia, 1396.03 m. A) front view, B) back view.

A




B



Sample RG12, Suevite, 1397.51 m. A) front view, B) back view

A



B




Sample RG13, Suevite, 1398.21 m. A) front view, B) back view.

A



50 mm

B



50 mm

Sample RG14, Impact melt rock, 1403.99 m. A) front view, B) back view.

A



B




Sample RG15, Impact melt rock, 1405.25 m. A) front view, B) back view.

A




B




Sample RG16, Suevite, 1408.39 m. A) front view, B) back view.

A



50 mm

B




50 mm

Sample RG16a, Suevite, 1409.73 m. A) front view, B) back view.

A



B



Sample RG17, Suevite, 1410.37 m. A) front view, B) back view.