

https://dspace.org/

A palynological investigation of the offshore Cretaceous sequence on the south-west coast of South Africa

Sandersen, Andrea

2008-09-19T11:33:47Z
http://hdl.handle.net/10539/5685

Downloaded from a DSpace repository. https://dspace.org/

REFERENCES CITED

ABEL MOHSEN, S., 1986. Albian microflora from the Nubia Sandstone east of Aswan, Egypt. *Neues Jahrbuch fur Geologie und Palaontologie,* Vol. 6, p. 321 – 332.

ABELMALIK, W.A., ABOUL ELA, N. M. & EL SHAMAA. A.G., 1981. Upper Jurassic – Lower Cretaceous microflora from the North-Western Desert, Egypt. *Neues Jahrbuch fur Geologie und Palaontologie,* Vol.162, p. 244 – 263.

ABOUL ELA, N.M., 1978. The Palynological characteristics of the Upper Cretaceous sediments in Abu Tartur Plateau, Kharga Oasis, Egypt. *Revista Espanola de Micropaleontologia,* Vol. X, No. 3, p. 421 – 442.

ABOULA ELA, N.M. & MABROUK, B., 1978. Palynological studies on some Nubia Sandstone samples in Ed-Dueim Area, Sudan. *Revista Espanola de Micropaleontologia,* Vol. X, No. 3, p. 395 – 406.

AGARDH, C.A., 1824. Systema algarum. *Lunds University Årsskrifte, N.F,* p. 1 – 312. (Reprinted in 1965 by Edito Anastatica, Amsterdam, A. Asher & Co.).

AGRANOVSKAJA, A., 1960. In: I.M., Pokroskaja and N.K., Stel'mak (eds), 1964. Atlas of the Lower Cretaceous spore-pollen complexes of certain regions of the U.S.S.R. *Trudy Geologicheskogo Instituta, Akademiia, Nauk S.S.S.R,* Vol. 124, p. 116.

ARBER, E.A.N., 1917. The Earlier Mesozoic Flora of New Zealand. *New Zealand Geological Survey Bulletin,* No. 6, p. 1 – 80.

ARCHANGELSKY, D.B., 1966. Stellate sculpture of the exine of pollen grains. In: M.I. Neyshadt (Ed.), The significance of palynological analysis for stratigraphy and paleofloristics. *Nauka*, Moscow. P. 22 – 26.

ARCHANGELSKY, S., 1977. *Balmeiopsis,* nuevo nombre generico para el palinomorfo *Inapertoropollenites limbatus* Balme, 1957. *Ameghiniana,* Vol. 14, p. 122 – 126.

ARCHANGELSKY, S. & GAMERRO, J.C., 1966a. Estudio palinológico de la Formación Baqueró (Cretácico), provincia de Santa Cruz, II. *Ameghiniana,* Vol. 4, No. 6, p. 201 – 209.

ARCHANGELSKY, S. & GAMERRO, J.C., 1966b. Estudio palinológico de la Formación Baqueró (Cretácico), provincia de Santa Cruz, IV. *Ameghiniana,* Vol. 4, No. 10, p. 363 – 370.

ARCHANGELSKY, S. & GAMERRO, J.C. 1967. Pollen grains found in coniferous cones from the Lower Cretaceous of Patagonia (Argentina). *Review of Palaeobotany and Palynology,* Vol. 5, p. 179 – 182.

ARTHUR, M.A. & NATLAND, J.H., 1979. Carbonaceous sediments in the North and South Atlantic: the role of salinity in stable stratification of Early Cretaceous Basins. In: M. Telwani, W. Hay and W.B.F. Rayan (eds.), *Deep Drilling Results in the Atlantic Ocean: Continental Margins and Palaeoenvironments,* Maurice Ewing Series 3, Washington, D.C, American Geophysical Union, p. 375 – 401.

ASKIN, R.A., ELLIOT, D.H., STILWELL, J.D. & ZINSMEISTER, W. J., 1991. Stratigraphy and palaeontology of Campanian and Eocene sediments, Cockburn Island, Antarctic Peninsula. *Journal of South African Earth Sciences,* Vol. 4, No. 1 & 2, p. 99 - 117.

AUSTIN, J.A & UCHUPI, E., 1982. Continental – oceanic crust transition off south-west Africa. *American Association of Petroleum Geologists Bulletin,* Vol. 66, p. 1328 – 1347.

BAKER. G. & COOKSON, I.C. 1955. Age of Nelson Bore sediments. *Australian Journal of Science,* Vol. 17, p. 133 – 134.

BALME, B.E., 1957. Spores and pollen grains from the Mesozoic of Western Australia.

Commonwealth Scientific and Industrial Research Organization, Australia, Coal Research Section 25*,* p. 1 – 48.

BALME, B.E., 1995. Fossil *in situ* spores and pollen grains: an annotated catalogue. *Review of Palaeobotany and Palynology,* Vol. 87, p. 81 – 323.

BALTES, N., 1967. The microflora of the Albian 'Green Sands' in the Moesic Platform, Rumania. *Review of Palaeobotany and Palynology,* Vol. 5, No.'s 1 – 4, p. 183 – 197.

BASSIOUNI, M.E.A., ABOUL ELA, N.M., ABDELMALIK, W & EL-SHAMMAA, A.G., 1981. Upper Jurassic microflora from the subsurface of the North-Western Desert, Egypt. *Neues Jahrbuch fur Geologie und Palaontologie.* Vol. 1, p. 34 – 48.

BATTEN, D.J., 1973. Palynology of Early Cretaceous soil beds and associated strata. *Palaeontology,* Vol. 16, pt. 2, p. 399 – 424.

BATTEN, D.J., 1982.Palynofacies, palaeoenvironments and petroleum. *Journal of Micropalaeontology,* Vol. 1, p. 107 – 114.

BATTEN, D.J., 1983. Identification of amorphous sedimentary organic matter by transmitted light microscopy. In: J. Brooks (Ed.), Petroleum geochemistry and exploration of Europe. *Geological Society, London, Special Publication,* Vol. 11, p. 275 – 287.

BATTEN, D.J., 1996. Mesozoic and Tertiary spores and pollen. Introduction. In: J. Jansonius and D.C. McGregor (eds.) Palynology: Principles and Applications. *American Association of Stratigraphic Palynologists,* Vol. 2, p. 751 – 753.

BELSKY, C.Y., BOLTENHAGEN, E. & POTONIÉ, R., 1965. Sporae dispersae der Oberon Kreide von Gabun, Äequatoriales Africa. *Päläontologie Zeitschrift,* Vol. 39, No. 1 & 2, p. 72 – 83.

BENSON, J.M., 1990. Palynological subdivision of Senonian (Coniacian – Maastrichtian) strata in Southern Africa using a dinoflagellate cyst range biostratigraphy. *Abstracts Geocongress 90, Geological Society of Southern Africa,* p. 41 – 44.

BERTHOU, P.Y., HASENBOEHLER, B. & MORTON, J.M., 1981. Apport de la palynologie à la stratigraphie du Crétacé supérieur du basin occidental Portugais. *Memorias e Noticias, Publication of the Museum of Laboratory Mineralogy and Geology, University of Coimbra,* Vols. 91 & 92, p. 183 – 221.

BHARADWJ, D.C. & KUMAR, P., 1972. On the status of some miospore genera from the Mesozoic Era. *Palaeobotanist,* Vol. 19, No. 3, p. 214 – 224.

BISWAS, B., 1962. Stratigraphy of the Mahadeo, Langpar, Cherra and Tura Formations, Assam, India. *Bulletin of the Geological Mining and Metallergical Society of India,* Vol. 25, p. 1 – 48.

BOLLI, H.M., RYAN, W.B. F., FORESMAN, J, B., HOTTMAN, W.E., KAGAMI, H., LONGORIA, J.F., McKNIGHT, B.K., MELGUEN, M., NATLAND, J., PROTO-DECIMA, F. & SIESSER, W.G., 1975. Basins and margins of the eastern South Atlantic. *Geotimes,* Vol. 20, No. 6, p. 22 – 24.

BOLLI, H.M., RYAN, W.B. F., FORESMAN, J, B., HOTTMAN, W.E., KAGAMI, H., LONGORIA, J.F., McKNIGHT, B.K., MELGUEN, M., NATLAND, J., PROTO-DECIMA, F. & SIESSER, W.G., 1978. Walvis Ridge – Sites 362 and 363. In: H.M. Bolli and W.B.F. Ryan, *et al., Initial Reports of the Deep Sea Drilling Project, 40,* p 1 – 1079. U.S Government Printing Office, Washington.

BOLKHOVITINA, N. A., 1953. Characteristic spores and pollen from the Cretaceous of the central part of the U.S.S.R. *Trudy Geologicheskogo Instituta, Akademiia, Nauk S.S.S.R,* Edition 145, Geological. Series. No. 61, p. 1 – 184.

BOLKHOVITINA, N. A., 1956. Atlas of spores and pollen from the Jurassic and Lower

Cretaceous deposits of the Vilyuisk depression. *Trudy Geologicheskogo Instituta, Akademiia, Nauk S.S.S.R,* No. 2, p. 1 – 188.

BOLKHOVITINA, N. A., 1959. Spore-pollen complexes of the Mesozoic deposits of the Vilyuisk depression and their stratigraphic significance. *Trudy Geologicheskogo Instituta, Akademiia, Nauk S.S.S.R,* No. 2, p. 1 – 185.

BOLKHOVITINA, N. A., 1961. Fossil and Recent spores in the *Schizaeaceae. Trudy Geologicheskogo Instituta, Akademiia, Nauk S.S.S.R,* Vol. 40, p. 1 – 176.

BOLKHOVITINA, N. A., 1962. History of the Schizeaceae family in the geological past on the basis of spore studies. *Trudy Geologicheskogo Instituta, Akademiia, Nauk S.S.S.R. Reports of Soviet Palynologists,* p. 38 – 43.

BOLKHOVITINA, N. A., 1966.The fossil spores of the ferns of the family Gleicheniaceae (taxonomy and distribution). In: M. I., Neustadt, (Ed.). The importance of palynological analysis for stratigraphic and palaeofloristic investigations. *Trudy Geologicheskogo Instituta, Akademiia, Nauk S.S.S.R*. p. 65 – 75.

BOLKHOVITINA, N. A., 1968. The spores of the family Gleicheniaceae and their importance for stratigraphy. *Trudy Geologicheskogo Instituta, Akademiia, Nauk S.S.S.R,* Vol. 186, p. 1 – 116.

BOLTENHAGEN, E., 1967. Spores et pollen du Cretace superieur du Gabon. *Pollen et Spores,* Vol. 9*,* p. 335 – 355.

BOND, T.A., 1972. A Lower Cretaeous (Aptian – Albian) palynological assemblage from the DeQueen Formation, Pike County, Arkansas. *Pollen et Spores,* Vol. 14, No. 2, p. 173 – 186.

BORGE & PASCHER, 1931. In: ZIPPI, P.A., 1998. Freshwater algae from the Mattagami

Formation (Albian), Ontario: paleoecology, botanical affinities and systematic taxonomy. *Micropaleontology,* Vol. 44, Supplement No. 1, p. 26.

BOULTER, M.C. & RIDDICK, A., 1986. Classification and analysis of palynodebris from the Palaeocene of the Forties field. *Sedimentology,* Vol. 33, p. 871 – 886.

BOULTER, M.C. & WINDLE, T., 1993. A reconstruction of some middle Jurassic vegetation in Northern Europe. *Special Papers in Palaeontology,* No. 49, p.125 – 154.

BRASS, M.S. & WILLIAMS, G.I., 1973. Palynology and nannofossil processing procedures. *Papers from the Geological Survey of Canada,* Vol. 73, No. 26, p. 1 – 25.

BRENNER, G. J., 1963. The spores and pollen of the Potomac Group of Maryland. *Maryland Department of Geology, Mines and Water Resources Bulletin,* No. 27, p. 1 – 215.

BRENNER, G. J., 1967. Early Angiosperm pollen differentiation in the Albian to Cenomanian deposits of Delaware, United States. *Review of Palaeobotany and Palynology,* Vol. 1, p. 219 – 227.

BRENNER, G. J., 1968. Middle Cretaceous spores and pollen from Northern Peru. *Pollen et Spores,* Vol. 10, No. 2, p. 341 – 383.

BRENNER, G. J., 1984. Late Hauterivian angiosperm pollen from the Heloz Formation, Israel. *VIth International Palynological Conference, Abstracts*, p. 15.

BRENNER, G. J., 1996. Evidence for the earliest stage of angiosperm pollen evolution: a paleoequatorial section from Israel. In: D.W. Taylor and L.J. Hickey (eds.), *Flowering plant origin, evolution and phylogeny*, p. 91 – 115. New York.

BRIDEN, J.C., DREWRY, G.E. & GILBERT SMITH, A., 1974. Phanerozoic Equal Area World

Maps. *Journal of Geology,* Vol. 82, p. 555 – 574.

BULLARD, E.C., EVERETT, J.E. & SMITH, A.G., 1965. The fit of the continents around the Atlantic. In: A Symposium on Continental Drift. *Royal Society of London, Philatelic Transactions,* Series A, No. 258, p. 41 – 51.

BURDEN, E. T. & HILLS, L. V., 1989. Illustrated key to genera of Lower Cretaceous terrestrial palynomorphs (excluding megaspores) of western Canada. *American Association of Stratigraphic Palynologists,* Contribution Series 21, p. 1 – 101.

BURGER, D., 1965. Some new species of *Classopollis* from the Jurassic of the Netherlands. *Leidse Geologische Mededelingen,* Vol. 33, p. 63 – 69.

BURGER, D., 1966. Palynology of the Uppermost Jurassic and Lowermost Cretaceous strata in the Eastern Netherlands. *Leidse Geologische Mededelingen*, Vol. 35, p. 209 – 276.

BURGER, D., 1976. Palynological observations in the Surat Basin: Appendix 5 *in* Jensen A.R., Exon, N.F., Anderson, J.C. and Koppe, W.H., A guide to the geology of the Bowen and Surat Basins in Queensland. *25th International Geological Congress, Excursion Guide No. 3C*, p. 51 – 54.

BURGER, D., 1996. Mesozoic palynomorphs from the North West Shelf, offshore Western Australia. *Palynology*, Vol. 20, p. 49 – 103.

BURKE, K., MACGREGGOR, D.S. & CAMERON, N.R., 2003. Africa's petroleum systems: four tectonic 'Aces' in the past 600 million years. In: T.J. Arthur, D.S. MacGreggor & N.R. Cameron (eds.), Petroleum Geology of Africa: New Themes and Developing Technologies. *Gological Society, London, Special Publications,* p. 21 – 60.

BURWOOD, R., 1997. Source rock control for Angolan Atlantic margin Petroleum Systems.

Hedburg Research Symposium, *Petroleum Systems of the South Atlantic Margin,* Rio de Janeiro, 16 – 19 November, *Extended Abstract.*

BURWOOD, R., 1999. Angola: source rock control for Lower Congo and Kwanza Basin petroleum systems. In: N.R., Cameron, R.H., Bate and V.S., Clure (eds.). *The Oil and Gas Habitats of the South Atlantic, Geological Society, London,* Special Publications, Vol. 153, p. 1 – 131.

CANDE, S.C., LaBRECQUE, J.L. & HAXBY, W.F.,1988. Plant kinematics of the South Atlantic chron C34 to present. *Journal of Geophysical Research,* Vol. 93, p. 479 – 492.

CHITALEY, 1951. In: BURGER, D., 1966. Palynology of the Uppermost Jurassic and Lowermost Cretaceous strata in the Eastern Netherlands. *Leidse Geologische Mededelingen*, Vol. 35, p. 255.

CHLONOVA, A. F., 1961. Spores and pollen of the upper half of the Upper Cretaceous in the eastern part of West Siberian lowland. *Trudy Geologicheskogo Instituta, Akademiia, Nauk S.S.S.R.,* Vol. 7, p. 1 – 138.

CHLONOVA, A. F., 1969. Spore and pollen characteristics of Cretaceous deposits of Zeya-Bureyn depression. *In*: Mesozoic Spore and Pollen Assemblages of Siberia and Far East. *Trudy Geologicheskogo Instituta, Akademiia, Nauk S.S.S.R,* Vol. 91, p. 5 – 66.

COETZEE, J.A.,1978. Late Cenozoic palaeoenvironments of southern Africa. In: E.M. van Zinderen Bakker (Ed.), *Antarctic glacial history and world palaeoenvironments*. Balkema, Rotterdam, p. 115 – 127.

COETZEE, J.A.,1980. Tertiary environmental changes along the south-western African Coast. *Palaeontologica Africana,* Vol. 23, p. 197 – 203.

COETZEE, J.A.,1993. Chapter 3. African flora since the Terminal Jurassic. In: P. Goldblatt (Ed.), *Biological Relationships between Africa and South America*. Yale University Press, p. 37 – 61.

COETZEE, J.A & MULLER, J., 1984. The phytogeographic significance of some extinct Gondwana pollen types from the Tertiary of the South Western Cape (South Africa). *Annals of the Missouri Botanical Garden,* Vol. 71, p.1088 – 1099.

COLBATH, G.K., 1996. Chapter 7. Green and blue algae. Introduction. In : J. Jansonius and D.C. McGregor (eds), *Palynology: Principles and applications. American Association of Stratigraphic Palynologists Foundation*, Vol. 1, p. 171 – 172.

COMBAZ, A., 1964. Les Palynofaciès. *Revue de Mikropaléontologie,* Vol. 7, No. 3, p. 205 – 218.

COOKSON, I.C., 1947. Plant Microfossils from the Lignites of the Kerguelen Archipelago. *British, Australian, New Zealand Antarctic Research Expedition (1929-31),* Vol. 2, No. 8, p. 127 – 142.

COOKSON, I.C., 1953. Difference in microspore composition of some samples from a bore at Comaum, South Australia. *Australian Journal of Botany,* Vol. 1, p. 462 – 472.

COOKSON, I.C., 1954. The Cainozoic occurrence of *Acacia* in Australia. *Australian journal of botany,* Vol. 2, p. 52 – 59.

COOKSON, I.C. & CRANWELL, L. M., 1967. Lower Tertiary Microplankton, Spores and Pollen Grains from Southernmost Chile. *Micropalaeontology,* Vol. 13, No. 2, p. 204 – 216.

COOKSON, I.C. & DETTMANN, M.E., 1958. Some trilete spores from Upper Mesozoic deposits in the Eastern Australian Region. *Proceedings of the Royal Society, Victoria,* Vol. 70,

pt. 2, p. 95 – 128.

COOKSON, I.C. & DETTMANN, M.E., 1959. On *Schizosporis,* a new form genus from Australian Cretaceous deposits. *Micropalaeontology,* Vol. 5, No. 2, p. 213 – 216.

COUPER, R.A., 1953. Upper Mesozoic and Cainozoic spores and pollen grains from New Zealand. *New Zealand Geoogical Survey Palaeontological Bulletin,* No. 22, p. 1 – 77.

COUPER, R.A., 1958. British Mesozoic Microspores and Pollen Grains, a Systematic and Stratigraphic study. *Palaeontolographica,* Vol.103, pt. B, p. 77 – 179.

COUPER, R.A., 1960. New Zealand Mesozoic and Cainozoic plant microfossils. *New Zealand Geoogical Survey Palaeontological Bulletin*, No. 32, p. 1 – 87.

COUPER, R.A., 1964. Spore-Pollen correlation of the Cretaceous rocks of the Northern and Southern Hemisphere. *Society of Economic Palynology and Mineralogy, Special Publication,* No. 11, p.131 – 142.

.

COUPER. R.A. & GREBE, H., 1961. A recommended terminology and descriptive method for spores: Compte Rendu, III. *Reunion de la Commission Internationale de Microflore du Paleozoique, Krefeld,* May 11 – 13, 1961, Report of Group No. 16, p.1 – 15.

COUPER, R.A. & PIKE, K.M., 1954. Some dicotyledonous pollen types from the Cainozoic deposits in the Australian region. *Australian Journal of Botany,* Vol. 2, No. 2, p.197 – 219.

COURTINAT, B., 1989. Les organoclastes des Formations lithologiques du malm dans le Jura meridional. Systématique, biostratigraphie et elements d'interprétation paléoécologique. *Documunts des Laboratoires de G*éologie, *Lyon,* Vol. 105, p. 1 – 361.

COURTINAT, B., & MÉON, H., 1991. Les microforaminiféres (Scytinascia), ungroupe palynologique méconnu (historique). Leoranalyse dans le Cénomanien – Turonien de Vergons

(Bassin Vocontien, France) *Geobios,* Vol. 24, p. 559 – 567.

COURVOISIER, J. M. & PHILIPS, T.L., 1975. Correlation of spores from Pennsylvanian coal-bed fructifications with dispersed spores. *Micropalaeontology*, Vol. 21, p. 45 – 59.

CRANE, P.R., & LIDGARD, S., 1989. Angiosperm diversification and paleolatitudinal gradients in Cretaceous floristic diversity. *Science,* Vol. 246, p. 675 – 678.

CRANE, P.R., & LIDGARD, S., 1990. Angiosperm radiation and patterns of Cretaceous palynological diversity. In: P.D. Taylor and G.P. Larwood (eds.), *Major evolutionary radiations,* p. 377 – 407. Oxford: Clarendon.

CRANE, P.R., FRISS, E.M. & PEDERSEN, K.R., 1995. The origin and diversification of angiospems. *Nature,* Vol. 374, p. 27 – 33.

CRANWELL, L. M.,1969. Palynological intimations of some pre - Oligocene Antarctic climates. In: E.M. van Zinderen Bakker (Ed.), *Palaeoecology of Africa*, p. 1-19.

CROSS, A.T., THOMPSON, G.G. & ZAITZEFF, J.B., 1966. Sources and distribution of palynomorphs in bottom sediments, Southern part of the Gulf of California. *Marine Geology,* Vol. 4, p. 467 – 524.

DAVIES, J.R., McNESTRY, A. & WATERS, R.A., 1991. Palaeoenvironments and palynofacies of a pulsed transgression: the Late Devonian to Early Dinantian (Lower Caroniferous) rocks of southwest Wales. *Geological Magazine,* Vol. 128, p. 355 – 380.

DEÂK, M.H., 1963. Quelques spores striēes de l'ētage Aptien. *Review de Micropalēontologie.* Vol. 6, No. 4, p. 251 – 256.

DEÂK, M.H., 1964. Contribution à l'ētage palynologique de groupe d'argiles à Munieria de l'ētage Aptien. *Act of the Botanical Acadamy of Science, Hungary,* Vol. 10, No's. 1 & 2, p. 95 – 126.

DE CONTO, R.M., HAY, W.W., THOMPSON, S.L. & BERGENGREN, J., 1999. Late Cretaceous climate and vegetation interactions: Cold continental interior paradox. In: E. Barrera and C.C., Johnson (eds.), Evolution of the Cretaceous Ocean-Climate system. *Boulder, Colorado, Geological Society of America Special Paper 332,* p. 391 – 406.

DE JERSEY, N.J., 1962. Triassic spores and pollen grains from the Ipswitch Coalfield. *Queensland Department of Mines Publication,* Vol. 307, p. 1 – 18.

DE JERSEY, N.J., 1963. Jurassic spores and pollen grains from the Marburg Sandstones. *Geological Survey of Queensland Publication,* Vol. 313, p. 1 – 15.

DE JERSEY & HAMILTON, 1967. In: JANSONIUS, J. & HILLS, L.V., 1980. Genera file of fossil spores - supplement. Special publication. *Department of Geology, University of Calgary, Canada.* Reference Card No. 3789.

DE JERSEY, N.J. & PATEN, R.J., 1964. Jurassic spores and pollen grains from the Surat Basin. *Geological Survey of Queensland,* Publication 322, p. 1 – 18.

DE VILLIERS, S.E., 1994. The palynology of Tertiary sediments from a palaeochannel in Namaqualand. Unpublished MSc dissertation, University of the Witwatersrand.

DE VILLIERS, S.J., 1997. The palynology of Tertiary sediments from a palaeochannel in Namaqualand. Unpublished thesis, p. 1 – 281.

DELCOURT, A. F., DETTMAN, M. E. & HUGHES, N. F., 1963. Revision of some Lower Cretaceous microspores from Belgium. *Palaeontology,* Vol. 6, pt. 2, p. 282 – 292.

DELCOURT, A. & SPRUMONT, G., 1955. Les spores et grains de pollen du Wealdien du Hainaut. *Memoirs Societie Belgique de Geologie,* Vol. 4, No. 5, p. 1 – 73.

DELCOURT, A. & SPRUMONT, G., 1957. Quelques microsills du Wealdien de Féron – Glageon. *Memoirs Societie Belgique de Geologie, Paléontologie, Hydrologie,* Vol. 66, No. 1, p. 57 – 67.

DELCOURT, A. & SPRUMONT, G., 1959. Spores, grains de pollen, Hystrichospheres et Peridiniens dans le Wealdien de Feron-Glageon: *Extrait des annales de la Societie de Geologie du Nord*, Vol. 79, p. 29 – 64.

DETTMANN, M. E., 1959.Upper Mesozoic microfloras in wellcores from Woodside and Hedley, Victoria. *Proceedings of the Royal Society of Victoria,* Vol. 71, p. 99 – 105.

DETTMANN, M. E., 1963. Upper Mesozoic microfloras from south eastern Australia. *Proceedings of the Royal Society of Victoria*, Vol. 77*,* p.1 – 148.

DETTMANN, M. E., 1981. The Cretaceous flora. In: A. Keast, (Ed.), *Ecological biogeography of Australia*, Vol. 1, Dr. W. Junk, The Hague, p. 357 – 375.

DETTMANN, M. E., 1986. Significance of the Cretaceous / Tertiary spore genus *Cyatheacidites* in tracing the origin and migration of *Lophosoria* (Filicopsida). *Special Papers in Palaeontology,* Vol. 35, p. 63 – 94.

DETTMANN, M. E., MOLNAR, R.E., DOUGLAS, J.G., BURGER, D., FIELDING, C., CLIFFORD, H. T., FRANCIS, J., JELL, P., RICH, T., WADE, M., RICH, P.V., PLEDGE, N., KEMP, A. & ROZEFELDS, A., 1992. Australian Cretaceous terrestrial faunas and floras: biostratigraphic and biogeographic implications. *Cretaceous Research,* Vol. 13, p. 207 – 262.

DETTMANN, M.E. & PLAYFORD, G.,1968. Taxonomy of some Cretaceous spores and pollen grains from eastern Australia. *Proceedings of the Royal Society of Victoria,* Vol. 81, p. 69 – 73.

DEV, S., 1961. The fossil flora of the Jabalpur Series – 3. Spores and pollen grains. *Palaeobotanist,* Vol. 8, p. 43 – 56.

DEWEY, J.F. & BURKE, K., 1974. Two plates in Africa during the Cretaceous. *Nature,* Vol. 249, p. 313 – 316.

DIETZ, R.S., & HOLDEN, J.C., 1970. Reconstruction of Pangea: Breakup and Dispersion of Continents, Permian to present. *Journal of Geophysical Research,* Vol. 75, p. 4939 – 4956.

DILCHER, D.L., 1965. Epiphyllous fungi from Eocene deposits in Western Tennessee, USA. *Palaeontographica,* pt. B, Vol. 116, p. 1 – 54.

DINGLE, R.V. & SCRUTON, R.A., 1974. Continental breakup and the development of post Palaeozoic sedimentary basins around southern Africa. *Geological Society of America*. Bulletin 85, p. 1462 – 1472.

DINGLE, R.V., SIESSER, W.G. & NEWTON, A.R., 1983. Mesozoic and Tertiary Geology of Southern Africa. Balkema. Rotterdam.

DINGLE, R.V. & HENDEY, Q.B., 1984. Late Mesozoic and Tertiary sediment supply to the Eastern Cape Basin (SE Atlantic) and palaeo-drainage systems in southwestern Africa. *Marine Geology,* Vol. 56, p. 13 – 26.

DÖRING, H., 1962. Planktonartige Fossilien des Jura / Kreide-Grenzbereichs der Bohrungen Werle (Mecklenberg). *Geologie,* Vol. 10, No. 32, p. 110 – 121.

DÖRING, H., 1964. Trilete sporen aus dem Oberen Jura und dem Wealden Norddeutschlands. *Neues Jahrbuch fur Geologie und Palaontologie*, Vol. 9, p. 1099 – 1129.

DÖRING, H., 1965. Die sporenpalaontologische Gliederung des Wealden in Westmecklenbueg (Struktur Werle). *Geologie,* Vol. 47, p. 1 – 118.

DOUGLAS, R.G., MOULLADE, M. & NAIRN, A.E.M., 1987. Causes and consequences of drift in the South Atlantic. *Case Western Reserve University Contribution,* No. 85, p. 517 – 537.

DOYLE, J.,1983. Palynological evidence for Beressian age of basal Potomac Group Sediments, Crisfield Well, Eastern Maryland. *Pollen et Spores,* Vol. 25, p. 499 – 530.

DOYLE, J.A. & HICKEY, L.J., 1976. Pollen and leaves from the mid-Cretaceous Potomac Group and their bearing on early angiosperm evoloution. In: C.B Beck (Ed.), *Origin and Early Evolution of Angiosperms,* p. 139 – 206, New York: Columbia University Press.

DOYLE, J.A., BIENS, P., DORENKAMP, A. & JARDINÉ, S., 1977.Angiosperm pollen from the pre-Albian Lower Cretaceous of Equatorial Africa. *Centre for Research, Exploration and Production, Elf-Aquitaine Bulletin,* No. 1, pt. 2, p. 451 – 473.

DOYLE, J.A., JARDINÉ, S. & DOERENKAMP, A., 1982. *Afropollis*, a new genus of early angiosperm pollen, with notes on the Cretaceous palynostratigraphy and palaeoenvironments of northern Gondwana. *Centres Recber Exploration – Production Elf – Aquitaine Bulletin,* No. 6, p. 39 – 117.

DRINNAN, A.N. & CRANE, P.R., 1990. Cretaceous palaeobotany and its bearing on the biogeography of Austal angiosperms. In: T.N. Taylor and E. L.Taylor (eds.), *Antarctic paleobiology and its role in the reconstruction of Gondwana*, p. 192 – 219.

D'ROZARIO & BANERJEE, 1989. Proceedings of the 5th All Indian Symposium on Palynology, October 7 – 9, 1987, Botany Department, Institute of Science, Nagpur, p. 12.

In: JANSONIUS, J., HILLS, L.V., 1992. Genera file of fossil spores - Supplement 11. Special publication. *Department of Geology and Geophysics, University of Calgary,* Reference Card No.

4889.

DRUGG, W.S., 1967. Palynology of the upper Moreno Formation (Late Cretaceous – Paleocene) Escarpado Canyon, California. *Palaeontographica,* Vol.120, p. 1 – 71.

DUNCAN, A.D. & HAMILTON, R.F.M., 1988. Palaeolimnology and organic geochemistry of the Middle Devonian in the Orcadian Basin. In: A.J. Fleet and M.R. Talbot (eds.), Lacustrine petroleum source rocks. *Geological Society, London, Special Publication,* Vol. 40, p. 173 – 201.

DYBOVĀ & JACHOWICZ, 1957. In: DELCOURT, A. F., DETTMAN, M. E. & HUGHES, N. F., 1963. Revision of some Lower Cretaceous microspores from Belgium. *Palaeontology,* Vol. 6, pt. 2, p. 291.

EDET, J.J. & NYONG, E.E., 1994. Palynostratigraphy of Nkporo Shale exposures (late Campanian – Maastrichtian) on the Calabar Flank, SE Nigeria. *Review of Palaeobotany and Palynology,* Vol. 80, p. 131 – 147.

EL BEIALY, S.Y., 1994. Campanian – Maastrichtian palynomorphs from the Duwi (Phosphate) Formation of the Hamrawein and Umm El Hueitat mines, Red Sea Coast, Egypt. *Review of Palaeobotany and Palynology,* Vol. 85, p. 303 – 317.

EMERY, K.O., UCHUPI, E., BOWIN, C.O., PHILIPS, J. & SIMPSON, E.S.W., 1975. Continental margin off western Africa: Cape St. Fransis (South Africa) to Walvis Ridge (South West Africa). *Bulletin of the American Association of Petroleum Geologists,* No. 59, p. 3 – 59.

ENGELHARDT, D.W., 1964. Plant microfossils from the Eocene Cockfield Formation, Hinds County, Mississippi. *Mississippi Geological, Economic and Topographical Survey Bulletin* No. 104*,* p. 65 – 96.

ENGLAND, P. & HOUSEMAN, G., 1984. On the geodynamic setting of kimberlite genesis. *Earth and Planetary Science Letters,* Vol. 67, p. 109 – 122.

ERDTMAN, G., 1943. An introduction to pollen analysis: *Chronica Botanica*, Walthan, Mass.,

p.1 – 239.

ERDTMAN, G., 1945. In: JANSONIUS, J. & HILLS, L.V., 1976. Genera file of fossil spores and pollen. Department of Geology, *University of Calgary, Special publication,* Reference Card No. 1973

ERDTMAN, G., 1947. Suggestions for the classification of fossil and recent pollen grains and spores. *Svensk Botanica Tidskrift,* Vol. 41, No. 1, p. 104 – 114.

ERDTMAN, G., 1952. Pollen morphology and plant taxonomy. Angiosperms: *Chronica Botanica.* Almquist and Wiksell. Stockholm. P. 1 – 539.

ERDTMAN, G., 1957. Pollen and spore Morphology / Plant Taxonomy Gymnospermae, Pteridophyta, Bryophyta. *An Introduction to Palynology II.* Almqvist & Wiksell, Stockholm, p. 1 – 152.

ERDTMAN, G., 1958. On the risks of overstressing the denominations of fossil spores as illustrated by a paper on the former distribution of *lophosoria (‘Cyathea annulata). Svensk Bot. Tidskr.,* Vol. 51, p. 611 – 613.

EVITT, W. R., 1963. Occurrence of freshwater alga *Pediastrum* in Cretaceous marine sediments. *American Journal of Science,* Vol. 261, No. 1, p. 890 – 893.

FAEGRI, K., 1956. Recent trends in palynology. *Botanical Review* (Lancaster), Vol. 22, p. 639 – 664.

FAEGRI, K. & IVERSEN, J., 1950. Text book of modern pollen analysis. Ejnar Munksgaard, Copenhagen.

FAEGRI, K. & IVERSEN, J., 1989. Textbook of pollen analysis. New York, John Wiley & Sons, p. 1 – 328.

FARR, K.M., 1989. Palynomorph and palynodebris distributions in modern British and Irish

estuarine sediments. In: D.J. Batten and M.C. McKeen, (eds.), Northwest European micropalaeontology and palynology. *British Micropalaeontological Society Series, Ellis Horwood, Chichester,* p. 265 – 285.

FOSTER, C.B., 1979. Permian plant microfossils of the Blair Athol Coal Measures, Baralaba Coal Measures and basal Rewan Formation of Queensland. *Geological Survey of Queensland Publication,* Vol, 372*,* Palaeontological Paper 45, p. 1 – 244.

FRANCIS, J.E. & FRAKES, L. A., 1993. Cretaceous climates. In: P.V. Wright, (Ed.), *Sedimentology Review,* Vol. 1, p. 17 – 30.

FREDERIKSEN, N. O., 1980. Sporomorphs from the Jackson Group (Upper Eocene) and adjacent strata of Mississippi and Western Alabama. *Geological Survey Professional Paper,* No. 1084, p. 1 - 75.

FRITSCH, F.E., in WEST, 1927. In: ZIPPI, P.A., 1998. Freshwater algae from the Mattagami Formation (Albian), Ontario: paleoecology, botanical affinities and systematic taxonomy. *Micropaleontology,* Vol. 44, Supplement No. 1, p. 48,

FRITSCH, F.E., 1956. The structure and reproduction of the algae. Vol. 1. The University Press, Cambridge.

GAMERRO, J. C., 1965. Morfologia del polen de Apterocladus lanceolatus Archang. (*Coniferae*) de la Formacion Baqueros Provincia de Santa Cruz. *Ameghiniana*, Vol. 4, No. 4, p. 133-138.

GERMERAAD, J. H., HOPPING, C.A. & MULLER, J., 1968. Palynology of Tertiary sediments from Tropical Areas. *Review of Palaeobotany and Palynology,* Vol. 6, p. 189 – 348.

GERRARD, I. & SMITH, G.C., 1980. The post Palaeozoic succession and structure of the South Western African continental margin. Southern Oil Exploration Corporation, Johannesburg. P. 1 – 28.

GERRARD, I. & SMITH, G.C., 1984. Post-Palaeozoic succession and structure of the southwestern African continental margin, 49 – 74. In: J.S. Watkins and C.L. Drake (eds), Studies in continental margin geology. *Members of the American Association of Petroleum Geologists,* Vol. 34.

GIVINSH, T. J., 1979. On the adaptive significance of leaf form. In: O.T. Solbrig, S. Jain, G.B. Johnson and P.H. Raven (eds.), *Topics on plant population biology*, New York, Columbia University Press, p. 375 – 407.

GOOD, 1978. In: TRAVERSE, A., 1988. *Paleopalynology*. Unwin Hyman, Boston, MA, p. 1 - 600.

GOSLIN, J. & SIBUET, J.C., 1975. Geophysical study of the eastern-most Walvis Ridge, South Atlantic: Deep structure. *Geological Society of America, Bulletin,* No. 86, p. 1713 – 1724.

GOTHAN, W. & REMY, W., 1957. Steinkohlenpflanzen. *Essen,* p. 1 – 248.

GOULD, R.E., 1975. The succession of Australian pre-Tertiary megafossil floras. *Botanical Review,* Vol. 41, p. 453 – 483.

GRAHAM, A & JARZEN, D.M., 1969. Studies in neotropical paleobotany. I. The Oligocene communities of Peurto Rico. *Annals of the Missouri Botanical Gardens,* Vol. 56, p. 308 – 357.

GRADSTEIN, F. M., JAMES, O.G. & SMITH, A. G., 2004. A Geologic Time Scale 2004. Cambridge UK, New York, Cambridge University Press 2004. P. 1 – 589.

GRAY, T.C. & GROOT, J.J., 1966. Pollen and spores from the marine Upper Cretaceous formations of Delaware and New Jersey. *Palaeontographica,* Vol. 117, No's. 4 – 6, p. 114 – 134.

GREBE, H., 1971. In: ALPERN, B & NEVES, R. (eds). A recommended terminology and descriptive method for spores in Microfossiles organiques du Palaeozoic. C.I.M.P., *Centre Nationale de la Recherche Scientifique*, Vol. 4, p. 11 – 34.

GRIGORJEVA, 1961. In: SAMILOVITCH, S.R. & MTCHEDLISHVILI, N.D. (eds.), 1961. Pollen and spores of western Siberia; Jurassic to Palaeocene. *VNIGRI Transactions of the All Union Petroleum Scientific Research Geological Exploration Institute,* Vol. 177, p. 1 – 59.

GRIMM, E.C., 1987. CONISS: a FORTRAN 77 program for stratigraphically constrained cluster analysis by the method of incremental sum squares. *Computer Geoscience,* Vol. 13, p. 13 – 35.

GROOT, J.J., 1966. Some observations on the pollen grains in suspension in the estuary of the Delaware River. *Marine Geology,* Vol. 4, p. 409 – 416.
GROOT, J.J. & PENNY, J.S., 1960. Plant microfossils and age of nonmarine Cretaceous sediments of Maryland and Delaware. *Micropalaeontology,* Vol. 6, No. 2, p. 225 – 236.

GROOT, J.J., PENNY, J.S. & GROOT, C.R., 1961. Plant microfossils and age of the Raritan, Tuscaloosa and Magothy Formations of the eastern United States. *Palaeontographica,* Vol.108, pt. B, p. 121 – 140.

HABIB, D., 1970. Middle Cretaceous palynomorph assemblages from clays near the Horizon Beta deep-sea outcrop. *Micropalaeontology,* Vol.16, No. 3, p. 345 – 379.

HABIB, D. & KNAPP, S.D., 1982. Stratigraphic utility of Cretaceous small acritachs. *Micropalaeontology,* Vol. 28, No. 4, p. 335 – 371.

HABIB, D., ESHET, Y. & van PELT, R., 1994. Palynology of sedimentary cycles. In: A. Traverse (Ed.), *Sedimentation of Organic Particles.* Cambridge University Press, p. 311 – 335.

HACQUEBARD & BARASS, 1957. In: JANSONIUS, J. & HILLS, L.V., 1976. Genera file of

fossil spores and pollen. Department of Geology, *University of Calgary, Special publication,* Reference Card No. 3 – 431 cards.

HAMSHAW - THOMAS, H., 1912. On the Spores of some Jurassic Ferns. *Proceedings of the Cambridge Philosophical Society,* Vol. 16, No. 4, p. 384 – 388.

HARRIS, W.K., 1955. A manuel of the spores of New Zealand pteridophyta. *New Zealand Department of Science, Industry and Research Bulletin,* No. 116, p. 1 – 186.

HARRIS, W.K., 1965. Basal Tertiary microfloras from the Princetown area, Victoria. *Palaeontologica,* Vol. 15, p. 75 – 116.

HARRIS, W.K., 1977. Palynology of cores from deep sea drilling sites 327, 328 and 330, South Atlantic Ocean. *Initial Report of the Deep Sea Drilling Project,* Vol. 6, p. 761 – 775.

HAQ, B.U., HARDENBOL, J. & VAIL, P.R., 1987. Chronology of fluctuating sea levels since the Triassic. *Science,* Vol. 235, p. 1156 – 1167.

HAY, W.W., BEHENSKY, J.F., Jr, BARRON, E.J. & SLOAN III, J. L., (1982). Late Triassic – Liassic palaeoclimatology of the proto-central North Atlantic rift system. *Palaeogeography, Palaeoclimatology, Palaeoecology,* Vol. 40, p. 13 – 30.

HEDGES, J.I., CLARKE, W.A. & COWIE, G.L., 1988. Organic matter sources to the water column and surficial sediments of a marine bay. *Limnology and Oceanography,* Vol. 33, p. 1116 – 1136.

HEDLUND, R. W., 1966. Palynology of the Red Branch Member (Woodbine Formation). *Oklahoma Geological Survey Bulletin*, No. 112, p. 1 – 69.

HEDLUND, R.W. & NORRIS, G., 1968. Spores and pollen grains from Fredericksburgain

(Albian) strata, Marshall County. Oklahoma. *Pollen et Spores,* Vol.10, p. 129 – 159.

HELAL, A. H., 1965. Jurassic spores and pollen grains from the Kharga Oasis, Western Desert, Egypt. *Neues Jahrbuch fur Geologie und Palaontologie*, Vol.123, pt. A, p. 160 – 166.

HELAL, A.H., 1966. Jurassic plant microfossils from the subsurface of the Kharga Oasis, Western Desert, Egypt. *Palaeontographica*, Vol. 117, pt. B, p. 83-98.

HERNGREEN, G.W.F., 1973. Palynology of Albian – Cenomanian strata of Borehole 1 – QS – 1 – MA, State of Maranhão, Brazil. *Pollen et Spores,* Vol. 15, No's. 3 & 4, p. 515 – 555.

HERNGREEN, G.W.F., 1975. Palynology of Middle and Upper Cretaceous strata in Brazil. *Mededelingen Rijks Geologische Dienst,* Vol. 26, No. 3, p. 39 – 91.

HERNGREEN, G. F. W. & CHLONOVA, A. F., 1981. Cretaceous Microfloral Provinces. *Pollen et spores*, Vol. 23, p. 441 – 555.

HERNGREEN, G.W.F., RANDRIANASOLO, A & VERBEEK, J.W., 1982. Micropalaeontology of Albian to Danian strata in Madagascar. *Micropalaeontology,* Vol. 28, No. 1, p. 97 – 109.

HICKEY, L.J. & DOYLE, J.A., 1977. Early Cretaceous fossil evidence for angiosperm evolution. *The Botanical Review,* Vol. 43, p. 3 – 104.

HILL, C.R., 1983. Glycerine jelly mounts. *American Association of Stratigraphic Palynologists Foundation Newsletter,* Vol. 16, No. 3, p. 3.

HÖRHAMMER, 1933. Über die Coniferen - Gattungen Cheirolepsis Schimper und Hirmeriella nov. gen. aus dem Rhåt – Lias von Franken. *Biblios Botanica, Stuttgart,* Vol. 27, pt. 107, p. 1 – 34.

HOSHAW, R.W. & McCOURT, R.M., 1988. The Zygnemataceae (Chlorophyta): a twenty year update of research. *Phycologia,* Vol. 27, No. 4, p. 511 – 548.

HUGHES, N.F., 1994. The enigma of angiosperm origins. Cambridge University Press.

HUGHES, N.F., DREWRY, G.E. & LAING, J.F., 1979. Barremian earliest angiosperm pollen. *Palaeontology,* Vol. 22, No. 3, p. 513 – 535.

HUGHES, N.F. & McDONALD, A.B., 1987. Records of angiospern pollen entry into the English Early Cretaceous Succession. *Review of Palaeobotany and Palynology,* V. 50, p. 255 – 272.

HUGHES & PLAYFORD, 1961. In: JANSONIUS, J. & HILLS, L.V., 1976. Genera file of fossil spores and pollen. Department of Geology, *University of Calgary, Special publication,* Reference Card No. 3 – 431 cards.

HYDE, H.A.,1944. Pollen analysis and the museums. *Museum Journal,* Vol. 44, p. 145 – 149.

IBRAHIM, A.C., 1933. Sporomorphen des Ruhr – reviers: *Wurzburg, Konrad Triltsch, Techni. Hochschule Berlin dissertation*, p. 1 – 48.

IOANNIDES, N.S., & COLLINS, J.P., 1974. Palynology of Sites 358, 356, 355 DSDP, Leg 39, Southwestern Atlantic Ocean. In: H. M Bolli, *et al*., (Ed.), *Initial Reports of the Deep Sea Drilling Project,* No. 50. p. 885 – 897.

IVERSEN, J. & TROELS - SMITH, J., 1950. Pollenmorphologiske definition og typer. *Danmarks Geologie Undersögelse.* Series. 4, Vol. 3, No. 8, p. 1 - 54.

JACKSON, B.D., 1928. A glossary of botanic terms with their derivation and accent. Duckworth and Co. London, p. 1 – 481.

JACKSON, J. B. C., 1988. Does ecology matter? *Paleobiology,* Vol. 14, p. 307 – 312.

JAIN, K.P. & SAH, S.C.D., 1966. Revision of Jurassic spores and pollen grains from Andigama, Ceylon. *Palaeobotanist,* Vol. 14. No's. 1 – 3, p. 106 – 115.

JAMEOSSANAIE, A. & LINDSLEY-GRIFFIN, N., 1993. Palynology and plate tectonics – a case study on Cretaceous terrestrial sediments in the Eastern Klamath Mountains of Northern California, USA. *Palynology*, Vol. 17, p. 11 – 45.

JANSONIUS, J. & HILLS, L.V., 1976. Genera file of fossil spores. Department of Geology, *University of Calgary, Special publication,* Reference Card No. 3 – 431 cards.
JANSONIUS, J. & HILLS, L.V., 1977. Genera file of fossil spores - Supplement. Special publication*. Department of Geology, University of Calgary, Canada.*

JANSONIUS, J. & HILLS, L.V., 1978. Genera file of fossil spores - supplement. Special publication. *Department of Geology, University of Calgary, Canada.*

JANSONIUS, J. & HILLS, L.V., 1980. Genera file of fossil spores - supplement. Special publication. *Department of Geology, University of Calgary, Canada.*

JANSONIUS, J. & HILLS, L.V., 1981. Genera file of fossil spores - supplement. Special publication. *Department of Geology, University of Calgary, Canada.*

JANSONIUS, J. & HILLS, L.V., 1985. Genera file of fossil spores - supplement. Special publication. *Department of Geology, University of Calgary, Canada.*

JANSONIUS, J. & HILLS, L.V., 1987. Supplement. Genera file of fossil spores. Special publication. *Department of Geology, University of Calgary, Canada.*

JANSONIUS, J., HILLS, L.V., 1990. Genera file of fossil spores - Supplement 10. Special publication. *Department of Geology and Geophysics, University of Calgary.*

JANSONIUS, J., HILLS, L.V., 1992. Genera file of fossil spores - Supplement 11. Special publication. *Department of Geology and Geophysics, University of Calgary.*

JANSONIUS, J., HILLS, L.V. & HARTKOPF-FRODER, C., 1998. Genera file of fossil spores - Supplement 12. Special publication. *Department of Geology and Geophysics, University of Calgary, AB, Canada T2N 1N4.*

JARAMILLO, C.A., 1995. Dinoflagellate cyst biostratigraphy and palynofacies of the Late Eocene – Early Oligocene in Southern Mississippi and Alabama, U.S. Gulf Coast (Masters Thesis): Rolla, University of Missouri-Rolla. P. 1 – 97.

JARAMILLO, C.A. & OBOH-IKUENOBE, F.E., 1999. Sequence stratigraphic interpretation from palynofacies, dinocysts and lithological data of Upper Eocene – Lower Oligocene strata in Southern Mississippi and Alabama, U.S. Gulf Coast. *Palaeogeography, Palaeoclimatology, Palaeoecology,* Vol. 145, p. 259 – 302.

JARDINÉ, S. & MAGLOIRE, L., 1965. Palynologie et stratigraphiev du Crétacé des bassins du Sénégal et du Côte d'Ivoire. *Memoirs Bureau Rech. Geologie Minieres,* Vol. 32, p. 187 – 245.
JARZEN, D.M., 1977. *Aquilapollenites* and some santolalean genera – a botanical comparison. *Grana,* Vol. 16, p. 29 – 39.

JARZEN, D.M., 1978. Some Maastrichtian palynomorphs and their phytogeographical and paleoecological implications. *Palynology,* Vol. 2, p. 29 – 38.

JARZEN, D. M. & NICHOLS, D.J., 1996. Chapter 9. Pollen. In: J. Jansonius & D.C. McGregor (eds), Palynology, priciples and applications. *American Association of Stratigraphic Palynologists Foundation*, Vol. 1, p. 261 – 291.

JOHNSON, N.G., 1985. Early Silurian palynomorphs from the Tuscarova Formation in central Pennsylvania and their paleobotanical and geological significance. *Review of Palaeobotany and Palynology,* Vol, 45, p. 307 – 360.

JUST, T., 1951. Mesozoic plant microfossils and their geological significances: *Journal of Palaeontology,* Vol. 25, No. 6, p. 729 – 735.

KAR, R.K., 1985. The fossil floras of Kachchh – IV. Tertiary Palynostratigraphy. *The Palaeobotanist,* Vol. 34, p. 1 – 280.

KAR, R.K. & KUMAR, M., 1986. Palaeocene palynostratigraphy of Meghalaya, India. *Pollen et Spores,* Vol. XXVIII, No. 2, p. 177 – 218.

KAR, R.K., 1979. Palynological fossils from the Oligocene sediments and their biostratigraphy in the district of Kutch, Western, India. *The Palaeobotanist.* Vol. 26, No. 1, p. 16 – 49.

KASKA, H.V., 1989. A spore and pollen zonation of Early Cretaceous to Tertiary nonmarine sediments of central Sudan. *Palynology,* Vol. 13, p. 79 – 90.

KEDVES, M., 1986. Palynological investigations of pre-Quaternary sediments of Egypt, Lower Part of the Nubian Sandstone in the Kharga Oasis. *Z. geol. Wiss. Berlin.* Vol. 3, p. 331 – 355.

KEDVES, M., 1998. Upper Cretaceous pollen grains from Egypt II. *Plant Cell Biology and Development,* Vol. 9, p. 8 – 27.

KEDVES, M., 1999. Upper Cretaceous pollen grains from Egypt III. *Plant Cell Biology and Development,*Vol. 10, p. 14 – 29.

KEDVES, M. & SIMONCSICS, P., 1964. Microstratigraphy of the carbonate manganese ore layer of the shart III of Urkut on the basis of palynological investigations. *Acta Mineral et Petrographica,* Vol. 16, p. 3 – 48.

KEMP, E.M., 1972. Reworked palynomorphs from the West Ice Shelf area, East Antarctica, and their possible geological and palaeontological significance. *Marine Geology,* Vol. 13, p. 145 – 157.

KEMP, E. L. & HARRIS, W. K., 1975. The vegetation of Tertiary islands of the Ninetyeast Ridge. *Nature,* Vol. 258, p. 303 – 307.

KEMP, E. L. & HARRIS, W. K., 1977. The palynology of early Tertiary sediments, Ninetyeast Ridge, Indian Ocean. *Special papers in Palaeontology,* No. 19, p. 1 – 69.

KIRCHHEIMER, F., 1934. On pollen from the Upper Cretaceous dyosil of Banke, Namaqualand (South Africa). *Transactions of the Royal Society of South Africa,* Vol. 21, p. 41 – 45.

KLAUS, W., 1960. Spores der karnischen Stufe der ostalpinen Trias. *Geol. B.A. Sonderbd.* Vol. 5, p. 107 – 183.

KLEIN, 1959. In: JANSONIUS, J. & HILLS, L.V., 1976. Genera file of fossil spores and pollen. Department of Geology, *University of Calgary, Special publication,* Reference Card No. 3136.

KNOX, E. M., 1938.The spores of *Pteridophyta,* with observations on microspores in coals of Carboniferous age. *Botanical Society of Edinburgh, Transactions and Proceedings,* Vol. 32, pt. 3, p. 438 – 466.

KNOX, E. M., 1950. The spores of *Lycopodium, Phylloglossum, Selaginella* and *Isoetes* and their value in the study of microfossils of Palaeozoic age. *Transactions of the Botanical Scociety of Edinburgh,* Vol. 35, p. 211 – 357.

KONZALOVÁ, 1976. In: JANSONIUS, J. & HILLS, L.V., 1978. Genera file of fossil spores - supplement. Special publication. *Department of Geology, University of Calgary, Canada.* Reference Card No. 3452.

KOTOVA , I. Z., 1978. Spores and pollen from Cretaceous deposits of the Eastern North Atlantic Ocean, Deep Sea Drilling Project, Leg 41, Sites 367 and 370. In: H.M Bolli *et al.*, (Ed.) *Initial Report on the Deep Sea Drilling Project,* Vol. 50. p. 841 – 881.

KRASNOVA, 1961. In: SAMILOVITCH, S.R. & MTCHEDLISHVILI, N.D. (eds.), 1961. Pollen and spores of western Siberia; Jurassic to Palaeocene. *VNIGRI Transactions of the All Union Petroleum Scientific Research Geological Exploration Institute,* Vol. 177, p. 1 – 657.

KREMP, G.O.W., 1965. Morphologic encyclopedia of palynology. University of Arizona Press, Tucson, p. 1 - 185.

KREMP, G.O.W., 1968. Morphologic Encyclopedia of Palynology. The University of Arizona Press, Tucson, p. 1 – 263.

KRUTZSCH, W., 1959. In: JANSONIUS, J. & HILLS, L.V., 1976. Genera file of fossil spores and pollen. Department of Geology, *University of Calgary, Special publication,* Reference Card No. 3 – 431 cards.

KRUTZSCH, W., 1959. Einige neue Formgattugen und –arten von Sporen und Pollen aus der mitteleuropaischen Oberkreide und dem Tertiar. *Palaeontographica,* Vol. 105, p. 125 – 157.

KRUTZSCH, W., 1963. Atlas der mittel - und jungtertiaren dispersen Sporen – und Pollen – sowie der Mikroplanktonformen des nordlichen Mitteleuropas. Lief III. Sphagnaceoide und selaginellaceoide Sporenformen. *Dt. Verlag Wiss,* p. 1 – 128.

KRUTZSCH, W., 1970. Atlas der mittel- und jungtertiaren dispersen sporen- und pollen- sowie der mikroplankton formen des nordlichen mitteleuropas. Lieferung 7: Monoporate, monocolpate, longicolpate, dicolpate und ephedroide (polyplicate) pollen formen. *Veb Gustav Fisher Verlag Jena*, *Berlin.* p.1 - 175.

KÜTZING, 1843. In: ZIPPI, P.A., 1998. Freshwater algae from the Mattagami Formation

(Albian), Ontario: paleoecology, botanical affinities and systematic taxonomy. *Micropaleontology,* Vol. 44, Supplement No. 1, p. 11.

LADD, J.W., DICKSON, G.U., & PITMAN, W.C. III., 1973. The age of the South Atlantic. In: A.E.M. Nairn and F.G. Stehli (eds.), *The Ocean Basin and Margins: The South Atlantic*, p. 555 – 573, New York.

LANTZ, J., 1958. Etude palynologique de quelques echantillons Mesozoiques du Dorset (Grande Bretagne): *Instit Français du Petrole, Annales des Combustibles. Liquides,* Vol. 13, No. 6, p. 917 – 943.

LARSON, R.L., 1977. Early Cretaceous breakup of Gondwanaland off Western Australia. *Geology,* Vol. 5, p. 57 – 60.

LARSON, R.L. & LADD, J.W., 1973. Evidence for the opening of the South Atlantic in the Early Cretaceous. *Nature,* Vol. 246, p. 209 – 212.

LAWAL, O. & MOULLADE, M., 1986. Palynological biostratigraphy of Cretaceous sediments in the upper Benue Basin, NE Nigeria (1). *Revue de Micropaléontologie,* Vol. 29, No. 1, p.61 – 83.

Le PICHON, X., 1968. Sea-floor spreading and continental drift. *Journal of Geophysical Reasearch,* Vol. 73, p. 3661 – 3697.

LEIDELMEYER, P., 1966. The Palaeocene and Lower Eocene pollen flora of Guyana. *Leidse Geologische Mededelingen,* pt. 38, p. 49 – 70.

LEVET-CARETTE, J., 1964. Etude de la microflore bajocienne d'un sondage effectvē dans le soussol de Boulogne – sur - mer (P. –de – C). *Annales Societie Geologie du Nord.,* Vol. 87, p. 91 – 121.

LEWAN, M.D., 1986. Stable carbon isotopes of amorphous kerogens from Phanerozoic sedimentary rocks. *Geochimica et Cosmochimica Acta,* Vol. 50, p. 1538 – 1591.

LEVIN, H.L., 1990. Contemporary Physical Geography, Third Edition. Saunders College Publishing. p. 1 – 623.

LIDGARD, S. & CRANE, P.R., 1989. Quantitative analyses of the early angiosperm radiation. *Nature,* Vol. 331, p. 344 – 346.

LIDGARD, S. & CRANE, P.R., 1990. Angiosperm diversification and Cretaceous floristic trends: a comparison of palynofloras and leaf macrofloras. *Paleobiology,* Vol. 16, p. 77 – 93.

LINNAES, 1751. In: ZIPPI, P.A., 1998. Freshwater algae from the Mattagami Formation (Albian), Ontario: paleoecology, botanical affinities and systematic taxonomy. *Micropaleontology,* Vol. 44, Supplement No. 1, p. 1 – 78.

LISTER , J.K. & BATTEN, D.J., 1988. Stratigraphic and palaeonvironmental distribution of Early Cretaceous dinoflafellate cysts in the Hurlands Farm Borehole, West Sussex, England. *Palaeontographica,* Vol. 210, pt. B, p. 9 – 89.

LI, Z. & SONG, Z.,1985. In SONG, Z., LI, Z., GUAN, X., ZHENG, Y., WANG, W. & HU, Z., 1985. Research on Cenozoic palynology of the Longjing structural area in the shelf basin of the East China Sea (Donghai) region. *Anhui Scientific and Technical Publishing House, Anhui,* Vol. 209, p. 1 – 255. (In Chinese).

LORENTE, M., 1986. Palynology and palynofacies of the upper Tertiary in Venezuela. *Dissertationes Botanicae,* Vol. 99, p. 1 – 222.

LUBER, 1935. In: DELCOURT, A. F., DETTMAN, M. E. & HUGHES, N. F., 1963. Revision of some Lower Cretaceous microspores from Belgium. *Palaeontology,* Vol. 6, pt. 2, p. 283.

LUPIA, R., LIDGARD, S. & CRANE, P.R., 1999. Comparing palynological abundance and

diversity: implications for biotic replacement during the Cretaceous angiosperm revolution. *Paleobiology,* Vol. 25, N0. 3, p. 305 – 340.

LUTTRELL, E.S., 1973. Loculoascomycetes. In: G.C., Ainsworth, F.K., Sparrow and A.S. Sussman. *The Fungi: An advanced treatise,* Vol. IVA. Academic Press, New York, p. 135 – 219.

MABBERLEY, D.J., 1993. The plant book, a portable dictionary of higher plants. Cambridge University Press, Cambridge.

MACPHAIL, M. K. & TRUSWELL, E. M., 1989. Palynostratigraphy of the central west Murry Basin. *BMR Journal of Australian Geology and Geophyics.* Vol. 11, p. 301 – 331.

MÄDLER, K., 1964. Die Geologische Verbreitung van Sporen und Pollen in der Deutschen Trias. *Beihefte zum Geologischen Jahrbuch*, Vol. 65, p. 1 – 147.

MAHESHWARI, H.K., 1974. Lower Cretaceous palynomorphs from the Bansa Formation, South Rewa Gondwana Basin, India. *Palaeontographica,* Vol. 146, No's. 1 & 2, p. 21 – 55.

MAMAY, S.H., 1950. Some American Carboniferous fern fructifications. *Annals of the Missouri Botanical Garden,* Vo. 37, No. 3, p. 409 – 477.

MANUM, S.,1976. Dinocysts in Tertiary Norwegian – Greenland sea sediments (Deep Sea Drilling Project Leg 38) with observations on palynomorphs and palynodebris in relation to environment. In: M. Talwani and L. Udintsev (eds.), *Initial reports on Deep Sea Drilling Project 38,* p. 897 – 919.

MAROT, J.E.B., 1990. Petrography and porosity of the gas-bearing sandstones intersected by the Kudu 9A – 2 and 9A – 3 boreholes. In: B.G.Hoal (Ed.), The Kudu offshore drilling project. *Communications of the Geological Survey of Namibia,* Vol. 6, p.1 – 73.

MARTIN, A.R.H., 1960. A Mesozoic microflora from South Africa. *Nature,* Vol. 186 (4718), p. 1 – 95.

MARTIN, F., 1993. Acritarchs: a review. *Biological Reviews (Cambridge Philosophical Society),* Vol. 68, p. 475 – 538.

MASCLE, G.P. LOHMANN, P.D., CLIFT, P.D & SHIPBOARD SCIENTIFIC PARTY., 1996. Introduction. In: L. MASCLE, G.P. LOHMANN, P.D., CLIFT *et al., Proceedings of the Ocean Drilling Project Initial Results, 159, College Station, Tx (Ocean Drilling Progame),* p. 5 – 16.

MASRAN, T.C. & POCOCK, S.A.J., 1980. The classification of plant derived particulate organic matter in sedimentary rocks. *5th International Palynological Conference, Cambridge,* p. 254.

MCKENZIE, D. P. & WEISS, N., 1975. Speculations on the thermal and tectonic history of the Earth. *Geophysical Journal of the Royal Astronomical Society,* Vol. 42, p. 131 – 174.

McLACHLAN, I.R. & PIETERSE, E., 1978. Preliminary palynological results: Site 361, Leg 40, Deep Sea Drilling Project. In*:* H. Bolli, W.B.F. Ryan *et al.* (eds.) - *Initial Reports of the Deep Sea Drilling Project 40.* p. 857 – 881. US Government Printing Office, Washington, DC.

MILDENHALL, D.C., 1972. Fossil pollen of *Acacia* type from New Zealand. *New Zealand Journal of botany,* Vol. 10, p. 485 – 494.

MILDENHALL, D.C., 1980. New Zealand Late Cretaceous and Cenozoic plant biogeography: a contribution. *Palaeogeography, palaeoclimatology, palaeoecology,* Vol. 31, p. 197 – 233.

MILDENHALL, D. C. & CROSBIE, Y.M., 1979. Some porate pollen from the Upper Tertiary of New Zealand. *New Zealand Journal of Geology and Geophysics,* Vol. 22, p. 499 – 508.

MILDENHALL, D. C. & POCKNALL, D. T., 1989. Miocene – Pleistocene spores and pollen from Central Otago, South Island, New Zealand. *New Zealand Geological Survey,*

Palaeontological Bulletin, No. 59, p. 1 – 128.

MILNE, L.A., 1988. Palynology of a late Eocene lignitic sequence from the western margin of the Eucla Basin, Western Australia. *Association of Australasian Palaeontologists,* Memoir 5, p. 285 – 310.

MINER, E.L., 1935. Palaeobotanical examination of Cretaceous and Tertiary coals. *American Midland Naturalist,* Vol. 16, No. 4, p. 585 – 625.

MORGAN, R., 1978. Albian to Senonian palynology of Site 364, Leg 40, Deep Sea Drilling Project Angola Basin.In: H. M. Bolli *.et al.*, (eds.) *Initial Report on the Deep Sea Drilling Project,* Vol. 50. p. 915 – 951.

MULLER, J., 1968. Palynology of the Pedawan and Plateau Sandstone Formations (Cretaceous – Eocene) in Sarawak, Malaysia. *Micropalaeontology,* Vol, 14, No.1, p. 1 - 37.

MULLER, J., 1984. Significance of fossil pollen for angiosperm history. *Annals of the Missouri Botanical Garden,* Vol. 71, p. 419 – 443.

NAGY, E., 1963. Spores et pollens nouveaux d'une coupe de la briqueterie d'Eger (Hongrie). *Pollen et Spores.* Vol. V, No.2, p. 397 – 412.

NAKOMAN, 1976. In: JANSONIUS, J. & HILLS, L.V., 1977. Genera file of fossil spores - Supplement. Special publication. *Department of Geology, University of Calgary, Canada.* Reference Card No. 3373.

NAUMOVA, S.N., 1937. Spores and pollen of coals of U.S.S.R. In: *Trudy 17th International Geological Congress, Moscow,* Vol. 1, p. 355 – 366.

NAUMOVA, S.N., 1939. Spores and pollen of coals of U.S.S.R. *Reprint of the 17th session of the International Geological Congress, Moscow,* Vol. 1, p. 353 – 364.

NAUMOVA, S.N., 1953. Upper Devonian spore-pollen assemblages of the Russian Platform and their stratigraphic significance. *Trudy Geologicheskogo Instituta, Akademiia, Nauk S.S.S.R,* Vol. 143, No. 60, p. 1 – 204.

NICHOLS, D.J. & FARLEY FLEMMING, R., 1990. Plant microfossil record of the terminal Cretaceous event in the western United States and Canada. In: V.L., Sharpton and P.D., Ward (eds.), Global catastophes in Earth history; An interdisciplinary conference on inpacts, volcanism and mass mortality. *Geological Society of America,* Special Paper No.247, p. 445 – 455.

NIESEN, H. & SORENSEN, I., 1992. Taxonomy and stratigraphy of late glacial *Pediastrum* taxa from Lysmosen, Denmark, a preliminary study. *Review of Palaeobotany and Palynology,* Vol. 74, p. 55 – 75.

NILSSON. T., 1958. Über das Vorkommen eines Mesozoischen Sapropelgesteins in Schonen. *Lunds University Årsskrifte,* N.F., Vol. 54, No. 10, pt. 2, p. 3 - 111.

NORRIS, G., 1967. Spores and pollen from the lower Colorado Group (Albian? – Cenomanian) of central Alberta. *Palaeontographica,* Vol. 120, pt. B, p.72 – 115.

NORRIS, G., 1970. Palynology of the Jurassic – Cretaceous Boundary in Southern England. *Geoscience et Man,* Vol. 1, p. 57 – 67.

NORVICK, M.S. & BURGER, D., 1976. Palynology of the Cenomanian of Bathurst Island, Northern Territory, Australia. *Bureau of Mineral Resources, Geology & Geophysics Bulletin,* No. 151, p. 1 – 154.

OBOH, F. E., 1992. Multivariate statistical analyses of palynodebris from the middle Miocene of the Niger Delta and their environmental significance. *Palaios,* Vol. 7, p. 559 – 573.

OBOH, F. E. & REEVES MORRIS, L. M., 1994. Early Oligocene palynosequences in the Eastern Gulf Coast, U.S.A. *Palynology,* Vol. 18, p. 213 - 235.

OBOH, F. E. & REEVES MORRIS, L. M., 1995. Correlation between *Sequoia* type pollen and the Lower Oligocene transgressive deposits in the Eastern Gulf Coast. *Palaios,* Vol. 10, p. 371 - 382.

OBOH – IKUENOBE, F.E., YEPES, O. & ODP LEG 159 SCIENTIFIC PARTY., 1997. Palynofacies analysis of sediments from the Côte d'Ivoire – Ghana transform margin: Preliminary correlation with some regional events in the Equatorial Atlantic. *Palaeogeography, Palaeoclimatology, Palaeoecology,* Vol. 129, p. 291 – 314.

OBOH – IKUENOBE, F.E., YEPES, O. & GREGG, J.M., 1998. Palynostratigraphy, palynofacies, and thermal maturation of Cretaceous – Palaeocene sediments from the Cote d'Ivoire-Ghana Transform Margin. In: J. Mascle, J. Lohmann and M. Moullade (eds.) *Proceedings of the Ocean Drilling Program, Scientific Results,* Vol. 159, p. 277 – 318.

OBOH - IKUENOBE, F.E. & DE VILLIERS, S.E., 2003. Dispersed organic matter in samples from the western continental shelf of Southern Africa: palynofacies assemblages and depositional environments of Late Cretaceous and younger sediments. *Palaeogeography, Palaeoclimatology, Palaeoecology,* Vol. 201, p. 67 – 88.

OBOH - IKUENOBE, F.E., OBOH, C.G., & JARAMILLO, C.A., 2005. Lithofacies, palynofacies and sequence stratigraphy of Palaeogene strata in south eastern Nigeria. *Journal of African Earth Science,* Vol. 41, p. 79 – 102.

OLOTO, I.N., 1989. Maastrichtian dinoflagellate cyst assemblages from the Nkporo Shale on the Benin Flank of the Niger Delta. *Review of Palaeobotany and Palynology,* Vol. 57, p. 173 – 186.

PACLTOVÁ, B., 1961. On some plant microfossils from fresh-water sediments of the Upper

Cretaceous (Senonian) in the south Bohemian Basin. Part I. *Sborn. Ustred. Ust. Geologie, odd palaeontologie,* Vol. 26, p. 47 – 102.

PADEN PHILIPS, P., 1971. In: PADEN PHILIPS, P. & FELIX, C. J., 1971. A study of Lower to Middle Cretaceous spores and pollen from the southeastern United States II. Pollen. *Pollen et Spores,* Vol. 13, No. 2, p. 439 – 473.

PADEN PHILIPS, .P. & FELIX, C.J., (1971) 1972.A study of the Lower and middle Cretaceous spores and pollen from the southeastern United States – I – Spores. *Pollen et Spores,* Vol, 13, No. 2, p. 279 – 348.

PANNELLA, G., 1966. Palynology of the Dakota Group and granular shale of the Denver Basin; Unpublished PhD thesis, University of Colorado, Boulder, p. 1 – 173.

PANT, O.D., 1954. Suggestions for the classification and nomenclature of fossil spores and pollen grains. *The Botanical Review,* Vol. 20, No. 1, p. 33 – 60.

PARRISH, J.T., 1987. Global palaeogeography and palaeoclimate of the late Cretaceous and early Tertiary. In: E. M. Friis *et al*., (eds), *The origins of angiosperms and their biological consequences*. Cambridge University Press.

PARRISH, J.T. & DOYLE, J.A., 1984. Predicted evolution of global climate in Late Jurassic – Cretaceous time. *Abstracts, International Organization of Paleobotany Conference, Edmonton, August 18 – 26.*

PASELEY, M. A. & HAZEL, J.E., 1990. Use of organic petrology, and graphic correlation of biostratigraphic data in sequence stratigraphic interpretations: Examples from the Eocene – Oligocene boundary section, St. Stephen's quarry, Alabama. *Transactions of the Gulf Coast Association of Geological Societies,* Vol. 40, p. 661 – 683.

PASCHER, 1914. In: ZIPPI, P.A., 1998. Freshwater algae from the Mattagami Formation (Albian), Ontario: paleoecology, botanical affinities and systematic taxonomy.

Micropaleontology, Vol. 44, Supplement No. 1, p. 11.

PASTORET, L. & GOSLIN, L., 1974. Middle Cretaceous sediments from the eastern part of the Walvis Ridge. *Nature,* Vol. 248, p. 495 – 496.

PENNY, J.S., 1969. Late Cretaceous and Early Tertiary Palynology. In: R.H. Tschudy and R.A.Scott (eds.), *Aspects of Palynology*. P. 331 – 376.

PETTITT, J.M. & CHALONER, W.A., 1964. The ultrastructure of the Mesozoic pollen, *Classopollis. Pollen et Spores,* Vol. VI, No. 2, p. 611 – 620.

PFLUG, H, D.,1953. Zur Entstehung und Entwicklung des angiospermiden Pollens in der Erdgeschichte. *Palaeontographica,* Vol. 95, pt. B, p. 60 – 171.

PHIPPS, D. & PLAYFORD, G., 1984. Laboratory techniques for extraction of palynomorphs from sediments. *Papers from the Department of Geology, University of Queensland,* Vol. 11, No. 1, p. 1 – 23.

PIASECHI, S., 1986. Palynological analysis of the organic debris in the Lower Cretaceous Jydegård Formation, Bornholm, Denmark. *Grana,* Vol. 25, p. 119 – 129.

PIERCE, R.L., 1961. Lower Upper Cretaceous plant microfossils from Minnesota. *Bulletin of the Minnesota Geological Survey.* Vol. 42, p. 1 – 86.

PIERCE, S.T., 1976. Morphology of *Schizosporis reticulatus* Cookson & Dettman, 1959. *Geoscience and Man,* Vol. 15, p. 25 – 33.

PITMAN, W.C. III, CANDE, S., LaBRECQUE, J. & PINDELL, J., 1993. Fragmentation of Gondwana: The separation of Africa from South America. In: P. Goldblatt (Ed.), *Biological relationships between Africa and South America*. Yale University Press, p. 15 – 24.

PLAYFORD, G., 1962. Lower Carboniferous microfloras of Spitsbergen – Part 1. *Palaeontology,* Vol. 5, p. 550 – 618.

PLAYFORD, G., 1971. Palynology of the Lower Cretaeous (Swan River) strata of Saskatchewan and Manitoba. *Palaeontology,* Vol. 14, No. 4, p. 533 – 565.

PLAYFORD, G., 1991. Australian Lower Carboniferous miospores relevant to extra-Gondwana correlations: an evaluation. *Forschungsinstitut Senckenberg,* Vol. 130, p. 85 – 125.

PLAYFORD, G. & DETTMANN, M.E., 1965. Rhaeto – Liassic plant microfossils from the Leigh Creek Coal Measures, South Australia. *Courier Forschungsinstitut Senckenberg,* Vol. 46, p. 127 – 181.

PLAYFORD, G. & DETTMANN, M.E., 1996. Chapter 8. Spores. In: J. Jansonius and D. C. McGregor (eds.), Palynology: principles and applications. *American Association of Stratigraphic Palynologists Foundation*, Vol. 1, p. 227 – 260.

POCKNALL, D.T. & MILDENHALL, D.C., 1984. Late Oligocene - early Miocene spores and pollen from Southland, New Zealand. *New Zealand Geological Survey Palaeontological Bulletin,* No. 51, p. 1 – 66.

POCOCK, S.A.J., 1961. The microspore genus *Cingulatisporites* Thompson, 1953. *Journal of Palaeontology,* Vol. 35, p. 1234 – 1236.

POCOCK, S.A.J., 1962. Microfloral analysis and age determination of strata at the Jurassic-Creataceous Boundary in the Western Canada Plains. *Palaeontographica,* Vol. 111, p. 1 – 92.

POCOCK, S.A.J., (1964) 1965. Pollen and spores of the *Chlamydospermidae* and *Schizaeaceae* from Upper Mannville strata of the Saskstoon area of Saskatchewan. *Grana Palynologica,* Vol. 5, No. 2, p. 129 – 209.

POCOCK, S.A.J., 1970. Palynology of the Jurassic sediments of Western Canada. Part 1. Terrestrial species. *Palaeontographica,* Vol. 130, pt. B, p. 12 – 72.

POCOCK, S. A. J., 1982. Identification and recording of particulate sedimentary organic matter. In: F.L. Staplin *et al.,* How to assess maturation and paleotemperatures. *Society of Economic Paleontologists and Mineralogists, Short Course,* Vol. 7, p. 13 – 131.

POCOCK, S.A J. & JANSONIUS, J., 1961. The pollen genus *Classopollis* Pflug, 1953. *Micropalaeontology,* Vol. 7, p. 439 – 449.

POKROVSKAJA, I.M. & STEL'MAK, N.K. (eds.), 1964. Atlas of the Lower Cretaceous spore-pollen complexes of certain regions of the U.S.S.R. *Trudy Geologicheskogo Instituta, Akademiia, Nauk S.S.S.R,* Vol. 124, p. 1 –552

POTONIÉ, H., 1893. In: POTONIÉ, R., 1952. Zur Morphologie und morphologischen Nomenklatur der Sporites H. Potonié 1893. *Paläontologie,* Vol. 25, No.'s 3 & 4, p. 143 – 154.

POTONIÉ, R., 1931. Pollen formen aus Tertiären Braunkohlen. *Preussische Geologishe Landesanstalt zu Berlin, Jahrbuch,* Vol. 52, p. 1 – 7.

POTONIÉ, R., 1934. Zur Mikrobotanik des eocänen Humodils des Geiseltals. *Institute of Palaobotany,* Vol. 4, p. 25 – 125.

POTONIÉ, R., 1956. Synopsis der Gattungen der *Sporae dispersae.* I. Sporites. *Beihefte zum Geologischen Jahrbuch,* Vol. 23, p. 1 – 103.

POTONIÉ, R., 1958. Synopsis der Gattungen der *Sporae dispersae.* II. Sporites. *Beihefte zum Geologischen Jahrbuch,* Vol. 31, p. 1 – 114.

POTONIÉ, R., 1960. Synopsis der Gattungen der *Sporae dispersae.* III. Sporites. *Beihefte zum Geologischen Jahrbuch,* Vol. 39, p, 1 – 189.

POTONIÉ, R., 1962. Synopsis der Sporae in situ. *Beihefte zum Geologischen Jahrbuch,* Vol. 52, p. 1 – 204.

POTONIÉ, R., 1966. Synopsis der Gattungen der *Sporae dispersae*, IV. Teil: Nachtrage zu allen Gruppen (Turmae); *Beihefte zum Geologischen Jahrbuch,* Vol. 72, p. 1 – 244.

POTONIÉ, R., 1967. Versuch der Einordnung der fossilen *Sporae dispersae* in das phylogenetische System der Pflanzenfamilien; *Forschungsberichte des Landes Nordrhein-Westfalen,* No. 1761, p. 1 – 310.

POTONIÉ, R., 1970 Synopsis der Gattungen der *Sporae dispersae*, V. Teil: Nachtrage zu allen Gruppen (Turmae); *Beihefte zum Geologischen Jahrbuch,* Vol. 87, p. 1 - 222.

POTONIÉ, R., & GELLETICH, J., 1933. Uber Pteridophyten-Sporen einer eözanen Braunkohle aus Dorog in Ungarn. *S.B. Geologischen Naturf. Fr. Berlin,* Vol. 33, p. 517 – 526.

POTONIÉ, R., & GREBE, H., 1974. The history of spore classification, how to avoid errors of the past. In: D.C Bharadwaj (Ed.), Symposium on structure, nomenclature and classification of pollen and spores. *Birbal Sahni Institute of Palaeobotany, Lucknow, Special Publication,* No. 4, p. 1 – 6.

POTONIÉ, R. & KREMP, G.O.W., 1954. Die Gattungen der paläozoischen Sporae dispersae und ihre stratigraphie. *Neues Jahrbuch fur Geologie und Palaontologie,* Vol. 69. p. 111 – 194.

POTONIÉ, R. & KREMP, G.O.W, 1955. Die Sporae dispersae des Ruhrkarbons, ihre Morphographie und Stratigraphie mit Ausblicken auf Arten anderer Gebeite unde Zeitabschnitte. Part 1. *Palaeontolographica B,* Vol. 98, p. 1 – 136.

POTONIÉ, R. & VENITZ, H., 1934. Zur mikrobotanik des miocäan Humodils der niederrheinischen Bucht. *Preuss. Geologie Landesanstalt Inst. Paläobotanik und Petrographie*

Brennstein, Vol. 5, p. 5 – 54.

POWELL, A.J., DODGE, J.D. & LEWIS, J., 1990. Late Neogene to Pleistocene palynological facies of the Peruvian continental margin upwelling, Leg, 112. In: E. Suess & R. von Huene *et al., Proceedings of the Ocean Drilling Program, Scientific Results,* Vol. 112, p. 297 – 321.

PRAGLOWSKI, J., 1979. Winteraceae Lindl. *World Pollen and Spore Flora,* Vol. 8, p. 1 – 25.

PRAGLOWSKI, J. & PUNT, W., 1973. An elucidation of the microreticulate structure of the exine. *Grana,* Vol. 13, p. 45 – 50.

PRAUSS, M., 1989. Dinozystem – Stratigraphie und Palynofazies im oberen Lias und Dogger von NW – Deutschland. *Palaeontographica,* Vol. 214, pt. B, p. 1 – 124.

PREMOLI – SILVA, I. & BOERSMA, A.,1977. Cretaceous planktonic foraminiferas – DSDP Leg 40 (South Atlantic). In: P.R. Supko and K. Perch Nielsen *et al.,*(eds.) *Initial Reports of the Deep Sea Drilling Project,* Vol. 39, p. 615 – 641. Washington, DC: Government Printing Office.

POKROVSKAYA & STELMAK, 1960. In: JANSONIUS, J. & HILLS, L.V., 1976. Genera file of fossil spores and pollen. Department of Geology, *University of Calgary, Special publication, Card No. 3 – 431 cards.*

PUNT, W., BLACKMORE, S., NILSSON, S & Le THOMAS, A. 1994. Glossary of pollen and spore terminology. *Laboratory of Palaeobotany and Palynology Contributions Series 1.* LLP Foundation, Utrecht, The Netherlands, p. 1 – 71.

RABINOWITZ, P.D. & LA BRECQUE, J., 1979. The Mesozoic South Atlantic Ocean and evolution of its continental margin. *Journal of Geophysical Reasearch,* Vol. 84, p. 5973 – 6002.

RADFORTH, N.W., 1938. An analysis and comparison of the structural features of *Dactylotheca plumose* Artis sp. and *Senftenbergia ophiodermatica* Göppert sp. *Transactions of*

the Royal Society of Edinburgh, Vol. 59, pt. 2, p. 385 – 396.

RAMANUJAM, C. G. K., 1966. Palynology of the Miocene lignites from the South Arcot district, Madras, India. *Pollen et Spores,* Vol. 8, p. 149 – 203.

RAO, V.R. & VENKATACHALA, B.S., 1971. Upper Ghondwana marine interculations in Peninsular India. *Annals Geological Department, Aligarh Muslim University.* International Gondwana Symposium, Vol. 5 and 6, Special Issue*,* p. 353 – 389.

REINSCH, P.R., 1881. In: DELCOURT, A. F., DETTMAN, M. E. & HUGHES, N. F., 1963. Revision of some Lower Cretaceous microspores from Belgium. *Palaeontology,* Vol. 6, pt. 2, p. 283.

REINSCH, P.R., 1884. Micro-Paleophytologia Formationis Carboniferae, *E.J.T Erlange,* Vol. 1, p. 1 – 79; Vol. II, p. 1 – 14, Leipzig.

REISSINGER, A., 1950. Die 'Pollenanalyse' ausgedehnt auf alle Sedimentgesteine der geologischen Vergangenheit. *Palaeontographica,* Vol. 90, p. 99 – 126.

REMY, W. & REMY, R., 1955.Mitteilungen über Sporen die aus inkohlten Fruktifikationen von echten Farnen des Karbon gewonen wurden. Teil 1. *Abh. Deutschen. Akad. Wiss. Berlin*, p. 41 – 47.

REYMENT, R.A & TAIT, E.A., 1972. Biostratigraphical dating of the early history of the South Atlantic Ocean. *Philosofic Transactions of the Royal Society,* p. 264 – 295.

REYMENT, R.A & DINGLE, R.V., 1987. Palaeogeography of Africa during the Cretaeous Period. *Palaeogeography, Palaeoclimatology, Palaeoecology,* Vol. 59, p. 93 – 116.

REYNOLDS, C.S. & ALLEN, S.E, 1968. Changes in phytoplankton of Oak mere following the introduction of base-rich water. *British Phycological Bulletin,* No. 3, p. 451 – 462.

REYRE, Y., 1970. Stereoscan observation on the pollen genus *Classopollis* Pflug, 1953. *Palaeontology,* Vol. 13, p. 303 – 322.

REINSCH, P.F., 1881. Micro – Palaeo Phytologia Formationis Carboniferae; Vol. 1, *Continens Trileteas et Stelideas*, p. 1 – 79. Erlangae Germania, Theo. Krische

RICHARDSON, J.B., FORD, J.H. & PARKER, F., 1984. Miospores, correlation and age of some Scottish Lower Old Red Sandstone sediments from the Strathmore region (Fife & Angus). *Journal of Micropalaeontology,* Vol. 3, p. 109 – 124.

ROSS, N. E., 1949. Investigation of the Senonian of the Kristianstad District, S. Sweden. I. On a Cretaceous pollen and spore bearing clay deposit of Scania. *Bulletin of the Geological Institution of the University of Uppsala*, Vol. 34, p. 25 – 42.

ROSENZWEIG, M.L. & McCORD, R.D., 1991. Incumbent replacement: evidence for long – term evolution – any progress. *Paleobiology,* Vol. 17, p. 202 – 213.

ROUSE, G.E., 1957. The application of a new nomenclatural approach to Upper Cretaceous plant microfossils from Western Canada. *Canadian Journal of Botany,* Vol. 35, p. 349 – 375.

SAAD, S.I., 1963. Pollen and spores recently discovered in the coals of the Sinai region, I: Euone Mooussa District. *Palaeontographica*, Vol.113, pt. B, p. 117-125.

SAAD, S.I., 1978. Palynological studies in the Egyptian Western Desert: Umbarka IX borehole. *Pollen et Spores,* Vol. 20, p. 261 – 301.

SAAD, S. I. & GHAZALY, G., 1976. Palynological studies in Nubia sandstone from Kharga Oasis. *Pollen et Spores*, Vol.18, No. 3, p. 407 – 470.

SAH, S.C.D., 1967. Palynology of an Upper Neogene profile from Rusizi Valley (Burundi). *Musée Royal de l'Afrique Centrale, Tervuren, Belgique, Annales,* Series 8, No. 57, p. 1 – 173.

SAH, S.C.D. & DUTTA.S.K., 1966. Palynostratigraphy of the sedimentary formations of Assam 1: Stratigraphical position of the Cherra Formation. *Palaeobotanist,* Vol. 15, No's. 1 & 2, p. 72 – 86.

SAH, S.C.D. & JAINS, K.P., 1965. Jurassic spores and pollen grains from the Rajmahal Hills, India, with a discussion on the age of the Rajmahal intertrappen beds. *Palaeobotanists,* Vol. 13, No. 3, p. 264 – 290.

SAH, S.C.D & KAR, R.K., 1972. Palynostratigraphic evaluation of the Lower Eocene sediments of India. *Proceedings of the Seminar on Palynological Indian Startigraphers. Calcutta, 1971*, p. 255 – 265.

SAMILOVITCH, S.R., 1953. Pollen and spores from the Cherdynian and Aktybinian Pre-Urals. *Leningrad – Moskva, Trugy VNIGRI Transactions of the All Union Petroleum Scientific Research Geological Exploration Institute,* Vol. 75, p. 5 – 92.

SAMILOVITCH, S.R. & MTCHEDLISHVILI, N.D. (eds.), 1961. Pollen and spores of western Siberia; Jurassic to Palaeocene. *VNIGRI Transactions of the All Union Petroleum Scientific Research Geological Exploration Institute,* Vol. 177, p. 1 – 657.

SARMA, P., 1974. Light and scanning electron microscopic study of a new species of *Sphaeroplea* from New Zealand. *Nova Hedwigia,* Vol. 25, p. 475 – 501.

SCHOLTZ, A., 1985. The palynology of the upper lacustrine sediments of the Arnot Pipe, Banke, Namaqualand. *Annals of the South African Museum,* Vol. 95, p. 1 – 109.

SCHOPF, J.M., WILSON, L.R. & BENTELL, R., 1944. An annotated synopsis of Paleozoic fossil spores and the definition of generic groups. *Illinois State Geological Survey Reprint Invest.*

P. 1 – 91.

SCHRANK, E., 1984. Paleozoic and Mesozoic palynomorphs from the Foram 1 well (Western Desert, Egypt). *Neues Jahrbuch fur Geologie und Palaontologie,* Vol. 2, p. 95 – 112.

SCHRANK, E., 1987. Palaeozoic and Mesozoic palynomorphs from Northeast Africa (Egypt and Sudan) with special reference to Late Cretaceous pollen and dinoflafellates. *Berliner geowisskunde.* Vol. 75, No. 1, p. 249 – 310.

SCHRANK, E., 1994. Nonmarine Cretaceous palynology of northern Kordofan, Sudan, with notes on fossil Salviniales (water ferns). *Geologische Rundsch,* Vol. 83, p. 773 – 786.

SCHRANK, E., 1999. Age and biogeographic links of palynomorph assemblages from the dinosaur beds of Tendaguru (Late Jurassic, Tanzania). *Actes du 4éme Symposium de Palynologie Africaine (Sousse, Tunisie) 25 – 30 Avril, 1999, Geo-Eco-Trop, Numéro Spécial,* Vol. 22, p. 141 – 146.

SCHRANK, E. & MAHMOUD, M.S., 1998. Palynology (pollen, spores and dinoflagellates) and Cretaceous Stratigraphy of the Dakhla Oasis, central Egypt. *Journal of African Earth Sciences,* Vol. 26, No. 2, p. 167 – 193.

SCOTT, L., 1971. Lower Cretaceous pollen and spores from the Algoa Basin (South Africa). Unpublished MSc thesis, University of the Orange Free State. P. 1 – 80.

SCOTT, L., 1976. Palynology of Lower Cretaceous deposits from the Algoa Basin (Republic of South Africa). *Pollen et Spores,* Vol. 18, No. 4, p. 563 – 609.

SCHOLTZ, A., 1985. The palynology of the upper lacustrine sediments of the Arnot Pipe, Banke, Namaqualand. *Annals of the South African Museum,* Vol. 95, p. 1 – 109.

SELLING, O.H., 1946. Studies in Hawaiian pollen statistics. I. The spores of the Hawaiian Pteridophytes. *Bishop Museum Special Publication, Honolulu,* No. 37. p. 1 – 87.

SELLING, O.H., 1947. Studies in Hawaiian pollen statistics. I. The spores of the Hawaiian phanerograms. *Bishop Museum Special Publication, Honolulu,* No. 38. p. 1 – 430.

SINGH, C., 1964. Microflora of the Lower Cretaceous Mannville Group, east-central Alberta. *Research Council of Alberta Bulletin,* No.15, p. 1 - 239.

SINGH, C., 1971. Lower Cretaceous microfloras of the Peace River area, northwest Alberta. *Research Council of Alberta Bulletin,* No. 28, p. 1 – 299.

SINGH, H.P., SRIVASTAVA, S.K. & ROY, S.K., 1964. Studies on the Upper Gondwana of Cutch: 1 Mio and Macrospores. *Palaeobotanist,* Vol. 12, No. 3, p. 282 – 306.

SKARBY, A., 1964. Revision of *Gleicheniidities senonicus* Ross. *Stockholm Contr. Geology*, Vol.11, p. 59 – 77.

SKOTTSBERG, C.F., 1956. Derivation of the flora and fauna of Juan Fernandez and Easter Island. In: C.F. Skottsberg (Ed.), *The natural history of Juan Fernandez and Easter Island*. Gothenberg: Almqvist & Wiksell, Vol. 1, pt. 3, No. 5 p. 193 – 438.

SLADEN, C.P. & BATTEN, D.J., 1984. Source-area environments of Late Jurassic and Early Cretaceous sediments in the Southeast England. *Proceedings of the Geologists' Association, London,* Vol. 95, p. 149 – 163.

SMITH, A.C., 1970. *The Pacific as a Key to Flowering Plant History.* Harold L. Lyon Arboretum Lecture 1, University of Hawaii, Honolulu.

SMITH, 1980. In: TRAVERSE, A., 1988. *Paleopalynology*. Unwin Hyman, Boston, MA, p. 1 - 600.

SMITH, A.H.V. & BUTTERWORTH, M.A., 1967. Miospores in the coal seams of the Carboniferous of Great Britain. *Special Papers in Palaeontology,* Vol. 1, p. 1 – 324.

SMITH, A.G., BRIDEN, J.C. & DREWRY, G.E., 1973. Phanerozoic world maps. In: N.F. Hughes (ed.), Organisms and Continents through Time. *Paleontological Association, London Special Papers in Palaeontology,* Vol. 12, p. 1 – 43.

SOMERS, G., 1952. A preliminary study of the fossil spore content of the lower Jubilee seam of the Sydney coalfield. *Nova Scotia Research Foundation, Halifax,* p. 1 – 30.

SONG, Z., LI, Z., GUAN, X., ZHENG, Y., WANG, W. & HU, Z., 1985. Research on Cenozoic palynology of the Longjing structural area in the shelf basin of the East China Sea (Donghai) region. *Anhui Scientific and Technical Publishing House, Anhui,* Vol. 209, p. 1 – 255. (In Chinese).

SPRECHT, R.L., DETTMANN, M.E. & JARZEN, D. M., 1992. Community associations and structure in the Late Cretaceous vegetation of southeast Australasia and Antarctica. *Palaeogeography, Palaeoclimatology, Palaeoecology,* Vol. 94, p. 283 - 309.

SPICER, R.A. & THOMAS, B.A. (eds), 1986. *Systematic and taxonomic approaches in palynology.* (321 pages). Systematics Association Special Volume 31. Oxford University Press.

SRIVASTAVA, S.K., 1966. Upper Cretaceous microflora (Maastrichtian) from Scollard, Alberta, Canada. *Pollen et Spores,* Vol. 8, No. 3, p. 497 – 552.

SRIVASTAVA, S.K., 1969. Assorted angiosperm pollen from the Edmonton Formation (Maestrichtian), Alberta, Canada. *Canadian Journal of Botany,* Vol. 6, p. 975 – 989.

SRIVASTAVA, S.K., 1972. Systematic description of some spores from the Edmonton Formation (Maestrichtian), Alberta, Canada. *Palaeontographica,* pt. B, Vol. 139, p. 1 – 46.

SRIVASTAVA, S. K., 1975. Microspores from the Fredericksburg Group (Albian) of the

Southern United States *Paleobiologie continentale,* Vol. 6, p. 1 – 119.

SRIVASTAVA, S. K., 1976. The fossil pollen genus *Classopollis. Lethaia,* Vol. 9, No. 4, p. 437 – 457.

SRIVASTAVA, S. K., 1978.Cretaceous spore-pollen floras: A global evolution. *Biological Memoirs,* No. 3, p. 1 – 130.

STANCLIFFE, R.P.W., 1989. Microforaminiferal linings: their classification, biostratigraphy and palaeobotany, with special reference to specimens from British Oxfordian sediments. *Micropalaeontology,* Vol. 35, p. 337 – 352.

STANLEY, E. A., 1965.Upper Cretaceous and Palaeocene plant microfosiils and Palaeocene dinoflagellates and hystrichosphaerids from northwestern South Dakota. *Bulletin of American Palaeontology,* Vol. 49. p.179 – 345.

STANLEY, E.A., 1969. The occurrence and distribution of pollen and spores in marine sediments. *Proceedings of the 1st. International Conference on Planktonic Microfossils,* Geneva, 1967, p. 640 – 643.

STEBBINS, G.L., 1974. Flowering plants: Evolution above the Species Level. Harvard University Press, Cambridge, Massitusus, p. 1 – 399.

STEEVES, M.W. & BARGHOORN, E.S., 1959. The pollen of Ephedra. *Journal of the Arnold Aboretum,* Vol.40, No. 3, p. 221 – 255.

STEEVES, M.W. & WILKINS, L.R., 1967. Spores and pollen from the Lower Cretaceous of Saskatchewan, Canada. 1. Sporites. *Canadian Journal of Botany,* Vol. 45, No. 4, p. 2329 – 2365.

STEMMERIK, L., CHRISTIANSEN, F.G. & PIASECKI, S.,1990. Carboniferous lacustrine

shale in East Greenland – additional source rock in northern North Atlantic? In: B.J. Katz (Ed.), Lacustrine basin exploration – a case study and modern analogs. *American Association of Petroleum Geologists, Memoirs,* Vol. 50, p. 277 – 286.

STOVER, L. E., 1962. Taurocusporites, a new trilete spore genus from the Lower Cretaceous of Maryland. *Micopaleotology*, Vol. 8, No. 1, pl. 1, p. 55 – 59.

STOVER, L.E., 1964. Cretaceous Ephedroid pollen from West Africa. *Micropalaeontology,* Vol. 10, No. 2, p. 145 – 156.

STOVER, L.E., 1973. In: STOVER, L. E. & PARTRIDGE, A. D., 1973. Tertiary and late Cretaceous spores and pollen from the Gippsland Basin, southeastern Australia. *Proceedings of the Royal Society of Victoria* Vol. 85, p. 237 - 286.

STOVER, L. E. & EVANS, P.R., 1973. Upper Cretaceous – Eocene spore-pollen zonation, offshore Gippsland Basin, Australia. *Geological Society of Australia, Special Publication,* Vol. 4, p. 55 – 72.

STOVER, L. E. & PARTRIDGE, A. D., 1973. Tertiary and late Cretaceous spores and pollen from the Gippsland Basin, southeastern Australia. *Proceedings of the Royal Society of Victoria* Vol. 85, p. 237 – 286.

STOVER, L. E. & PARTRIDGE, A. D., 1982. Eocene spore - pollen from the Werillup Formation, Western Australia. *Palynology,* Vol. 6*,* p. 69 – 95.

SUKH-DEV., 1961. Studies on the fossil flora of the Jabalspur Series from the South Rewa Gondwana basin – spores and pollen grains. *Abstract from the proceedings of the 48th Indian Scientific Conference.*

SUKH-DEV., 1961. The fossil flora of the Jabalpur Series. 3. Spores and Pollen grains. *Palaeobotanist,* Vol. 8, p. 43 – 56.

SULTAN, I.Z., 1978. Mid-Cretaceous plant Microfossils from the Northern part of the Western Desert of Egypt. *Review of Palaeobotany and Palynology,* Vol. 25, p. 259 – 267.

SULTAN, I.Z., 1985. Maastrichtian plant microfossils from the El Mahamid area, Nile Valley, Southern Egypt. *Review of Micropalaeontology,* Vol. 28, No. 3, p. 213 – 222.

SULTAN, I. Z., 1986. Palynostratigraphy of Lower Cretaceous sediments in Nile Delta Region, Aswan. *Revista Espanola de Micropaleontologia.* Vol. XVIII, No. 1, p. 55 – 70.

SULTAN, I.Z. & SOLIMAN, H.A., 1978. Palynostratigraphie du Bathonien – Callovien du puit. Np. 3 de Barga, Sinai Nord, Egypte. *Revue de Micropaléontologie,* Vol. 20, p. 222 – 229.

SUMMERHAYES, C.P., 1987. Organic-rich Cretaceous Sediments from the North Atlantic. In: J. Brooks and A.J. Fleet (eds.), Marine petroleum source rocks. *Geological Society, London, Special Publication,* Vol, 26, p. 301 – 316.

SWALE, E.M.F., 1968. The phytoplankton of Oak Mere, Chesire, 1963 – 1966. *British Phycological Bulletin,* No. 3, p. 441 – 449.

TAKAHASHI, K., 1964. Spores und Pollen der oberkretazeischen Hakobuchi-Schichtengruppe, Hokkaido. *Memoirs of the Faculty Science, Kyushu University, Series D. Geology,* Vol. 14, No. 3, p. 159 – 271.

TAKHTAJAN, A., 1976. Neoteny and the origin of flowering plants. In: C.B Beck (Ed.), *Origin and Early Evolution of Angiosperms,* p. 207 – 219, New York: Columbia University Press.

TAYLOR, T.N., 1981. Palaeobotany: an introduction to fossil plant biology. McGraw-Hill, New York, p. 1 – 589.

TAYLOR, T.N. & TAYLOR, E.L., 1993. The biology and evolution of fossil plants. Prentice

Hall, Engelwood Cliffs, N.Y.

TAYLOR, T.N. & HICKEY, L.J., 1996. In: LUPIA, R., LIDGARD, S & CRANE, P.R., 1999. Comparing palynological abundance and diversity: implications for biotic replacement during the Cretaceous angiosperm revolution. *Paleobiology,* Vol. 25, N0. 3, p. 305 – 340.

TEISSERENC, P. & VILLEMIN, J., 1990. Sedimentary basins of Gabon – geology and oil systems. In: J. D. Edwards and P. A. Santogross (eds.), *Divergent / Passive Margin Basins. American Association of Petroleum Geologists,* p. 117 – 199.

TEKBALI, A. O., 1994. Palynological observations on the 'Nubian Sandstone' southwestern Libya. *Review of Palaeobotany and Palynology,* Vol. 81, p. 297 – 311.

THIERDE, J., 1977. Subsidence of aseismic ridges: evidence from sediments on Rio Grande Rise (Southwest Atlantic Ocean). *American Association of Petroleum Geologists Bulletin,* No. 61, p. 929 – 940.

THIERDE, J. & VAN ANDEL, T.H., 1977. The palaeoenvironment of anaerobic sediments in the Late Mesozoic South Atlanic Ocean. *Earth and Planetary Letters,* Vol. 33, p. 301 – 309.

THIERGART, F., 1938. Die pollenflora der niederlausitzer Braunkohle, besonders im Profil der Grube Marga bei Seftenberg. *Jahrbuch Preussische Geologie Landesanstalt, 1937,* Vol. 38, p. 282 – 351.

THOMSON, P.W., 1953. In: THOMSON, P.W. & PFLUG, H., 1953. Pollen und Sporen des Mitteleuropaischen Tertiars. *Palaeontolographica,* Vol. 94, pt. B, p. 1 – 138.

THOMSON, P.W. & PFLUG, H., 1953. Pollen und Sporen des Mitteleuropaischen Tertiars. *Palaeontolographica,* Vol. 94, pt. B, p. 1 – 138.

TIWARI, 1964. In: PLAYFORD, G., 1991. Australian Lower Carboniferous miospores relevant to extra-Gondwana correlations: an evaluation. *Forschungsinstitut Senckenberg,* Vol. 130, p. 85

– 125.

TOWNROW, J.A., 1967. On a conifer from the Jurassic of East Antarctica. *Proceedings of the Royal Society of Tasmania,* Vol. 101, p. 137 – 147.

TRAVERSE, A., 1955. Pollen analysis of the Brandon lignite of Vermont. *United States Bureau of Mines Report Investigation 5151.*

TRAVERSE, A., 1988. *Paleopalynology*. Unwin Hyman, Boston, MA, p. 1 - 600.

TRAVERSE, A. & GINSBERG, R.N., 1966. Palynology of the surface sediments of the Great Bahama Bank, as related to water movement and sedimentation. *Marine Geology,* Vol. 4, p. 417 – 459.

TREVISAN, L., 1967. Presenza di pollini, spore, dinoflagelatti, isticosfere et acritachi in argile intercalate a calcari con calpionelle presso Serrazzano (Toscana meridionale). *Atti. Soc. Toscana. Sc. Nat,* Vol. 74, No. 2, p. 567 – 569.

TREVISAN, L., 1988. Angiospermous pollen (monosulcate – trichotomosulcate phase) from the very early Lower Cretaceous of Southern Tuscany (Italy). Seventh International Palynological Congress, Brisbane, Abstracts, p. 17.

TRUSWELL, E.M., 1990. Cretaceous and Tertiary vegetation of Antarctica: A palynological perspective: In: Taylor, T.N. & Taylor, E.L. (Eds.), Antarctic Palaeobiology. Springer. New York. N.Y. p. 77 – 88.

TRUSWELL, E.M. & DREWRY, D.J., 1984. Distribution and provenance of recycled palynomorphs in surficial sediments of the Ross Sea, Antarctica. *Marine Geology,* Vol. 59, p. 187 – 214.

TSCHUDY, B.D., 1971. Two new fossil genera from upper Campanian (Cretaceous) rocks of Montana. *Professional Papers of the United States Geological Survey,* Vol. 750, p. 53 – 61.

TSCHUDY, R.H., 1961. Palynomorphs as indicators of facies environments in Upper Cretaceous and Lower Tertiary strata, Colorado and Wyoming. *Wyoming Geological Association Guidebook. 16th Annual Field Conference*, p. 53 – 59.

TSCHUDY, R.H. & SCOTT, R.A., (eds) 1969. *Aspects of Palynology.* Wiley-Interscience, New York.

TYSON, R.V., 1984. Palynofacies investigation of Callovian (Middle Jurassic) sediments from DSDP Site 534, Blake – Bahama Basin, western central Atlantic.*Marine and Petroleum Geology,* Vol. 1, p. 3 – 13.

TYSON, R.V., 1987. The genesis and palynofacies characteristics of marine petroleum source rocks. In: J. Brooks & A.J. Fleet (eds), Marine petroleum source rocks. *Geological Society, London, Special Publication,* Vol, 26, p. 47 – 67.

TYSON, R.V., 1995. Sedimentary organic matter, organic facies and palynofacies. Chapman and Hall, London, p. 1 – 615.

UPCHURCH, G.R. Jr. & WOLFE, J.A., 1987. Mid Cretaceous to Early Tertiary vegetation and climate: evidence from fossil leaves and woods. In: E.M. Friss, W.G. Chaloner, and P.R. Crane (eds.), *The origin of angiosperms and their biological consequences*. Cambridge University Press.

VAKHRAMEEV, V.A., 1991.Jurassic and Cretaceous floras and climates of the Earth. Cambridge University Press, p. 1 – 318.

VAN DER HAMMEN, T., 1954. El desarrollo de la flora colombiana en los periodos geolōgicos; 1 – Maestrichtiano hasta Terciario mās inferior. *Boletin Geológico, Bogatá* Vol. 2, No. 1, p. 49 – 106.

VAN DER HAMMEN, T.,1955. Principios para la Nomenclatura Palinológica sistematiça. *Boletin Geológico, Bogatá,* Vol. 2, No. 2, p. 9 – 21.

VAN DER HAMMEN, T., 1956. A palynological systematic nomenclature. *Boletin Geológico, Bogatá* Vol. 4, No's. 2 - 3, p. 63 – 101.

VAN DER HAMMEN, T., & GONZALES, E. 1960. Upper Pleistocene and Holocene climate and vegetation of the "*Sabana de Bogota*" (*Colombia, South America*). *Leidse Geol. Meded*., Vol. 25, p. 261 – 315.

VAN KONIJNENBURG – VAN CITTERT, J.H.A., 1971. *In situ* gymnosperm pollen from the middle Jurassic of Yorkshire. *Acta Botanica Neerlandica,* Vol. 20, p. 1 – 96.

VAN BERGEN, P., JANSSEN, A., ALFERINK, J. & KERR, J., 1990. Recognition of organic matter types in standard palynological slides. *Rijks Geologische Mededelingen,* Vol. 45, p. 1 – 23.

VAN WAVEREN, I.M., 1993. Planktonic organic matter in surficial sediments of the Banda Sea (Indonesia) – a palynological approach. *Geologica Ultraiectina, Mededelingen van de Faculteit Aardwetenschappen, Universiteit Utrecht,* Vol. 104, p. 1 – 237.

VALTS, 1935. In: HART, G.F., 1965. The Systematics and Distribution of Permian Miospores. Witwatersrand University Press, p.1 – 252.

VENKATACHALA, B. S., 1966. Mesozoic operculate pollen and their morphology. *Palaeobotanist,* Vol. 15, No's 1 & 2, p. 98 – 101.

VENKATACHALA, B. S., 1967. Palynology of the Umia plant beds of Kutch, western India – 1. Stratigraphic palynology of the Bhuj exposures near Walkamata, Kutch District, Gujarat State. *Review of Palaeobotany and Palynology,* Vol. 5, p. 169 – 177.

VENKATACHALA, B. S., 1969. Palynology of the Umia plant beds of Kutch, western India – 2. Stratigraphic palynology of the Bhuj exposures near Walkamata, Kutch District, Gujarat State. Sytematic palynology. *Palaeobotanist,* Vol. 17, No. 1, p. 1 – 8.

VENKATACHALA, B.S., 1970. Palynology of the Mesozoic sediments of Kutch, western India – 7. Reworked Permian pollen from the Upper Jurassic sediments – A discussion. *Palaeobotanist,* Vol. 18, No. 1, p. 45 – 49.

VENKATACHALA, B.S., 1981. Differentiation of amorphous organic matter types in sediments. In: J. Brooks (ed.), *Organic maturation studies and fossil fuel exploration*, p. 177 – 200. London, Academic Press.

VENKATACHALA, B.S., CARATINI, C., TISSOT, C. & KAR, R.K., 1988. Palaeocene-Eocene marker pollen from India and tropical Africa. *Palaeobotanist,* Vol. 37, no. 1, p. 1 – 25.

VENKATACHALA, B.S. & KAR, R.K., 1969. Palynology of the Tertiary sediments of Kutch – 1. Spores and pollen from borehole no. 14. *Palaeobotanist,* Vol. 17, no. 2, p. 157 – 178.

VENKATACHALA, B.S. & KAR, R.K., 1972. Palynology of the Mesozoic sediments of Kutch, western India – 9. Palynological fossils from the Bhuj exposures near Dayapar, Kutch District, Gujarat State. *Proceedings from the Seminars of Palaeopalynological Indian Stratigraphers, Calcutta, 1971*, Calcutta, p. 166 – 171.

VENKATACHALA, B.S. & RAWAT, M.S., 1972. Palynology of the Tertiary sediments in the Cauvery Basin. Palaeocene – Eocene palynoflora from the sub-surface. *Proceedings from the Seminar on Palynological Indian Stratigraphy, 1971, Calcutta,* p. 292 – 235.

VON DER BRELIE, 1964. In: JANSONIUS, J. & HILLS, L.V., 1976. Genera file of fossil spores and pollen. Department of Geology, *University of Calgary, Special publication,* Card No.

3 – 431 cards.

WALL, D. 1965. Modern hystrichospheres and diniflagellate cysts from the Woods Hole region. *Grana Palynology,* Vol. 6, No. 2, p. 297 – 314.

WALTZ, 1935. In: BURGER, D., 1966. Palynology of the Uppermost Jurassic and Lowermost Cretaceous strata in the Eastern Netherlands. *Leidse Geologische Mededelingen*, Vol. 35, p. 209 – 276.

WEYLAND, H. & GREIFELD, G., 1953. Uber strukturbietende Blatter und pflanzliche Mikrofossilien aus den untersenonen Tonen der Gegend von Quedlinburg. *Paleontographica,* Vol. 95, pt. B, p. 30 – 52.

WEYLAND, H. & KRIEGER, W., 1953. Die Spores und Pollen der Aacgener Kreide und ihre Bedeutung fur die Charakterisierung des Mittleren Senons. *Paleontographica,* Vol. 95, pt. B, p. 6 – 29.

WILLIAMS, D.B. & SARGEANT, W.A.S., 1967. Organic-walled microfossils as depth and shoreline indicators. *Marine Geology,* Vol. 5, p. 389 – 412.

WILLIAMS, G., 1992. Palynology as a palaeoenvironmental indicator in the Brent Group, northern North Sea. In: A.C. Morton, R.S. Haszeldine, M.R. Giles and S. Brown (eds.), Geology of the Brent Group. *Geological Society, London, Special Publication,* Vol. 61, p. 203 – 212.

WILSON, L.R. & HOFFMEISTER, W.S., 1953. Four new species of fossil *Pediastrum*. *American Journal of Science*, Vol. 251, p. 753 – 760.

WISEMAN, J.F. & WILLIAMS, A.J., 1974. Palynological investigations of samples from Sites 259, 261 & 263, Leg, 27, Deep Sea Drilling Project. In: Veeves, J.J., Heirtzler, J.R *et al., Initial Reports of the Deep Sea Drilling Project,* Vol. 27, p. 915 – 924.

WITHJACK, M.O., SCHLISCHE, R.W & OLSEN, P.E., 1998. Diachronous rifting, drifting and inversion on the passive margin of central eastern North America: an analog for other passive margins. *American Association of Petroleum Geologists Bulletin,* No. 82, pt. 5A, p. 817 – 835.

WODEHOUSE, R.P., 1928. The phylogenetic value of pollen grain characters. *Annals of Botany,* Vol. 42, p. 891 – 934.

WODEHOUSE, R.P., 1933. Tertiary pollen II. The oil shales of the Eocene Green River Formation. *Bulletin of the Torey Botanical Club,* No. 60, p. 479 – 535.

WODEHOUSE, R.P., 1935. In: HART, G.F., 1965. The Systematics and Distribution of Permian Miospores. Witwatersrand University Press, p. 1 – 252.

WOOD, G.D. & STEPHENSON, J.T., 1989. Cambrian palynomorphs from the warm-water provincial realm, Bonneterre and Davis Formations of Missouri and Arkansas (Reelfoot rift area): Biostratigraphy, paleoecology and thermal maturity. In: J.M. Gregg, J.R. Palmer and V.E. Kurtz (eds), Fiels guide to the Upper Cambrian of southeastern Missouri: stratigraphy, sedimentology and economic geology, Department of Geology and Geophysics, University of Missouri (Rolla), *Geological Society of America Field Trip (Annual Meeting),* p. 84 – 102.

WOOD, G.D., MILLER, M.A., SOFER, Z., KREBS, W.N. & HEDLUND, R.W., 1997. Palynology, palynofacies, paleoenvironments and geochemistry of the Lower Cretaceous (pre salt) Cocobeach Group, North Gabon Subbasin, Gabon. *Africa Geoscience Review,* Vol. 4, No's 3 & 4, p. 481 – 497.

ZALESSKY, M.D., 1927. Premieres observations microscopiques sur le schiste bitumineax du Volgien inferieur. *Soc. Geol. Nord. Annales,* Vol. 51, p. 65 - 104

ZAVADA, M.S. & BENSON, J.M., 1987. First fossil evidence for the primitive angiosperm family *Lactoridaceae. American Journal of Botany,* Vol. 74, p. 1590 – 1594.

ZIPPI, P.A., 1998. Freshwater algae from the Mattagami Formation (Albian), Ontario: paleoecology, botanical affinities and systematic taxonomy. *Micropaleontology,* Vol. 44, Supplement No. 1, p. 1 – 78.

ZIPPI, P.A., WELBOURN, P. & NORRIS, G., 1992. *Peridinium* and *Pediastrum*: paleo-indicators of Recent Lake acidification. *Palynology,* Vol. 16, p. 1 – 234.