

REFERENCES CITED

- ABEL MOHSEN, S., 1986. Albian microflora from the Nubia Sandstone east of Aswan, Egypt. *Neues Jahrbuch fur Geologie und Palaontologie*, Vol. 6, p. 321 – 332.
- ABELMALIK, W.A., ABOUL ELA, N. M. & EL SHAMAA. A.G., 1981. Upper Jurassic – Lower Cretaceous microflora from the North-Western Desert, Egypt. *Neues Jahrbuch fur Geologie und Palaontologie*, Vol.162, p. 244 – 263.
- ABOUL ELA, N.M., 1978. The Palynological characteristics of the Upper Cretaceous sediments in Abu Tartur Plateau, Kharga Oasis, Egypt. *Revista Espanola de Micropaleontologia*, Vol. X, No. 3, p. 421 – 442.
- ABOULA ELA, N.M. & MABROUK, B., 1978. Palynological studies on some Nubia Sandstone samples in Ed-Dueim Area, Sudan. *Revista Espanola de Micropaleontologia*, Vol. X, No. 3, p. 395 – 406.
- AGARDH, C.A., 1824. Systema algarum. *Lunds University Årsskrifte*, N.F, p. 1 – 312. (Reprinted in 1965 by Editio Anastatica, Amsterdam, A. Asher & Co.).
- AGRANOVSKAJA, A., 1960. In: I.M., Pokroskaja and N.K., Stel'mak (eds), 1964. Atlas of the Lower Cretaceous spore-pollen complexes of certain regions of the U.S.S.R. *Trudy Geologicheskogo Instituta, Akademiia, Nauk S.S.S.R*, Vol. 124, p. 116.
- ARBER, E.A.N., 1917. The Earlier Mesozoic Flora of New Zealand. *New Zealand Geological Survey Bulletin*, No. 6, p. 1 – 80.
- ARCHANGELSKY, D.B., 1966. Stellate sculpture of the exine of pollen grains. In: M.I. Neyshadt (Ed.), The significance of palynological analysis for stratigraphy and paleofloristics. *Nauka*, Moscow. P. 22 – 26.

ARCHANGELSKY, S., 1977. *Balmeiopsis*, nuevo nombre generico para el palinomorfo *Inapertoropollenites limbatus* Balme, 1957. *Ameghiniana*, Vol. 14, p. 122 – 126.

ARCHANGELSKY, S. & GAMERRO, J.C., 1966a. Estudio palinológico de la Formación Baqueró (Cretácico), provincia de Santa Cruz, II. *Ameghiniana*, Vol. 4, No. 6, p. 201 – 209.

ARCHANGELSKY, S. & GAMERRO, J.C., 1966b. Estudio palinológico de la Formación Baqueró (Cretácico), provincia de Santa Cruz, IV. *Ameghiniana*, Vol. 4, No. 10, p. 363 – 370.

ARCHANGELSKY, S. & GAMERRO, J.C. 1967. Pollen grains found in coniferous cones from the Lower Cretaceous of Patagonia (Argentina). *Review of Palaeobotany and Palynology*, Vol. 5, p. 179 – 182.

ARTHUR, M.A. & NATLAND, J.H., 1979. Carbonaceous sediments in the North and South Atlantic: the role of salinity in stable stratification of Early Cretaceous Basins. In: M. Telwani, W. Hay and W.B.F. Ryan (eds.), *Deep Drilling Results in the Atlantic Ocean: Continental Margins and Palaeoenvironments*, Maurice Ewing Series 3, Washington, D.C, American Geophysical Union, p. 375 – 401.

ASKIN, R.A., ELLIOT, D.H., STILWELL, J.D. & ZINSMEISTER, W. J., 1991. Stratigraphy and palaeontology of Campanian and Eocene sediments, Cockburn Island, Antarctic Peninsula. *Journal of South African Earth Sciences*, Vol. 4, No. 1 & 2, p. 99 - 117.

AUSTIN, J.A & UCHUPI, E., 1982. Continental – oceanic crust transition off south-west Africa. *American Association of Petroleum Geologists Bulletin*, Vol. 66, p. 1328 – 1347.

BAKER. G. & COOKSON, I.C. 1955. Age of Nelson Bore sediments. *Australian Journal of Science*, Vol. 17, p. 133 – 134.

BALME, B.E., 1957. Spores and pollen grains from the Mesozoic of Western Australia.

Commonwealth Scientific and Industrial Research Organization, Australia, Coal Research
Section 25, p. 1 – 48.

BALME, B.E., 1995. Fossil *in situ* spores and pollen grains: an annotated catalogue. *Review of Palaeobotany and Palynology*, Vol. 87, p. 81 – 323.

BALTES, N., 1967. The microflora of the Albian ‘Green Sands’ in the Moesic Platform, Rumania. *Review of Palaeobotany and Palynology*, Vol. 5, No.’s 1 – 4, p. 183 – 197.

BASSIOUNI, M.E.A., ABOUL ELA, N.M., ABDELMALIK, W & EL-SHAMMAA, A.G., 1981. Upper Jurassic microflora from the subsurface of the North-Western Desert, Egypt. *Neues Jahrbuch für Geologie und Palaontologie*. Vol. 1, p. 34 – 48.

BATTEN, D.J., 1973. Palynology of Early Cretaceous soil beds and associated strata. *Palaeontology*, Vol. 16, pt. 2, p. 399 – 424.

BATTEN, D.J., 1982. Palynofacies, palaeoenvironments and petroleum. *Journal of Micropalaeontology*, Vol. 1, p. 107 – 114.

BATTEN, D.J., 1983. Identification of amorphous sedimentary organic matter by transmitted light microscopy. In: J. Brooks (Ed.), Petroleum geochemistry and exploration of Europe. *Geological Society, London, Special Publication*, Vol. 11, p. 275 – 287.

BATTEN, D.J., 1996. Mesozoic and Tertiary spores and pollen. Introduction. In: J. Jansonius and D.C. McGregor (eds.) Palynology: Principles and Applications. *American Association of Stratigraphic Palynologists*, Vol. 2, p. 751 – 753.

BELSKY, C.Y., BOLTENHAGEN, E. & POTONIÉ, R., 1965. Sporae dispersae der Oberon Kreide von Gabun, Äquatoriales Africa. *Päläontologie Zeitschrift*, Vol. 39, No. 1 & 2, p. 72 – 83.

BENSON, J.M., 1990. Palynological subdivision of Senonian (Coniacian – Maastrichtian) strata in Southern Africa using a dinoflagellate cyst range biostratigraphy. *Abstracts Geocongress 90, Geological Society of Southern Africa*, p. 41 – 44.

BERTHOU, P.Y., HASENBOEHLER, B. & MORTON, J.M., 1981. Apport de la palynologie à la stratigraphie du Crétacé supérieur du bassin occidental Portugais. *Memorias e Noticias, Publication of the Museum of Laboratory Mineralogy and Geology, University of Coimbra*, Vols. 91 & 92, p. 183 – 221.

BHARADWJ, D.C. & KUMAR, P., 1972. On the status of some miospore genera from the Mesozoic Era. *Palaeobotanist*, Vol. 19, No. 3, p. 214 – 224.

BISWAS, B., 1962. Stratigraphy of the Mahadeo, Langpar, Cherra and Tura Formations, Assam, India. *Bulletin of the Geological Mining and Metallurgical Society of India*, Vol. 25, p. 1 – 48.

BOLLI, H.M., RYAN, W.B. F., FORESMAN, J. B., HOTTMAN, W.E., KAGAMI, H., LONGORIA, J.F., McKNIGHT, B.K., MELGUEN, M., NATLAND, J., PROTO-DECIMA, F. & SIESSER, W.G., 1975. Basins and margins of the eastern South Atlantic. *Geotimes*, Vol. 20, No. 6, p. 22 – 24.

BOLLI, H.M., RYAN, W.B. F., FORESMAN, J. B., HOTTMAN, W.E., KAGAMI, H., LONGORIA, J.F., McKNIGHT, B.K., MELGUEN, M., NATLAND, J., PROTO-DECIMA, F. & SIESSER, W.G., 1978. Walvis Ridge – Sites 362 and 363. In: H.M. Bolli and W.B.F. Ryan, *et al.*, *Initial Reports of the Deep Sea Drilling Project*, 40, p 1 – 1079. U.S Government Printing Office, Washington.

BOLKHOVITINA, N. A., 1953. Characteristic spores and pollen from the Cretaceous of the central part of the U.S.S.R. *Trudy Geologicheskogo Instituta, Akademiia, Nauk S.S.S.R*, Edition 145, Geological. Series. No. 61, p. 1 – 184.

BOLKHOVITINA, N. A., 1956. Atlas of spores and pollen from the Jurassic and Lower

Cretaceous deposits of the Vilyuisk depression. *Trudy Geologicheskogo Instituta, Akademiia, Nauk S.S.S.R*, No. 2, p. 1 – 188.

BOLKHOVITINA, N. A., 1959. Spore-pollen complexes of the Mesozoic deposits of the Vilyuisk depression and their stratigraphic significance. *Trudy Geologicheskogo Instituta, Akademiia, Nauk S.S.S.R*, No. 2, p. 1 – 185.

BOLKHOVITINA, N. A., 1961. Fossil and Recent spores in the *Schizaeaceae*. *Trudy Geologicheskogo Instituta, Akademiia, Nauk S.S.S.R*, Vol. 40, p. 1 – 176.

BOLKHOVITINA, N. A., 1962. History of the *Schizeaceae* family in the geological past on the basis of spore studies. *Trudy Geologicheskogo Instituta, Akademiia, Nauk S.S.S.R. Reports of Soviet Palynologists*, p. 38 – 43.

BOLKHOVITINA, N. A., 1966. The fossil spores of the ferns of the family *Gleicheniaceae* (taxonomy and distribution). In: M. I., Neustadt, (Ed.). The importance of palynological analysis for stratigraphic and palaeofloristic investigations. *Trudy Geologicheskogo Instituta, Akademiia, Nauk S.S.S.R*. p. 65 – 75.

BOLKHOVITINA, N. A., 1968. The spores of the family *Gleicheniaceae* and their importance for stratigraphy. *Trudy Geologicheskogo Instituta, Akademiia, Nauk S.S.S.R*, Vol. 186, p. 1 – 116.

BOLTENHAGEN, E., 1967. Spores et pollen du Cretace superieur du Gabon. *Pollen et Spores*, Vol. 9, p. 335 – 355.

BOND, T.A., 1972. A Lower Cretaceous (Aptian – Albian) palynological assemblage from the DeQueen Formation, Pike County, Arkansas. *Pollen et Spores*, Vol. 14, No. 2, p. 173 – 186.

BORGE & PASCHER, 1931. In: ZIPPI, P.A., 1998. Freshwater algae from the Mattagami

Formation (Albian), Ontario: paleoecology, botanical affinities and systematic taxonomy. *Micropaleontology*, Vol. 44, Supplement No. 1, p. 26.

BOULTER, M.C. & RIDDICK, A., 1986. Classification and analysis of palynodebris from the Palaeocene of the Forties field. *Sedimentology*, Vol. 33, p. 871 – 886.

BOULTER, M.C. & WINDLE, T., 1993. A reconstruction of some middle Jurassic vegetation in Northern Europe. *Special Papers in Palaeontology*, No. 49, p.125 – 154.

BRASS, M.S. & WILLIAMS, G.I., 1973. Palynology and nannofossil processing procedures. *Papers from the Geological Survey of Canada*, Vol. 73, No. 26, p. 1 – 25.

BRENNER, G. J., 1963. The spores and pollen of the Potomac Group of Maryland. *Maryland Department of Geology, Mines and Water Resources Bulletin*, No. 27, p. 1 – 215.

BRENNER, G. J., 1967. Early Angiosperm pollen differentiation in the Albian to Cenomanian deposits of Delaware, United States. *Review of Palaeobotany and Palynology*, Vol. 1, p. 219 – 227.

BRENNER, G. J., 1968. Middle Cretaceous spores and pollen from Northern Peru. *Pollen et Spores*, Vol. 10, No. 2, p. 341 – 383.

BRENNER, G. J., 1984. Late Hauterivian angiosperm pollen from the Heloz Formation, Israel. *VIIth International Palynological Conference, Abstracts*, p. 15.

BRENNER, G. J., 1996. Evidence for the earliest stage of angiosperm pollen evolution: a paleoequatorial section from Israel. In: D.W. Taylor and L.J. Hickey (eds.), *Flowering plant origin, evolution and phylogeny*, p. 91 – 115. New York.

BRIDEN, J.C., DREWRY, G.E. & GILBERT SMITH, A., 1974. Phanerozoic Equal Area World

Maps. *Journal of Geology*, Vol. 82, p. 555 – 574.

BULLARD, E.C., EVERETT, J.E. & SMITH, A.G., 1965. The fit of the continents around the Atlantic. In: A Symposium on Continental Drift. *Royal Society of London, Philatelic Transactions*, Series A, No. 258, p. 41 – 51.

BURDEN, E. T. & HILLS, L. V., 1989. Illustrated key to genera of Lower Cretaceous terrestrial palynomorphs (excluding megaspores) of western Canada. *American Association of Stratigraphic Palynologists*, Contribution Series 21, p. 1 – 101.

BURGER, D., 1965. Some new species of *Classopollis* from the Jurassic of the Netherlands. *Leidse Geologische Mededelingen*, Vol. 33, p. 63 – 69.

BURGER, D., 1966. Palynology of the Uppermost Jurassic and Lowermost Cretaceous strata in the Eastern Netherlands. *Leidse Geologische Mededelingen*, Vol. 35, p. 209 – 276.

BURGER, D., 1976. Palynological observations in the Surat Basin: Appendix 5 in Jensen A.R., Exon, N.F., Anderson, J.C. and Koppe, W.H., A guide to the geology of the Bowen and Surat Basins in Queensland. 25th *International Geological Congress, Excursion Guide No. 3C*, p. 51 – 54.

BURGER, D., 1996. Mesozoic palynomorphs from the North West Shelf, offshore Western Australia. *Palynology*, Vol. 20, p. 49 – 103.

BURKE, K., MACGREGGOR, D.S. & CAMERON, N.R., 2003. Africa's petroleum systems: four tectonic 'Aces' in the past 600 million years. In: T.J. Arthur, D.S. MacGreggor & N.R. Cameron (eds.), *Petroleum Geology of Africa: New Themes and Developing Technologies*. *Geological Society, London, Special Publications*, p. 21 – 60.

BURWOOD, R., 1997. Source rock control for Angolan Atlantic margin Petroleum Systems.

Hedburg Research Symposium, *Petroleum Systems of the South Atlantic Margin*, Rio de Janeiro, 16 – 19 November, *Extended Abstract*.

BURWOOD, R., 1999. Angola: source rock control for Lower Congo and Kwanza Basin petroleum systems. In: N.R., Cameron, R.H., Bate and V.S., Clure (eds.). *The Oil and Gas Habitats of the South Atlantic*, Geological Society, London, Special Publications, Vol. 153, p. 1 – 131.

CANDE, S.C., LaBRECQUE, J.L. & HAXBY, W.F., 1988. Plate kinematics of the South Atlantic from C34 to present. *Journal of Geophysical Research*, Vol. 93, p. 479 – 492.

CHITALEY, 1951. In: BURGER, D., 1966. Palynology of the Uppermost Jurassic and Lowermost Cretaceous strata in the Eastern Netherlands. *Leidse Geologische Mededelingen*, Vol. 35, p. 255.

CHLONOVA, A. F., 1961. Spores and pollen of the upper half of the Upper Cretaceous in the eastern part of West Siberian lowland. *Trudy Geologicheskogo Instituta, Akademiia, Nauk S.S.S.R.*, Vol. 7, p. 1 – 138.

CHLONOVA, A. F., 1969. Spore and pollen characteristics of Cretaceous deposits of Zeya-Bureyn depression. In: Mesozoic Spore and Pollen Assemblages of Siberia and Far East. *Trudy Geologicheskogo Instituta, Akademiia, Nauk S.S.S.R.*, Vol. 91, p. 5 – 66.

COETZEE, J.A., 1978. Late Cenozoic palaeoenvironments of southern Africa. In: E.M. van Zinderen Bakker (Ed.), *Antarctic glacial history and world palaeoenvironments*. Balkema, Rotterdam, p. 115 – 127.

COETZEE, J.A., 1980. Tertiary environmental changes along the south-western African Coast. *Palaeontologica Africana*, Vol. 23, p. 197 – 203.

COETZEE, J.A., 1993. Chapter 3. African flora since the Terminal Jurassic. In: P. Goldblatt (Ed.), *Biological Relationships between Africa and South America*. Yale University Press, p. 37 – 61.

COETZEE, J.A. & MULLER, J., 1984. The phytogeographic significance of some extinct Gondwana pollen types from the Tertiary of the South Western Cape (South Africa). *Annals of the Missouri Botanical Garden*, Vol. 71, p. 1088 – 1099.

COLBATH, G.K., 1996. Chapter 7. Green and blue algae. Introduction. In : J. Jansonius and D.C. McGregor (eds), *Palynology: Principles and applications*. American Association of Stratigraphic Palynologists Foundation, Vol. 1, p. 171 – 172.

COMBAZ, A., 1964. Les Palynofaciès. *Revue de Mikropaléontologie*, Vol. 7, No. 3, p. 205 – 218.

COOKSON, I.C., 1947. Plant Microfossils from the Lignites of the Kerguelen Archipelago. *British, Australian, New Zealand Antarctic Research Expedition (1929-31)*, Vol. 2, No. 8, p. 127 – 142.

COOKSON, I.C., 1953. Difference in microspore composition of some samples from a bore at Comaum, South Australia. *Australian Journal of Botany*, Vol. 1, p. 462 – 472.

COOKSON, I.C., 1954. The Cainozoic occurrence of *Acacia* in Australia. *Australian journal of botany*, Vol. 2, p. 52 – 59.

COOKSON, I.C. & CRANWELL, L. M., 1967. Lower Tertiary Microplankton, Spores and Pollen Grains from Southernmost Chile. *Micropalaeontology*, Vol. 13, No. 2, p. 204 – 216.

COOKSON, I.C. & DETTMANN, M.E., 1958. Some trilete spores from Upper Mesozoic deposits in the Eastern Australian Region. *Proceedings of the Royal Society, Victoria*, Vol. 70,

pt. 2, p. 95 – 128.

COOKSON, I.C. & DETTMANN, M.E., 1959. On *Schizosporis*, a new form genus from Australian Cretaceous deposits. *Micropalaeontology*, Vol. 5, No. 2, p. 213 – 216.

COUPER, R.A., 1953. Upper Mesozoic and Cainozoic spores and pollen grains from New Zealand. *New Zealand Geological Survey Palaeontological Bulletin*, No. 22, p. 1 – 77.

COUPER, R.A., 1958. British Mesozoic Microspores and Pollen Grains, a Systematic and Stratigraphic study. *Palaeontographica*, Vol.103, pt. B, p. 77 – 179.

COUPER, R.A., 1960. New Zealand Mesozoic and Cainozoic plant microfossils. *New Zealand Geological Survey Palaeontological Bulletin*, No. 32, p. 1 – 87.

COUPER, R.A., 1964. Spore-Pollen correlation of the Cretaceous rocks of the Northern and Southern Hemisphere. *Society of Economic Palynology and Mineralogy, Special Publication*, No. 11, p.131 – 142.

.

COUPER, R.A. & GREBE, H., 1961. A recommended terminology and descriptive method for spores: *Compte Rendu, III. Reunion de la Commission Internationale de Microflore du Paleozoique, Krefeld*, May 11 – 13, 1961, Report of Group No. 16, p.1 – 15.

COUPER, R.A. & PIKE, K.M., 1954. Some dicotyledonous pollen types from the Cainozoic deposits in the Australian region. *Australian Journal of Botany*, Vol. 2, No. 2, p.197 – 219.

COURTINAT, B., 1989. Les organoclastes des Formations lithologiques du malm dans le Jura meridional. Systématique, biostratigraphie et elements d'interprétation paléoécologique. *Documunts des Laboratoires de Géologie, Lyon*, Vol. 105, p. 1 – 361.

COURTINAT, B., & MÉON, H., 1991. Les microforaminifères (*Scytinascia*), un groupe palynologique méconnu (historique). Leoranalyse dans le Cénomanien – Turonien de Vergons

(Bassin Vocontien, France) *Geobios*, Vol. 24, p. 559 – 567.

COURVOISIER, J. M. & PHILIPS, T.L., 1975. Correlation of spores from Pennsylvanian coal-bed fructifications with dispersed spores. *Micropalaeontology*, Vol. 21, p. 45 – 59.

CRANE, P.R., & LIDGARD, S., 1989. Angiosperm diversification and paleolatitudinal gradients in Cretaceous floristic diversity. *Science*, Vol. 246, p. 675 – 678.

CRANE, P.R., & LIDGARD, S., 1990. Angiosperm radiation and patterns of Cretaceous palynological diversity. In: P.D. Taylor and G.P. Larwood (eds.), *Major evolutionary radiations*, p. 377 – 407. Oxford: Clarendon.

CRANE, P.R., FRISS, E.M. & PEDERSEN, K.R., 1995. The origin and diversification of angiosperms. *Nature*, Vol. 374, p. 27 – 33.

CRANWELL, L. M., 1969. Palynological intimations of some pre - Oligocene Antarctic climates. In: E.M. van Zinderen Bakker (Ed.), *Palaeoecology of Africa*, p. 1-19.

CROSS, A.T., THOMPSON, G.G. & ZAITZEFF, J.B., 1966. Sources and distribution of palynomorphs in bottom sediments, Southern part of the Gulf of California. *Marine Geology*, Vol. 4, p. 467 – 524.

DAVIES, J.R., McNESTRY, A. & WATERS, R.A., 1991. Palaeoenvironments and palynofacies of a pulsed transgression: the Late Devonian to Early Dinantian (Lower Carboniferous) rocks of southwest Wales. *Geological Magazine*, Vol. 128, p. 355 – 380.

DEÂK, M.H., 1963. Quelques spores striées de l'étage Aptien. *Review de Micropaléontologie*. Vol. 6, No. 4, p. 251 – 256.

DEÂK, M.H., 1964. Contribution à l'étage palynologique de groupe d'argiles à *Munieria* de l'étage Aptien. *Act of the Botanical Academy of Science, Hungary*, Vol. 10, No's. 1 & 2, p. 95 – 126.

DE CONTO, R.M., HAY, W.W., THOMPSON, S.L. & BERGENGREN, J., 1999. Late Cretaceous climate and vegetation interactions: Cold continental interior paradox. In: E. Barrera and C.C., Johnson (eds.), *Evolution of the Cretaceous Ocean-Climate system. Boulder, Colorado, Geological Society of America Special Paper 332*, p. 391 – 406.

DE JERSEY, N.J., 1962. Triassic spores and pollen grains from the Ipswich Coalfield. *Queensland Department of Mines Publication*, Vol. 307, p. 1 – 18.

DE JERSEY, N.J., 1963. Jurassic spores and pollen grains from the Marburg Sandstones. *Geological Survey of Queensland Publication*, Vol. 313, p. 1 – 15.

DE JERSEY & HAMILTON, 1967. In: JANSONIUS, J. & HILLS, L.V., 1980. Genera file of fossil spores - supplement. Special publication. *Department of Geology, University of Calgary, Canada*. Reference Card No. 3789.

DE JERSEY, N.J. & PATEN, R.J., 1964. Jurassic spores and pollen grains from the Surat Basin. *Geological Survey of Queensland, Publication 322*, p. 1 – 18.

DE VILLIERS, S.E., 1994. The palynology of Tertiary sediments from a palaeochannel in Namaqualand. Unpublished MSc dissertation, University of the Witwatersrand.

DE VILLIERS, S.J., 1997. The palynology of Tertiary sediments from a palaeochannel in Namaqualand. Unpublished thesis, p. 1 – 281.

DELCOURT, A. F., DETTMAN, M. E. & HUGHES, N. F., 1963. Revision of some Lower Cretaceous microspores from Belgium. *Palaeontology*, Vol. 6, pt. 2, p. 282 – 292.

DELCOURT, A. & SPRUMONT, G., 1955. Les spores et grains de pollen du Wealdien du Hainaut. *Memoirs Societie Belgique de Geologie*, Vol. 4, No. 5, p. 1 – 73.

DELCOURT, A. & SPRUMONT, G., 1957. Quelques microsills du Wealdien de Féron – Glageon. *Memoirs Societe Belgique de Geologie, Paléontologie, Hydrologie*, Vol. 66, No. 1, p. 57 – 67.

DELCOURT, A. & SPRUMONT, G., 1959. Spores, grains de pollen, Hystrichospheres et Peridiniens dans le Wealdien de Feron-Glageon: *Extrait des annales de la Societe de Geologie du Nord*, Vol. 79, p. 29 – 64.

DETTMANN, M. E., 1959. Upper Mesozoic microfloras in wellcores from Woodside and Hedley, Victoria. *Proceedings of the Royal Society of Victoria*, Vol. 71, p. 99 – 105.

DETTMANN, M. E., 1963. Upper Mesozoic microfloras from south eastern Australia. *Proceedings of the Royal Society of Victoria*, Vol. 77, p. 1 – 148.

DETTMANN, M. E., 1981. The Cretaceous flora. In: A. Keast, (Ed.), *Ecological biogeography of Australia*, Vol. 1, Dr. W. Junk, The Hague, p. 357 – 375.

DETTMANN, M. E., 1986. Significance of the Cretaceous / Tertiary spore genus *Cyatheacidites* in tracing the origin and migration of *Lophosoria* (Filicopsida). *Special Papers in Palaeontology*, Vol. 35, p. 63 – 94.

DETTMANN, M. E., MOLNAR, R.E., DOUGLAS, J.G., BURGER, D., FIELDING, C., CLIFFORD, H. T., FRANCIS, J., JELL, P., RICH, T., WADE, M., RICH, P.V., PLEDGE, N., KEMP, A. & ROZEFELDS, A., 1992. Australian Cretaceous terrestrial faunas and floras: biostratigraphic and biogeographic implications. *Cretaceous Research*, Vol. 13, p. 207 – 262.

DETTMANN, M.E. & PLAYFORD, G., 1968. Taxonomy of some Cretaceous spores and pollen grains from eastern Australia. *Proceedings of the Royal Society of Victoria*, Vol. 81, p. 69 – 73.

DEV, S., 1961. The fossil flora of the Jabalpur Series – 3. Spores and pollen grains.

Palaeobotanist, Vol. 8, p. 43 – 56.

DEWEY, J.F. & BURKE, K., 1974. Two plates in Africa during the Cretaceous. *Nature*, Vol.

249, p. 313 – 316.

DIETZ, R.S., & HOLDEN, J.C., 1970. Reconstruction of Pangea: Breakup and Dispersion of Continents, Permian to present. *Journal of Geophysical Research*, Vol. 75, p. 4939 – 4956.

DILCHER, D.L., 1965. Epiphyllous fungi from Eocene deposits in Western Tennessee, USA.

Palaeontographica, pt. B, Vol. 116, p. 1 – 54.

DINGLE, R.V. & SCRUTON, R.A., 1974. Continental breakup and the development of post Palaeozoic sedimentary basins around southern Africa. *Geological Society of America*. Bulletin 85, p. 1462 – 1472.

DINGLE, R.V., SIESSER, W.G. & NEWTON, A.R., 1983. Mesozoic and Tertiary Geology of Southern Africa. Balkema. Rotterdam.

DINGLE, R.V. & HENDEY, Q.B., 1984. Late Mesozoic and Tertiary sediment supply to the Eastern Cape Basin (SE Atlantic) and palaeo-drainage systems in southwestern Africa. *Marine Geology*, Vol. 56, p. 13 – 26.

DÖRING, H., 1962. Planktonartige Fossilien des Jura / Kreide-Grenzbereichs der Bohrungen Werle (Mecklenberg). *Geologie*, Vol. 10, No. 32, p. 110 – 121.

DÖRING, H., 1964. Trilete sporen aus dem Oberen Jura und dem Wealden Norddeutschlands. *Neues Jahrbuch für Geologie und Paläontologie*, Vol. 9, p. 1099 – 1129.

DÖRING, H., 1965. Die sporenpaläontologische Gliederung des Wealden in Westmecklenburg (Struktur Werle). *Geologie*, Vol. 47, p. 1 – 118.

DOUGLAS, R.G., MOULLADE, M. & NAIRN, A.E.M., 1987. Causes and consequences of drift in the South Atlantic. *Case Western Reserve University Contribution*, No. 85, p. 517 – 537.

DOYLE, J., 1983. Palynological evidence for Beressian age of basal Potomac Group Sediments, Crisfield Well, Eastern Maryland. *Pollen et Spores*, Vol. 25, p. 499 – 530.

DOYLE, J.A. & HICKEY, L.J., 1976. Pollen and leaves from the mid-Cretaceous Potomac Group and their bearing on early angiosperm evolution. In: C.B Beck (Ed.), *Origin and Early Evolution of Angiosperms*, p. 139 – 206, New York: Columbia University Press.

DOYLE, J.A., BIENS, P., DORENKAMP, A. & JARDINÉ, S., 1977. Angiosperm pollen from the pre-Albian Lower Cretaceous of Equatorial Africa. *Centre for Research, Exploration and Production, Elf-Aquitaine Bulletin*, No. 1, pt. 2, p. 451 – 473.

DOYLE, J.A., JARDINÉ, S. & DORENKAMP, A., 1982. *Afropollis*, a new genus of early angiosperm pollen, with notes on the Cretaceous palynostratigraphy and palaeoenvironments of northern Gondwana. *Centres Recher Exploration – Production Elf – Aquitaine Bulletin*, No. 6, p. 39 – 117.

DRINNAN, A.N. & CRANE, P.R., 1990. Cretaceous palaeobotany and its bearing on the biogeography of Austral angiosperms. In: T.N. Taylor and E. L. Taylor (eds.), *Antarctic paleobiology and its role in the reconstruction of Gondwana*, p. 192 – 219.

D'ROZARIO & BANERJEE, 1989. Proceedings of the 5th All Indian Symposium on Palynology, October 7 – 9, 1987, Botany Department, Institute of Science, Nagpur, p. 12.

In: JANSONIUS, J., HILLS, L.V., 1992. Genera file of fossil spores - Supplement 11. Special publication. *Department of Geology and Geophysics, University of Calgary*, Reference Card No.

4889.

DRUGG, W.S., 1967. Palynology of the upper Moreno Formation (Late Cretaceous – Paleocene) Escarpado Canyon, California. *Palaeontographica*, Vol.120, p. 1 – 71.

DUNCAN, A.D. & HAMILTON, R.F.M., 1988. Palaeolimnology and organic geochemistry of the Middle Devonian in the Orcadian Basin. In: A.J. Fleet and M.R. Talbot (eds.), Lacustrine petroleum source rocks. *Geological Society, London, Special Publication*, Vol. 40, p. 173 – 201.

DYBOVĀ & JACHOWICZ, 1957. In: DELCOURT, A. F., DETTMAN, M. E. & HUGHES, N. F., 1963. Revision of some Lower Cretaceous microspores from Belgium. *Palaeontology*, Vol. 6, pt. 2, p. 291.

EDET, J.J. & NYONG, E.E., 1994. Palynostratigraphy of Nkporo Shale exposures (late Campanian – Maastrichtian) on the Calabar Flank, SE Nigeria. *Review of Palaeobotany and Palynology*, Vol. 80, p. 131 – 147.

EL BEIALY, S.Y., 1994. Campanian – Maastrichtian palynomorphs from the Duwi (Phosphate) Formation of the Hamrawein and Umm El Hueitat mines, Red Sea Coast, Egypt. *Review of Palaeobotany and Palynology*, Vol. 85, p. 303 – 317.

EMERY, K.O., UCHUPI, E., BOWIN, C.O., PHILIPS, J. & SIMPSON, E.S.W., 1975. Continental margin off western Africa: Cape St. Francis (South Africa) to Walvis Ridge (South West Africa). *Bulletin of the American Association of Petroleum Geologists*, No. 59, p. 3 – 59.

ENGELHARDT, D.W., 1964. Plant microfossils from the Eocene Cockfield Formation, Hinds County, Mississippi. *Mississippi Geological, Economic and Topographical Survey Bulletin* No. 104, p. 65 – 96.

ENGLAND, P. & HOUSEMAN, G., 1984. On the geodynamic setting of kimberlite genesis. *Earth and Planetary Science Letters*, Vol. 67, p. 109 – 122.

ERDTMAN, G., 1943. An introduction to pollen analysis: *Chronica Botanica*, Waltham, Mass.,

p.1 – 239.

ERDTMAN, G., 1945. In: JANSONIUS, J. & HILLS, L.V., 1976. Genera file of fossil spores and pollen. Department of Geology, *University of Calgary, Special publication*, Reference Card No. 1973

ERDTMAN, G., 1947. Suggestions for the classification of fossil and recent pollen grains and spores. *Svensk Botanica Tidskrift*, Vol. 41, No. 1, p. 104 – 114.

ERDTMAN, G., 1952. Pollen morphology and plant taxonomy. Angiosperms: *Chronica Botanica*. Almquist and Wiksell. Stockholm. P. 1 – 539.

ERDTMAN, G., 1957. Pollen and spore Morphology / Plant Taxonomy Gymnospermae, Pteridophyta, Bryophyta. *An Introduction to Palynology II*. Almquist & Wiksell, Stockholm, p. 1 – 152.

ERDTMAN, G., 1958. On the risks of overstressing the denominations of fossil spores as illustrated by a paper on the former distribution of *lophosoria* ('*Cyathea annulata*). *Svensk Bot. Tidskr.*, Vol. 51, p. 611 – 613.

EVITT, W. R., 1963. Occurrence of freshwater alga *Pediastrum* in Cretaceous marine sediments. *American Journal of Science*, Vol. 261, No. 1, p. 890 – 893.

FAEGRI, K., 1956. Recent trends in palynology. *Botanical Review* (Lancaster), Vol. 22, p. 639 – 664.

FAEGRI, K. & IVERSEN, J., 1950. Text book of modern pollen analysis. Ejnar Munksgaard, Copenhagen.

FAEGRI, K. & IVERSEN, J., 1989. Textbook of pollen analysis. New York, John Wiley & Sons, p. 1 – 328.

FARR, K.M., 1989. Palynomorph and palynodebris distributions in modern British and Irish

estuarine sediments. In: D.J. Batten and M.C. McKeen, (eds.), Northwest European micropalaeontology and palynology. *British Micropalaeontological Society Series, Ellis Horwood, Chichester*, p. 265 – 285.

FOSTER, C.B., 1979. Permian plant microfossils of the Blair Athol Coal Measures, Baralaba Coal Measures and basal Rewan Formation of Queensland. *Geological Survey of Queensland Publication*, Vol, 372, Palaeontological Paper 45, p. 1 – 244.

FRANCIS, J.E. & FRAKES, L. A., 1993. Cretaceous climates. In: P.V. Wright, (Ed.), *Sedimentology Review*, Vol. 1, p. 17 – 30.

FREDERIKSEN, N. O., 1980. Sporomorphs from the Jackson Group (Upper Eocene) and adjacent strata of Mississippi and Western Alabama. *Geological Survey Professional Paper*, No. 1084, p. 1 - 75.

FRITSCH, F.E., in WEST, 1927. In: ZIPPI, P.A., 1998. Freshwater algae from the Mattagami Formation (Albian), Ontario: paleoecology, botanical affinities and systematic taxonomy. *Micropaleontology*, Vol. 44, Supplement No. 1, p. 48,

FRITSCH, F.E., 1956. The structure and reproduction of the algae. Vol. 1. The University Press, Cambridge.

GAMERRO, J. C., 1965. Morfologia del polen de *Apterocladus lanceolatus* Archang. (*Coniferae*) de la Formacion Baqueros Provincia de Santa Cruz. *Ameghiniana*, Vol. 4, No. 4, p. 133-138.

GERMERAAD, J. H., HOPPING, C.A. & MULLER, J., 1968. Palynology of Tertiary sediments from Tropical Areas. *Review of Palaeobotany and Palynology*, Vol. 6, p. 189 – 348.

GERRARD, I. & SMITH, G.C., 1980. The post Palaeozoic succession and structure of the South Western African continental margin. Southern Oil Exploration Corporation, Johannesburg. P. 1 – 28.

GERRARD, I. & SMITH, G.C., 1984. Post-Palaeozoic succession and structure of the southwestern African continental margin, 49 – 74. In: J.S. Watkins and C.L. Drake (eds), *Studies in continental margin geology. Members of the American Association of Petroleum Geologists*, Vol. 34.

GIVINSH, T. J., 1979. On the adaptive significance of leaf form. In: O.T. Solbrig, S. Jain, G.B. Johnson and P.H. Raven (eds.), *Topics on plant population biology*, New York, Columbia University Press, p. 375 – 407.

GOOD, 1978. In: TRAVERSE, A., 1988. *Paleopalynology*. Unwin Hyman, Boston, MA, p. 1 - 600.

GOSLIN, J. & SIBUET, J.C., 1975. Geophysical study of the eastern-most Walvis Ridge, South Atlantic: Deep structure. *Geological Society of America, Bulletin*, No. 86, p. 1713 – 1724.

GOTHAN, W. & REMY, W., 1957. Steinkohlenpflanzen. *Essen*, p. 1 – 248.

GOULD, R.E., 1975. The succession of Australian pre-Tertiary megafossil floras. *Botanical Review*, Vol. 41, p. 453 – 483.

GRAHAM, A & JARZEN, D.M., 1969. Studies in neotropical paleobotany. I. The Oligocene communities of Puerto Rico. *Annals of the Missouri Botanical Gardens*, Vol. 56, p. 308 – 357.

GRADSTEIN, F. M., JAMES, O.G. & SMITH, A. G., 2004. A Geologic Time Scale 2004. Cambridge UK, New York, Cambridge University Press 2004. P. 1 – 589.

GRAY, T.C. & GROOT, J.J., 1966. Pollen and spores from the marine Upper Cretaceous formations of Delaware and New Jersey. *Palaeontographica*, Vol. 117, No's. 4 – 6, p. 114 – 134.

GREBE, H., 1971. In: ALPERN, B & NEVES, R. (eds). A recommended terminology and descriptive method for spores in Microfossiles organiques du Palaeozoic. C.I.M.P., *Centre Nationale de la Recherche Scientifique*, Vol. 4, p. 11 – 34.

GRIGORJEVA, 1961. In: SAMILOVITCH, S.R. & MTCHEDLISHVILI, N.D. (eds.), 1961. Pollen and spores of western Siberia; Jurassic to Palaeocene. *VNIGRI Transactions of the All Union Petroleum Scientific Research Geological Exploration Institute*, Vol. 177, p. 1 – 59.

GRIMM, E.C., 1987. CONISS: a FORTRAN 77 program for stratigraphically constrained cluster analysis by the method of incremental sum squares. *Computer Geoscience*, Vol. 13, p. 13 – 35.

GROOT, J.J., 1966. Some observations on the pollen grains in suspension in the estuary of the Delaware River. *Marine Geology*, Vol. 4, p. 409 – 416.

GROOT, J.J. & PENNY, J.S., 1960. Plant microfossils and age of nonmarine Cretaceous sediments of Maryland and Delaware. *Micropalaeontology*, Vol. 6, No. 2, p. 225 – 236.

GROOT, J.J., PENNY, J.S. & GROOT, C.R., 1961. Plant microfossils and age of the Raritan, Tuscaloosa and Magothy Formations of the eastern United States. *Palaeontographica*, Vol.108, pt. B, p. 121 – 140.

HABIB, D., 1970. Middle Cretaceous palynomorph assemblages from clays near the Horizon Beta deep-sea outcrop. *Micropalaeontology*, Vol.16, No. 3, p. 345 – 379.

HABIB, D. & KNAPP, S.D., 1982. Stratigraphic utility of Cretaceous small acritachs. *Micropalaeontology*, Vol. 28, No. 4, p. 335 – 371.

HABIB, D., ESHET, Y. & van PELT, R., 1994. Palynology of sedimentary cycles. In: A. Traverse (Ed.), *Sedimentation of Organic Particles*. Cambridge University Press, p. 311 – 335.

HACQUEBARD & BARASS, 1957. In: JANSONIUS, J. & HILLS, L.V., 1976. Genera file of

fossil spores and pollen. Department of Geology, *University of Calgary, Special publication*, Reference Card No. 3 – 431 cards.

HAMSHAW - THOMAS, H., 1912. On the Spores of some Jurassic Ferns. *Proceedings of the Cambridge Philosophical Society*, Vol. 16, No. 4, p. 384 – 388.

HARRIS, W.K., 1955. A manual of the spores of New Zealand pteridophyta. *New Zealand Department of Science, Industry and Research Bulletin*, No. 116, p. 1 – 186.

HARRIS, W.K., 1965. Basal Tertiary microfloras from the Princetown area, Victoria. *Palaeontologica*, Vol. 15, p. 75 – 116.

HARRIS, W.K., 1977. Palynology of cores from deep sea drilling sites 327, 328 and 330, South Atlantic Ocean. *Initial Report of the Deep Sea Drilling Project*, Vol. 6, p. 761 – 775.

HAQ, B.U., HARDENBOL, J. & VAIL, P.R., 1987. Chronology of fluctuating sea levels since the Triassic. *Science*, Vol. 235, p. 1156 – 1167.

HAY, W.W., BEHENSKY, J.F., Jr, BARRON, E.J. & SLOAN III, J. L., (1982). Late Triassic – Liassic palaeoclimatology of the proto-central North Atlantic rift system. *Palaeogeography, Palaeoclimatology, Palaeoecology*, Vol. 40, p. 13 – 30.

HEDGES, J.I., CLARKE, W.A. & COWIE, G.L., 1988. Organic matter sources to the water column and surficial sediments of a marine bay. *Limnology and Oceanography*, Vol. 33, p. 1116 – 1136.

HEDLUND, R. W., 1966. Palynology of the Red Branch Member (Woodbine Formation). *Oklahoma Geological Survey Bulletin*, No. 112, p. 1 – 69.

HEDLUND, R.W. & NORRIS, G., 1968. Spores and pollen grains from Fredericksburgain

(Albian) strata, Marshall County. Oklahoma. *Pollen et Spores*, Vol.10, p. 129 – 159.

HELAL, A. H., 1965. Jurassic spores and pollen grains from the Kharga Oasis, Western Desert, Egypt. *Neues Jahrbuch für Geologie und Paläontologie*, Vol.123, pt. A, p. 160 – 166.

HELAL, A.H., 1966. Jurassic plant microfossils from the subsurface of the Kharga Oasis, Western Desert, Egypt. *Palaeontographica*, Vol. 117, pt. B, p. 83-98.

HERNGREEN, G.W.F., 1973. Palynology of Albian – Cenomanian strata of Borehole 1 – QS – 1 – MA, State of Maranhão, Brazil. *Pollen et Spores*, Vol. 15, No's. 3 & 4, p. 515 – 555.

HERNGREEN, G.W.F., 1975. Palynology of Middle and Upper Cretaceous strata in Brazil. *Mededelingen Rijks Geologische Dienst*, Vol. 26, No. 3, p. 39 – 91.

HERNGREEN, G. F. W. & CHLONOVA, A. F., 1981. Cretaceous Microfloral Provinces. *Pollen et spores*, Vol. 23, p. 441 – 555.

HERNGREEN, G.W.F., RANDRIANASOLO, A & VERBEEK, J.W., 1982. Micropalaeontology of Albian to Danian strata in Madagascar. *Micropalaeontology*, Vol. 28, No. 1, p. 97 – 109.

HICKEY, L.J. & DOYLE, J.A., 1977. Early Cretaceous fossil evidence for angiosperm evolution. *The Botanical Review*, Vol. 43, p. 3 – 104.

HILL, C.R., 1983. Glycerine jelly mounts. *American Association of Stratigraphic Palynologists Foundation Newsletter*, Vol. 16, No. 3, p. 3.

HÖRHAMMER, 1933. Über die Coniferen - Gattungen *Cheirolepis* Schimper und *Hirmeriella* nov. gen. aus dem Rhät – Lias von Franken. *Bibliotheca Botanica, Stuttgart*, Vol. 27, pt. 107, p. 1 – 34.

HOSHAW, R.W. & McCOURT, R.M., 1988. The Zygnemataceae (Chlorophyta): a twenty year update of research. *Phycologia*, Vol. 27, No. 4, p. 511 – 548.

HUGHES, N.F., 1994. The enigma of angiosperm origins. Cambridge University Press.

HUGHES, N.F., DREWRY, G.E. & LAING, J.F., 1979. Barremian earliest angiosperm pollen. *Palaeontology*, Vol. 22, No. 3, p. 513 – 535.

HUGHES, N.F. & McDONALD, A.B., 1987. Records of angiosperm pollen entry into the English Early Cretaceous Succession. *Review of Palaeobotany and Palynology*, V. 50, p. 255 – 272.

HUGHES & PLAYFORD, 1961. In: JANSONIUS, J. & HILLS, L.V., 1976. Genera file of fossil spores and pollen. Department of Geology, *University of Calgary, Special publication*, Reference Card No. 3 – 431 cards.

HYDE, H.A., 1944. Pollen analysis and the museums. *Museum Journal*, Vol. 44, p. 145 – 149.

IBRAHIM, A.C., 1933. Sporomorphen des Ruhr – reviers: Wurzburg, Konrad Triltsch, *Techni. Hochschule Berlin dissertation*, p. 1 – 48.

IOANNIDES, N.S., & COLLINS, J.P., 1974. Palynology of Sites 358, 356, 355 DSDP, Leg 39, Southwestern Atlantic Ocean. In: H. M Bolli, *et al.*, (Ed.), *Initial Reports of the Deep Sea Drilling Project*, No. 50. p. 885 – 897.

IVERSEN, J. & TROELS - SMITH, J., 1950. Pollenmorphologiske definition og typer. *Danmarks Geologie Undersøgelse*. Series. 4, Vol. 3, No. 8, p. 1 - 54.

JACKSON, B.D., 1928. A glossary of botanic terms with their derivation and accent. Duckworth and Co. London, p. 1 – 481.

JACKSON, J. B. C., 1988. Does ecology matter? *Paleobiology*, Vol. 14, p. 307 – 312.

JAIN, K.P. & SAH, S.C.D., 1966. Revision of Jurassic spores and pollen grains from Andigama, Ceylon. *Palaeobotanist*, Vol. 14. No's. 1 – 3, p. 106 – 115.

JAMEOSSANAIE, A. & LINDSLEY-GRIFFIN, N., 1993. Palynology and plate tectonics – a case study on Cretaceous terrestrial sediments in the Eastern Klamath Mountains of Northern California, USA. *Palynology*, Vol. 17, p. 11 – 45.

JANSONIUS, J. & HILLS, L.V., 1976. Genera file of fossil spores. Department of Geology, *University of Calgary, Special publication*, Reference Card No. 3 – 431 cards.

JANSONIUS, J. & HILLS, L.V., 1977. Genera file of fossil spores - Supplement. Special publication. *Department of Geology, University of Calgary, Canada*.

JANSONIUS, J. & HILLS, L.V., 1978. Genera file of fossil spores - supplement. Special publication. *Department of Geology, University of Calgary, Canada*.

JANSONIUS, J. & HILLS, L.V., 1980. Genera file of fossil spores - supplement. Special publication. *Department of Geology, University of Calgary, Canada*.

JANSONIUS, J. & HILLS, L.V., 1981. Genera file of fossil spores - supplement. Special publication. *Department of Geology, University of Calgary, Canada*.

JANSONIUS, J. & HILLS, L.V., 1985. Genera file of fossil spores - supplement. Special publication. *Department of Geology, University of Calgary, Canada*.

JANSONIUS, J. & HILLS, L.V., 1987. Supplement. Genera file of fossil spores. Special publication. *Department of Geology, University of Calgary, Canada*.

JANSONIUS, J., HILLS, L.V., 1990. Genera file of fossil spores - Supplement 10. Special publication. *Department of Geology and Geophysics, University of Calgary*.

JANSONIUS, J., HILLS, L.V., 1992. Genera file of fossil spores - Supplement 11. Special publication. *Department of Geology and Geophysics, University of Calgary.*

JANSONIUS, J., HILLS, L.V. & HARTKOPF-FRODER, C., 1998. Genera file of fossil spores - Supplement 12. Special publication. *Department of Geology and Geophysics, University of Calgary, AB, Canada T2N 1N4.*

JARAMILLO, C.A., 1995. Dinoflagellate cyst biostratigraphy and palynofacies of the Late Eocene – Early Oligocene in Southern Mississippi and Alabama, U.S. Gulf Coast (Masters Thesis): Rolla, University of Missouri-Rolla. P. 1 – 97.

JARAMILLO, C.A. & OBOH-IKUENOBE, F.E., 1999. Sequence stratigraphic interpretation from palynofacies, dinocysts and lithological data of Upper Eocene – Lower Oligocene strata in Southern Mississippi and Alabama, U.S. Gulf Coast. *Palaeogeography, Palaeoclimatology, Palaeoecology*, Vol. 145, p. 259 – 302.

JARDINÉ, S. & MAGLOIRE, L., 1965. Palynologie et stratigraphie du Crétacé des bassins du Sénégal et du Côte d'Ivoire. *Memoirs Bureau Rech. Geologie Minieres*, Vol. 32, p. 187 – 245.

JARZEN, D.M., 1977. *Aquilapollenites* and some santolalean genera – a botanical comparison. *Grana*, Vol. 16, p. 29 – 39.

JARZEN, D.M., 1978. Some Maastrichtian palynomorphs and their phytogeographical and paleoecological implications. *Palynology*, Vol. 2, p. 29 – 38.

JARZEN, D. M. & NICHOLS, D.J., 1996. Chapter 9. Pollen. In: J. Jansonius & D.C. McGregor (eds), *Palynology, principles and applications. American Association of Stratigraphic Palynologists Foundation*, Vol. 1, p. 261 – 291.

JOHNSON, N.G., 1985. Early Silurian palynomorphs from the Tuscarora Formation in central Pennsylvania and their paleobotanical and geological significance. *Review of Palaeobotany and Palynology*, Vol. 45, p. 307 – 360.

JUST, T., 1951. Mesozoic plant microfossils and their geological significances: *Journal of Palaeontology*, Vol. 25, No. 6, p. 729 – 735.

KAR, R.K., 1985. The fossil floras of Kachchh – IV. Tertiary Palynostratigraphy. *The Palaeobotanist*, Vol. 34, p. 1 – 280.

KAR, R.K. & KUMAR, M., 1986. Palaeocene palynostratigraphy of Meghalaya, India. *Pollen et Spores*, Vol. XXVIII, No. 2, p. 177 – 218.

KAR, R.K., 1979. Palynological fossils from the Oligocene sediments and their biostratigraphy in the district of Kutch, Western, India. *The Palaeobotanist*. Vol. 26, No. 1, p. 16 – 49.

KASKA, H.V., 1989. A spore and pollen zonation of Early Cretaceous to Tertiary nonmarine sediments of central Sudan. *Palynology*, Vol. 13, p. 79 – 90.

KEDVES, M., 1986. Palynological investigations of pre-Quaternary sediments of Egypt, Lower Part of the Nubian Sandstone in the Kharga Oasis. *Z. geol. Wiss. Berlin*. Vol. 3, p. 331 – 355.

KEDVES, M., 1998. Upper Cretaceous pollen grains from Egypt II. *Plant Cell Biology and Development*, Vol. 9, p. 8 – 27.

KEDVES, M., 1999. Upper Cretaceous pollen grains from Egypt III. *Plant Cell Biology and Development*, Vol. 10, p. 14 – 29.

KEDVES, M. & SIMONCSICS, P., 1964. Microstratigraphy of the carbonate manganese ore layer of the shart III of Urkut on the basis of palynological investigations. *Acta Mineral et Petrographica*, Vol. 16, p. 3 – 48.

KEMP, E.M., 1972. Reworked palynomorphs from the West Ice Shelf area, East Antarctica, and their possible geological and palaeontological significance. *Marine Geology*, Vol. 13, p. 145 – 157.

KEMP, E. L. & HARRIS, W. K., 1975. The vegetation of Tertiary islands of the Ninetyeast Ridge. *Nature*, Vol. 258, p. 303 – 307.

KEMP, E. L. & HARRIS, W. K., 1977. The palynology of early Tertiary sediments, Ninetyeast Ridge, Indian Ocean. *Special papers in Palaeontology*, No. 19, p. 1 – 69.

KIRCHHEIMER, F., 1934. On pollen from the Upper Cretaceous dyosil of Banke, Namaqualand (South Africa). *Transactions of the Royal Society of South Africa*, Vol. 21, p. 41 – 45.

KLAUS, W., 1960. Spores der karnischen Stufe der ostalpinen Trias. *Geol. B.A. Sonderbd.* Vol. 5, p. 107 – 183.

KLEIN, 1959. In: JANSONIUS, J. & HILLS, L.V., 1976. Genera file of fossil spores and pollen. Department of Geology, *University of Calgary, Special publication*, Reference Card No. 3136.

KNOX, E. M., 1938. The spores of *Pteridophyta*, with observations on microspores in coals of Carboniferous age. *Botanical Society of Edinburgh, Transactions and Proceedings*, Vol. 32, pt. 3, p. 438 – 466.

KNOX, E. M., 1950. The spores of *Lycopodium*, *Phylloglossum*, *Selaginella* and *Isoetes* and their value in the study of microfossils of Palaeozoic age. *Transactions of the Botanical Society of Edinburgh*, Vol. 35, p. 211 – 357.

KONZALOVÁ, 1976. In: JANSONIUS, J. & HILLS, L.V., 1978. Genera file of fossil spores - supplement. Special publication. *Department of Geology, University of Calgary, Canada*. Reference Card No. 3452.

KOTOVA , I. Z., 1978. Spores and pollen from Cretaceous deposits of the Eastern North Atlantic Ocean, Deep Sea Drilling Project, Leg 41, Sites 367 and 370. In: H.M Bolli *et al.*, (Ed.) *Initial Report on the Deep Sea Drilling Project*, Vol. 50. p. 841 – 881.

KRASNOVA, 1961. In: SAMILOVITCH, S.R. & MTCHEDLISHVILI, N.D. (eds.), 1961. Pollen and spores of western Siberia; Jurassic to Palaeocene. *VNIGRI Transactions of the All Union Petroleum Scientific Research Geological Exploration Institute*, Vol. 177, p. 1 – 657.

KREMP, G.O.W., 1965. Morphologic encyclopedia of palynology. University of Arizona Press, Tucson, p. 1 - 185.

KREMP, G.O.W., 1968. Morphologic Encyclopedia of Palynology. The University of Arizona Press, Tucson, p. 1 – 263.

KRUTZSCH, W., 1959. In: JANSONIUS, J. & HILLS, L.V., 1976. Genera file of fossil spores and pollen. Department of Geology, *University of Calgary, Special publication*, Reference Card No. 3 – 431 cards.

KRUTZSCH, W., 1959. Einige neue Formgattungen und –arten von Sporen und Pollen aus der mitteleuropäischen Oberkreide und dem Tertiär. *Palaeontographica*, Vol. 105, p. 125 – 157.

KRUTZSCH, W., 1963. Atlas der mittel - und jungtertiären dispersen Sporen – und Pollen – sowie der Mikroplanktonformen des nördlichen Mitteleuropas. Lief III. Sphagnaceoide und selaginellaceoide Sporenformen. *Dt. Verlag Wiss*, p. 1 – 128.

KRUTZSCH, W., 1970. Atlas der mittel- und jungtertiären dispersen sporen- und pollen- sowie der mikroplankton formen des nördlichen mitteleuropas. Lieferung 7: Monoporate, monocolpate, longicolpate, dicolpate und ephedroide (polyplicate) pollen formen. *Veb Gustav Fisher Verlag Jena, Berlin*. p.1 - 175.

KÜTZING, 1843. In: ZIPPI, P.A., 1998. Freshwater algae from the Mattagami Formation

(Albian), Ontario: paleoecology, botanical affinities and systematic taxonomy.

Micropaleontology, Vol. 44, Supplement No. 1, p. 11.

LADD, J.W., DICKSON, G.U., & PITMAN, W.C. III., 1973. The age of the South Atlantic. In: A.E.M. Nairn and F.G. Stehli (eds.), *The Ocean Basin and Margins: The South Atlantic*, p. 555 – 573, New York.

LANTZ, J., 1958. Etude palynologique de quelques échantillons Mésozoïques du Dorset (Grande Bretagne): *Instit Français du Pétrole, Annales des Combustibles. Liquides*, Vol. 13, No. 6, p. 917 – 943.

LARSON, R.L., 1977. Early Cretaceous breakup of Gondwanaland off Western Australia. *Geology*, Vol. 5, p. 57 – 60.

LARSON, R.L. & LADD, J.W., 1973. Evidence for the opening of the South Atlantic in the Early Cretaceous. *Nature*, Vol. 246, p. 209 – 212.

LAWAL, O. & MOULLADE, M., 1986. Palynological biostratigraphy of Cretaceous sediments in the upper Benue Basin, NE Nigeria (1). *Revue de Micropaléontologie*, Vol. 29, No. 1, p.61 – 83.

Le PICHON, X., 1968. Sea-floor spreading and continental drift. *Journal of Geophysical Research*, Vol. 73, p. 3661 – 3697.

LEIDELMEYER, P., 1966. The Palaeocene and Lower Eocene pollen flora of Guyana. *Leidse Geologische Mededelingen*, pt. 38, p. 49 – 70.

LEVET-CARETTE, J., 1964. Etude de la microflore bajocienne d'un sondage effectué dans le sous-sol de Boulogne – sur – mer (P. –de – C). *Annales Societie Geologie du Nord.*, Vol. 87, p. 91 – 121.

- LEWAN, M.D., 1986. Stable carbon isotopes of amorphous kerogens from Phanerozoic sedimentary rocks. *Geochimica et Cosmochimica Acta*, Vol. 50, p. 1538 – 1591.
- LEVIN, H.L., 1990. Contemporary Physical Geography, Third Edition. Saunders College Publishing. p. 1 – 623.
- LIDGARD, S. & CRANE, P.R., 1989. Quantitative analyses of the early angiosperm radiation. *Nature*, Vol. 331, p. 344 – 346.
- LIDGARD, S. & CRANE, P.R., 1990. Angiosperm diversification and Cretaceous floristic trends: a comparison of palynofloras and leaf macrofloras. *Paleobiology*, Vol. 16, p. 77 – 93.
- LINNAES, 1751. In: ZIPPI, P.A., 1998. Freshwater algae from the Mattagami Formation (Albian), Ontario: paleoecology, botanical affinities and systematic taxonomy. *Micropaleontology*, Vol. 44, Supplement No. 1, p. 1 – 78.
- LISTER, J.K. & BATTEN, D.J., 1988. Stratigraphic and palaeoenvironmental distribution of Early Cretaceous dinoflagellate cysts in the Hurlands Farm Borehole, West Sussex, England. *Palaeontographica*, Vol. 210, pt. B, p. 9 – 89.
- LI, Z. & SONG, Z., 1985. In SONG, Z., LI, Z., GUAN, X., ZHENG, Y., WANG, W. & HU, Z., 1985. Research on Cenozoic palynology of the Longjing structural area in the shelf basin of the East China Sea (Donghai) region. *Anhui Scientific and Technical Publishing House, Anhui*, Vol. 209, p. 1 – 255. (In Chinese).
- LORENTE, M., 1986. Palynology and palynofacies of the upper Tertiary in Venezuela. *Dissertationes Botanicae*, Vol. 99, p. 1 – 222.
- LUBER, 1935. In: DELCOURT, A. F., DETTMAN, M. E. & HUGHES, N. F., 1963. Revision of some Lower Cretaceous microspores from Belgium. *Palaeontology*, Vol. 6, pt. 2, p. 283.
- LUPIA, R., LIDGARD, S. & CRANE, P.R., 1999. Comparing palynological abundance and

diversity: implications for biotic replacement during the Cretaceous angiosperm revolution. *Paleobiology*, Vol. 25, No. 3, p. 305 – 340.

LUTTRELL, E.S., 1973. Loculoascomycetes. In: G.C., Ainsworth, F.K., Sparrow and A.S. Sussman. *The Fungi: An advanced treatise*, Vol. IVA. Academic Press, New York, p. 135 – 219.

MABBERLEY, D.J., 1993. The plant book, a portable dictionary of higher plants. Cambridge University Press, Cambridge.

MACPHAIL, M. K. & TRUSWELL, E. M., 1989. Palynostratigraphy of the central west Murry Basin. *BMR Journal of Australian Geology and Geophysics*. Vol. 11, p. 301 – 331.

MÄDLER, K., 1964. Die Geologische Verbreitung van Sporen und Pollen in der Deutschen Trias. *Beihefte zum Geologischen Jahrbuch*, Vol. 65, p. 1 – 147.

MAHESHWARI, H.K., 1974. Lower Cretaceous palynomorphs from the Bansa Formation, South Rewa Gondwana Basin, India. *Palaeontographica*, Vol. 146, No's. 1 & 2, p. 21 – 55.

MAMAY, S.H., 1950. Some American Carboniferous fern fructifications. *Annals of the Missouri Botanical Garden*, Vo. 37, No. 3, p. 409 – 477.

MANUM, S., 1976. Dinocysts in Tertiary Norwegian – Greenland sea sediments (Deep Sea Drilling Project Leg 38) with observations on palynomorphs and palynodebris in relation to environment. In: M. Talwani and L. Udintsev (eds.), *Initial reports on Deep Sea Drilling Project 38*, p. 897 – 919.

MAROT, J.E.B., 1990. Petrography and porosity of the gas-bearing sandstones intersected by the Kudu 9A – 2 and 9A – 3 boreholes. In: B.G. Hoal (Ed.), *The Kudu offshore drilling project. Communications of the Geological Survey of Namibia*, Vol. 6, p. 1 – 73.

MARTIN, A.R.H., 1960. A Mesozoic microflora from South Africa. *Nature*, Vol. 186 (4718), p. 1 – 95.

MARTIN, F., 1993. Acritarchs: a review. *Biological Reviews (Cambridge Philosophical Society)*, Vol. 68, p. 475 – 538.

MASCLE, G.P. LOHMANN, P.D., CLIFT, P.D & SHIPBOARD SCIENTIFIC PARTY., 1996. Introduction. In: L. MASCLE, G.P. LOHMANN, P.D., CLIFT *et al.*, *Proceedings of the Ocean Drilling Project Initial Results, 159, College Station, Tx (Ocean Drilling Progame)*, p. 5 – 16.

MASRAN, T.C. & POCKOCK, S.A.J., 1980. The classification of plant derived particulate organic matter in sedimentary rocks. *5th International Palynological Conference, Cambridge*, p. 254.

MCKENZIE, D. P. & WEISS, N., 1975. Speculations on the thermal and tectonic history of the Earth. *Geophysical Journal of the Royal Astronomical Society*, Vol. 42, p. 131 – 174.

McLACHLAN, I.R. & PIETERSE, E., 1978. Preliminary palynological results: Site 361, Leg 40, Deep Sea Drilling Project. In: H. Bolli, W.B.F. Ryan *et al.* (eds.) - *Initial Reports of the Deep Sea Drilling Project 40*. p. 857 – 881. US Government Printing Office, Washington, DC.

MILDENHALL, D.C., 1972. Fossil pollen of *Acacia* type from New Zealand. *New Zealand Journal of botany*, Vol. 10, p. 485 – 494.

MILDENHALL, D.C., 1980. New Zealand Late Cretaceous and Cenozoic plant biogeography: a contribution. *Palaeogeography, palaeoclimatology, palaeoecology*, Vol. 31, p. 197 – 233.

MILDENHALL, D. C. & CROSBIE, Y.M., 1979. Some porate pollen from the Upper Tertiary of New Zealand. *New Zealand Journal of Geology and Geophysics*, Vol. 22, p. 499 – 508.

MILDENHALL, D. C. & POCKNALL, D. T., 1989. Miocene – Pleistocene spores and pollen from Central Otago, South Island, New Zealand. *New Zealand Geological Survey*,

Palaeontological Bulletin, No. 59, p. 1 – 128.

MILNE, L.A., 1988. Palynology of a late Eocene lignitic sequence from the western margin of the Eucla Basin, Western Australia. *Association of Australasian Palaeontologists*, Memoir 5, p. 285 – 310.

MINER, E.L., 1935. Palaeobotanical examination of Cretaceous and Tertiary coals. *American Midland Naturalist*, Vol. 16, No. 4, p. 585 – 625.

MORGAN, R., 1978. Albian to Senonian palynology of Site 364, Leg 40, Deep Sea Drilling Project Angola Basin. In: H. M. Bolli *et al.*, (eds.) *Initial Report on the Deep Sea Drilling Project*, Vol. 50. p. 915 – 951.

MULLER, J., 1968. Palynology of the Pedawan and Plateau Sandstone Formations (Cretaceous – Eocene) in Sarawak, Malaysia. *Micropalaeontology*, Vol. 14, No.1, p. 1 - 37.

MULLER, J., 1984. Significance of fossil pollen for angiosperm history. *Annals of the Missouri Botanical Garden*, Vol. 71, p. 419 – 443.

NAGY, E., 1963. Spores et pollens nouveaux d'une coupe de la briqueterie d'Eger (Hongrie). *Pollen et Spores*. Vol. V, No.2, p. 397 – 412.

NAKOMAN, 1976. In: JANSONIUS, J. & HILLS, L.V., 1977. Genera file of fossil spores - Supplement. Special publication. *Department of Geology, University of Calgary, Canada*. Reference Card No. 3373.

NAUMOVA, S.N., 1937. Spores and pollen of coals of U.S.S.R. In: *Trudy 17th International Geological Congress, Moscow*, Vol. 1, p. 355 – 366.

NAUMOVA, S.N., 1939. Spores and pollen of coals of U.S.S.R. *Reprint of the 17th session of the International Geological Congress, Moscow*, Vol. 1, p. 353 – 364.

NAUMOVA, S.N., 1953. Upper Devonian spore-pollen assemblages of the Russian Platform and their stratigraphic significance. *Trudy Geologicheskogo Instituta, Akademiia, Nauk S.S.S.R.*, Vol. 143, No. 60, p. 1 – 204.

NICHOLS, D.J. & FARLEY FLEMMING, R., 1990. Plant microfossil record of the terminal Cretaceous event in the western United States and Canada. In: V.L., Sharpton and P.D., Ward (eds.), *Global catastrophes in Earth history; An interdisciplinary conference on impacts, volcanism and mass mortality. Geological Society of America, Special Paper No.247*, p. 445 – 455.

NIESEN, H. & SORENSEN, I., 1992. Taxonomy and stratigraphy of late glacial *Pediastrum* taxa from Lysmosen, Denmark, a preliminary study. *Review of Palaeobotany and Palynology*, Vol. 74, p. 55 – 75.

NILSSON. T., 1958. Über das Vorkommen eines Mesozoischen Sapropelgesteins in Schonen. *Lunds University Årsskrifte, N.F.*, Vol. 54, No. 10, pt. 2, p. 3 - 111.

NORRIS, G., 1967. Spores and pollen from the lower Colorado Group (Albian? – Cenomanian) of central Alberta. *Palaeontographica*, Vol. 120, pt. B, p.72 – 115.

NORRIS, G., 1970. Palynology of the Jurassic – Cretaceous Boundary in Southern England. *Geoscience et Man*, Vol. 1, p. 57 – 67.

NORVICK, M.S. & BURGER, D., 1976. Palynology of the Cenomanian of Bathurst Island, Northern Territory, Australia. *Bureau of Mineral Resources, Geology & Geophysics Bulletin*, No. 151, p. 1 – 154.

OBOH, F. E., 1992. Multivariate statistical analyses of palynodebris from the middle Miocene of the Niger Delta and their environmental significance. *Palaaios*, Vol. 7, p. 559 – 573.

OBOH, F. E. & REEVES MORRIS, L. M., 1994. Early Oligocene palynosequences in the Eastern Gulf Coast, U.S.A. *Palynology*, Vol. 18, p. 213 - 235.

OBOH, F. E. & REEVES MORRIS, L. M., 1995. Correlation between *Sequoia* type pollen and the Lower Oligocene transgressive deposits in the Eastern Gulf Coast. *Palaios*, Vol. 10, p. 371 - 382.

OBOH – IKUENOBÉ, F.E., YEPES, O. & ODP LEG 159 SCIENTIFIC PARTY., 1997. Palynofacies analysis of sediments from the Côte d'Ivoire – Ghana transform margin: Preliminary correlation with some regional events in the Equatorial Atlantic. *Palaeogeography, Palaeoclimatology, Palaeoecology*, Vol. 129, p. 291 – 314.

OBOH – IKUENOBÉ, F.E., YEPES, O. & GREGG, J.M., 1998. Palynostratigraphy, palynofacies, and thermal maturation of Cretaceous – Palaeocene sediments from the Cote d'Ivoire-Ghana Transform Margin. In: J. Mascle, J. Lohmann and M. Moullade (eds.) *Proceedings of the Ocean Drilling Program, Scientific Results*, Vol. 159, p. 277 – 318.

OBOH - IKUENOBÉ, F.E. & DE VILLIERS, S.E., 2003. Dispersed organic matter in samples from the western continental shelf of Southern Africa: palynofacies assemblages and depositional environments of Late Cretaceous and younger sediments. *Palaeogeography, Palaeoclimatology, Palaeoecology*, Vol. 201, p. 67 – 88.

OBOH - IKUENOBÉ, F.E., OBOH, C.G., & JARAMILLO, C.A., 2005. Lithofacies, palynofacies and sequence stratigraphy of Palaeogene strata in south eastern Nigeria. *Journal of African Earth Science*, Vol. 41, p. 79 – 102.

OLOTO, I.N., 1989. Maastrichtian dinoflagellate cyst assemblages from the Nkporo Shale on the Benin Flank of the Niger Delta. *Review of Palaeobotany and Palynology*, Vol. 57, p. 173 – 186.

PACLTOVÁ, B., 1961. On some plant microfossils from fresh-water sediments of the Upper

Cretaceous (Senonian) in the south Bohemian Basin. Part I. *Sborn. Ustred. Ust. Geologie, odd palaeontologie*, Vol. 26, p. 47 – 102.

PADEN PHILIPS, P., 1971. In: PADEN PHILIPS, P. & FELIX, C. J., 1971. A study of Lower to Middle Cretaceous spores and pollen from the southeastern United States II. Pollen. *Pollen et Spores*, Vol. 13, No. 2, p. 439 – 473.

PADEN PHILIPS, .P. & FELIX, C.J., (1971) 1972. A study of the Lower and middle Cretaceous spores and pollen from the southeastern United States – I – Spores. *Pollen et Spores*, Vol, 13, No. 2, p. 279 – 348.

PANNELLA, G., 1966. Palynology of the Dakota Group and granular shale of the Denver Basin; Unpublished PhD thesis, University of Colorado, Boulder, p. 1 – 173.

PANT, O.D., 1954. Suggestions for the classification and nomenclature of fossil spores and pollen grains. *The Botanical Review*, Vol. 20, No. 1, p. 33 – 60.

PARRISH, J.T., 1987. Global palaeogeography and palaeoclimate of the late Cretaceous and early Tertiary. In: E. M. Friis *et al.*, (eds), *The origins of angiosperms and their biological consequences*. Cambridge University Press.

PARRISH, J.T. & DOYLE, J.A., 1984. Predicted evolution of global climate in Late Jurassic – Cretaceous time. *Abstracts, International Organization of Paleobotany Conference, Edmonton, August 18 – 26*.

PASELEY, M. A. & HAZEL, J.E., 1990. Use of organic petrology, and graphic correlation of biostratigraphic data in sequence stratigraphic interpretations: Examples from the Eocene – Oligocene boundary section, St. Stephen's quarry, Alabama. *Transactions of the Gulf Coast Association of Geological Societies*, Vol. 40, p. 661 – 683.

PASCHER, 1914. In: ZIPPI, P.A., 1998. Freshwater algae from the Mattagami Formation (Albian), Ontario: paleoecology, botanical affinities and systematic taxonomy.

Micropaleontology, Vol. 44, Supplement No. 1, p. 11.

PASTORET, L. & GOSLIN, L., 1974. Middle Cretaceous sediments from the eastern part of the Walvis Ridge. *Nature*, Vol. 248, p. 495 – 496.

PENNY, J.S., 1969. Late Cretaceous and Early Tertiary Palynology. In: R.H. Tschudy and R.A.Scott (eds.), *Aspects of Palynology*. P. 331 – 376.

PETTITT, J.M. & CHALONER, W.A., 1964. The ultrastructure of the Mesozoic pollen, *Classopollis*. *Pollen et Spores*, Vol. VI, No. 2, p. 611 – 620.

PFLUG, H. D., 1953. Zur Entstehung und Entwicklung des angiospermiden Pollens in der Erdgeschichte. *Palaeontographica*, Vol. 95, pt. B, p. 60 – 171.

PHIPPS, D. & PLAYFORD, G., 1984. Laboratory techniques for extraction of palynomorphs from sediments. *Papers from the Department of Geology, University of Queensland*, Vol. 11, No. 1, p. 1 – 23.

PIASECHI, S., 1986. Palynological analysis of the organic debris in the Lower Cretaceous Jydegård Formation, Bornholm, Denmark. *Grana*, Vol. 25, p. 119 – 129.

PIERCE, R.L., 1961. Lower Upper Cretaceous plant microfossils from Minnesota. *Bulletin of the Minnesota Geological Survey*. Vol. 42, p. 1 – 86.

PIERCE, S.T., 1976. Morphology of *Schizosporis reticulatus* Cookson & Dettman, 1959. *Geoscience and Man*, Vol. 15, p. 25 – 33.

PITMAN, W.C. III, CANDE, S., LaBRECQUE, J. & PINDELL, J., 1993. Fragmentation of Gondwana: The separation of Africa from South America. In: P. Goldblatt (Ed.), *Biological relationships between Africa and South America*. Yale University Press, p. 15 – 24.

PLAYFORD, G., 1962. Lower Carboniferous microfloras of Spitsbergen – Part 1.

Palaeontology, Vol. 5, p. 550 – 618.

PLAYFORD, G., 1971. Palynology of the Lower Cretaceous (Swan River) strata of

Saskatchewan and Manitoba. *Palaeontology*, Vol. 14, No. 4, p. 533 – 565.

PLAYFORD, G., 1991. Australian Lower Carboniferous miospores relevant to extra-Gondwana correlations: an evaluation. *Forschungsinstitut Senckenberg*, Vol. 130, p. 85 – 125.

PLAYFORD, G. & DETTMANN, M.E., 1965. Rhaeto – Liassic plant microfossils from the Leigh Creek Coal Measures, South Australia. *Courier Forschungsinstitut Senckenberg*, Vol. 46, p. 127 – 181.

PLAYFORD, G. & DETTMANN, M.E., 1996. Chapter 8. Spores. In: J. Jansonius and D. C. McGregor (eds.), Palynology: principles and applications. *American Association of Stratigraphic Palynologists Foundation*, Vol. 1, p. 227 – 260.

POCKNALL, D.T. & MILDENHALL, D.C., 1984. Late Oligocene - early Miocene spores and pollen from Southland, New Zealand. *New Zealand Geological Survey Palaeontological Bulletin*, No. 51, p. 1 – 66.

POCOCK, S.A.J., 1961. The microspore genus *Cingulatisporites* Thompson, 1953. *Journal of Palaeontology*, Vol. 35, p. 1234 – 1236.

POCOCK, S.A.J., 1962. Microfloral analysis and age determination of strata at the Jurassic-Cretaceous Boundary in the Western Canada Plains. *Palaeontographica*, Vol. 111, p. 1 – 92.

POCOCK, S.A.J., (1964) 1965. Pollen and spores of the *Chlamydospermidae* and *Schizaeaceae* from Upper Mannville strata of the Saskatoon area of Saskatchewan. *Grana Palynologica*, Vol. 5, No. 2, p. 129 – 209.

POCOCK, S.A.J., 1970. Palynology of the Jurassic sediments of Western Canada. Part 1. Terrestrial species. *Palaeontographica*, Vol. 130, pt. B, p. 12 – 72.

POCOCK, S. A. J., 1982. Identification and recording of particulate sedimentary organic matter. In: F.L. Staplin *et al.*, How to assess maturation and paleotemperatures. *Society of Economic Paleontologists and Mineralogists, Short Course*, Vol. 7, p. 13 – 131.

POCOCK, S.A J. & JANSONIUS, J., 1961. The pollen genus *Classopollis* Pflug, 1953. *Micropalaeontology*, Vol. 7, p. 439 – 449.

POKROVSKAJA, I.M. & STEL'MAK, N.K. (eds.), 1964. Atlas of the Lower Cretaceous spore-pollen complexes of certain regions of the U.S.S.R. *Trudy Geologicheskogo Instituta, Akademiia, Nauk S.S.S.R.*, Vol. 124, p. 1 – 552

POTONIÉ, H., 1893. In: POTONIÉ, R., 1952. Zur Morphologie und morphologischen Nomenklatur der Sporites H. Potonié 1893. *Paläontologie*, Vol. 25, No.'s 3 & 4, p. 143 – 154.

POTONIÉ, R., 1931. Pollen formen aus Tertiären Braunkohlen. *Preussische Geologische Landesanstalt zu Berlin, Jahrbuch*, Vol. 52, p. 1 – 7.

POTONIÉ, R., 1934. Zur Mikrobotanik des eocänen Humodils des Geiseltals. *Institute of Palaeobotany*, Vol. 4, p. 25 – 125.

POTONIÉ, R., 1956. Synopsis der Gattungen der *Sporae dispersae*. I. Sporites. *Beihefte zum Geologischen Jahrbuch*, Vol. 23, p. 1 – 103.

POTONIÉ, R., 1958. Synopsis der Gattungen der *Sporae dispersae*. II. Sporites. *Beihefte zum Geologischen Jahrbuch*, Vol. 31, p. 1 – 114.

POTONIÉ, R., 1960. Synopsis der Gattungen der *Sporae dispersae*. III. Sporites. *Beihefte zum Geologischen Jahrbuch*, Vol. 39, p. 1 – 189.

POTONIÉ, R., 1962. Synopsis der Sporae in situ. *Beihefte zum Geologischen Jahrbuch*, Vol. 52, p. 1 – 204.

POTONIÉ, R., 1966. Synopsis der Gattungen der *Sporae dispersae*, IV. Teil: Nachtrage zu allen Gruppen (Turmae); *Beihefte zum Geologischen Jahrbuch*, Vol. 72, p. 1 – 244.

POTONIÉ, R., 1967. Versuch der Einordnung der fossilen *Sporae dispersae* in das phylogenetische System der Pflanzenfamilien; *Forschungsberichte des Landes Nordrhein-Westfalen*, No. 1761, p. 1 – 310.

POTONIÉ, R., 1970 Synopsis der Gattungen der *Sporae dispersae*, V. Teil: Nachtrage zu allen Gruppen (Turmae); *Beihefte zum Geologischen Jahrbuch*, Vol. 87, p. 1 - 222.

POTONIÉ, R., & GELLETICH, J., 1933. Über Pteridophyten-Sporen einer eözanen Braunkohle aus Dorog in Ungarn. *S.B. Geologischen Naturf. Fr. Berlin*, Vol. 33, p. 517 – 526.

POTONIÉ, R., & GREBE, H., 1974. The history of spore classification, how to avoid errors of the past. In: D.C Bharadwaj (Ed.), Symposium on structure, nomenclature and classification of pollen and spores. *Birbal Sahni Institute of Palaeobotany, Lucknow, Special Publication*, No. 4, p. 1 – 6.

POTONIÉ, R. & KREMP, G.O.W., 1954. Die Gattungen der paläozoischen *Sporae dispersae* und ihre stratigraphie. *Neues Jahrbuch für Geologie und Paläontologie*, Vol. 69. p. 111 – 194.

POTONIÉ, R. & KREMP, G.O.W, 1955. Die *Sporae dispersae* des Ruhrkarbons, ihre Morphographie und Stratigraphie mit Ausblicken auf Arten anderer Gebiete und Zeitabschnitte. Part 1. *Palaeontographica B*, Vol. 98, p. 1 – 136.

POTONIÉ, R. & VENITZ, H., 1934. Zur mikrobotanik des miocänen Humodils der niederrheinischen Bucht. *Preuss. Geologie Landesanstalt Inst. Paläobotanik und Petrographie*

Brennstein, Vol. 5, p. 5 – 54.

POWELL, A.J., DODGE, J.D. & LEWIS, J., 1990. Late Neogene to Pleistocene palynological facies of the Peruvian continental margin upwelling, Leg, 112. In: E. Suess & R. von Huene *et al.*, *Proceedings of the Ocean Drilling Program, Scientific Results*, Vol. 112, p. 297 – 321.

PRAGLOWSKI, J., 1979. Winteraceae Lindl. *World Pollen and Spore Flora*, Vol. 8, p. 1 – 25.

PRAGLOWSKI, J. & PUNT, W., 1973. An elucidation of the microreticulate structure of the exine. *Grana*, Vol. 13, p. 45 – 50.

PRAUSS, M., 1989. Dinozystem – Stratigraphie und Palynofazies im oberen Lias und Dogger von NW – Deutschland. *Palaeontographica*, Vol. 214, pt. B, p. 1 – 124.

PREMOLI – SILVA, I. & BOERSMA, A., 1977. Cretaceous planktonic foraminiferas – DSDP Leg 40 (South Atlantic). In: P.R. Supko and K. Perch Nielsen *et al.*, (eds.) *Initial Reports of the Deep Sea Drilling Project*, Vol. 39, p. 615 – 641. Washington, DC: Government Printing Office.

POKROVSKAYA & STELMAK, 1960. In: JANSONIUS, J. & HILLS, L.V., 1976. Genera file of fossil spores and pollen. Department of Geology, *University of Calgary, Special publication, Card No. 3 – 431 cards*.

PUNT, W., BLACKMORE, S., NILSSON, S & Le THOMAS, A. 1994. Glossary of pollen and spore terminology. *Laboratory of Palaeobotany and Palynology Contributions Series 1*. LLP Foundation, Utrecht, The Netherlands, p. 1 – 71.

RABINOWITZ, P.D. & LA BRECQUE, J., 1979. The Mesozoic South Atlantic Ocean and evolution of its continental margin. *Journal of Geophysical Research*, Vol. 84, p. 5973 – 6002.

RADFORTH, N.W., 1938. An analysis and comparison of the structural features of *Dactylothea plumose* Artis sp. and *Senftenbergia ophiodermatica* Göppert sp. *Transactions of*

the Royal Society of Edinburgh, Vol. 59, pt. 2, p. 385 – 396.

RAMANUJAM, C. G. K., 1966. Palynology of the Miocene lignites from the South Arcot district, Madras, India. *Pollen et Spores*, Vol. 8, p. 149 – 203.

RAO, V.R. & VENKATACHALA, B.S., 1971. Upper Ghondwana marine interculations in Peninsular India. *Annals Geological Department, Aligarh Muslim University*. International Gondwana Symposium, Vol. 5 and 6, Special Issue, p. 353 – 389.

REINSCH, P.R., 1881. In: DELCOURT, A. F., DETTMAN, M. E. & HUGHES, N. F., 1963. Revision of some Lower Cretaceous microspores from Belgium. *Palaeontology*, Vol. 6, pt. 2, p. 283.

REINSCH, P.R., 1884. Micro-Paleophytologia Formationis Carboniferae, *E.J.T Erlange*, Vol. 1, p. 1 – 79; Vol. II, p. 1 – 14, Leipzig.

REISSINGER, A., 1950. Die ‘Pollenanalyse’ ausgedehnt auf alle Sedimentgesteine der geologischen Vergangenheit. *Palaeontographica*, Vol. 90, p. 99 – 126.

REMY, W. & REMY, R., 1955. Mitteilungen über Sporen die aus inkohlten Fruktifikationen von echten Farnen des Karbon gewonnen wurden. Teil 1. *Abh. Deutschen. Akad. Wiss. Berlin*, p. 41 – 47.

REYMENT, R.A & TAIT, E.A., 1972. Biostratigraphical dating of the early history of the South Atlantic Ocean. *Philosophic Transactions of the Royal Society*, p. 264 – 295.

REYMENT, R.A & DINGLE, R.V., 1987. Palaeogeography of Africa during the Cretaceous Period. *Palaeogeography, Palaeoclimatology, Palaeoecology*, Vol. 59, p. 93 – 116.

REYNOLDS, C.S. & ALLEN, S.E., 1968. Changes in phytoplankton of Oak mere following the introduction of base-rich water. *British Phycological Bulletin*, No. 3, p. 451 – 462.

REYRE, Y., 1970. Stereoscan observation on the pollen genus *Classopollis* Pflug, 1953. *Palaeontology*, Vol. 13, p. 303 – 322.

REINSCH, P.F., 1881. Micro – Palaeo Phytologia Formationis Carboniferae; Vol. 1, *Continens Trileteas et Stelideas*, p. 1 – 79. Erlangae Germania, Theo. Krische

RICHARDSON, J.B., FORD, J.H. & PARKER, F., 1984. Miospores, correlation and age of some Scottish Lower Old Red Sandstone sediments from the Strathmore region (Fife & Angus). *Journal of Micropalaeontology*, Vol. 3, p. 109 – 124.

ROSS, N. E., 1949. Investigation of the Senonian of the Kristianstad District, S. Sweden. I. On a Cretaceous pollen and spore bearing clay deposit of Scania. *Bulletin of the Geological Institution of the University of Uppsala*, Vol. 34, p. 25 – 42.

ROSENZWEIG, M.L. & McCORD, R.D., 1991. Incumbent replacement: evidence for long – term evolution – any progress. *Paleobiology*, Vol. 17, p. 202 – 213.

ROUSE, G.E., 1957. The application of a new nomenclatural approach to Upper Cretaceous plant microfossils from Western Canada. *Canadian Journal of Botany*, Vol. 35, p. 349 – 375.

SAAD, S.I., 1963. Pollen and spores recently discovered in the coals of the Sinai region, I: Euone Moussa District. *Palaeontographica*, Vol.113, pt. B, p. 117-125.

SAAD, S.I., 1978. Palynological studies in the Egyptian Western Desert: Umbarka IX borehole. *Pollen et Spores*, Vol. 20, p. 261 – 301.

SAAD, S. I. & GHAZALY, G., 1976. Palynological studies in Nubia sandstone from Kharga Oasis. *Pollen et Spores*, Vol.18, No. 3, p. 407 – 470.

- SAH, S.C.D., 1967. Palynology of an Upper Neogene profile from Rusizi Valley (Burundi). *Musée Royal de l'Afrique Centrale, Tervuren, Belgique, Annales*, Series 8, No. 57, p. 1 – 173.
- SAH, S.C.D. & DUTTA.S.K., 1966. Palynostratigraphy of the sedimentary formations of Assam 1: Stratigraphical position of the Cherra Formation. *Palaeobotanist*, Vol. 15, No's. 1 & 2, p. 72 – 86.
- SAH, S.C.D. & JAINS, K.P., 1965. Jurassic spores and pollen grains from the Rajmahal Hills, India, with a discussion on the age of the Rajmahal intertrappen beds. *Palaeobotanists*, Vol. 13, No. 3, p. 264 – 290.
- SAH, S.C.D & KAR, R.K., 1972. Palynostratigraphic evaluation of the Lower Eocene sediments of India. *Proceedings of the Seminar on Palynological Indian Stratigraphers. Calcutta, 1971*, p. 255 – 265.
- SAMILOVITCH, S.R., 1953. Pollen and spores from the Cherdynian and Aktybinian Pre-Urals. *Leningrad – Moskva, Trudy VNIGRI Transactions of the All Union Petroleum Scientific Research Geological Exploration Institute*, Vol. 75, p. 5 – 92.
- SAMILOVITCH, S.R. & MTCHEDLISHVILI, N.D. (eds.), 1961. Pollen and spores of western Siberia; Jurassic to Palaeocene. *VNIGRI Transactions of the All Union Petroleum Scientific Research Geological Exploration Institute*, Vol. 177, p. 1 – 657.
- SARMA, P., 1974. Light and scanning electron microscopic study of a new species of *Sphaeroplea* from New Zealand. *Nova Hedwigia*, Vol. 25, p. 475 – 501.
- SCHOLTZ, A., 1985. The palynology of the upper lacustrine sediments of the Arnot Pipe, Banke, Namaqualand. *Annals of the South African Museum*, Vol. 95, p. 1 – 109.
- SCHOPF, J.M., WILSON, L.R. & BENTELL, R., 1944. An annotated synopsis of Paleozoic fossil spores and the definition of generic groups. *Illinois State Geological Survey Reprint Invest.*

P. 1 – 91.

SCHRANK, E., 1984. Paleozoic and Mesozoic palynomorphs from the Foram 1 well (Western Desert, Egypt). *Neues Jahrbuch für Geologie und Palaontologie*, Vol. 2, p. 95 – 112.

SCHRANK, E., 1987. Palaeozoic and Mesozoic palynomorphs from Northeast Africa (Egypt and Sudan) with special reference to Late Cretaceous pollen and dinoflagellates. *Berliner geowisskunde*. Vol. 75, No. 1, p. 249 – 310.

SCHRANK, E., 1994. Nonmarine Cretaceous palynology of northern Kordofan, Sudan, with notes on fossil Salviniales (water ferns). *Geologische Rundsch*, Vol. 83, p. 773 – 786.

SCHRANK, E., 1999. Age and biogeographic links of palynomorph assemblages from the dinosaur beds of Tendaguru (Late Jurassic, Tanzania). *Actes du 4^{ème} Symposium de Palynologie Africaine (Sousse, Tunisie) 25 – 30 Avril, 1999, Geo-Eco-Trop, Numéro Spécial*, Vol. 22, p. 141 – 146.

SCHRANK, E. & MAHMOUD, M.S., 1998. Palynology (pollen, spores and dinoflagellates) and Cretaceous Stratigraphy of the Dakhla Oasis, central Egypt. *Journal of African Earth Sciences*, Vol. 26, No. 2, p. 167 – 193.

SCOTT, L., 1971. Lower Cretaceous pollen and spores from the Algoa Basin (South Africa). Unpublished MSc thesis, University of the Orange Free State. P. 1 – 80.

SCOTT, L., 1976. Palynology of Lower Cretaceous deposits from the Algoa Basin (Republic of South Africa). *Pollen et Spores*, Vol. 18, No. 4, p. 563 – 609.

SCHOLTZ, A., 1985. The palynology of the upper lacustrine sediments of the Arnot Pipe, Banke, Namaqualand. *Annals of the South African Museum*, Vol. 95, p. 1 – 109.

SELLING, O.H., 1946. Studies in Hawaiian pollen statistics. I. The spores of the Hawaiian Pteridophytes. *Bishop Museum Special Publication, Honolulu*, No. 37. p. 1 – 87.

- SELLING, O.H., 1947. Studies in Hawaiian pollen statistics. I. The spores of the Hawaiian phanerogams. *Bishop Museum Special Publication, Honolulu*, No. 38. p. 1 – 430.
- SINGH, C., 1964. Microflora of the Lower Cretaceous Mannville Group, east-central Alberta. *Research Council of Alberta Bulletin*, No.15, p. 1 - 239.
- SINGH, C., 1971. Lower Cretaceous microfloras of the Peace River area, northwest Alberta. *Research Council of Alberta Bulletin*, No. 28, p. 1 – 299.
- SINGH, H.P., SRIVASTAVA, S.K. & ROY, S.K., 1964. Studies on the Upper Gondwana of Cutch: 1 Mio and Macrospores. *Palaeobotanist*, Vol. 12, No. 3, p. 282 – 306.
- SKARBY, A., 1964. Revision of *Gleichenioidites senonicus* Ross. *Stockholm Contr. Geology*, Vol.11, p. 59 – 77.
- SKOTTSBERG, C.F., 1956. Derivation of the flora and fauna of Juan Fernandez and Easter Island. In: C.F. Skottsberg (Ed.), *The natural history of Juan Fernandez and Easter Island*. Gothenberg: Almqvist & Wiksell, Vol. 1, pt. 3, No. 5 p. 193 – 438.
- SLADEN, C.P. & BATTEN, D.J., 1984. Source-area environments of Late Jurassic and Early Cretaceous sediments in the Southeast England. *Proceedings of the Geologists' Association, London*, Vol. 95, p. 149 – 163.
- SMITH, A.C., 1970. *The Pacific as a Key to Flowering Plant History*. Harold L. Lyon Arboretum Lecture 1, University of Hawaii, Honolulu.
- SMITH, 1980. In: TRAVERSE, A., 1988. *Paleopalynology*. Unwin Hyman, Boston, MA, p. 1 - 600.
- SMITH, A.H.V. & BUTTERWORTH, M.A., 1967. Miospores in the coal seams of the Carboniferous of Great Britain. *Special Papers in Palaeontology*, Vol. 1, p. 1 – 324.

SMITH, A.G., BRIDEN, J.C. & DREWRY, G.E., 1973. Phanerozoic world maps. In: N.F. Hughes (ed.), *Organisms and Continents through Time. Paleontological Association, London Special Papers in Palaeontology*, Vol. 12, p. 1 – 43.

SOMERS, G., 1952. A preliminary study of the fossil spore content of the lower Jubilee seam of the Sydney coalfield. *Nova Scotia Research Foundation, Halifax*, p. 1 – 30.

SONG, Z., LI, Z., GUAN, X., ZHENG, Y., WANG, W. & HU, Z., 1985. Research on Cenozoic palynology of the Longjing structural area in the shelf basin of the East China Sea (Donghai) region. *Anhui Scientific and Technical Publishing House, Anhui*, Vol. 209, p. 1 – 255. (In Chinese).

SPRECHT, R.L., DETTMANN, M.E. & JARZEN, D. M., 1992. Community associations and structure in the Late Cretaceous vegetation of southeast Australasia and Antarctica. *Palaeogeography, Palaeoclimatology, Palaeoecology*, Vol. 94, p. 283 - 309.

SPICER, R.A. & THOMAS, B.A. (eds), 1986. *Systematic and taxonomic approaches in palynology*. (321 pages). Systematics Association Special Volume 31. Oxford University Press.

SRIVASTAVA, S.K., 1966. Upper Cretaceous microflora (Maastrichtian) from Scollard, Alberta, Canada. *Pollen et Spores*, Vol. 8, No. 3, p. 497 – 552.

SRIVASTAVA, S.K., 1969. Assorted angiosperm pollen from the Edmonton Formation (Maastrichtian), Alberta, Canada. *Canadian Journal of Botany*, Vol. 6, p. 975 – 989.

SRIVASTAVA, S.K., 1972. Systematic description of some spores from the Edmonton Formation (Maastrichtian), Alberta, Canada. *Palaeontographica*, pt. B, Vol. 139, p. 1 – 46.

SRIVASTAVA, S. K., 1975. Microspores from the Fredericksburg Group (Albian) of the

Southern United States *Paleobiologie continentale*, Vol. 6, p. 1 – 119.

SRIVASTAVA, S. K., 1976. The fossil pollen genus *Classopollis*. *Lethaia*, Vol. 9, No. 4, p. 437 – 457.

SRIVASTAVA, S. K., 1978. Cretaceous spore-pollen floras: A global evolution. *Biological Memoirs*, No. 3, p. 1 – 130.

STANCLIFFE, R.P.W., 1989. Microforaminiferal linings: their classification, biostratigraphy and palaeobotany, with special reference to specimens from British Oxfordian sediments. *Micropalaeontology*, Vol. 35, p. 337 – 352.

STANLEY, E. A., 1965. Upper Cretaceous and Palaeocene plant microfossils and Palaeocene dinoflagellates and hystrichosphaerids from northwestern South Dakota. *Bulletin of American Palaeontology*, Vol. 49, p. 179 – 345.

STANLEY, E.A., 1969. The occurrence and distribution of pollen and spores in marine sediments. *Proceedings of the 1st. International Conference on Planktonic Microfossils*, Geneva, 1967, p. 640 – 643.

STEBBINS, G.L., 1974. Flowering plants: Evolution above the Species Level. Harvard University Press, Cambridge, Massachusetts, p. 1 – 399.

STEEVES, M.W. & BARGHOORN, E.S., 1959. The pollen of *Ephedra*. *Journal of the Arnold Arboretum*, Vol. 40, No. 3, p. 221 – 255.

STEEVES, M.W. & WILKINS, L.R., 1967. Spores and pollen from the Lower Cretaceous of Saskatchewan, Canada. 1. Sporites. *Canadian Journal of Botany*, Vol. 45, No. 4, p. 2329 – 2365.

STEMMERIK, L., CHRISTIANSEN, F.G. & PIASECKI, S., 1990. Carboniferous lacustrine

shale in East Greenland – additional source rock in northern North Atlantic? In: B.J. Katz (Ed.), Lacustrine basin exploration – a case study and modern analogs. *American Association of Petroleum Geologists, Memoirs*, Vol. 50, p. 277 – 286.

STOVER, L. E., 1962. Taurocusporites, a new trilete spore genus from the Lower Cretaceous of Maryland. *Micropaleontology*, Vol. 8, No. 1, pl. 1, p. 55 – 59.

STOVER, L.E., 1964. Cretaceous Ephedroid pollen from West Africa. *Micropalaeontology*, Vol. 10, No. 2, p. 145 – 156.

STOVER, L.E., 1973. In: STOVER, L. E. & PARTRIDGE, A. D., 1973. Tertiary and late Cretaceous spores and pollen from the Gippsland Basin, southeastern Australia. *Proceedings of the Royal Society of Victoria* Vol. 85, p. 237 - 286.

STOVER, L. E. & EVANS, P.R., 1973. Upper Cretaceous – Eocene spore-pollen zonation, offshore Gippsland Basin, Australia. *Geological Society of Australia, Special Publication*, Vol. 4, p. 55 – 72.

STOVER, L. E. & PARTRIDGE, A. D., 1973. Tertiary and late Cretaceous spores and pollen from the Gippsland Basin, southeastern Australia. *Proceedings of the Royal Society of Victoria* Vol. 85, p. 237 – 286.

STOVER, L. E. & PARTRIDGE, A. D., 1982. Eocene spore - pollen from the Werillup Formation, Western Australia. *Palynology*, Vol. 6, p. 69 – 95.

SUKH-DEV., 1961. Studies on the fossil flora of the Jabalspur Series from the South Rewa Gondwana basin – spores and pollen grains. *Abstract from the proceedings of the 48th Indian Scientific Conference*.

SUKH-DEV., 1961. The fossil flora of the Jabalpur Series. 3. Spores and Pollen grains. *Palaeobotanist*, Vol. 8, p. 43 – 56.

SULTAN, I.Z., 1978. Mid-Cretaceous plant Microfossils from the Northern part of the Western Desert of Egypt. *Review of Palaeobotany and Palynology*, Vol. 25, p. 259 – 267.

SULTAN, I.Z., 1985. Maastrichtian plant microfossils from the El Mahamid area, Nile Valley, Southern Egypt. *Review of Micropalaeontology*, Vol. 28, No. 3, p. 213 – 222.

SULTAN, I. Z., 1986. Palynostratigraphy of Lower Cretaceous sediments in Nile Delta Region, Aswan. *Revista Espanola de Micropaleontologia*. Vol. XVIII, No. 1, p. 55 – 70.

SULTAN, I.Z. & SOLIMAN, H.A., 1978. Palynostratigraphie du Bathonien – Callovien du puit. Np. 3 de Barga, Sinai Nord, Egypte. *Revue de Micropaléontologie*, Vol. 20, p. 222 – 229.

SUMMERHAYES, C.P., 1987. Organic-rich Cretaceous Sediments from the North Atlantic. In: J. Brooks and A.J. Fleet (eds.), Marine petroleum source rocks. *Geological Society, London, Special Publication*, Vol. 26, p. 301 – 316.

SWALE, E.M.F., 1968. The phytoplankton of Oak Mere, Chesire, 1963 – 1966. *British Phycological Bulletin*, No. 3, p. 441 – 449.

TAKAHASHI, K., 1964. Spores und Pollen der oberkretazeischen Hakobuchi-Schichtengruppe, Hokkaido. *Memoirs of the Faculty Science, Kyushu University, Series D. Geology*, Vol. 14, No. 3, p. 159 – 271.

TAKHTAJAN, A., 1976. Neoteny and the origin of flowering plants. In: C.B Beck (Ed.), *Origin and Early Evolution of Angiosperms*, p. 207 – 219, New York: Columbia University Press.

TAYLOR, T.N., 1981. Palaeobotany: an introduction to fossil plant biology. McGraw-Hill, New York, p. 1 – 589.

TAYLOR, T.N. & TAYLOR, E.L., 1993. The biology and evolution of fossil plants. Prentice

Hall, Engelwood Cliffs, N.Y.

TAYLOR, T.N. & HICKEY, L.J., 1996. In: LUPIA, R., LIDGARD, S & CRANE, P.R., 1999. Comparing palynological abundance and diversity: implications for biotic replacement during the Cretaceous angiosperm revolution. *Paleobiology*, Vol. 25, NO. 3, p. 305 – 340.

TEISSERENC, P. & VILLEMIN, J., 1990. Sedimentary basins of Gabon – geology and oil systems. In: J. D. Edwards and P. A. Santogross (eds.), *Divergent / Passive Margin Basins. American Association of Petroleum Geologists*, p. 117 – 199.

TEKBALI, A. O., 1994. Palynological observations on the ‘Nubian Sandstone’ southwestern Libya. *Review of Palaeobotany and Palynology*, Vol. 81, p. 297 – 311.

THIERDE, J., 1977. Subsidence of aseismic ridges: evidence from sediments on Rio Grande Rise (Southwest Atlantic Ocean). *American Association of Petroleum Geologists Bulletin*, No. 61, p. 929 – 940.

THIERDE, J. & VAN ANDEL, T.H., 1977. The palaeoenvironment of anaerobic sediments in the Late Mesozoic South Atlantic Ocean. *Earth and Planetary Letters*, Vol. 33, p. 301 – 309.

THIERGART, F., 1938. Die pollenflora der niederlausitzer Braunkohle, besonders im Profil der Grube Marga bei Seftenberg. *Jahrbuch Preussische Geologie Landesanstalt, 1937*, Vol. 38, p. 282 – 351.

THOMSON, P.W., 1953. In: THOMSON, P.W. & PFLUG, H., 1953. Pollen und Sporen des Mitteleuropaischen Tertiars. *Palaeontographica*, Vol. 94, pt. B, p. 1 – 138.

THOMSON, P.W. & PFLUG, H., 1953. Pollen und Sporen des Mitteleuropaischen Tertiars. *Palaeontographica*, Vol. 94, pt. B, p. 1 – 138.

TIWARI, 1964. In: PLAYFORD, G., 1991. Australian Lower Carboniferous miospores relevant to extra-Gondwana correlations: an evaluation. *Forschungsinstitut Senckenberg*, Vol. 130, p. 85

TOWNROW, J.A., 1967. On a conifer from the Jurassic of East Antarctica. *Proceedings of the Royal Society of Tasmania*, Vol. 101, p. 137 – 147.

TRAVERSE, A., 1955. Pollen analysis of the Brandon lignite of Vermont. *United States Bureau of Mines Report Investigation 5151*.

TRAVERSE, A., 1988. *Paleopalynology*. Unwin Hyman, Boston, MA, p. 1 - 600.

TRAVERSE, A. & GINSBERG, R.N., 1966. Palynology of the surface sediments of the Great Bahama Bank, as related to water movement and sedimentation. *Marine Geology*, Vol. 4, p. 417 – 459.

TREVISAN, L., 1967. Presenza di pollini, spore, dinoflagellati, isticosfere et acritachi in argile intercalate a calcari con calpionelle presso Serrazzano (Toscana meridionale). *Atti. Soc. Toscana. Sc. Nat*, Vol. 74, No. 2, p. 567 – 569.

TREVISAN, L., 1988. Angiospermous pollen (monosulcate – trichotomosulcate phase) from the very early Lower Cretaceous of Southern Tuscany (Italy). Seventh International Palynological Congress, Brisbane, Abstracts, p. 17.

TRUSWELL, E.M., 1990. Cretaceous and Tertiary vegetation of Antarctica: A palynological perspective: In: Taylor, T.N. & Taylor, E.L. (Eds.), *Antarctic Palaeobiology*. Springer. New York. N.Y. p. 77 – 88.

TRUSWELL, E.M. & DREWRY, D.J., 1984. Distribution and provenance of recycled palynomorphs in surficial sediments of the Ross Sea, Antarctica. *Marine Geology*, Vol. 59, p. 187 – 214.

TSCHUDY, B.D., 1971. Two new fossil genera from upper Campanian (Cretaceous) rocks of Montana. *Professional Papers of the United States Geological Survey*, Vol. 750, p. 53 – 61.

TSCHUDY, R.H., 1961. Palynomorphs as indicators of facies environments in Upper Cretaceous and Lower Tertiary strata, Colorado and Wyoming. *Wyoming Geological Association Guidebook. 16th Annual Field Conference*, p. 53 – 59.

TSCHUDY, R.H. & SCOTT, R.A., (eds) 1969. *Aspects of Palynology*. Wiley-Interscience, New York.

TYSON, R.V., 1984. Palynofacies investigation of Callovian (Middle Jurassic) sediments from DSDP Site 534, Blake – Bahama Basin, western central Atlantic. *Marine and Petroleum Geology*, Vol. 1, p. 3 – 13.

TYSON, R.V., 1987. The genesis and palynofacies characteristics of marine petroleum source rocks. In: J. Brooks & A.J. Fleet (eds), Marine petroleum source rocks. *Geological Society, London, Special Publication*, Vol, 26, p. 47 – 67.

TYSON, R.V., 1995. Sedimentary organic matter, organic facies and palynofacies. Chapman and Hall, London, p. 1 – 615.

UPCHURCH, G.R. Jr. & WOLFE, J.A., 1987. Mid Cretaceous to Early Tertiary vegetation and climate: evidence from fossil leaves and woods. In: E.M. Friss, W.G. Chaloner, and P.R. Crane (eds.), *The origin of angiosperms and their biological consequences*. Cambridge University Press.

VAKHRAMEEV, V.A., 1991. Jurassic and Cretaceous floras and climates of the Earth. Cambridge University Press, p. 1 – 318.

VAN DER HAMMEN, T., 1954. El desarrollo de la flora colombiana en los periodos geológicos; 1 – Maestrichtiano hasta Terciario más inferior. *Boletín Geológico, Bogotá* Vol. 2, No. 1, p. 49 – 106.

VAN DER HAMMEN, T., 1955. Principios para la Nomenclatura Palinológica sistemática. *Boletín Geológico, Bogotá*, Vol. 2, No. 2, p. 9 – 21.

VAN DER HAMMEN, T., 1956. A palynological systematic nomenclature. *Boletín Geológico, Bogotá* Vol. 4, No's. 2 - 3, p. 63 – 101.

VAN DER HAMMEN, T., & GONZALES, E. 1960. Upper Pleistocene and Holocene climate and vegetation of the “*Sabana de Bogota*” (Colombia, South America). *Leidse Geol. Meded.*, Vol. 25, p. 261 – 315.

VAN KONIJNENBURG – VAN CITTERT, J.H.A., 1971. *In situ* gymnosperm pollen from the middle Jurassic of Yorkshire. *Acta Botanica Neerlandica*, Vol. 20, p. 1 – 96.

VAN BERGEN, P., JANSSEN, A., ALFERINK, J. & KERR, J., 1990. Recognition of organic matter types in standard palynological slides. *Rijks Geologische Mededelingen*, Vol. 45, p. 1 – 23.

VAN WAVEREN, I.M., 1993. Planktonic organic matter in surficial sediments of the Banda Sea (Indonesia) – a palynological approach. *Geologica Ultraiectina, Mededelingen van de Faculteit Aardwetenschappen, Universiteit Utrecht*, Vol. 104, p. 1 – 237.

VALTS, 1935. In: HART, G.F., 1965. The Systematics and Distribution of Permian Miospores. Witwatersrand University Press, p.1 – 252.

VENKATACHALA, B. S., 1966. Mesozoic operculate pollen and their morphology. *Palaeobotanist*, Vol. 15, No's 1 & 2, p. 98 – 101.

VENKATACHALA, B. S., 1967. Palynology of the Umia plant beds of Kutch, western India – 1. Stratigraphic palynology of the Bhuj exposures near Walkamata, Kutch District, Gujarat State. *Review of Palaeobotany and Palynology*, Vol. 5, p. 169 – 177.

VENKATACHALA, B. S., 1969. Palynology of the Umia plant beds of Kutch, western India – 2. Stratigraphic palynology of the Bhuj exposures near Walkamata, Kutch District, Gujarat State. Sytematic palynology. *Palaeobotanist*, Vol. 17, No. 1, p. 1 – 8.

VENKATACHALA, B.S., 1970. Palynology of the Mesozoic sediments of Kutch, western India – 7. Reworked Permian pollen from the Upper Jurassic sediments – A discussion. *Palaeobotanist*, Vol. 18, No. 1, p. 45 – 49.

VENKATACHALA, B.S., 1981. Differentiation of amorphous organic matter types in sediments. In: J. Brooks (ed.), *Organic maturation studies and fossil fuel exploration*, p. 177 – 200. London, Academic Press.

VENKATACHALA, B.S., CARATINI, C., TISSOT, C. & KAR, R.K., 1988. Palaeocene-Eocene marker pollen from India and tropical Africa. *Palaeobotanist*, Vol. 37, no. 1, p. 1 – 25.

VENKATACHALA, B.S. & KAR, R.K., 1969. Palynology of the Tertiary sediments of Kutch – 1. Spores and pollen from borehole no. 14. *Palaeobotanist*, Vol. 17, no. 2, p. 157 – 178.

VENKATACHALA, B.S. & KAR, R.K., 1972. Palynology of the Mesozoic sediments of Kutch, western India – 9. Palynological fossils from the Bhuj exposures near Dayapar, Kutch District, Gujarat State. *Proceedings from the Seminars of Palaeopalynological Indian Stratigraphers, Calcutta, 1971*, Calcutta, p. 166 – 171.

VENKATACHALA, B.S. & RAWAT, M.S., 1972. Palynology of the Tertiary sediments in the Cauvery Basin. Palaeocene – Eocene palynoflora from the sub-surface. *Proceedings from the Seminar on Palynological Indian Stratigraphy, 1971, Calcutta*, p. 292 – 235.

VON DER BRELIE, 1964. In: JANSONIUS, J. & HILLS, L.V., 1976. Genera file of fossil spores and pollen. Department of Geology, *University of Calgary, Special publication*, Card No.

3 – 431 cards.

WALL, D. 1965. Modern hystrichospheres and diniflagellate cysts from the Woods Hole region. *Grana Palynology*, Vol. 6, No. 2, p. 297 – 314.

WALTZ, 1935. In: BURGER, D., 1966. Palynology of the Uppermost Jurassic and Lowermost Cretaceous strata in the Eastern Netherlands. *Leidse Geologische Mededelingen*, Vol. 35, p. 209 – 276.

WEYLAND, H. & GREIFELD, G., 1953. Über strukturbietende Blätter und pflanzliche Mikrofossilien aus den unteren Tonen der Gegend von Quedlinburg. *Paleontographica*, Vol. 95, pt. B, p. 30 – 52.

WEYLAND, H. & KRIEGER, W., 1953. Die Spores und Pollen der Aachener Kreide und ihre Bedeutung für die Charakterisierung des Mittleren Senons. *Paleontographica*, Vol. 95, pt. B, p. 6 – 29.

WILLIAMS, D.B. & SARGEANT, W.A.S., 1967. Organic-walled microfossils as depth and shoreline indicators. *Marine Geology*, Vol. 5, p. 389 – 412.

WILLIAMS, G., 1992. Palynology as a palaeoenvironmental indicator in the Brent Group, northern North Sea. In: A.C. Morton, R.S. Haszeldine, M.R. Giles and S. Brown (eds.), *Geology of the Brent Group. Geological Society, London, Special Publication*, Vol. 61, p. 203 – 212.

WILSON, L.R. & HOFFMEISTER, W.S., 1953. Four new species of fossil *Pediastrum*. *American Journal of Science*, Vol. 251, p. 753 – 760.

WISEMAN, J.F. & WILLIAMS, A.J., 1974. Palynological investigations of samples from Sites 259, 261 & 263, Leg. 27, Deep Sea Drilling Project. In: Veeves, J.J., Heirtzler, J.R. *et al.*, *Initial Reports of the Deep Sea Drilling Project*, Vol. 27, p. 915 – 924.

WITHJACK, M.O., SCHLISCHE, R.W & OLSEN, P.E., 1998. Diachronous rifting, drifting and inversion on the passive margin of central eastern North America: an analog for other passive margins. *American Association of Petroleum Geologists Bulletin*, No. 82, pt. 5A, p. 817 – 835.

WODEHOUSE, R.P., 1928. The phylogenetic value of pollen grain characters. *Annals of Botany*, Vol. 42, p. 891 – 934.

WODEHOUSE, R.P., 1933. Tertiary pollen II. The oil shales of the Eocene Green River Formation. *Bulletin of the Torey Botanical Club*, No. 60, p. 479 – 535.

WODEHOUSE, R.P., 1935. In: HART, G.F., 1965. The Systematics and Distribution of Permian Miospores. Witwatersrand University Press, p. 1 – 252.

WOOD, G.D. & STEPHENSON, J.T., 1989. Cambrian palynomorphs from the warm-water provincial realm, Bonnetterre and Davis Formations of Missouri and Arkansas (Reelfoot rift area): Biostratigraphy, paleoecology and thermal maturity. In: J.M. Gregg, J.R. Palmer and V.E. Kurtz (eds), Field guide to the Upper Cambrian of southeastern Missouri: stratigraphy, sedimentology and economic geology, Department of Geology and Geophysics, University of Missouri (Rolla), *Geological Society of America Field Trip (Annual Meeting)*, p. 84 – 102.

WOOD, G.D., MILLER, M.A., SOFER, Z., KREBS, W.N. & HEDLUND, R.W., 1997. Palynology, palynofacies, paleoenvironments and geochemistry of the Lower Cretaceous (pre salt) Cocobeach Group, North Gabon Subbasin, Gabon. *Africa Geoscience Review*, Vol. 4, No's 3 & 4, p. 481 – 497.

ZALESSKY, M.D., 1927. Premieres observations microscopiques sur le schiste bitumineux du Volgien inferieur. *Soc. Geol. Nord. Annales*, Vol. 51, p. 65 - 104

ZAVADA, M.S. & BENSON, J.M., 1987. First fossil evidence for the primitive angiosperm family *Lactoridaceae*. *American Journal of Botany*, Vol. 74, p. 1590 – 1594.

ZIPPI, P.A., 1998. Freshwater algae from the Mattagami Formation (Albian), Ontario: paleoecology, botanical affinities and systematic taxonomy. *Micropaleontology*, Vol. 44, Supplement No. 1, p. 1 – 78.

ZIPPI, P.A., WELBOURN, P. & NORRIS, G., 1992. *Peridinium* and *Pediastrum*: paleo-indicators of Recent Lake acidification. *Palynology*, Vol. 16, p. 1 – 234.