

https://dspace.org/

The investigation of the integrative function of focal adhesion kinase (FAK) in human oesophagel squamous cell carcinoma cell lines

Worsley, Catherine Mary

2009-04-23T10:14:23Z
http://hdl.handle.net/10539/6902

Downloaded from a DSpace repository. https://dspace.org/

CHAPTER 6: REFERENCES

Adachi, Y., Yamamoto, H., Itoh, F., Arimura, Y., Nishi, M., Endo, T., Imai, K. (2001). Clinicopathologic and prognostic significance of matrilysin expression at the invasive front in human colorectal cancers. *Int. J. Cancer*, **95**: 290-294

Agochiya, M., Brunton, V.G., Owens, D.W., Parkinson, E.K., Paraskeva, C., Keith, W.N., Frame, M.C. (1999). Increased dosage and amplification of the focal adhesion kinase gene in human cancer cells. *Oncogene*, **18**: 5646-5653

Akasaka, T., van Leeuwen, R.L., Yoshinaga, I.G., Mihm, M.C. Jr., Byers, H.R. (1995). Focal adhesion kinase ($p125^{FAK}$) expression correlates with motility of human melanoma cell lines. *J. Invest. Dermatol.*, **105**: 104-108

Alberts, B., Bray, D., Lewis, J., Raff, M., Roberts, K., Watson, J.D. (1994). Molecular Biology of the Cell, Third Edition. Published: *Garland Publishing Inc., New York* pp 30, 504, 949, 950, 966, 967, 968, 997

Angelucci, A., and Bologna, M. (2007). Targeting vascular cell migration as a strategy for blocking angiogenesis: the central role of focal adhesion protein tyrosine kinase family. *Curr. Pharm. Des.*, **13**: 2129-2145

Aronsohn, M.S., Brown, H.M., Hauptman, G., Kornberg, L.J. (2003). Expression of focal adhesion kinase and phosphorylated focal adhesion kinase in squamous cell carcinoma of the larynx. *Laryngoscope*, **113**: 1944-1948

Bazley, L.A. and Gullick, W.J. (2005). The epidermal growth factor receptor family. *Endocr. Relat. Cancer*, **12**: S17-S27

Beviglia, L., Golubovskaya, V., Xu, L-H., Yang, X-H., Craven, R.J., Cance, W.G. (2003). Focal adhesion kinase N-terminus in breast carcinoma cells induces rounding, detachment and apoptosis. *Biochem. J.*, **373**: 201-210

Bill, H.M., Knudsen, B., Moores, S.L., Muthuswamy, S.K. (2004). Epidermal growth factor receptor-dependent regulation of integrin-mediated signaling and cell cycle entry in epithelial cells. *Mol. Cell. Biol.*, **24**: 8586-8599

Blagosklonny, M.V. (1997). Loss of function and p53 protein stabilization. *Oncogene*, **15**: 1889-1893

Brakebusch, C., Bouvard, D., Stanchi, F., Sakai, T., Fässler, R. (2002). Integrins in invasive growth. *J. Clin. Invest.*, **109**: 999-1006

Brakebusch, C. and Fässler, R. (2003). The integrin-actin connection, an eternal love affair. *EMBO J.*, **22**: 2324-2333

Bramhall, S., Noack, N., Wu, M., Loewenberg, J.R. (1969). A simple colorimetric method for determination of protein. *Anal. Biochem.*, **31**: 146-148

Brunton, V.G., Ozanne, B.W., Paraskeva, C., Frame, M.C. (1997). A role for epidermal growth factor receptor, c-Src and focal adhesion kinase in an *in vitro* model for the progression of colon cancer. *Oncogene*, **14**: 283-293

Busatto, G., Shiao, Y-H., Parenti, A.R., Baffa, R., Ruol, A., Plebani, M., Rugge, M. (1998). p16/CDKN2 alterations and pRb expression in oesophageal squamous carcinoma. *J. Clin. Pathol: Mol. Pathol.*, **51**: 80-84

Cai, X., Lietha, D., Ceccarelli, D.F., Karginov, A.V., Rajfur, Z., Jacobson, K., Hahn, K.M., Eck, M.J., Schaller, M.D. (2008). Spatial and temporal regulation of focal adhesion kinase activity in living cells. *Mol. Cell. Biol.*, **28**: 201-214

Carlin, S.M., Resink, T.J., Tamm, M., Roth, M. (2005). Urokinase signal transduction and its role in cell migration. *FASEB J.*, **19**: 195-202

Carloni, V., Mazzocca, A., Pantaleo, P., Cordella, C., Laffi, G., Gentilini, P. (2001). The integrin, α6β1, is necessary for the matrix-dependent activation of FAK and MAP kinase and the migration of human hepatocarcinoma cells. *Hepatology*, **34**: 42-49

Carragher, N.O., Levkau, B., Ross, R., Raines, E.W. (1999). Degraded collagen fragments promote rapid disassembly of smooth muscle focal adhesions that correlates with cleavage pf pp125^{FAK}, paxillin, and talin. *J. Cell Biol.*, **147**: 619-630

Carragher, N.O., Fincham, V.J., Riley, D., Frame, M.C. (2001). Cleavage of focal adhesion kinase by different proteases during Src-regulated transformation and apoptosis. Distinct roles for calpain and caspases. *J. Biol. Chem.*, **276**: 4270-4275

Carragher, N.O., Westhoff, M.A., Riley, D., Potter, D.A., Dutt, P., Elee, J.S., Greer, P.A., Frame, M.C. (2002). v-Src-induced modulation of the calpain-calpastatin proteolytic system regulates transformation. *Mol. Cell. Biol.*, **22**: 257-269

Carragher, N.O., Westhoff, M.A., Fincham, V.J., Schaller, M.D., Frame, M.C. (2003). A novel role for FAK as a protease-targeting adaptor protein: regulation by p42 ERK and Src. *Curr. Biol.*, **13**: 1442-1450

Carragher, N.O. and Frame, M.C. (2004). Focal adhesion and actin dynamics: a place where kinases and proteases meet to promote invasion. *Trends Cell Biol.*, **14**: 241-249

Cary, L.A., Chang, J.F., Guan, J-L. (1996). Stimulation of cell migration by overexpression of focal adhesion kinase and its association with Src and Fyn. *J. Cell Sci.*, **109**: 1787-1794

Chan, P-Y., Kanner, S.B., Whitney, G., Aruffo, A. (1994). A transmembrane-anchored chimeric focal adhesion kinase is constitutively activated and

phosphorylated at tyrosine residues identical to pp125^{FAK}. *J. Biol. Chem.*, **269**: 20567-20574

Chen, C.S., Alonso, J.L., Ostuni, E., Whitesides, G.M., Ingber, D.E. (2003). Cell shape provides global control of focal adhesion assembly. *Biochem. Biophys. Res. Commun.*, **307**: 355-361

Chrzanowska-Wodnicka, M. and Burridge, K. (1996). Rho-stimulated contractility drives the formation of stress fibers and focal adhesions. *J. Cell Biol.*, **133**: 1403-1415

Cohen, L.A. and Guan, J-L. (2005a). Mechanisms of focal adhesion kinase regulation. *Curr. Cancer Drug Targets*, **5**: 629-643

Cohen, L.A. and Guan, J-L. (2005b). Residues within the first subdomain of the FERM-like domain in focal adhesion kinase are important in its regulation. *J. Biol. Chem.*, **280**: 8187-8207

Cooray, P., Yuan, Y., Schoenwaelder, S.M., Mitchell, C.A., Salem, H.H., Jackson, S.P. (1996). Focal adhesion kinase (pp125^{FAK}) cleavage and regulation by calpain. *Biochem. J.*, **318**: 41-47

Corsi, J., Rouer, E., Girault, J., Enslen, H. (2006). Organization and post-transcriptional processing of focal adhesion kinase gene. *BMC Genomics*, **7**: 198-220

Cox, B.D., Natarajan, M., Stettner, M.R., Gladson, C.L. (2006). New concepts regarding focal adhesion kinase promotion of cell migration and proliferation. *J. Cell. Biochem.*, **99**: 36-52

Craven, R.J., Lightfoot, H., Cance, W.G. (2003). A decade of tyrosine kinases: from gene discovery to therapeutics. *Surg. Oncol.*, **12**: 39-50

Crowe, D.L. and Ohannessian, A. (2004). Recruitment of focal adhesion kinase and paxillin to β1 integrin promotes cancer cell migration via mitogen activated protein kinase activation. *BMC Cancer*, **4**: 18

Cryns, V. and Yuan, J. (1998). Proteases to die for. *Genes Dev.*, **12**: 1551-1570

Datta, S.R., Dudek, H., Tao, X., Masters, S., Fu, H., Gotoh, Y., Greenberg, M.E. (1997). Akt phosphorylation of BAD couples survival signals to the cell-intrinsic death machinery. *Cell*, **91**: 231-241

Defilippi, P. and Vallés, A.M. (2002). The winding road from adhesive receptors to the nucleus. *EMBO Rep.*, **3**: 312-316

Dewar, J.B. (2000). The effect of transfected tumour suppressor genes on the growth of SNO oesophageal carcinoma cells. *University of the Witwatersrand, Johannesburg, William Cullen Library, PhD thesis.*

Downward, J., Yarden, Y., Mayes, E., Scrace, G., Totty, N., Stockwell, P., Ullrich, A., Schlessinger, J., Waterfield, M.D. (1984). Close similarity of epidermal growth factor receptor and v-*erb*-B oncogene protein sequences. *Nature*, **307**: 521-527

Driver, G.A. and Veale, R.B. (2006). Modulation of integrin-linked kinase (ILK) in human oesophageal squamous cell carcinoma cell lines by the EGF and TGFβ1 growth factors. *Cancer Cell Int.*, **6**: 12

Dunty, J.M., Gabarra-Niecko, V., King, M.L., Ceccarelli, D.F.J., Eck, M.J., Schaller, M.D. (2004). FERM domain interaction promotes FAK signaling. *Mol. Cell. Biol.*, **24**: 5353-5368

Duxbury, M. S., Ito, H., Benoit, E., Zinner, M.J., Ashley, S.W., Whang, E.E. (2003). RNA interference targeting focal adhesion kinase enhances pancreatic adenocarcinoma gemcitabine chemosensitivity. *Biochem. Biophys. Res. Commun.*, **311**: 786-792

Earley, S. and Plopper, G.E. (2006). Disruption of focal adhesion kinase slows transendothelial migration of AU-565 breast cancer cells. *Biochem. Biophys. Res. Commun.*, **350**: 405-412

Faried, A., Faried, L.S., Kimura, H., Nakajima, M., Sohda, M., Miyazaki, T., Kato, H., Usman, N., Kuwano, H. (2006). RhoA and RhoC proteins promote both cell proliferation and cell invasion of human oesophageal squamous cell carcinoma cell lines *in vitro* and *in vivo*. *Eur. J. Cancer*, **42**: 1455-1465

Fischer, U., Jänicke, R.U., Schulze-Osthoff, K. (2003). Many cuts to ruin: a comprehensive update of caspase substrates. *Cell Death Differ.*, **10**: 76-100

Fornaro, M., Steger, C.A., Bennett, A.M., Wu, J.J., Languino, L.R. (2000). Differential role of β_{1C} and β_{1A} integrin cytoplasmic variants in modulating focal adhesion kinase, protein kinase B/Akt, and Ras/Mitogen-activated protein kinase pathways. *Mol. Biol. Cell*, **11**: 2235-2249

Franco, S.J., Rogers, M.A., Perrin, B.J., Han, J., Bennin, D.A., Critchley, D.R., Hittenlocher, A. (2004). Calpain-mediated proteolysis of talin regulates adhesion dynamics. *Nature Cell Biol.*, **6**: 977-983

Franco, S.J. and Huttenlocher, A. (2005). Regulating cell migration: calpains make the cut. *J. Cell Sci.*, **118**: 3829-3838

French, A.R., Sudlow, G.P., Wiley, H.S., Lauffenburger, D.A. (1994). Postendocytic trafficking of epidermal growth factor-receptor complexes is mediated through saturable and specific endosomal interactions. *J. Biol. Chem.*, **269**: 15749-15755

Gabarra-Niecko, V., Schaller, M.D., Dunty, J.M. (2003). FAK regulates biological processes important for the pathogenesis of cancer. *Cancer Metastasis Rev.*, **22**: 359-374

George, S.J., and Dwivedi, A. (2004). MMPs, cadherins, and cell proliferation. *Trends Cardiovasc. Med.*, **14**: 100-105

Gervais, F.G., Thornberry, N.A., Ruffolo, S.C., Nicholson, D.W., Roy, S. (1998). Caspases cleave focal adhesion kinase during apoptosis to generate a FRNK-like polypeptide. *J. Biol. Chem.*, **273**: 17102-17108

Gibault, L., Metges, J.P., Conan-Charlet, V., Lozac'h, P., Robaszkiewicz, M., Bessaguet, C., Lagarde, N., Volant, A. (2005). Diffuse EGFR staining is associated with reduced overall survival in locally advanced oesophageal squamous cell carcinoma. *Br. J. Cancer*, **93**: 107-115

Gimona, M. and Buccione, R. (2006). Adhesions that mediate invasion. *Int. J. Biochem. Cell Biol.*, **38**: 1875-1892

Golubovskaya, V., Beviglia, L., Xu, L.H., Earp III, H.S., Craven, R., Cance, W. (2002). Dual inhibition of focal adhesion kinase and epidermal growth factor receptor pathways cooperatively induces death receptor-mediated apoptosis in human breast cancer cells. *J. Biol. Chem.*, **277**: 38978-38987

Golubovskaya, V., Kaur, A., Cance, W.G. (2004). Cloning and characterization of the promoter region of human focal adhesion kinase gene: nuclear factor kappa B and p53 binding sites. *Biochim. Biophys. Acta*, **1678**: 111-125

Golubovskaya, V., Finch, R., Cance, W.G. (2005). Direct interaction of the N-terminal domain of focal adhesion kinase with the N-terminal transactivation domain of p53. *J. Biol. Chem.*, **280**: 25008-25021

Grant, S.G.N., Karl, K.A., Kiebler, M.A., Kandel, E.R. (1995). Focal adhesion kinase in the brain: novel subcellular localization and specific regulation by Fyn tyrosine kinase in mutant mice. *Genes Dev.*, **9**: 1909-1921

Green, L.J., Mould, A.P., Humpries, M.J. (1998). The integrin beta subunit. *Int. J. Biochem. Cell. Biol.*, **30**: 179-184

Greenwood, J.A. and Murphy-Ullrich, J.E. (1998). Signaling of de-adhesion in cellular regulation and motility. *Microsc. Res. Tech.*, **43**: 420-432

Guvakova, M.A. and Surmacz, E. (1999). The activated insulin-like growth factor I receptor induces depolarization in breast epithelial cells characterized by actin filament disassembly and tyrosine dephosphorylation of FAK, Cas, and paxillin. *Exp. Cell Res.*, **251**: 244-255

Hamadi, A., Bouali, M., Dontenwill, M., Stoeckel, H., Takeda, K., Rondé, P. (2005). Regulation of focal adhesion dynamics and disassembly by dephosphorylation of FAK at tyrosine 397. *J. Cell Sci.*, **118**: 4415-4425

Hanahan, D. and Weinberg, R.A. (2000). The hallmarks of cancer. *Cell*, **100**: 57-70

Hanawa, M., Suzuki, S., Dobashi, Y., Yamane, T., Kono, K., Enomoto, N., Ooi, A. (2006). EGFR protein overexpression and gene amplification in squamous cell carcinomas of the esophagus. *Int. J. Cancer*, **118**: 1173-1180

Harris, A. (1991). Telling changes of base. *Nature*, **350**: 377-378

Harris, C. (1993). p53 – at the crossroads of molecular carcinogenesis and risk assessment. *Science*, **262**: 1980-1981

Haskell, H., Natarajan, M., Hecker, T.P., Ding, Q., Stewart, J. Jr., Grammer, J.R., Gladson, C.L. (2003). Focal adhesion kinase is expressed in the angiogenic blood vessels of malignant astrocytic tumors *in vivo* and promotes capillary tube formation of brain microvascular andothelial cells. *Clin. Cancer Res.*, **9**: 2157-2165

Hauck, C.R., Sieg, D.J., Hsia, D.A., Loftus, J.C., Gaarde, W.A., Monia, B.P., Schlaepfer, D.D. (2001). Inhibition of FAK expression or activity disrupts EGF-stimulated signaling promoting the migration of invasive human carcinoma cells. *Cancer Res.*, **61**: 7079-7090

Hauck, C.R., Hsia, D.A., Punte, X.S., Cheresh, D.A., Schlapefer, D.D. (2002). FRNK blocks v-Src stimulated invasion and experimental metastases without effects on cell motility or growth. *EMBO J.*, **21**: 6289-6302

He, Y-Y., Huang, J-L., Chignell, C.F. (2006). Cleavage of epidermal growth factor receptor by caspase during apoptosis is independent of its internalization. *Oncogene*, **25**: 1521-1531

Hehlgans, S., Haase, M., Cordes, N. (2007). Signalling via integrins: Implications for cell survival and anticancer strategies. *Biochim. Biophys. Acta*, **1775**: 163-180

Hess, A.R. and Hendrix, M.J.C. (2006). Focal adhesion kinase signaling and the aggressive melanoma phenotype. *Cell Cycle*, **5**: 478-480

Hildebrand, J.D., Schaller, M.D., Parsons, J.T. (1993). Identification of sequences required for the efficient localization of the focal adhesion kinase, pp125^{FAK}, to cellular focal adhesions. *J. Cell Biol.*, **123**: 993-1005

Holbro, T., Civenni, G., Hynes, N.E. (2003). The ErbB receptors and their role in cancer progression. *Exp. Cell Res.*, **284**: 99-110

Holmes, R.S. and Vaughan, T.L. (2006). Epidemiology and pathogenesis of esophageal cancer. *Semin. Radiat. Oncol.*, **17**: 2-9

Hsia, D.A., Mitra, S.K., Hauck, C.R., Streblow, D.N., Nelson, J.A., Ilić, D., Huang, S., Li, E., Nemerow, G.R., Leng, J., Spencer, K.S.R., Cheresh, D.A., Schlaepfer, D.D. (2003). Differential regulation of cell motility and invasion by FAK. *J. Cell Biol.*, **160**: 753-767

Hu, Y.C., Lam, K.Y., Tang, J.C.O., Srivastava, G. (1999). Mutational analysis of the PTEN/MMAC1 gene in primary oesophageal squamous cell carcinomas. *J. Clin. Pathol.: Mol. Pathol.*, **52**: 353-356

Huang, H., Cheville, J.C., Pan, Y., Roche, P.C., Schmidt, L.J., Tindall, D.J. (2001). PTEN induces chemosensitivity in PTEN-mutated prostate cancer cells by suppression of Bcl-2 expression. *J. Biol. Chem.*, **276**: 38830-38836

Huang, J.X., Yan, W., Song, Z.X., Qian, R.Y., Chen, P., Salminen, E., Toppari, J. (2005). Relationship between proliferative activity of cancer cells and clinicopathological factors in patients with esophageal squamous cell carcinoma. *World J. Gastroenterol.*, **11**: 2956-2959

Hynes, R.O. (1992). Integrins: versatility, modulation, and signaling in cell adhesion. *Cell*, **69**: 11-25

Ilić, D., Damsky, C.H., Yamamoto, T. (1997). Focal adhesion kinase: at the crossroads of signal transduction. *J. Cell Sci.*, **110**: 401-407

Ilyas, M., Tomlinson, I.P.M., Rowan, A., Pignatelli, M., Bodmer, W.F. (1997). β-catenin mutations in cell lines established from human colorectal cancers. *Proc. Natl. Acad. Sci.*, **94**: 10330-10334

Isaacson, C. (2005). The change of the staple diet of black South Africans from sorghum to maize (corn) is the cause of the epidemic of squamous carcinoma of the oesophagus. *Med. Hypothesis*, **64**: 658-660

Jones, G., Machado, J., Jr., Merlo, A. (2001). Loss of focal adhesion kinase (FAK) inhibits epidermal growth factor receptor-dependent migration and induces aggregation of NH_2-terminal FAK in the nuclei of apoptotic glioblastoma cells. *Cancer Res.*, **61**: 4978-4981

Jones, G. and Stewart, G. (2004). Nuclear import of N-terminal FAK by activation of the FcεRI receptor in RBL-2H3 cells. *Biochem. Biophys. Res. Commun.*, **314**: 39-45

Kanner, S.B., Reynolds, A.B., Vines, R.R., Parsons, J.T. (1990). Monoclonal antibodies to individual tyrosine-phosphorylated protein substrates of oncogene-encoded tyrosine kinases. *Proc. Natl. Acad. Sci.*, **87**: 3328-3332

Kawaguchi, Y., Kono, K., Mimura, K., Sugai, H., Akaike, H., Fujii, H. (2006). Cetuximab induce antibody-dependent cellular cytotoxicity against EGFR-expressing esophageal squamous cell carcinoma. *Int. J. Cancer*, **120**: 781-787

Kawaguchi, Y., Kono, K., Mimura, K., Mitsui, F., Sugai, H., Akaike, H., Fujii, H. (2007). Targeting EGFR and HER-2 with cetuximab- and trastuzmab-mediated immunotherapy in oesophageal squamous cell carcinoma. *Br. J. Cancer*, **97**: 494-501

Kishida, M., Hino, S., Michiue, T., Yamamoto, H., Kishida, S., Fukui, A., Asashima, M., Kikuch, A. (2001). Synergistic activation of the Wnt signaling pathway by Dv1 and casein kinase Iε. *J. Biol. Chem.*, **276**: 33147-33155

Koppert, L.B., Wijnhoven, B.P.L., van Dekken, H., Tilanus, H.W., Dinjens, W.N.M. (2005). The molecular biology of esophageal adenocarcinoma. *J. Surg. Oncol.*, **92**: 169-190

Koshy, M., Esiashvilli, N., Landry, J.C., Thomas, C.R., Matthews, R.H. (2004). Multiple management modalities in esophageal cancer: epidemiology, presentation and progression, work-up, and surgical approaches. *Oncologist*, **9**: 137-146

Kuwano, H., Sonoda, K., Yasuda, M., Sumiyoshi, K., Nozoe, T., Sugimachi, K. (1997). Tumor invasion and angiogenesis in early esophageal squamous cell carcinoma. *J. Surg. Oncol.*, **65**: 199-193

Laemmli, U.K. (1970). Cleavage of structural proteins during the assembly of the head of bacteriophage T4. *Nature*, **227**: 680-685

Lam, A.K.Y. (2000). Molecular biology of esophageal squamous cell carcinoma. *Crit. Rev. Oncol/Hematol.*, **33**: 71-90

Lark, A.L., Livasy, C.A., Calvo, B., Caskey, L., Moore, D.T., Yang, X., Cance, W.G. (2003). Overexpression of focal adhesion kinase in primary colorectal carcinomas and colorectal liver metastases: immunohistochemistry and real-time PCR analyses. *Clin. Cancer Res.*, **9**: 215-222

Lee, C-H., Wu, D-C., Lee, J-M., Wu, I-C., Goan, Y-G., Kao, E-L., Huang, H-L., Chan, T-F., Chou, S-H., Chou, Y-P., Lee, C-Y., Chen, P-S., Ho, C-K., He, J., Wu, M-T. (2007). Carcinogenic impact of alcohol intake on squamous cell carcinoma risk of the oesophagus in relation to tobacco smoking. *Eur. J. Cancer*, **43**: 1188-1199

Lehrbach, D.M., Nita, M.E., Cecconello, I. (2003). Molecular aspects of esophageal squamous cell carcinoma carcinogenesis. *Arq. Gastroenterol.*, **40**: 256-261

Leslie, N.R. and Downes, C.P. (2004). PTEN function: how normal cells control it and tumour cells lose it. *Biochem. J.*, **382**: 1-11

Levkau, B., Herren, B., Koyama, H., Ross, R., Raines, E.W. (1998). Caspase-mediated cleavage of focal adhesion kinase pp125^{FAK} and disassembly of focal adhesions in human endothelial cell apoptosis. *J. Exp. Med.*, **187**: 579-586

Lietha, D., Cai, X., Ceccarelli, D.F., Li, Y., Schaller, M.D., Eck, M.J. (2007). Structural basis for the autoinhibition of focal adhesion kinase. *Cell*, **129**: 1177-1187

Lim, S-T., Mikolon, D., Stupack, D.G., Schlaepfer, D.D. (2008). FERM control of FAK function. *Cell Cycle*, **7**: 2306-2314

Liu, S., Calderwood, D.A., Ginsberg, M.H. (2000). Integrin cytoplasmic domain-binding proteins. *J. Cell Sci.*, **113**: 3563-3571

Lobo, M., and Zachary, I. (2000). Nuclear localization and apoptotic regulation of an amino-terminal domain focal adhesion kinase fragment in endothelial cells. *Biochem. Biophys. Res. Commun.*, **276**: 1068–1074

Lu, Z., Jiang, G., Blume-Jensen, P., Hunter, T. (2001). Epidermal growth factor-induced tumor cell invasion and metastasis initiated by dephosphorylation and downregulation of focal adhesion kinase. *Mol. Cell. Biol.*, **21**: 4016-4031

Mao, H., Li, F., Ruchalski, K., Mosser, D.D., Schwartz, J.H., Wang, Y., Borkan, S.C. (2003). hsp72 inhibits focal adhesion kinase degradation in ATP-depleted renal epithelial cells. *J. Biol. Chem.*, **278**: 18214-18220

Maung, K., Easty, D.J., Hill, S.P., Bennett, D.C. (1999). Requirement for focal adhesion kinase in tumor cell adhesion. *Oncogene*, **18**: 6824-6828

Mayo, M.W., Dixon, J.E., Durden, D.L., Tonks, N.K., Donner, D.B. (2002a). PTEN protects p53 from Mdm2 and sensitizes cancer cells to chemotherapy. *J. Biol. Chem.*, **277**: 5484-5489

Mayo, M.W., Madrid, L.V., Westerheide, S.D., Jones, D.R., Yuan, X-J, Baldwin, A.S. Jr., Whang, Y.E. (2002b). PTEN blocks tumour necrosis factor-induced NF-κB-dependent transcription by inhibiting the transactivation potential of the p65 subunit. *J. Biol. Chem.*, **277**: 11116-11125

McCabe, M.L. and Dlamini, Z. (2005). The molecular mechanisms of oesophageal cancer. *Int. Immunopharmacol.*, **5**: 1113-1130

McLean, G.W., Carragher, N.O., Avizienyte, E., Evans, J., Brunton, V.G., Frame, M.C. (2005). The role of focal-adhesion kinase in cancer – a new therapeutic opportunity. *Nature Revs. Cancer*, **5**: 505-515

Merlino, G.T., Xu, Y., Richert, N., Clark, A.J.L., Ishii, S., Banks-Schlegel, S., Pastan, I. (1985). Elevated epidermal growth factor receptor gene copy number and expression in a squamous carcinoma cell line. *J. Clin. Invest.*, **75**: 1077-1079

Metcalfe, C. (2006). MUC1 interacts with Wnt-effector β-catenin in human oesophageal squamous cell carcinoma cell lines. *University of the Witwatersrand, Johannesburg, William Cullen Library, MSc dissertation.*

Miller, S.E. and Veale, R.B. (2001). Environmental modulation of α_v, α_2 and β_1 integrin subunit expression in human oesophageal squamous cell carcinomas. *Cell Biol. Int.*, **25**: 61-69

Mitra, S.K. and Schlaepfer, D.D. (2006). Integrin-regulated FAK-Src signaling in normal and cancer cells. *Curr. Opin. Cell Biol.*, **18**: 1-8

Miyazaki, T., Kato, H., Nakajima, M., Sohda, M., Fukai, Y., Masuda, N., Manda, R., Fukuchi, M., Tsukada, K. (2003). FAK overexpression is correlated with tumour invasiveness and lymph node metastasis in oesophageal squamous cell carcinoma. *Br. J. Cancer*, **89**: 140-145

Montesano, R., Hollstein, M., Hainaut, P. (1996). Genetic alterations in esophageal cancer and their relevance to etiology and pathogenesis: a review. *Int. J. Cancer (Pred. Oncol.)*, **69**: 225-235

Mukhopadhyay, N., Gordon, G.J., Chen, C.J., Bueno, R., Sugarbaker, D.J., Jaklitsch, M.T. (2005). Activation of FAK in human lung cancer cells involves multiple and potentially parallel signaling events. *J. Cell. Mol. Med.*, **9**: 387-397

Nagoshi, Y., Yamamoto, G., Irie, T., Tachikawa, T. (2006). Expression of FAK-related non-kinase (FRNK) coincides with morphological change in the early stage of cell adhesion. *Med. Mol. Morphol.*, **39**: 154-160

Nair, K.S., Naidoo, R., Chetty, R. (2005). Expression of cell adhesion molecules in oesophageal carcinoma and its prognostic value. *J. Clin. Pathol.*, **58**: 343-351

Nelson, C.M., Pirone, P.M., Tan, J.L., Chen, C.S. (2004). Vascular endothelial-cadherin regulates cytoskeletal tension, cell spreading, and focal adhesions by stimulating RhoA. *Mol. Biol. Cell*, **15**: 2943-2953

Normanno, N., De Luca, A., Bianco, C., Strizzi, L., Mancino, M., Maiello, M.R., Carotenuto, A., De Feo, G., Caponigro, F., Salomon, D.S. (2006). Epidermal growth factor receptor (EGFR) signaling in cancer. *Gene*, **366**: 2-16

Oda, A., Druker, B.J., Ariyoshi, H., Smith, M., Salzman, E.W. (1993). pp60src is an endogenous substrate for calpain in human blood platelets. *J. Biol. Chem.*, **268**: 12603-12608

Owens, L.V., Xu, L., Craven, R.J., Dent, G.A., Weiner, T.M., Kornberg, L., Liu, E.T., Cance, W.G. (1995). Overexpression of the focal adhesion kinase (p125FAK) in invasive human tumours. *Cancer Res.*, **55**: 2752-2755

Ozawa, S., Ueda, M., Ando, N., Abe, O., Shimizu, N. (1987). High incidence of EGF receptor hyperproduction in esophageal squamous-cell carcinomas. *Int. J. Cancer*, **39**: 333-337

Park, S-Y., Li, H., Avraham, S. (2007). RAFTK/Pyk2 regulates EGF-induced PC12 cell spreading and movement. *Cell. Signal.*, **19**: 289-300

Parsons, J.T., Martin, K.H., Slack, J.K., Taylor, J.M., Weed, S.A. (2000). Focal adhesion kinase: a regulator of focal adhesion dynamics and cell movement. *Oncogene*, **19**: 5606-5613

Parsons, J.T. (2003). Focal adhesion kinase: the first ten years. *J. Cell Sci.*, **116**: 1409-1416

Playford, M.P. and Schaller, M.D. (2004). The interplay between Src and integrins in normal and tumor biology. *Oncogene*, **23**: 7928-7946

Poullet, P., Gautreau, A., Kadaré, G., Girault, J-A., Louvard, D., Arpin, M. (2001). Ezrin interacts with focal adhesion kinase and induces its activation independently of cell-matrix adhesion. *J. Biol. Chem.*, **276**: 37686-37691

Qin, J., Vinogradova, O., Plow, E.F. (2004). Integrin bidirectional signaling: a molecular view. *PLoS Biol.*, **2**: 0726-0729

Radinsky, R., Risin, S., Fan, D., Dong, Z., Bielenberg, D., Bucana, C.D., Fidler, I.J. (1995). Level and function of epidermal growth factor receptor predict the metastatic potential of human colon carcinoma cells. *Clin. Cancer Res.*, **1**: 19-31

Rosales, C., O'Brien, V., Kornberg, L., Juliano, R. (1995). Signal transduction by cell adhesion receptors. *Biochim. Biophys. Acta*, **1242**: 77-98

Rothhut, B., Ghoneim, C., Antonicelli, F., Soula-Rothhut, M. (2007). Epidermal growth factor stimulates matrix metalloproteinase-9 expression and invasion in human follicular thyroid carcinoma cells through focal adhesion kinase. *Biochimie*, **89**: 613-624

Rottner, K., Hall, A., Small, J.V. (1999). Interplay between Rac and Rho in the control of substrate contact dynamics. *Curr. Biol.*, **9**: 640-648

Ruoslahti, E. and Őbrink, B. (1996). Common principles in cell adhesion. *Exp. Cell Res.*, **227**: 1-11

Schaller, M.D., Borgman, C.A., Cobb, B.S., Vines, R.R., Reynolds, A.B., Parsons, J.T. (1992). pp125^{FAK}, a structurally distinctive protein-tyrosine kinase associated with focal adhesions. *Proc. Natl. Acad. Sci.*, **89**: 5192-5196

Schaller, M.D. (2001). Biochemical signals and biological responses elicited by the focal adhesion kinase. *Biochim. Biophys. Acta*, **1540**: 1-21

Schlaepfer, D.D. and Hunter, T. (1996). Evidence for in vivo phosphorylation of the Grb2 SH2-domain binding site on focal adhesion kinase by Src-family protein-tyrosine kinases. *Mol. Cell. Biol.*, **16**: 5623-5633

Schlaepfer, D.D. and Mitra, S.K. (2004). Multiple connections link FAK to cell motility and invasion. *Curr. Opin. Genet. Dev.*, **14**: 92-101

Schlaepfer, D.D., Mitra, S.K., Ilić, D. (2004). Control of motile and invasive cell phenotypes by focal adhesion kinase. *Biochim. Biophys. Acta*, **1692**: 77-102

Schwartz, M.A. (1997). Integrins, oncogenes, and anchorage independence. *J. Cell Biol.*, **139**: 575-578

Sears, R.C. and Nevins, J.R. (2002). Signaling networks that link cell proliferation and cell fate. *J. Biol. Chem.*, **277**: 11617-11620

Shibata, K., Kikkawa, F., Nawa, A., Thant, A.A., Naruse, K., Mizutani, S., Hamaguchi, M. (1998). Both focal adhesion kinase and c-Ras are required for the enhanced matrix metalloprotease 9 secretion by fibronectin in ovarian cancer cells. *Cancer Res.*, **58**: 900-903

Shofuda, T., Shofuda, K., Ferri, N., Kenagy, R.D., Raines, E.W., Clowes, A.W. (2004). Cleavage of focal adhesion kinase in vascular smooth muscle cells overexpressing membrane-type matrix metalloproteinases. *Arterioscler. Thromb. Vasc. Biol.*, **24**: 839-844

Shtutman, M., Zhurinsky, J., Simcha, I., Albanese, C., D'Amico, M. (1999). The cyclin D1 gene is a target of the β-catenin/LEF-1 pathway. *Proc. Natl. Acad. Sci.*, **96**: 5522-5527

Sieg, D.J., Hauck, C.R., Ilić, D., Klingbeil, C.K., Schaefer, E., Damsky, C.H., Schlaepfer, D.D. (2000). FAK integrates growth-factor and integrin signals to promote cell migration. *Nature Cell Biol.*, **2**: 249-256

Small, J.V., Stradal, T., Vignal, E., Rottner, K. (2002). The lamellipodium: where motility begins. *Trends Cell Biol.*, **12**: 112-120

Sonoda, Y., Matsumoto, Y., Funakoshi, M., Yamamoto, D., Hanks, S.K., Kasahara, T. (2000). Anti-apoptotic role of focal adhesion kinase (FAK). Induction of inhibitor-of-apoptosis proteins and apoptosis suppression by the overexpression of FAK in a human leukemic cell line, HL-60. *J. Biol. Chem.*, **275**: 16309-16315

Stamenkovic, I. (2000). Matrix metalloproteinases in tumor invasion and metastasis. *Semin. Cancer Biol.*, **10**: 415-433

Stewart, D.A., Cooper, C.R., Sikes, R.A. (2004). Changes in extracellular matrix (ECM) and ECM-associated proteins in the metastatic progression of prostate cancer. *Reprod. Biol. Endocrinol.*, **2**: 2

Stoner, G.D. and Gupta, A. (2001). Etiology of chemoprevention of esophageal squamous cell carcinoma. *Carcinogenesis*, **22**: 1737-1746

Sutter, A.P., Höpfner, M., Huether, A., Maaser, K., Scherübl, H. (2006). Targeting the epidermal growth factor receptor by erlotinib (Tarceva ™) for the treatment of esophageal cancer. *Int. J. Cancer*, **118**: 1814-1822

Tamura, M., Gu, J., Danen, E.H.J., Takino, T., Miyamoto, S., Yamada, K.M. (1999). PTEN interactions with focal adhesion kinase and suppression of the extracellular matrix-dependent phosphatidylinositol 3-kinase/Akt cell survival pathway. *J. Biol. Chem.*, **274**: 20693-20703

Tilghman, R.W., Slack-Davis, J.K., Sergina, N., Martin, K.H., Iwanicki, M., Hershey, E.D., Beggs, H.E., Reichardt, L.F., Parsons, J.T. (2005). Focal adhesion kinase is required for the spatial organization of the leading edge in migrating cells. *J. Cell Sci.*, **118**: 2613-2623

Tilghman, R.W. and Parsons, J.T. (2008). Focal adhesion kinase as a regulator of cell tension in the progression of cancer. *Semin. Cancer Biol.*, **18**: 45-52

Toutant, M., Studler, J., Burgaya, F., Costa, A., Ezan, P., Gelman, M., Girault, J. (2000). Autophosphorylation of Tyr^{397} and its phosphorylation by Src-family kinases are altered in focal-adhesion-kinase neuronal isoforms. *Biochem. J.*, **348**: 119-128

Troussard, A.A., Tan, C., Yoganathan, N., Dedhar, S. (1999). Cell-extracellular matrix interactions stimulate the AP-1 transcription factor in an integrin-linked kinase and glycogen synthase kinase-3-dependent manner. *Mol. Cell. Biol.*, **19**: 7420-7427

Van de Water, B., Nagelkerke, J.F., Stevens, J.L. (1999). Dephosphorylation of focal adhesion kinase (FAK) and loss of focal contacts precede caspase-mediated cleavage of FAK during apoptosis in renal epithelial cells. *J. Biol. Chem.*, **274**: 13328-13337

Van Nimwegen, M.J., Huigsloot, M., Camier, A., Tijdens, I.B., van de Water, B. (2006). Focal adhesion kinase and protein kinase B cooperate to suppress Doxorubicin-induced apoptosis of breast tumor cells. *Mol. Pharmacol.*, **70**: 1330-1339

Van Nimwegen, M.J. and van de Water, B. (2007). Focal adhesion kinase: a potential target in cancer therapy. *Biochem. Pharmacol.*, **73**: 597-609

Veale, R.B. and Thornley, A.L. (1989). Increased single class low-affinity EGF receptors expressed by human oesophageal squamous carcinoma cell lines. *S. Afr. J. Sci.*, **85**: 375-379

Velling, T., Nilsson, S., Stefansson, A., Johansson, S. (2004). β1-integrins induce phosphorylation of Akt on serine 473 independently of focal adhesion kinase and Src family kinases. *EMBO Rep.*, **5**: 901-905

Von Schlippe, M., Marshall, J.F., Perry, P., Stone, M., Zhu, A.J., Hart, I.R. (2000). Functional interaction between E-cadherin and αv-containing integrins in carcinoma cells. *J. Cell Sci.*, **113**: 425-437

Wang, L-D., Zheng, S., Zheng, Z-Y., Casson, A.G. (2003). Primary adenocarcinomas of lower esophagus, esophagogastric junction and gastric cardia: in special reference to China. *World J. Gastroenterol.*, **9**: 1156-1164

Watermann, D.O., Gabriel, B., Jäger, M., Orlowska-Volk, M., Hasenburg, A., zur Hausen, A., Gitsch, G., Stickeler, E. (2005). Specific induction of pp125 focal adhesion kinase in human breast cancer. *Br. J. Cancer*, **93**: 694-698

Webb, D.J., Donais, K., Whitmore, L.A., Thomas, S.M., Turner, C.E., Parsons, J.T., Horwitz, A.F. (2004). FAK-Src signalling through paxillin, ERK and MLCK regulates adhesion disassembly. *Nature Cell Biol.*, **6**: 154-161

Weber, B.L. (2002). Cancer genomics. *Cancer Cell*, **1**: 37-47

Weiner, T.M., Liu, E.T., Craven, R.J., Cance, W.G. (1993). Expression of *focal adhesion kinase* gene and invasive cancer. *Lancet*, **342**: 1024-1025

Wen, L.P., Fahrni, J.A., Troie, S., Guan, J-L., Orth, K., Rosen, G.D. (1997). Cleavage of focal adhesion kinase by caspases during apoptosis. *J. Biol. Chem.*, **272**: 26056-26061

Westhoff, M.A., Serrels, B., Fincham, V.J., Frame, M.C., Carragher, N.O. (2004). Src-mediated phosphorylation of focal adhesion kinase couples actin and adhesion dynamics to survival signaling. *Mol. Cell. Biol.*, **24**: 8113-8133

Wiley, H.S. (2003). Trafficking of the ErbB receptors and its influence on signaling. *Exp. Cell Res.*, **284**: 78-88

Wozniak, M.A., Modzelewska, K., Kwong, L., Keely, P.J. (2004). Focal adhesion regulation of cell behaviour. *Biochim. Biophys. Acta*, **1692**: 103-119

Wu, C. and Dedhar, S. (2001). ILK and its interactors: a new paradigm for the coupling of extracellular matrix to actin cytoskeleton and signaling complexes. *J. Biol. Chem.*, **155**: 505-510

Xie, H., Pallero, M.A., Gupta, K., Chang, P., Ware, M.F., Witke, W., Kwiatkowski, D.J., Lauffenburger, D.A., Murphy-Ullrich, J.E., Wells, A. (1998). EGF receptor regulation of cell motility: EGF induces disassembly of focal adhesions independently of the motility-associated PLCγ signaling pathway. *J. Cell Sci.*, **111**: 615-624

Yamamoto, T., Kamata, N., Kawano, H., Shimizu, S., Kuroki, T., Toyoshima, K., Rikimaru, K., Nomura, N., Ishizaki, K., Pastan, I., Gamou, S., Shimizu, N. (1986). High incidence of amplification of the epidermal growth factor receptor gene in human squamous carcinoma cell lines. *Cancer Res.*, **46**: 414-416

Yamanaka, I., Koizumi, M., Baba, T., Yamashita, S., Suzuki, T., Kudo, R. (2003). Epidermal growth factor increased the expression of $\alpha_2\beta_1$-integrin and modulated integrin-mediated signaling in human cervical adenocarcinoma cells. *Exp. Cell Res.*, **286**: 165-174

Yarden, Y. and Ullrich, A. (1988). Growth factor receptor tyrosine kinases. *Annu. Rev. Biochem.*, **57**: 443-478

Yeudall, W.A., Miyazaki, H., Ensley, J.F., Cardinali, M., Gutkind, J.S., Patel, V. (2005). Uncoupling of epidermal growth factor-dependent proliferation and invasion in a model of squamous carcinoma progression. *Oral Oncol.*, **41**: 698-708

Zaidel-Bar, R., Ballestrem, C., Kam, Z., Geiger, B. (2003). Early molecular events in the assembly of matrix adhesions at the leading edge of migrating cells. *J. Cell Sci.*, **116**: 4605-4613

Zhang, C., Lambert, M.P., Bunch, C., Barber, K., Wade, W.S., Krafft, G.A., Klein, W.L. (1994). Focal adhesion kinase expressed by nerve cell lines shows increased tyrosine phosphorylation in response to Alzheimer's Ab peptide. *J. Biol. Chem.*, **269**: 25247-25250

Zhang, H., Chen, S.H., Li, Y.M. (2004). Epidemiological investigation of esophageal carcinoma. *World J. Gastroenterol.*, **10**: 1834-1835

Zhao, J.H., Reiske, H., Guan, J-L. (1998). Regulation of the cell cycle by focal adhesion kinase. *J. Cell Biol.*, **143**: 1997-2008