

https://dspace.org/

Groovy

Elvis, John

2006-04-22
johns pubs
http://hdl.handle.net/10539/334

Downloaded from a DSpace repository. https://dspace.org/



ITpassZone

Demo

STUDY GUIDE

Email Support: support1@itpasszone.net

© Copy Right 1999-2005 ITpassZone.com. All Rights Reserved.

Section A

QUESTION 1
Which command can be used on an NFS server to display the resources that the server is exporting?

A. share
B. mount
C. df -k
D. shareall
E. mountall

Answer: A

QUESTION 2
What is the absolute path name of the configuration file from which the system reads its crash dump generation behavior at boot time?

Answer: /etc/dumpadm.conf

QUESTION 3
Given:
dumpadm
Dump content: kernel pages
Dump device: /dev/dsk/c2t3d0s0 (dedicated)
Savecore directory: /var/crash/vm13w6
Savecore enables: yes
A dedicated dump slice has been assigned. Given that this is NOT the default setup, which command did the system administrator to achieve this?

A. dumpadm -d c2t3d0s0
B. coreadm -d c2t3d0s0
C. dumpadm -d /dev/dsk/c2t3d0s0
D. dumpadm -s /dev/dsk/c2t3d0s0

Answer: C

QUESTION 4
Based upon the default configuration for generating core files, in which directory can an administrator find and examine per-process core files?

A. the / (root) directory.
B. The users home directory.
C. The current directory of the process.

PassZone.com

D. The /var/crash/'hostname' directory.

Answer: C

QUESTION 5
You are ready to decommission the printer oldtimer as the printer newkid has made it obsolete. What is the sequence of commands to decommission oldtimer without losing any print requests?

A. reject oldtimer
disable oldtimer
B. reject oldtimer
lpmove oldtimer newkid
lpadmin -x oldtimer
C. lpshut
mv /var/spool/lp/tmp/oldtimer/*
/var/spool/lp/tmp/newkid
lpadmin -x oldtimer
lpsched
D. reject oldtimer
mv /var/spool/lp/requests/oldtimer/*
/var/spool/lp/requests/newkid
enable newkid
disable oldtimer

Answer: D

QUESTION 6
Your current umask value is 022. You create regular file.
Which set of permissions are associated with this file?

A. rw-r--r--
B. rwxr--r--
D. rw-rw-rw-
E. rwxrwxrwx

Answer: A

QUESTION 7
You telnet into a Solaris machine and log in as user1. Your account is set up to use the Bourne shell (sh) and your home directory is /home/user1.
Which two files (assuming the exist) does the Bourne shell read to initialize your environment? (Choose two)

A. /etc/login
B. /etc/profile

ITpassZone.com

C. /home/user1/.login
D. /home/user1/.profile

Answer: B, D

QUESTION 8
You decide to create a class of printers. Which command can create a class of printers called support?

A. lpadmin -c support
B. lpadmin -c "printer name" -p support
C. lpadmin -p support -c "printer name"
D. lpadmin -p "printer name" -c support

Answer: D

QUESTION 9
Which three files does RBAC use? (Choose three)

A. /etc/user_attr
B. /etc/exec_attr
C. /etc/prof_attr
D. /etc/security/user_attr
E. /etc/security/exec_attr
F. /etc/security/prof_attr

Answer: A, E ,F

QUESTION 10
Given the patch:
111021-01.zip
Which command should you use first in a series of steps to install the patch?

A. patchadd 111021-01
B. unzip 111021-01.zip
C. zip -U 111021-01.zip
D. uncompress 111021-01.zip

Answer: B

QUESTION 11
Which three should you use to obtain patches? (Choose three)

A. World Wide Web access.
B. CD-ROM media from Sun.
C. Telnet access to SunSolve.

ITpassZone.com