

https://dspace.org/

The transboundary transportation of pollutants from The Zambian Copperbelt

Dlamini, Simangele

2006-02-10
http://hdl.handle.net/10539/182

Downloaded from a DSpace repository. https://dspace.org/

REFERENCES

Anderson, B. E., Grant, W. B., Gregory, G. L., Browell, E. V., Collins, J. E., Sachse, G. W., Bagwell, D. R., Hudgins, C. H., Blake, D.R and Blake, N. J. (1996): Aerosols from biomass burning over the tropical South Atlantic region: distribution and impacts. *Journal of Goephysical Research,* 101, 24, 117-124, 137

Andreae, M.O. and Crutzen, P. J., 1997: Atmospheric aerosols: Biogeochemical sources and role in atmospheric chemistry, *Science*, 276, 1052-1058.

Andreae, M.O., 1995: Climatic effects of changing atmospheric aerosol levels, in A. Hemderson-Sellers (ed), World Survey of Climatology, Elsevior, Amsterdam, 341-392.

Annegarn, H.J., Carhill, T.A., Sellschop, J.P.F. and Zucchiatti, A., 1988: Time particulate sampling and nuclear analysis, *Physica Scripta*, 37, 282-290.

Annegarn, H.J., Kneen, M.A., Piketh, S.J., Horne, A.J., Hlapolas, S. and Kirkman, G.A., 1993: Evidence for large-scale circulation of anthropogenic sulphur over South Africa, Paper presented at the National Association of Clean Air Conference, Brits, South Africa, November 11-13.

WitsETD

Anon, 1996: Zambia, in: Brewis, T., (ed), Mining Annual Review, 1996, *Mining Journal*, London, pp145-146.

Benkovitz, C.M., Scholtz, T., Pacyna, J., Tarrason, L., Dignon, J., Voldnner, E.C.,Spiro, P.A., Logan, J.A. and Graedel, T.E., 1996: Global gridded inventories of anthropogenic emissions of sulphur and nitrogen, *Journal of Geophysical Research* Vol. 101, D22, 29,239-29,253.

Browell, E. V Fenn, M. A., Butler, C. F., Grant, W. B., Clayton, M B., Fishman, J., Bachmeire, A. S., Anderson, B. E., Gregory, G. L., Fuelberg, H. E., Bradshaw, J. D., Sandholm, S. T., Blake, D. R., Heikes, B. G., Sachse, G. W., Singh, H. B. and Talbot, R. W. (1996): Ozone and aerosol distributions and air mass charactetrristics over the South Atlantic basins during the burning season. *Journal of Geophysical Research* Vol. 101 24043-24068.

Cahoon, R.C., Stocks, B.J., Levin, J.S., Cofer, W.R. and O'Neil, K.P., 1992: Seasonal distribution of African Savanna fires. Nature 359, 812-815.

Charlson, R.J., Lovelock, J.E., Andreae, M.O. and Warren, S.G., 1987: Climate forcing by anthropogenic aerosols, *Nature*, 326,655

WitsETD

Charlson, R.J., Langner, J. and Rodhe, H., 1990: Sulphate aerosol and climate, *Nature*, Vol. 348, 22-28.

Charlson, R.J., Shwartz, S. E., Hales. J. M., Cess. R. D., Coakney jr, J. A, and Hoffman, D. J., 1992: Climate forcing by anthropogenic aerosols, TSI Technical Paper no A85, *Science*, Vol. 255 pp423-430.

Chin, M., Jacob, D.J., Gardner, G.M., Foreman-Fowler, M.S. and Spiro, P.A.,1996: A global three-dimensional model of tropospheric sulphate, *Journal of Geophysical Research* 101, (D 13), 18,667-18,690.

Cosijn, C., 1996: Stable discontinuities in the atmosphere over Southern Africa. MSc Dissertation. University of the Witwatersrand, Johannesburg.

Cosijn, C. and Tyson, P.T., 1996: Stable discontinuities in the atmosphere over South Africa, *South African Journal of Science*, 92, 381-386.

D'Abreton, P. C., 1996a: Atmospheric circulation and the tropospheric ozone maximum over the south Atlantic Ocean. *Meteorology and Atmospheric Physics* 259, 1-13.

WitsETD

D'Abreton, P. C., 1996b: Lagrangian kinematic and isentropic trajectory models for aerosol and trace gas transport studies in Southern Africa, *South African Journal of Science*, 92, 157-160.

Draxler, R. R., 1991: The accuracy of trajectories during ANATEX using dynamic model analyses versus rawinsonde observations, *Journal of Applied Meteorology*, Vol 30 1446-1467.

Eck, T. F., Holben, B. N., Ward, D. E., Dubovik, O., Reid, J. S., Smirnov, A., Mukelebai, M. M., Hsu, N. C., O'Neill, N. T. and Slutsker, I., 2002: Characterization of the optical properties of biomass burning aerosols in Zambia during the 1997 ZIBBEE field campaign. *Journal of Geophysical Research*, Vol 106, No D4, 3425-3448.

Eck, T. F., Holben, B. N., Ward, D. E., Dubovik, O., Reid, J. S., Smirnov, A., Mukelebai, M. M., Hsu, N. C., O'Neill, N. T. Slutsker, I., Piketh, J. S., Queface, A., Le Roux, J. and Swap, R. J., 2003: Variability of biomass burning aerosol optical characteristics in southern Africa during the SAFARI 2000 dry season campaign and a comparison of single scattering albedo estimates from radiometric measurements. *Journal of Geophysical Research* Vol 108, No D13, 8477

WitsETD

Fishman, J., Fakhruzzaman, K., Cros, B. and Nganga, D., 1991: Identification of widespread pollution in the southern hemisphere deduced from satellite analyses, *Science*, 252, 1639-1696.

Fuelberg H. E., Loring Jr., R. O., Watson, M. V., Sinha, M. C., Pickering, K. E.,Thompson, A. M., McNamara, D. P., Sachse, G. W., Blake, D. R., and Schoeberl, M. R., 1995: Trace-A trajectory intercomparison: Part 2. Isentropic and kinematic methods. *Journal of Geophysical Research*, Special issue.

Freiman, M. T., 2001: Factors affecting the long-range transportation of biogenic and trace gases over South Africa. PhD Thesis, University of the Witwatersrand, Johannesburg.

Freiman, M. T. and Tyson, P. D., 2000: The thermodynamic structure of the atmosphere over South Africa: Implications for water vapour transport. Water SA, Vol. 26 No. 2. 153-158.

Freiman, M. T., Jury, M. R. and Medcalf, 2002: The state of the atmosphere over South Africa during the southern African regional science initiative (SAFARI 2000). Research Letters, *South African Journal of Science*, 98.

WitsETD

Garstang, M., Tyson, P.D., Swap, R, Browel, E., 1996a: Large-scale transport of biogenic and biomass burning products, in J. S, Levine (ed), Biomass Burning and global Climatic Change, MIT Press, Cambridge, 389-395

Garstang, M., Tyson, P.D., Swap, R., Edwards, M., Kallberg, P. and Lindesay, J.A., 1996b: Horizontal and vertical transport of air over southern Africa, *Journal of Geophysical Research*, 101, (D13), 23,721-23,736.

Gatebe, C.K., 1998: Characterisation and transport of atmospheric aerosols at high altitude on Mount Kenya. Unpublished Ph.D. Thesis, University of the Witwatersrand, Johannesburg, South Africa.

Gatebe, C. K, Tyson, P. D., Annergarn, H. J., Helas, G., Kinyua, A. M., and Piketh, S. J., 2001: Characterization and transport of aerosols over equatorial eastern Africa. *Global Biogeochemical Cycles*, Vol. 15, No. 3, 663-672.

Gregary, G. L., Fuelberg, H. E., Longmore. S. P., Anderson, B. E., Collins, J. E., and Blake, D. R., 1996: Chemical characteristics of tropospheric air over the tropical south Atlantic Ocean: Relationship to trajectory history. *Journal of Geophysical Research*, Vol 101, No. D. 19, 23957-23972.

WitsETD

Helas, G., Lobert, J., Scharffe, D, Schafer, L., Goldammer, J., Baudet, J. Ajavon, A., Ahouua, B. Lacaux, J, Delmas, R and Andreae, M. O., 1995: Airborne measurements of savanna fire emissions and the regional distribution of pyrogenic pollutants over western Africa. *Journal of Atmospheric Chemistry*, 22, 217-239.

Helas, G., 1995: Emissions of atmospheric trace gases from vegetation burning. Marx Planck institute for Chemistry, Biochemistry Department, Mainz, Germany.

Held, G., Gore, B.J., Surridge, A.D., Tosen, G.R., Turner, C.R. and Walmsley, R.D., (eds) 1996: Air Pollution and its Impacts on South African Highveld, Environmental Scientific Association, Cleveland, 1-144.

Hegg, D. A, Radke, L. F., Rasmussen, R. A., and Riggan, P. J., 1990: Emissions of some trace gases from biomass burning. *Journal of Geophysical Research*, **V**ol. 95, No D5, 5669-5675.

Hess, P. G., Srimani, N. and Flocke, S., 1996: Trajectories and elated variations in the chemical composition of air for the Mauna Loa Observatory during 1991 and 1992. *Journal of Geophysical Research*, Vol 101, No D9, 14543-14568.

WitsETD

Houghton, J.T. (ed), 1995: Climate Change 1995: Cambridge University Press, Cambridge Intergovernmental Panel on Climate Change, 1996: Climate Change report, The Science of Climate Change. Contribution of Working Group 1 to The Second Assessment Report of the Intergovernmental Panel on Climate Change, (eds) Houghton, J.T.Meira, F. and Maskell, K., Cambridge, pp1-531.

Intergovernmental Panel on Climate Change, 2001: Climate Change 2001, The Scientific Basis. IPCC, 2001 Report, CUP, UK.

Kahl, J.D., 1993: A cautionary note on the use of air trajectories in interpreting atmospheric chemistry measurements. *Atmospheric Environment* 27A, 3037-3038.

Kirkman, G. A., 1998: Aerosol and trace gas distribution over Southern Africa. MSc Dissertation. University of the Witwatersrand, Johannesburg.

Kirkman, G. A., Piketh, S. J., Andreae, M. O., annegarn, H. J. and Helas G.,2000: distribution of aerosols, ozone and carbon monoxide over southern Africa. *South African Journal of Science*, 96.

WitsETD

Klaic, Z., 1996: A Lagrangian Model of long-range transport of sulphur with diurnal variations of some model parameters. *Journal of Applied Meteorology*. Vol 35, 574-586.

Lacobellis, F.Frouin, R. and Somerville, R. C. J., 1999: Direct climate forcing by biomass burning aerosols: impacts of correlations between controlling variables. *Journal of Geophysical Research*, vol104, No. D10, 12031-12045.

Levine, J. S., 1998: Gaseous and particulate emissions released to the atmosphere from vegetation fires. Background paper, Health Guidelines for Vegetation Fire Events, Lima, Peru.

Marufu, L., Dentener, F., Lelieveld, J., Andreae, M. O. and Helas, G., 2000: Photochemistry of the African troposphere: Influence of biomass-burning emissions. *Journal of Geophysical Research*, Vol. 105 No. D11, 14530-14530.

Maenhaut, W., Salma, I., Cafmeyer, J., Annegarn, H.J. and Andreae, M.O., 1996: Regional atmospheric composition and sources in Eastern Transvaal,

WitsETD

South Africa, and impacts of biomass burning, *Journal of Geophysical Research,* 101, (D13) 23,631-23,650.

Meter, S.L., 2000: Sulphur emissions in Africa as a source of global aerosol, Master of Science Dissertation, University of the Witwatersrand, Johannesburg, South Africa.

Miller, J. M., 1981: A five-year climatology of five-day back trajectories from Barrow, Alaska. *Atmospheric Environment,* Vol 15 No. 8, 1401-1405.

Perkey D. J. and Doty, K. G., 1993: Sensitivity of trajectory calculations to the temporal frequency of wind data. Monthly Weather Review, Vol 121, 387-401.

Pham, M., Muller, J. F., and Megie, C., 1995: A three dimensional study of the troposphere sulphur cycle, Journal of Geophysical Research, No. D12, pp 26.061-26.092.

Pickering, K. E., Thompson, A. M., and Schoeberl M. R., 1993: An intercomparison of isentropic trajectories over South Atlantic. Monthly Weather Review, Dec, Vol 122.

WitsETD

Piennar, J. J. and helas, G., 1996: Chemical transformation of atmospheric pollutants, in G. Held, G.J. Gore, D.A Sunridge, G. R. Tosen, C. R. Turner and R. D. Walmsley (eds), Air pollution and its impacts on the South African Highveld, *Environmental Science Association*, Clevelend, 76-79.

Piketh, S.J., 1994: Generation, transportation and characterisation of suspended particles in the eastern Transvaal. Masters Thesis, University of the Witwatersrand, Johannesburg, South Africa.

Piketh, S.J., Annegarn, H.J. and Tyson, P.D., 1999: Lower troposphere aerosol loading over South Africa: The relative contribution of aeolian dust, industrial emissions and biomass burning, *Journal of Geophysical, Research*.104. (D1), 1597-1607.

Piketh, S.J., 1999: Transport of aerosols and trace gases over southern Africa. PhD Thesis, University of the Witwatersrand, Johannesburg, South Africa.

WitsETD

Pio, C.A., Salgueiro, M.L. and Nunes, V. T., 1991: Seasonal and air-mass trajectory effects on rainwater quality at the south-western European border. *Atmospheric Environment*, Vol 25A No. 10, 2259-2266.

Rayner, P. J. and Law, R. M, 1995: A comparison of modeled responses to prescribes CO_2 sources. CSIRO Australia, Division of Atmospheric Research, Technical Paper No. 36.

Robbock, R. 1991: Surface cooling due to smoke from biomass burning, in J. S. Levine (ed) Global biomass burning atmospheric, climatic and biosphere implications, MIT Press, Cambridge, 464-4767.

Ross, K. E., Piketh, S. J., Swap, R. J. and Staebler, R. M., 2001: Controls governing airflow over the South African Lowveld. Research articles. *South African Journal of Science*. 97.

Salma, I., Maenhaut, W., Cafmeyer, J., Annegarn, H.J. and Andreae, M.O., 1994: PIXE analysis of cascade impactor samples collected at the Kruger National Park, South Africa, *Nuclear Instruments in Physics Research*, B85, 849-855.

WitsETD

Scheifinger, H. and Held, G., 1997: Aerosol behaviour on the South African Highveld. *Atmospheric Environment*, Vol 31, No 21, 3497-3509.

Stohl, A., 1995: Trajectory statistics-A new method to establish source-receptor relationships of air pollutants and its application to the transport of particulate sulphate in Europe. Atmospheric Environment, Vol 29, No 0, 1-9.

Scholes, R. J., Ward, D., Justice, C. O., 1996: Emission of trace gases and aerosol particles due to vegetation burning in southern-hemisphere Africa. *Journal of Geophysical Research*. 101, 23677-23682.

Smith, P. J. and Lin, P. C., 1978: A comparison of synoptic-scale vertical motions computed by the kinematic method and two forms of the Pmega equation. Monthly Weather Review, Dec, Vol 106.

Swap, R.J. and Tyson, P.D., 1999: Stable discontinuities as determinants of vertical distribution of aerosol and trace gases in the atmosphere, *South African Journal of Science*, 95, 63-71.

WitsETD

Tyson, P.D. and Preston-Whyte, R.A., 2000: The Weather and Climate of Southern Africa, Oxford University Press, Cape Town, South Africa.

Tyson, P.D., Garstang, M. and Swap, R., 1996a: Large-scale recirculation of air over southern Africa, *Journal of Applied Meteorology*, 35, 2218-2236.

Tyson, P.D., Garstang, M., Swap, R., Kallberg, P. and Edwards, M., 1996b: An air transport climatology for subtropical Southern Africa, *International Journal of Climatology*, 16, 265-291.

Tyson, P.D., 1997: Atmospheric transport of aerosols and trace gases over Southern Africa, *Progress in Physical Geography*, 21(1), 79-101.

Tyson, P. D. and D'Abreton, P. C., 1995: Divergent and Non-divergent Water-vapour transport over Southern Africa during wet and dry conditions. *Meteorology and Atmospheric Physics*, 55, 47-59.

Tyson, P. D., Kallberg, p. and Edwards, M., 1996: Air transport climatology for subtropical Southern Africa. *International Journal of Climatology*, Vol 16, 265-291.

WitsETD

Tyson, P. D., Gasse, F., Bergonzini, L. and D'Abreton, P., 1997: Aerosol, Atmospheric and Hydrological Modeling of Climatic Change over South of the Equator. *International Journal of Climatology*. Vol 17, 1651-1665

Tyson, P. D., and Freiman, M. T., 2001: The thermodynamic structure of the atmosphere over South Africa: implications for water vapour transport. *Water SA*, Vl. 26 No.2.

Twomey, S., 1977: The influence of pollution on the short-wave albedo of clouds, *Journal of Atmospheric Science*, 34, 1149-1152.

Warneck, P., 1988: Chemistry of the natural atmosphere, Vol 41, International Geophysics Series, (eds) Dmowska, R. and Holton, J. R., Academic Press, San Diego, pp278-373, 484-543.

Zunkel, M., Robertson, L., Tyson, P.D. and Rodhe, H., 2000: Modelled transport and deposition of sulphur over Southern Africa, *Atmospheric Environment*, 34, 2797-2808.

WitsETD