

https://dspace.org/

Optimisation of regeneration systems for a range of Cassava (Manihot Esculenta Crantz) cultivars suitable for growth in South Africa and transformation with SACMV N-REP gene

Makwarela, Murunwa

2006-11-13T12:08:37Z
http://hdl.handle.net/10539/1640

Downloaded from a DSpace repository. https://dspace.org/

References

REFERENCES

Adejare GO, Coutts RHA (1982) The isolation and characterisation of a virus from Nigerian cassava plants affected by the cassava mosaic disease, and attempted transmission of the disease. Phytopathologische Zeitschrift 103:198-210

Akano AO, Fregene MA, Dixon AGO, Taylor NJ, Fauquet CM (2001) Light as a Crucial Factor for the Induction of Somatic Embryogenesis in Latin American and African Cassava Cultivars. In: Cassava: An Ancient Crop for Modern Times Proceedings: 5th International Scientific Meeting of the Cassava Biotechnology Network St Louis, MO, USA 4-9 Nov 2001

Allem AC (2002) The origins and taxonomy of cassava. In: Hillocks RJ, Thresh JM, Bellotti AC (eds.) *Cassava: Biology, Production and Utilization*. pp.1-16. CAB International, Wallingford, Oxon

Alves AAC (2002) Cassava botany and physiology. In: Hillocks RJ, Thresh JM, Bellotti AC (eds.) *Cassava: Biology, Production and Utilization*. pp.67-89. CAB International, Wallingford, Oxon

Baulcombe DC (1996) Mechanisms of pathogen-derived resistance to viruses in transgenic plants. Plant Cell 8:1833-1844

Beachy RN (1997) Mechanisms and applications of pathogen-derived resistance in transgenic plants. Current Opinions in Biotechnology 8:215-220

Berrie LC, Palmer K, Rybicki EP, Rey MEC (1998) Molecular characterization of a distinct South African cassava infecting geminivirus. Archives of virology 143: 2253-2260

Berrie LC, Rybicki EP, Rey MEC (2001) Complete nucleotide sequence of *South African cassava mosaic virus*: further evidence for recombination among begomoviruses. Journal of General Virology 82: 53-58

Berry, S. and M.E.C. Rey (2001). Molecular evidence for diverse populations of cassava-infecting begomoviruses in southern Africa. *Archives of Virology* 146: !795-1802.

Bevan MW, Flavell RB, Chilton MD (1983) A chimaeric antibiotic resistance gene as a selectable marker for plant cell transformation. Nature 304:184-187

Bock KR (1975) Maize streak, cassava latent and other similar viruses. In:*Abstracts of the Third Congress of Virology,* Madrid, Spain, p.93

Bock KR (1994) Control of African cassava mosaic geminivirus by using virus free planting material. Tropical Science 34(1):102-109

Bock KR and Woods RD (1983) Etiology of African cassava mosaic disease. Plant Disease 67:994-995

Bock KR, Guthrie E.J., Meredith G (1978) Distribution, host range, properties and purification of cassava latent virus, a geminivirus. Annals of Applied Biology 90:361-367

Bock KR, Guthrie EJ, Figueiredo G (1981) A strain of cassava latent virus occurring in coastal districts of Kenya. Annals of Applied Biology 99:151-159

Bock KR, Guthrie EJ, Meredith G (1977) RNA and protein components of maize streak and cassava latent viruses. Annals of Applied Biology 85:305-308

Bock KR, Woods (1983) Etiology of African cassava mosaic disease. Plant disease 67:994-995

Braun AC (1978) Plant tumours. Biochim. Biophys. Acta. 516:167-191

Briddon RW, Liu S, Pinner MS, Markham PG (1998) Infectivity of African cassava mosaic virus clones to cassava by biolistic inoculation. Archives of Virology 143: 2487-2492

Briddon RW, Markham PG (1995) Family *Geminiviridae*. In: Murphy FA, Fauquet CM, Bishop DHL, Ghabrial SA, Jarvis AW, Martelli GP, Mayo MA, Summers MD (eds.) Virus Taxonomy. Sixth Report of the International Committee on Taxonomy of Viruses. Vienna and New York: Spronger-Verlag, pp. 158-165

Briddon RW, Robertson I, Markham PG, Stanley J (2003) Occurrence of *South African cassava mosaic virus* (SACMV) in Zimbabwe. Online Publication: New Disease Reports 8 http://www.bspp.org.uk/ndr/

Brough CL, Hayes RJ, Morgan AJ, Coutts RHA, Buck KW (1988) Effects of mutagenesis *in vitro* on ability of cloned tomato golden mosaic virus DNA to infect *Nicotiana benthamiana* plants. Journal of General Virology 69: 503-514

Brown DCW, Tian L, Buckley DJ, Lefebvre M, McGrath A, Webb J (1994) Development of a simple particle bombardment device for gene transfer into plant cells. Plant Cell Tissue Organ Culture 37:47-53

Brunetti A, Tavazza M, Noris E, Tavazza R, Caciagli P, Ancora G and Crespi S (1997) High expression of tuncated viral rep protein confers resistrance to Tomato yellow leaf curl virus in transgenic tomato plants. MPMI 10(5): 571-579

Cabral GB, Carvalho LCJB, Schaal BA (1998) The formation of storage roots in cassava: An Anatomical and a 2-D protein analysis. Brazilian Cassava Journal 17:61

Calderon-Urrea A (1988) Transformation of *Manihot esculenta* (cassava) using *Agrobacterium tumefaciens* and expression of the introduced foreign genes in transformed cell lines. MSc thesis, Vrije University, Brussels, Belgium

Calvert LA, Thresh JM (2002) The viruses and virus diseases of cassava. In: : Hillocks RJ, Thresh JM, Bellotti AC (eds.) *Cassava: Biology, Production and Utilization*. pp.237-260. CAB International, Wallingford, Oxon

Carr JP, Marsh JE, Lomonossoff GP, Sekiya ME, Zaitlin M (1992) Resistance to TMV induced by the 54kDa gene sequences requires expression of the 54kDa protein. Molecular Plant Microbe Interaction 5:397-404

Carr JP, Zaitlin M 1993. Replicase - mediated resistance. Seminars in Virology 4: 339-347

Chalfie M, Tu Y, Euskirchen G, Ward WW, Prasher DC (1994) Green fluorescent protein as a marker gene for gene expression. Science 263:802-805

Chang C-C and Schmidt DR (1991) Initiation and proliferation of carrot callus using a combination of antibiotics. Planta 185:523-526

Chatterji A, Padidam M, Beachy RN, Fauquet CM (1999) Identification of replication specificity determinants in two strains of tomato leaf curl virus from New Delhi. Journal of Virology 73: 5481-5489

Chatterji A, Beachy R, Fauquet CM (2001) Expression of the oligomerization domain of the replication-associated protein (Rep) of *Tomato leaf curl New Delhi virus* interferes with DNA accumulation of heterologous geminiviruses. Journal of Biological Chemistry 276: 25631-25638

Chavariaga-Aquirre P, Schöpke C, Sangare A, Fauquet CM, Beachy RM (1993) Tranformation of cassava (*Manihot esculenta* Crantz) embryogenic tissues using *Agrobacterium tumefaciens*. In: Roca WM, Roca AM (eds.) Proceedings of the First International Scientific Meeting of the Cassava Biotechnology Network. Cartegena de Indias, Colombia, CIAT Working Document 123, pp.222-228

Chawla HS (2000) Gene Transfer Methods. In: Introduction to Plant Biotechnology. Science Publishers, Inc. Enfield (NH), USA. pp. 220-258

Chen CY, Wang L, Winans SC (1991) Characterization of the supervirulent virG gene of the *Agrobacterium tumefaciens* plasmid pTiBo542. MGG 230:302-309

Chi GL and Pua EC (1989) Ethylene inhibitors enhanced de novo shoot regeneration from cotyledons of *Brassica campestris* ssp. chinensis (chinese cabbage) *in vitro*. Plant Science 64:243-250

Chrispeels M, Sadava D (2003) Plants, Genes, and Crop Biotechnology. Jones and Bartlett, Sudbury, Massachusetts

Cock JH (1982) Cassava: a basic energy source in the tropics. Science 218:755-762

Cock JH (1985) Potential for a neglected crop. Wetview Press, Boulder and London

Colvin J, Fishpool LDC, Fargette J, Sherrington J, Fauquet C (1998) *Bemisia tabaci* (Hemiptera: Aleyrodidae) trap catches in a cassava field in Côte d'Ivoire in relation to environmental factors and distribution of African cassava disease. Bulletin of Entomological Research 88:368-378

Cooper B, Lapidot M, Heick J A, Dodds J A, Beachy RN (1995) A defective movement protein of TMV in transgenic plants confers resistance to multiple viruses whereas the functional analog increases susceptibility. Virology 206: 307-313

Covey SN, Al-Kaff N, Langara A, Turner DS (1997) Plants combat infection by gene silencing. Nature 385:781-782

Daphne PE (1980) Cassava, A South African venture. Optima 1:61-68

De Block M, Botterman J, Vandewiele M, Dockx J, Thoen C, Gossele V, Movva NR, Thompson C, van Montagu M, Leemans MJ (1987) Engineering herbicide resistance in plants by expression of a detoxifying enzyme. EMBO Journal 6:213-2518

de Haan P, Gielen JJL, Prins M, Wijkamp IG, van Schepen A, Peters D, van Grinsven MQJM, Goldbach R (1992) Characterization of RNA-mediated resistance to tomato spotted wilt virus in transgenic tobacco. Bio/Technology 10:1133-1137

de Vetten N, Wolters A-M, Raenakers K, van der Meer I, ter Stege R, Heeres E, Heeres P, Visser R (2003) A transformation method for obtaining marker-free plants of a cross-pollinating and vegetatively propagated crop. Nature Biotechnology 21:439-442

Duan YP, Powell CA, Webb SE, Purcifull DE, Hiebert E (1997) Geminivirus resistance in transgenic tobacco expressing mutated BC1 protein. Molecular Plant-Microbe Interactions 10:617-623

Eagle PA, Orozco BM, Hanley-Bowdoin J (1994) A DNA sequence required for geminivirus replication also mediates transcriptional regulation. Plant Cell 6: 1157-1170

Elmer JS, Brand L, Sunter G, Gardiner WE, Bisaro DM, Rogers SG (1988) Genetic analysis of the tomato golden mosaic virus. II. The product of the AL1 coding sequence is required for replicaton. Nucleic Acids Research 16:7043-7060

El-Sharkawy MA, Hernandez D, Hershey C (1992) Mutational analysis of complementary-sense genes of African cassava mosaic virus DNA A. J ournal of General Virology 72:1005-1012

Etessami P, Saunders K, Watts J, Stanley J (1991) Mutational analysis of complementary-sense gene of African cassava mosaic virus DNA A. Journal of General Virology 72:1005-1012

FAO (1999) www.fao.org. Internet Database

FAO (2003) Cassava production statistics 2002. http://www.fao.org

Fargette D, Colon LT, Bouveau R, Fauquet C (1996) Components of resistance of cassava to African cassava mosaic virus. European Journal of Plant Pathology 102:645-654

Fargette D, Fauquet C, Thouvenel JC (1985) Field studies on the spread of African cassava mosaic. Annals of Applied Biology 106:285-294

Fargette D, Fauquet CM, Thouvenel JC (1988) Yield losses induced by African cassava mosaic virus in relation to the mode and date of infection. Tropical Pest Management 34: 123-133

Fauquet C, Schöpke C, Sangare A, Chavarriaga P, Beachy RN (1993) Genetic engineering technologies to control and their application to cassava viruses. In: Roca, Thro AM (eds.). Proceedings of the First International Scientific Meeting of the Cassava Biotechnology Network. Cartegena de Indias, Colombia, CIAT Working Document 123, pp.190-207

Fauquet C, Fargette D (1990) African cassava mosaic virus: aetiology, epidemiology and control. Plant Disease 74:404-411

Finer JJ, Vain P, Jones MW, McMullen M (1992) Development of the particle inflow gun for DNA delivery to plan cells. Plant Cell Reports 11:323-328

Fondong VN, Pita JS, Rey MEC, de Kochko A, Beachy RN, Fauquet CM (2000). Evidence of synergism between African cassava mosaic virus and a new double-recombinant geminivirus infecting cassava in Cameroon. Journal of General Virology 81: 287-297

Fontes EPB, Eagle PA, Sipe PS, Luckow VA and Hanley-Bowdoin L (1994) Interaction between a geminivirus replication protein and origin DNA is

essential for viral replication. Journal of Biological Chemistry 269:8459-8465

Fontes EPB, Luckow VA and Hanley-Bowdoin L (1992) A geminivirus replication protein is a sequence-specific DNA binding protein. Plant Cell 4:597-608

Fraley RT, Rogers SG, Horsch RB, Sanders PR, Flick S, Adams SP, Bittner ML, Brand LA, Fink CL, Fry JS, Galluppi GR, Goldberg SB, Hoffman NL, Woo SC (1983) Expression of bacterial genes in plant cells. Proceedings of National Academy of Sciences USA 80:4803-4807

Franche C, Bogusz D, Schöpke C, Fauquet C, Beachy RN (1991) Transient gene expression in cassava using high-velocity microprojectiles. Plant Molecular Biology 17:493-498

Fregene M and Puonti-Kaerlas J, (2002). Cassava Bbiotechnology. In: Hillocks RJ, Thresh JM, Bellotti AC (eds.) *Cassava: Biology, Production and Utilization*. pp.179-207. CAB International, Wallingford, Oxon

Fregene M, Ospina JA, Roca W (1999) Recovery of cassava (*Manihot esculenta* Crantz) plants from culture of immature zygotic embryos. Plant Cell Tissue , Organ Culture 55:39-43

Freistas-Astúa J, Polston JE, Hiebert E (2001) Further characterization of the resistance of the resistance in tobacco lines expressing the *Tomato mottle virus* BC1 movement protein gene. Annals, 3rd International Geminivirus Symposium, Norwich, UK. pp. 33

Fresco LO (1993) The dynamics of cassava in Africa: an outline of research issues. COSCA Working Paper No. 9. Collaborative Study of Cassava in Africa. Internal Institute of Tropical Agriculture, Ibadan, Nigeria

Frishmuth T, Stanley J (1998) Recombination between viral DNA and the transgenic coat protein gene of African cassava mosaic geminivirus. Journal of General Virology 79:1265-1271

Fromm ME, Morrish F, Armstrong C, Williams R, Thomas J, Kein TM (1990) Inheritance and expression of chimeric genes in the progeny of transgenic maize plants. Biotechnology 8:833-839

Gallitelli D, Accotto GP (2001) Virus-Resistant Transgenic Plants: Potential Impact on the Fitness of Plant Viruses. Journal of Plant Pathology 83(2) Special issue:3-9

Gibson RW, Legg JP, Otim-Nape GW (1996) Unsually severe symptoms are characteristic of the current epidemic of mosaic virus disease of cassava in Uganda. Annals of Applied. Biology 128:479-490

Golemboski DB, Lomonossoff GP, Zaitlin M (1990) Plants transformed with tobacco mosaic non-structural gene sequence are resistant to virus. Proceedings of National Academic Science USA 87:6311-6315

González AE, Schöpke C, Taylor N, Beachy RN, Fauquet CM (1998) Regeneration f transgenic cassava plants (*Manihot esculenta* Crantz) through *Agrobacterium*-mediated transformation of embryogenic suspension cultures. Plant Cell Reports 17:827-831

Gordon-Kamm WJ, Spencer TM, Mangano ML, Adams TR, Daines RJ, Start WG, O'Brien JV, Chambers SA, Adams Jr WR, Willets NG, Rice TB, Mackey CJ, Krueger RW, Hausch AP, Lemaux PG (1990) Transformation of maize cells and regeneration of fertile transgenic plants. Plant Cell 2:603-618

Gray DJ, Finer JJ (1993) Editorial introduction. Special section: development and operation of five particle guns for introduction of DNA into plant cells. Plant Cell Tissue Organ Culture 33:219

Gray V (2003) Modelling cassava crop production under semi-arid subtropical conditions in South Africa. South African Journal of Science 99:321-331

Gutierrez C (1999) Geminivirus DNA replication. Cell Molecular Life Sciences 56:313-329

Hahn AE, Terry ER, Leuschner K, Akobundu IO, Okali C, Lal R (1979) Cassava Improvement in Africa. Reprint from Field Crops Research 2:193-226

Haldrup A, Peterson SG, Okkels FT (1998) Positive selection: a plant selection principle based on xylose isomerase, an enzyme used in the food industry. Plant Cell Reports 18:76-81

Haley A, Richardson K, Zhan XG, Morris B (1995) Mutagenesis of the BC1 and BV1 genes of African cassava mosaic virus identifies conserved amino acids that are essential for spread. Journal of General Virology 76:1291-1298

Haley A, Zhan X, Richardson K, Head K and Morris B (1992) Regulation of activities of African cassava mosaic virus promoters by the AC1, AC2 and AC3 gene products. Virology 188:905-909

Harrison BD, Zhou X, Otim-Nape GW, Liu Y, Robinson DJ (1997) Role of novel type of double infection in the geminivirus-induced epidemic of severe cassava mosaic in Uganda. Annals of Applied Biology 131:437-448

Hemenway C, Fng RX, Kaniewski WK, Chua NH, Tumer NE (1988) Analysis of the mechanism of protection in transgenic plants expressing the potato virus X coat protein or its antisense RNA. EMBO Journal 7:1273-1280

Herrera-Estrella L, De Block M, Messens E, Hernalsteens JP, Van Montagu M, Schell J (1983) Chimaeric genes as dominant selectable markers in plants. EMBO Journal 2:987-995

Herskowitz I (1987) Functional in activation of genes by dominant negative mutations. Nature 329:219-222

Hillocks R.J (2002) Cassava in Africa. In *Cassava: Biology, Production and Utilization*, eds R.J. Hillocks, J.M. Thresh and A.C. Bellotti, pp.41-54. CAB International, Wallingford, Oxon

Hillocks RJ, Thresh JM (2003) Cassava mosaic and cassava brown streak diseases in Nampula and Zambézia provinces of Mozambique. Roots 8(2), 10 -5

Holford P and Newbury AJ (1992) The effects of antibiotics and their breakdown products on the *in vitro* growth of *Antirrhum majus*. Plant. Cell *Rep*orts 11:93-96

Hong Y and Stanley J (1995) Regulation of African cassava mosaic virus complementary-sense gene expression by N-terminal sequences of the replication-associated protein AC1. Journal of general virology 76:2415-2422

Hong Y, Saunders K, Hartley MR, Stanley J (1996) Resistance to geminivirus infection by virus-induced expression of dianthin in transgenic plants. Virology 220:119-127

Hong Y, Stanley J (1996) Virus resistance in *Nicotiana benthamiana* conferred by African cassava mosaic virus replication-associated protein (AC1) transgene. Molecular Plant Mic Interaction 9:219-225

Hong Y. and Stanley J (1995) Regulation of African cassava mosaic virus complementary-sense gene expression by N-terminal sequences of the replication –associated protein (AC1) transgene. Molecular Plant-Microbe Interaction 9:219-225

Hong YG, Robinson DJ, Harrison BD (1993) Nucleotide sequence evidence for the occurrence of three distinct whitefly-transmitted geminiviruses in cassava. Journal of General Virology 74:2437-2443

Hou YM, Sanders R, Ursin VM, Gilbertson RL (2000) Transgenic plants expressing geminivirus movement proteins: abnormal phenotypes and delayed infection by *Tomato mottle virus* in transgenic tomatoes expressing *Bean dwarf mosaic virus* BV1 or BC1 proteins. Molecular Plant-Microbe Interactions 13:297-308

Hunt LA, Wholey DW, Cock JH (1977) Growth physiology of cassava. Field Crop Abstracts 30(2):77-91.

IITA (1990) Cassava in tropical Africa: A reference manual. Wisbech, UK: Bolding Mansel International. pp176

Ingham DJ, Pascal E, Lazarowitz SG (1995) Both bipartite geminivirus movement proteins define viral host range, but only BL1 determines viral pathogenicity. Virology 207: 191-204

Jefferson RA (1987) Assaying chimeric genes in plants: the GUS gene fusion system. Plant Molecular Biology Reports 5:387-405

Jefferson RA, Burgess SM, Hirsh D (1986) β-Glucuronidase from *Escheria coli* as a gene-fusion marker. Proceedings of the National Academy of Science USA 83:8447-8451

Jeske, H., Lütgemeier, M. and Preib, W. 2001. DNA forms indicate rolling circle and recombination-dependent replication of *Abutilon* mosaic virus. *EMBO Journal 20(21): 6158-6167.*

Joersbo M, Donaldson I, Kreiberg K, Guldager, Peterson S, Brunstedt J, Okkels FT (1998) Analysis of mannose selection used for transformation of sugar beet. Molecular Breeding 4:111-117

Joersbo M, Okkels FT (1996) A novel principle for selection of transgenic plant cells: positive selection. Plant Cell Reports 5:387-405

Jones WO (1959). *Manioc in Africa*. Standard University Press, Stanford, California, pp.315. Journal of General Virology 81: 287-297.

Journal of General Virology 81: 287-297

Keese PK, Pinto YM (2003) Molecular crop protection using recombinant DNA techniques. In: (eds.) Molecular crop protection using recombinant DNA techniques. Pp. 476-491

Kikkert JR (1993) The biolistic PD-1000/He device. Plant Cell Tissue Organ Culture 33:221-226

Kokora RNN, Taylor NJ, Sangaré A, Fauquet CM (2001) Tryptophan and Tryptamine, two Precursors of Indole-3-Acetic Acid, Improve Formation of Friable Embryogenic Callus in Cassava. In: Cassava: An Ancient Crop for Mordern Times Proceedings: 5th International Scientific Meeting of the Cassava Biotechnology Network St. Louis, MO, USA 4-9 Nov 2001

Konan NK, Schöpke C, Carcamo R, Beachy RN, Fauquet C (1997) An efficient mass propagation system for cassava (*Manihot esculenta* Crantz) based on nodal explants and axillary bud-derived meristems. Plant Cell Reports 16: 444-449

Koonin EV, Ilyina TV (1992) Geminivirus replication proteins are related to prokaryotic plasmid rolling circle DNA replication initiator proteins. Journal of General Virology 73:2763-2766

Kranz J (1988) Measuring plant disease. In: *Experimental Techniques in Plant Disease Epidemiology*. Pp. 30-50, (eds. Kranz, J. and Rotem, J.), Springer-Verlag, Berlin

Kufferath H and Ghesquière J (1932) La mosaïque du manioc. Compte-Rendu de la Sociète de Biologie Belge 109:1146-1148

Lacanster PA and Brooks JE (1983) Cassava leaves as human food. Econ. Bot. 37:331-348

Lapidot M, Gafny R, Ding B, Wolf S, Lucas WJ, Beachy RN (1993) A Dysfunctional Movement Protein of Tobacco Mosaic Virus That Partially Modifies The Plasmodesmata and Limits Virus Spread in Transgenic Plants. The Plant Journal 4: 959-970

Laufs J, Traut W, Heyraud F, Matzeit V, Rogers SG, Schell J and Gronenborne B (1995) *In vitro* cleavage and joining at the viral origin of replication by the replication initiator protein of tomato yellow leaf curl virus. Proceedings of National Academic Science USA 92:3879-3883

Lazarowitz SG, Wu LC, Rogers SG, Elmer JS (1992) Sequence-specific interaction with the viral AL1 protein identifies a geminivirus DNA replication origin. Plant Cell 4:799-809

Legg JP and Raya M (1998) A survey of cassava virus diseases in Tanzania. International Journal of Pest Management

Legg JP and Thresh JM (2003) Cassava virus diseases in Africa. In: Proceedings of the First International Conference on Plant Virology in Sub-Saharan (4–8 June 2001,. Ibadan, Nigeria), IITA, Ibadan, Nigeria, pp 517-522

Li H-Q, Guo JY, Huang YW, Liang CY, Liu HX, Potrykus I, Puonti-Kaerlas J (1998) Regeneration of cassava plants via shoot organogenesis. Plant Cell Reports 17:410-414

Li H-Q, Sautter C, Potrykus I, Puonti-Kaerlas J (1996) Genetic transformation of cassava (*Manihot esculenta* Crantz). Nature Biotechnology 14:736-740

Lindbo JA, Dougherty WG (1992) Pathogen derived resistance to a potyvirus: immune and resistant phenotypes in transgenic tobacco plants expressing altered forms of a potyvirus coat protein nucleotide sequence. Molecular Plant-Microbe Interactions 5:144-153

Liu CN, Li XQ, Gelvin SB (1992) Multiple copies of virG enhance the transient transformation of celery, carrot and rice tissues by *Agrobacterium tumefaciens*. Plant Molecular Biology 20:1071-1087

Liu SJ, Bedford ID, Briddon RW and Markham PG (1997) Efficient whitefly transmission of African cassava mosaic geminivirus requires sequences from both genomic components. Journal of General Virology 7:1791-1794

Loomis, M, Gerakis P (1975) Productivity of agricultural ecosystems. In: Cooper J (ed) Photosynthesis and Productivity in Different Environments. University Press, New York, pp 145-172

Luong HT, Shewry PR and Lazzeri PA (1995). Transient gene expression in cassava somatic embryos by tissue electroporation. Plant Science 107:105-115

Mac Farlane SA and Davies JW (1992) Plants transformed with a region of the 201-kilodalton replicase gene from pea early browning virus RNA 1 are resistant to virus infection. Proceedings of National Academic Science USA 89:5829-5833

Malyshenko SI, Kondakova OA, Nazarowa JUV, Kaplan IB, Taliansky ME, Atebekov JG (1993) Journal of General Virology 74:1149-1156

Martin DP and Rybicki EP (1998) Microcumputer-based quantification of maize sreak virus symptoms in *Zea Mays*. Phytopathology 88: 422-427

Mathias RJ and Mukasa C (1987) The effect of cefotaxime on the growth and regeneration of callus from four varieties of barley (*Hordeum vulgare* L.). Plant Cell Reports 6:454-457

Matthews H, Schöpke C, Carcamo R, Chavarriaga P, Fauquet C, Beachy RN (1993) Improvement of somatic embryogenesis and plant recovery in cassava. Plant Cell Reports 12:328-333

Mayerhofer R, Landridge WHR, Cormier MJ, Szalay AA (1995) Expression of recombinant *Renilla* luciferase in transgenic plants results in high of light emission. Plant Journal 7:1031-1038

McMahon JM, White WLB, Sayre RTC (1995) Cyanogenesis in cassava (*Manihot esculenta* Crantz). Journal of Experimental Botany 46(288):731-741

Munyikwa TRI, Raemakers KCJM, Schreuder M, Kok R, Schippers M, Jacobsen E, Visser RGF (1998) Pinpointing towards improved transformation and regeneration of cassava (*Manihot esculenta* Crantz). Plant Science 135:87-101

Murakami T, Anzai H, Imai S, Satoh A, Nagaoka K, Thompson C (1986) The bialophos biosynthentic genes of *Streptomyces hygroscopicus*: molecular cloning and characterization of the gene cluster. Molecular and General Genetics 205:42-50

Murashige T (1974) Plant propagation through tissue cultures. Annals Review Plant Physiology 23:135-166

Murashige T and Skoog F (1962) A revised medium for rapid growth and assays with tobacco tissue cultures. Physiologia Plantarum 15:472-497

Narayanaswamy TC, Rangaswamy NM, Rangaswamy SR (1994) Somatic embryogenesis and plant regeneration in cassava. In: Proceedings of the first International Scientific Meeting of the Cassava Biotechnology Network, eds. W.M. Roca and A.M. Thro, Cartegena, Colombia, 2-28 August 1992. Centro International de Agricultura Tropical (CIAT), Cali, Colombia

Nassar NMA (2002) Cassava, *Manihot esculenta* Crantz, genetic resources: origin of the crop, its evolution and relationships with wild relatives. Genetics and Molecular Research 1(4):298-305

Ndunguru J, Taylor NJ, Yadav J, Aly H, Legg JP, Aveling T, Thompson G, Fauquet CM (2005) Application of FTA technology for sampling, recovery and molecular characterization of viral pathogens and virus-derived transgenes from plant tissues. Virology Journal 2:45

Nestel B (1980) A new outlook for an ancient crop. Optima 1:53-59

Newell CA, Lowe JM, Merryweather A, Rooke LM, Hamilton WDO (1995) Transformation of sweet potato (*Ipomoea batatas* (L.) Lam) with *Agrobacterium tumefaciens* and regeneration of plants expressing cowpea trypsin inhibitor and snowdrop lectin. Plant Science 107:215-227

Nichols RFJ (1950) The brown streak disease of cassava: distribution, climatic effects and diagnostic symptoms. East African Agricultural Journal 15:154-160

Noris E, Accotto GP, Tavaza R, Brunetti A, Crespi S, Tavazza M (1996) Resistance to Tomato yellow leaf curl geminivirus in *Nicotiana benthamiana* plants transformed with a truncated viral C1 gene. Virology 224:130-138

Nweke FI, Poulson R and Strauss J (1994) Cassava production trends in Africa. In: Ofori, F. and Hahn, S.K. (eds.) Tropical Roots Crops in a Developing Economy. Proceedings of the 9th Sympossium of the International Society for Tropical Roots Crops, 20-26 October, 1991, Accra, Ghana. Govt of Ghana, pp. 311-321

Nweke FL and Spencer DSC (1995) Future prospects for cassava root yield in sub-Saharan Africa. Outlook on Agriculture 24:35-42

Ockendon DJ and McClenoghan R (1993) Effect of silver nitrate and 2,4-D on anther culture of Brussels sprouts (*Brassica oleracea* var. *gemmifera*). Plant Cell Tissue, Organ Culture 32:41-46

Ogbe FO, Atiri GI, Dixon AGO and Thottappilly G (2003) Symptom severity of cassava mosaic disease in relation to concentration of *African cassava mosaic virus* in different cassava genotypes. Plant Pathology 52:84-91

Olsen KM and Schaal BA (1999) Evidence on the origin of cassava: phylogeography of *Manihot esculenta*. Proceedings of the National Academy of Sciences USA 96:5586-5591

Otani M, Mii M, Shimada T (1996) High frequency plant regeneration from leaf calli of sweet potato cv. Chugou 25. Plant Tissue Culture Letters 13(1):23-27

Ow DW, Wood KV, DeLuca M, de Wet JR, Helinski DR, Howell SH (1986) Transient and stable expression of the firefly luciferase gene in plant cells and transgenic plants. Science 234:856-859

Palukaitis P, Zaitlin M (1997) Replicase-mediated resistance to plant virus disease. Advances in Virus Research 48:349-377

Parker SR, Shaw MW and Royle DJ (1995) The reliability of visual estimates of disease severity on cereal leaves. Plant Pathology 44:856-864

Pilartz M and Jeske H (1992) *Abutilon* mosaic geminivirus double-stranded DNA is packed into minichromosomes. Virology 189:800-802

Pita JS, Fondong VN, Sangaré A, Kokora RNN, Fauquet CM (2001) Genomic and biological diversity of the African cassava geminiviruses. Euphytica 120: 115-125

Pita JS, Fondong VN, Sangaré A, Otim-Nape GW, Ogwal S, Fauquet CM (2001) Recombination, pseudorecombination and synergism of geminiviruses are determinant keys to the epidemic of severe cassava mosaic disease in Uganda. Journal of General Virology 82: 655-665

Pius J, George L, Eapen S, Rao PS (1993) Enhanced plant regeneration in pearl millet (*Pennisetum americanum*) by ethylene inhibitors and cefotaxime. Plant Cell Organ Culture 32:91-96

Powell-Abel P, Nelson RS, De B, Hoffmann N, Rogers SG, Fraley RT, Beachy RN (1986) Delay of disease development in transgenic plants that express the tobacco mosaic virus coat protein gene. Science 232:738-743

Price TV, Gross R, Ho Wye J and Osborne CF (1993) A comparison of visual and digital image processing methods in quantifying the severity of coffee leaf rust (*Hemilia vastatrix*). Australian Journal of Experimental Agriculture 33:97-101

Puonti-Kaerlas J (1998) Cassava biotechnology. Biotech Genetic Engineering Reviews 15:329-361

Puonti-Kaerlas J, Frey P, Potrykus I (1997) Development of meristem gene transfer techniques for cassava. African Journal of Root Tropical Crops 2 (1and2):175-180

Puonti-Kaerlas J, Li HQ, Sautter C, Potrykus I (1997b) Production of transgenic cassava (*Manihot esculenta* Crantz) via organogenesis *Agrobacterium*-mediated transformation. *African Journal of Root Tuber Crops* 2:181-186

Puonti-Kaerlas,J (1998) Cassava biotechnology. Biotech Genetic Engineering Reviews 15:329-361

Puonti-Laerlas J, Frey P, Potrykus I (1997) Development of meristem gene transfer techniques for cassava. African Journal of Root Tuber Crops 2:175-180

Purnhauser DD, Medgyesy P, Czako M, Dix PJ, Marton L (1987) Stimulation of shoot regeneration in *Triticum aestivum* and *Nicotiana plumbaginifolia* Viv.

tissue cultures using the ethylene inhibitor $AgNO_3$. Plant Cell Reports 6:1-4

Raemakers CJJM, Amati M, Saritzky G, Jabcobsen E, Visser RGF (1993) Cyclic embryogenesis and plant regeneration in cassava. Annals of Botany 71:289-294

Raemakers CJJM, Sofiari B, Kanju B, Jacobsen E, Visser RGF (1995) NAA-induced somatic embryogenesis in cassava. In: Proceeding of Second International Scientific Meeting of the Cassava Biotechnology Network (CBN), Vol. I, pp. 355-363. Bogor, Indonesia, 22-26 August 1994. CIAT, Colombia

Raemakers CJJM, Sofiari E, Taylor N, Henshaw G, Jacobsen E, Visser RGF (1996) Production of transgenic cassava (*Manihot esculenta* Crantz) plants by particle bombardment using luciferase activity as selection marker. Molecular Breeding 2:339-349

Raemakers CJJM, Sofiari E, Taylor N, Henshaw G, Jacobsen E, Visser RGF (1996) Production of transgenic cassava (*Manihot esculenta* Crantz) plants by particle bombardment using luciferase activity as selection marker. Molecular Breeding 2:339-349

Raemakers JJE, Staritsky G, Jacobsen E, Visser RGF (1993) Induction germination and shoot development of somatic embryos in cassava. Plant Cell Tissue, Organ Culture 33:151-156

Ratcliff F, Harrison B, Baulcombe DC (1997) A similarity between viral defence and gene silencing in plants. Science 276:1558-1560

Rovere CV, Asurmendi S and Hopp HE (2001) Transgenic resistance in potato plants expressing potato leaf roll virus (PLRV) replicase gene sequences is RNA-mediated and suggests the involvement of post-transcriptional gene silencing. Archives of virology 146:1337-1353

Rubio T, Borja M, Scholthof HB, Feldstein PA, Morris TJ, Jackson AO (1999) Broad-spectrum protection against tombusvirus elicited by defective interfering RNAs in transgenic plants. Journal of Virology 73:5070-5078

Rybicki, E.P. *et al*. (2000) Family Geminiviridae. In: van Regenmortel, M.H.V., Fauquet, C.M. and Bishop, D.H.L. (eds.), Virus Taxonomy- Classification and Nomenclature of Viruses. Academic Press, San Diego, CA, pp.285-297

Saambrook JE, Fritsch EF, Maniatis TA (1989) Molecular Cloning: A Laboratory Manual. 2ND Edition. Cold Spring Harbor Laboratory. New York

Semsey S, Blaha B, Köles K, Orosz L, Papp PP (2001) Site-specific integrative elements of Rhizobiophage 16-3 can integrate into praline Trna (CGG) genes in different bacterial genera. Journal of Bacteriology 184:177-182

Sanford JC, Johnson SA (1985) The concept of parasite-derived resistance: deriving resistance genes from the parasites own genome. Journal of Theoretical Biology 115:395-405

Sangáre A, Deng D, Fauquet CM, Beachy RN. Resistance to African cassava mosaic virus conferred by mutant of the putative NTP-binding domain of the Rep gene (AC1) in *Nicotiana benthamiana*. Mol Biol Rep 5:95-102

Sarria R, Ocamp C, Ramirez H, Hershey C, Roca WM (1993) Genetics of esterase and glutamate oxaloacetate transaminase isozymes in cassava (*Manihot esculenta* Crantz). In: Roca WM, Roca AM (eds.) Proceedings of the First International Scientific Meeting of the Cassava Biotechnology Network. Cartegena de Indias, Colombia, CIAT Working Document 123, pp.75-80

Sarria R, Torres E, Angel F, Chavarriaga P, Roca WM (2000) Transgenic plants of cassava (*Manihot esculenta*) with resistance to Basta obtained by *Agrobacterium*-mediated transformation. Pant Cell Reports 19:339-344

SAS Institute Incorporated (1987) SAS user's guide. Statistics. SAS Institute Incorporated, Cary, North Carolina

Schöpke C, Chavarriaga P, Fauquet C, Beachy RN (1993a) Cassava tissue culture and transformation: Improvement of culture media and the effect of different antibiotics on cassava. In: Roca W, Thro AM (eds.). Proceedings of the First International Scientific Meeting of the Cassava Biotechnology Network. Cartegena de Indias, Colombia, CIAT Working Document 123, pp.140-145

Schöpke C, Franche C, Bogusz D, Chavarriaga P, Fauquet C and Beachy RN (1993) Transformation in cassava (*Manihot esculenta* Crantz) In: Bajaj, Y.P.S. (ed.). Biotechnology in agriculture and forestry, Vol. 23: Plant protoplasts and genetic engineering IV. Springer Verlag, Berlin. Pp. 273-289

Schöpke C, Franche C, Bogusz D, Chavarriaga P, Fauquet C, Beachy RN (1993) Transformation in Cassava (*Manihot esculenta* Crantz). In: Bajaj (ed.) Biotechnology in Agriculture and Forestry, Vol 23. Plant Protoplasts and Genetic Emgineering IV Springer Verlag Berlin Heidelberg pp. 273-289

Schöpke C, Franche C, Bogusz D, Chavarriaga P, Fauquet C, Beachy RN (1993b) Transformation in Cassava (*Manihot esculenta* Crantz). In: Bajaj (ed.) Biotechnology in Agriculture and Forestry, Vol 23. Plant Protoplasts and Genetic Emgineering IV Springer Verlag Berlin Heidelberg pp. 273-289

Schöpke C, Taylor N, Cárcamo R, González de Schöpke AE, Konan NK, Marmey P, Henshaw GG, Beachy RN and Fauquet C (1997a) Stable transformation of cassava (*Manihot esculenta* Crantz) by particle bombardment and by *Agrobacterium*. African Journal of Root and Tuber Crops 2(1&2):187-193

Schöpke C, Taylor N, Cárcamo R, González de Schöpke AE, Konan NK, Marmey, P, Henshaw GG, Beachy RN and Fauquet C (1997) Stable transformation of cassava (*Manihot esculenta* Crantz) by particle bombardment and by *Agrobacterium*. African Journal of Root and Tuber Crops 2(1&2):187-193

Schöpke C, Taylor N, Carcamo R, Konan NK, Marmey P, Henshaw GG, Beachy RN, Fauquet C (1996) Regeneration of transgenic cassava plants (*Manihot esculenta* Crantz) from microbombarded embryogenic suspension cultures. Nature Biotechnology 14:731-735

Schöpke C, Taylor NJ, Cárcamo R, Beachy RN, Fauquet C (1997b) Optimization of parameters for particle bombardment of embryogenic suspension cultures of cassava (*Manihot esculenta* Crantz) using computer image analysis. Plant Cell Reports 16:526-530

Sequeira JC and Harrison BD (1982) Serological studies on cassava latent virus. Annals of Applied Biology 101:33-42

Shahin EA and Shepard JF (1980) Cassava mesophylls protoplasts: Isolation, proliferation and shoot formation. Plant Science Letters 17:459-465

Sheerman S and Bevan MW (1988) A rapid transformation method for *Solanum tuberosum* using binary *Agrobacterium tumefaciens* vectors. Plant Cell Reports 7:13-16

Sijen T, Wellenk J, Hendriks J, Verner J, van Kammen A (1995) Replication of cowpea mosaic virus RNA 1 or RNA 2 is specfically blocked in transgenic *Nicotiana benthamiana* plants expressing the full-length replicase or movement protein genes. Molecular Plant Microbe Interaction 8:340-347

Silvestre P (1989) Cassava: The Tropical Agriculturist. Hong Kong: Macmilla Publishers Ltd. 1989, pp 1-6

Sivamani E, Brey CW, Dyer WE, Talbert LE, Qu R (2000) Resistance to wheat streak mosaic virus in transgenic wheat expressing the viral replicase (Nib) gene. Molecular Breeding 6:469-477

Sseruwagi P, Sserubombwe WS, Legg JP, Ndunguru J, Thresh JM (2004) Methods of surveying the incidence and severity of cassava mosaic

disease and whitefly vector populations on cassava in Africa: A review. Virus Research 100 (1): 129-142

Stamp JA and Henshaw GG (1982) Somatic embryogenesis in cassava. Zeitschrift fur Pflanzenphysiol. 105: 183- 187

Stamp JA and Henshaw GG (1987) Secondary somatic embryogenesis and plant regeneration in cassava. Plant Cell Tissue and Organ Culture 10: 227-233

Stamp JA and Henshaw GG (1987) Somatic embryogenesis from clonal leaf tissues of cassava. Annals of Botany 59:445-450

Stanley J (1983) Infectivity of the cloned geminivirus genome requires sequences from both DNAs. Nature 305: 643-645

Stanley J (1995) Analysis of African cassava mosaic recombinants suggests strand nicking occurs within the conserved nonanucleotide motif during the initiation of rolling circle DNA replication. Virology 206:707-712

Stanley J, Markham PG, Callis RJ and Pinner MS (1986) The nucleotide sequence of an infectious clone of the Gemini virus beet curly top virus. EMBO Journal 5:1761-1767

Storey HH (1938) Virus diseases of East African plants. VII-A field experiment in the transmission of cassava mosaic. East African Agricultural Journal 3:446-449

Storey HH (1936) Virus diseases of East African plants. VI-A progress report on studies of the disease of cassava. East African Agricultural Journal 2:34-39

Storey HH and Nichols RFW (1938) Studies on the mosaic of cassava. Annals of Applied Biology 25:790-806

Sunter G, Gradinier WE, Rushing AE, Rogers SG, Bisaro DM (1987) Independent encapsidation of tomato golden mosaic virus A component DNA in transgenic plants. Plant Molecular Biology 8: 477-486

Sunter G, Hartitz MD and Bizaro DM (1993) Tomato golden mosaic virus leftward gene expression: Autoregulation of geminivirus replication protein. Virology 195:275-280

Swanson MM, Harrison BD (1994) Properties, relationships and distribution of cassava mosaic diseases of Africa geminiviruses. Tropical Science 34:15-25

Szabados L, Hoyos R and Roca W (1987). *In vitro* somatic embryogenesis and plant regeneration of cassava. Plant Cell Reports 6:248-251

Takeuchi Y, Dotson M, Keen NT (1992) Plant transformation: a simple particle bombardment device based on flowing helium. Plant Molecular Biology 18:835-839

Taylor N, Chavarriaga P, Raemakers K, Sirutunga D and Zhang P (2004) Development and application of transgenic technologies in cassava. Plant Molecular Biology 56:671-688

Taylor NJ, Edwards M, Kiernan RJ, Davey CDM, Blakesay D and Henshaw GG. (1996) Development of friable embryogenic callus and embryogenic suspension culture systems in cassava (*Manihot esculenta* Crantz). Nature Biotechnology 14: 726-730

Taylor NJ, Edwards M, Kiernan RJ, Davey CDM, Blakesay D, Henshaw GG (1996) Development of friable embryogenic callus and embryogenic suspension culture systems in cassava (*Manihot esculenta* Crantz). Nature Biotechnology 14:726-730

Taylor NJ, Edwards M, Kiernan RJ, Davey CDM, Blakesley D, Henshaw GG (1996b) Development of friable embryogenic callus and embryogenic suspension culture systems in cassava (*Manihot esculenta* Crantz). Nature Biotechnology 14:726-730

Taylor NJ, Kiernan RJ, Henshaw GG, Blakesley D (1996a) Improved procedures for producing embryogenic tissues of African cassava cultivars: Implications for genetic transformation. African Journal of Root Tropical Crops 2(1):200-204

Terry ER (1975) Description and evaluation of cassava mosaic disease in Africa. In: Rerry, E.R., MacIntyre, R. (eds.) The International Exchange and Testing of Cassava Germplasm in Africa. Ibadan, Nigeria:IITA, pp.53-54

Thompson GA, Hiatt RW, Facciotti D, Stalker DM, Comal I (1987) Expression in plants of bacterial gene coding for glyphosate resistance. Weed Science 35 (Suppl.):19-23

Thresh JM, Fargette D and Otim-Nape GW (1994b) Effects of African cassava mosaic geminivirus on the yield of cassava. Tropical Science 34:26-42

Thresh JM, Otim-Nape GW and Fargette D (1998a) The components and deployment of resistance to cassava mosaic virus disease. Integrated Pest Management Reviews 3:209-224

Thresh JM, Otim-Nape GW and Fargette D (1998b.) The control of African cassava mosaic virus disease: phytosanitation and/or resistance? In: Hadidi A, Khetarpal RW and Kogenazawa H (eds.) Plant Virus Disease Control. American Phytopathological Society. St. Paul, Minnessota, pp. 670-677

Thresh JM, Otim-Nape GW and Jennings DL (1994) Exploiting resistance to African cassava mosaic virus. Aspects of Applied Biology 39:51-60

Thresh JM, Otim-Nape GW, Legg JP, Fargette D (1997) African cassava mosaic disease: the magnitude of the problem. Pp. 13-19. In: *African Journal of Root and Tuber Crops*. Special issue: contributions of biotechnology to cassava for Africa. Proceedings of the Cassava Biotechnology Network, Third International Scientific Meeting, A.M. Thro and M.O. Akoroda (eds.), Kampala, Uganda, 26-31 August 1996

Thresh, J.M., Otim-Nape, G.W., Thankappan, M. and Muniyappa, V. 1998. The mosaic diseases of cassava in Africa and India caused by whitefly-borne geminiviruses. Review of Plant Pathology 77:935-945

Thro A.M, Fregene M, Taylor NJ, Raemakers CJJM, Pounti-Kaerlas J, Schöpke C, Visser RGF, Fauquet CM, Roca W and Hershey (1999) Genetic biotechnologies and cassava-based development. In: T Hohn, K Leisinger eds. Gene and biotechnology of food crops in developing countries. Berlin, Springer Verlag, 1999

Tilquin JP (1979) Plant regeneration from stem callus of cassava. Canadian Journal of Botany 57:1761-1763

Tshiunza M, Okechukwu RU and Dixon AGO (1999) Status of cassava in semiarid zones of Central and West Africa. COSCASA Working Paper No. 1. Collaborative study of cassava in the semiarid zone of Africa. International Institute of Tropical Agriculture, Ibadan, Nigeria

van den Elzen P, Townsend J, Lee KY, Bedbrook J (1985) A chimeric hygromycin resistance gene as a selectable marker in plant cells. Plant Molecular Biology 5:299-302

Van der Vlugt RAA, Ruiter RK, Goldbach R (1992) Evidence for sense RNA-mediated resistance to PVY^{N}in tobacco plants transformed with the viral coat protein cistron. Plant Molecular Biology 20:631-639

Veluthambi K, Gupta AK, Sharma A (2003) The current status of plant transformation technologies. Current Science 3:368-380

Von Armin A, Frishmuth T and Stanley J (1993) Detection and possible function of African cassava mosaic virus DNA B gene products. Virology 192:264-272

Waldron C, Murphy EB, Roberts JL, Gustafson GD, Armour SL, Malcolm SK (1985) Resistance to hygromycin B: a new marker for plant transformation studies. Plant Molecular Biology 5:103-108

Wohllenben W, Arnold W, Broer I, Hillemann D, Strauch E, Peuhler A (1988) Nucleotide sequence of the phosphinothricin N-acetyltransferase gene *Streptomyces viridochromogenes* Tü494 and its expression in Nicotiana tabacum. Gene 70:25-38

Yepes LM and Aldwinkle HS (1994) Factors that affect leaf regeneration efficiency in apple, and effect of antibiotics in morphogenesis. Plant Cell Tissue, Organ Culture 37:257-269

Zadoks JC, Schein RD (1979) Epidemiology and Plant Disease Management. Oxford University Press, Oxford, UK.Zhang, W., Olson, N.H., Baker, T.S., Faulkner, L., Agbandje-MacKenna, M., Boulton, M.I., Davies, J.W. and McKenna, R. 2001. Structure of the maize streak virus geminate particle. Virology 279:471-477

Zhang P (2000) Studies on cassava (Manihot esculenta Crantz) transformation: towards genetic improvement. Ph.D. thesis, Swiss Federal Institute of Technology Zürich, Switzerland, Diss. ETH No. 13962

Zhang P, Fütterer J, Frey P, Potrykus I, Puonti-Kaerlas J, Gruissem W (2003) Engineering virus-induced ACMV resistance by mimicking a hypersensitive reaction in transgenic cassava plants. In: Vasil IK (Ed.), Plant Biotechnology 2002 and Beyond, Kluwer Academic Publishers, Dordrecht. Pp.143-146

Zhang P, Legris G, Coulin P, Puonti-Kaerlas J (2000) Production of stably transformed cassava plants via particle bombardment. Plant Cell Reports 19: 939-945

Zhang P, Phansiri S and Puonti-Kaerlas J (2001) Improvement of cassava shoot organogenesis by the use of silver nitrate in vitro. Plant Cell Tissue and Organ Culture 67:47-54

Zhang P, Phansiri S and Puonti-Kaerlas J (2001). Improvement of cassava shoot organogenesis by the use of silver nitrate in vitro. Plant Cell Tissue and Organ Culture 67:47-54

Zhang P, Potrykus I, Puonti-Kaerlas J (2000) Efficient production of transgenic cassava using negative and positive selection. Transgenic Research 9: 405-415

Zhang P, Puonti-Kaerlas J (2000) PIG-mediated cassava transformation using positive and negative selection. Plant Cell Reports 19: 939-945

Tenllado F, Llave C and Diaz-Ruiz, JR (2004) RNA interference as a new biotechnological tool for the control of virus diseases in plants. Virus Research 102:85-96