

Gómez-Tortosa, E., del Barrio, A., Barroso, T. & García Ruiz, P.J. (1996). Visual processing disorders in patients with Huntington's disease and asymptomatic carriers. Journal of Neurology, 243, 286-292.

Gómez-Tortosa, E., del Barrio Alba, A., Sánchez Pernaute, R., Benítez, J., Barroso, A. & García Yébenes, J. (1997). Estudio cognitivo de portadores asintomáticos de la enfermedad de Huntington. (Cognitive assessment of Huntington's disease carriers). Neurología, 12, 226-231.

Goodman, R.M., Ashkenazi, Y.E., Adam, A. & Greenfield, G. (1973). Thoughts on the early detection of Huntington's chorea. In A. Barbeau, T.N. Chase & G.W. Paulson (Eds), Advances in Neurology (Vol. 1, pp. 273-285). New York: Raven Press.

Goodman, R.M., Hall, C.L., Terango, L., Perrine, G.A. & Roberts, P.L. (1966). Huntington's Chorea. A multidisciplinary study of affected parents and first generation offspring. Archives of Neurology, 15, 345-355.

Gowers, W.R. (1902). A lecture on abiotrophy. The Lancet, April 12, 1003-1007.

Granholm, E. & Butters, N. (1988). Associative encoding and retrieval in Alzheimer's and Huntington's disease. Brain and Cognition, 7, 335-347.

Greenberg, J., Beatty, S., Soltau, H. & Bryer, A. (1996). Huntington disease and late-onset spinocerebellar ataxia. A predictive testing service in Cape Town. Continuing Medical Education Journal, 14, 1364-1367.

Guidelines for the molecular genetics predictive test in Huntington's disease. (1994). Journal of Medical Genetics, 31, 555-559.

Guidelines for the molecular genetics predictive test in Huntington's disease. (1994). Neurology (Special article), 44, 1533-1536.

Gusella, J.F., MacDonald, M.E., Ambrose, C.M. & Duyao, M.P. (1993). Molecular genetics of Huntington's disease. Archives of Neurology, 50, 1157-1163.

Gusella, J.F., Wexler, N.S., Conneally, P.M., Naylor, S.L., Anderson, M.A., Tanzi, R.E., Watkins P.C., Ottina, K.,

Wallace, M.R., Sakaguchi, A.Y., Young, A.B., Shoulson, I., Bonilla, E. & Martin, J.B. (1983). A polymorphic DNA marker genetically linked to Huntington's disease. Nature, 306, 234-238.

Guttman, M., Thomson, J., Hussey, D., Wilson, A. & Hoyle, S. (1996, June). PET studies in presymptomatic and early symptomatic Huntington's disease show reduced striatal D₁ and D₂ receptor binding. Paper presented at the Fourth International Congress of Movement Disorders, Vienna, Austria.

Hahn-Barma, V., Deweer, B., Dürr, A., Dodé, C., Feingold, J., Pillon, B., Agid, Y., Brice, A. & Dubois, B. (1998). Are cognitive changes the first symptoms of Huntington's disease? A study of gene carriers. Journal of Neurology, Neurosurgery, and Psychiatry, 64, 172-177.

Harms, L., Meierkord, H., Timm, G., Pfeiffer, L. & Ludolph, A.C. (1997). Decreased N-acetyl-aspartate/choline ratio and increased lactate in the frontal lobe of patients with Huntington's disease: a proton magnetic resonance spectroscopy study. Journal of Neurology, Neurosurgery, and Psychiatry, 62, 27-30.

Harper, P.S. (1995). Genetic testing, common diseases, and health service provision. The Lancet, 3, 1645-1646.

Harper, P.S. (1996a). The epidemiology of Huntington's disease. In P.S. Harper (Ed.), Huntington's disease, (2nd ed., pp. 201-240). London: W.B. Saunders.

Harper, P.S. (1996b). The natural history of Huntington's disease. In P.S. Harper (Ed.), Huntington's disease, (2nd ed., pp. 123-136). London: W.B. Saunders.

Harper, P.S. (1996c). New genes for old diseases: the molecular basis of myotonic dystrophy and Huntington's disease. Journal of the Royal College of Physicians of London, 30, 221-231.

Harper, P.S. & Shaw, D. (1996). Huntington's disease: genetic and molecular studies. In P.S. Harper (Ed.), Huntington's disease, (2nd ed., pp. 241-292). London: W.B. Saunders.

Harper, P.S., Soldan, J. & Tyler, A. (1996). Predictive tests in Huntington's disease. In P.S. Harper (Ed.),

Huntington's disease, (2nd ed., pp. 395-424). London: W.B. Saunders.

Harris, E.C. & Barraclough, B.M. (1994). Suicide as an outcome for medical disorders. Medicine, 73, 281-296.

Harris, G.J., Pearlson, G.D., Peyser, C.E., Aylward, E.H., Roberts, J., Barta, P.E., Chase, G.A. & Folstein, S.E. (1992). Putamen volume reduction on magnetic resonance imaging exceeds caudate changes in mild Huntington's disease. Annals of Neurology, 31, 69-75.

Hasselbalch, S.G., Oberg, G., Sørensen, S.A., Andersen, A.R., Waldemar, G., Schmidt, J.F., Fenger, K. & Paulson, O.B. (1992). Reduced regional cerebral blood flow in Huntington's disease studied by SPECT. Journal of Neurology, Neurosurgery, and Psychiatry, 55, 1018-1023.

Hayden, M.R. (1981). Huntington's Chorea. New York: Springer-Verlag.

Hayden, M.R., Ehrlich, R., Parker, H. & Ferera, S.J. (1980). Social perspectives in Huntington's chorea. South African Medical Journal, 58, 201-203.

Hayden, M.R., Hewitt, J., Stoessl, A.J., Clark, C., Ammann, W. & Martin, W.R.W. (1987). The combined use of positron emission tomography and DNA polymorphisms for preclinical detection of Huntington's disease. Neurology, 37, 1441-1447.

Hayden, M.R., Hopkins, H.C., Macrae, M. & Beighton, P.H. (1980). The origin of Huntington's chorea in the Afrikaner population of South Africa. South African Medical Journal, 58, 197-200.

Hayden, M.R., MacGregor, J.M. & Beighton, P.H. (1980). The prevalence of Huntington's chorea in South Africa. South African Medical Journal, 58, 193-196.

Hayes, C.V. (1992). Genetic testing for Huntington's disease - A family issue. The New England Journal of Medicine, 327, 1449-1451.

Hayward, L., Zubrick, S.R. & Hall, W. (1985). Early sensory-perceptual changes in Huntington's disease. Australian and New Zealand Journal of Psychiatry, 19, 384-389.

Hedreen, J.C. & Folstein, S.E. (1995). Early loss of neostriatal striosome neurons in Huntington's disease. Journal of Neuropathology and Experimental Neurology, 54, 105-120.

Hefter, H., Hömberg, V., Lange, H.W. & Freund, H.J. (1987). Impairment of rapid movement in Huntington's disease. Brain, 110, 585-612.

Heindel, W.C., Butters, N. & Salmon, D.P. (1988). Impaired learning of a motor skill in patients with Huntington's disease. Behavioral Neuroscience, 102, 141-147.

Heindel, W.C., Salmon, D.P. & Butters, N. (1990). Pictorial priming and cued recall in Alzheimer's and Huntington's disease. Brain and Cognition, 13, 282-295.

Hersch, S., Jones, R., Koroshetz, W. & Quaid, K. (1994). The neurogenetics genie: testing for the Huntington's disease mutation. Neurology, 44, 1369-1373.

Hindmarch, I. (1998). Cognition and anxiety: the cognitive effects of anti-anxiety medication. Acta Psychiatrica Scandinavica Supplement, 393, 89-94.

Hodges, J.R., Salmon, D.P. & Butters, N. (1990). Differential impairment of semantic and episodic memory in Alzheimer's and Huntington's diseases: a controlled prospective study. Journal of Neurology, Neurosurgery, and Psychiatry, 53, 1089-1095.

Hodges, J.R., Salmon, D.P. & Butters, N. (1991). The nature of the naming deficit in Alzheimer's and Huntington's disease. Brain, 114, 1547-1558.

Holloway, S., Mennie, M., Crosbie, A., Smith, B., Raeburn, S., Dinwoodie, D., Wright, A., May, H., Calder, K., Barron, L. & Brock, D.J.H. (1994). Predictive testing for Huntington disease: social characteristics and knowledge of applicants, attitudes to the test procedure and decisions made after testing. Clinical Genetics, 46, 175-180.

Horne, J.A. (1988). Sleep loss and divergent thinking ability. Sleep, 11, 528-536.

Horne, J.A. (1993). Human sleep, sleep loss and behaviour. Implications for the prefrontal cortex and psychiatric disorder. British Journal of Psychiatry, 162, 413-419.

Huber, S.J. & Paulson, G.W. (1987). Memory impairment associated with progression of Huntington's disease. Cortex, 23, 275-283.

Huggins, M., Bloch, M., Wiggins, S., Adam S., Suchowersky, O., Trew, M., Klimek, M.L., Greenberg, C.R., Eleff, M., Thompson, L.P., Knight, J., MacLeod, P., Girard, K., Theilmann, J., Hedrick, A. & Hayden, M.R. (1992). Predictive testing for Huntington disease in Canada: adverse effects and unexpected results in those receiving a decreased risk. American Journal of Medical Genetics, 42, 508-515.

Huntington, G. (1872). On Chorea. Medical and Surgical Reporter, 26, 317-321.

The Huntington's Disease Collaborative Research Group. (1993). A novel gene containing a trinucleotide repeat that is expanded and unstable on Huntington's disease chromosomes. Cell, 72, 971-983.

Husquinet, H., Franck, G. & Vranckx, C. (1973). Detection of future cases of Huntington's chorea by the L-Dopa load test: experiment with two monozygotic twins. In A. Barbeau, T.N. Chase & G.W. Paulson (Eds), Advances in Neurology (Vol. 1, pp. 301-310). New York: Raven Press.

Illarioshkin, S.N., Igarashi, S., Onodera, O., Markova, E.D., Nikolskaya, N.N., Tanaka, H., Chabrashwili, T.Z., Insarova, N.G., Endo, K., Ivanova-Smolenskaya, I.A. & Tsuji, S. (1994). Trinucleotide repeat length and rate of progression of Huntington's disease. Annals of Neurology, 36, 630-635.

Illes, J. (1989). Neurolinguistic features of spontaneous language production dissociate three forms of neurodegenerative disease: Alzheimer's, Huntington's, and Parkinson's. Brain and Language, 37, 628-642.

Jacobs, D.H., Shuren, J. & Heilman, K.M. (1995). Impaired perception of facial identity and facial affect in Huntington's disease. Neurology, 45, 1217-1218.

James, C.M., Houlihan, G.D., Snell, R.G., Cheadle, J.P. & Harper, P.S. (1994). Late-onset Huntington's disease: a clinical and molecular study. Age and Ageing, 23, 445-448.

Jankovic, J., Beach, J. & Ashizawa, T. (1995). Emotions and functional impact of DNA testing on patients with symptoms of Huntington's disease. Journal of Medical Genetics, 32, 516-518.

Jason, G.W., Pajurkova, E.M., Suchowersky, O., Hewitt, J., Hilbert, C., Reed, J. & Hayden, M.R. (1988). Presymptomatic neuropsychological impairment in Huntington's Disease. Archives of Neurology, 45, 769-773.

Jason, G.W., Pajurkova, E.M., Taenzer, P.A. & Bultz, B.D. (1997). Acute effects on neuropsychological function and quality of life by high-dose multiple daily fractionated radiotherapy for malignant astrocytomas: assessing the tolerability of a new radiotherapy regimen. Psychooncology, 6, 151-157.

Jason, G.W., Suchowersky, O., Pajurkova, E.M., Graham, L., Klimek, M.L., Garber, A.T. & Poirier-Heine, D. (1997). Cognitive manifestations of Huntington disease in relation to genetic structure and clinical onset. Archives of Neurology, 54, 1081-1088.

Jensen, P., Sørensen, S.A., Fenger, K. & Bolwig, T.G. (1993).

A study of psychiatric morbidity in patients with Huntington's disease, their relatives, and controls. British Journal of Psychiatry, 1993, 790-797.

Jernigan, T.L., Salmon, D.P., Butters, N. & Hesselink, J.R. (1991). Cerebral structure on MRI, Part II: specific changes in Alzheimer's and Huntington's disease. Biological Psychiatry, 29, 68-81.

Johnson, C.T., McSorley, P., Brandt, J. & Strauss, M.E. (1987). Memory test performance as a preclinical indicator of Huntington's disease in At-risk persons? Journal of clinical and experimental neuropsychology, 9, 51.

Jones, S. (1994). The Language of the genes. Great Britain: Flamingo.

Jones-Gotman, M. & Milner, B. (1977). Design fluency: the invention of nonsense drawings after focal cortical lesions. Neuropsychologia, 15, 653-674.

Josiassen, R.C., Curry, L.M. & Mancall, E.L. (1983). Development of neuropsychological deficits in Huntington's disease. Archives of Neurology, 40, 791-796.

Josiassen, R.C., Currey, L., Roemer, R.A., DeBease, C. & Mancall, E.L. (1982). Patterns of intellectual deficit in Huntington's disease. Journal of Clinical Neuropsychology, 4, 173-183.

Jurado, M.A., Junqué, C., Vendrell, P., Treserras, P. & Grafman, J. (1998). Overestimation and unreliability in "feeling-of-doing" judgements about temporal ordering performance: impaired self-awareness following frontal lobe damage. Journal of Clinical and Experimental Neuropsychology, 20, 353-364.

Kaplan, E., Goodglass, H., Weintraub, S. & Segal, O. (1983). The Boston Naming Test. Philadelphia: Lea & Febiger.

Keefe, R.S.E. (1985). The contribution of neuropsychology to psychiatry. The American Journal of Psychiatry, 152, 6-15.

Kessler, S. (1987a). Letter to the Editor: the dilemma of suicide and Huntington Disease. American Journal of Medical Genetics, 26, 315-317.

Kessler, S. (1987b). Psychiatric implications of presymptomatic testing for Huntington's disease. American Journal of Orthopsychiatry, 57, 212-219.

Kessler, S. (1994). Predictive testing for Huntington Disease: a psychologist's view. American Journal of Medical Genetics (Neuropsychiatric Genetics), 54, 161-166.

Kessler, S., Field, T., Worth, L. & Mosbarger, H. (1987). Attitudes of persons at risk for Huntington disease toward predictive testing. American Journal of Medical Genetics, 26, 259-270.

Klawans, H.L., Goetz, C.G. & Perlik, S. (1980). Presymptomatic and early detection in Huntington's disease. Annals of Neurology, 8, 343-347.

Klawans, H.C(sic)., Paulson, G.W. & Barbeau, A. (1970). Predictive test for Huntington's chorea. The Lancet, 2, 1185-1186.

Klintworth, G.K. (1973). Huntington's chorea - Morphologic contribution of a century. In Barbeau, T.N. Chase & G.W. Paulson (Eds), Advances in Neurology (Vol. 1, pp. 353-368). New York: Raven Press.

Knopman, D. & Nissen, M.J. (1991). Procedural learning is impaired in Huntington's disease: evidence from the serial reaction time task. Neuropsychologia, 29, 245-254.

Kolb, B. & Whishaw, I.Q. (1995). Fundamentals of Human Neuropsychology (4th ed.). New York: W.H. Freeman.

Kosky, R. (1981). Children and Huntington's disease. Some clinical observations of children-at-risk. The Medical Journal of Australia, 1, 405-407.

Kramer, J.H., Delis, D.C., Blusewicz, M.J., Brandt, J., Ober, B.A. & Strauss, M. (1988). Verbal memory errors in Alzheimer's and Huntington's dementias. Developmental Neuropsychology, 4, 1-15.

Kramer, J.H., Levin, B.E., Brandt, J. & Delis, D.C. (1989). Differentiation of Alzheimer's, Huntington's and Parkinson's disease patients on the basis of verbal learning characteristics. Neuropsychology, 3, 111-120.

Kramer, J. & Moore, I.M. (1989). Late effects of cancer therapy on the central nervous system. Seminars on Oncology Nursing, 5, 22-28.

Kromberg, J.G.R., Krause, A., Spurdle, A.B., Temlett, J., Lucas, M., Rodseth, D., Stevens, G., Jenkins, T. (1998). Utilisation of predictive, prenatal and diagnostic testing for Huntington's disease in Johannesburg. South African Medical Journal. In press.

Lam, R.W., Bloch, M., Jones, B.D., Marcus, A.M., Fox, S., Amman, W. & Hayden, M.R. (1988). Psychiatric morbidity associated with early clinical diagnosis of Huntington disease in a predictive testing program. Journal of Clinical Psychiatry, 49, 444-447.

Lange, K.W., Sahakian, B.J., Quinn, N.P., Marsden, C.D. & Robbins, T.W. (1995). Comparison of executive and visuospatial memory function in Huntington's disease and dementia of Alzheimer type matched for degree of dementia. Journal of Neurology, Neurosurgery, and Psychiatry, 58, 598-606.

Lanto, A.B., Riege, W.H., Mazziotta, J.C., Pahl, J.J. & Phelps, M.E. (1990). Increased false alarms in a subset of persons at-risk for Huntington's Disease. Archives of Clinical Neuropsychology, 5, 393-404.

Lawrence, A.D., Sahakian, B.J., Hodges, J.R., Rosser, A.E., Lange, K.W. & Robbins, T.W. (1996). Executive and mnemonic functions in early Huntington's disease. Brain, 1633-1645.

Lawrence, A.D., Sahakian, B.J. & Robbins, T.W. (1998). Cognitive functions and corticostriatal circuits: insights from Huntington's disease. Trends in Cognitive Sciences, 2, 379-388.

Lenti, C. & Bianchini, E. (1993). Neuropsychological and neuroradiological study of a case of early-onset Huntington's chorea. Developmental Medicine and Child Neurology, 35, 1007-1010.

Lezak, M.D. (1982). The problem of assessing executive functions. International Journal of Psychology, 17, 281-297.

Lezak, M.D. (1995). Neuropsychological assessment. (3rd ed.). New York: Oxford University Press.

Liberatos, P., Link, B.G. & Kelsey, J.L. (1988). The measurement of social class in epidemiology. Epidemiologic reviews, 10, 87-121.

Lipe, H., Schultz, A. & Bird, T.D. (1993). Risk factors for suicide in Huntington's disease: a retrospective case controlled study. American Journal of Medical Genetics (Neuropsychiatric Genetics), 48, 231-233.

Loring, D.W. & Papanicolaou, A.C. (1987). Memory assessment in neuropsychology: theoretical considerations and practical utility. Journal of Clinical and Experimental Neuropsychology, 9, 340-358.

Lovestone, S., Hodgson, S., Sham, P., Differ, A-M. & Levy, R. (1996). Familial psychiatric presentation of Huntington's disease. Journal of Medical Genetics, 33, 128-131.

The Lund and Manchester Groups. (1994). Clinical and neuropathological criteria for frontotemporal dementia.

Journal of Neurology, Neurosurgery, and Psychiatry, 57, 416-418.

Lundervold, A.J. & Reinvang, I. (1991). Neuropsychological findings and depressive symptoms in patients with Huntington's disease. Scandinavian Journal of Psychology, 32, 275-283.

Lundervold, A.J. & Reinvang, I. (1995). Variability in cognitive function among persons at high genetic risk of Huntington's disease. Acta Neurologica Scandinavica, 91, 462-469.

Lundervold, A.J., Reinvang, I. & Lundervold, A. (1994). Characteristic patterns of verbal memory function in patients with Huntington's disease. Scandinavian Journal of Psychology, 35, 38-47.

Luria, A.R. (1973). The Working Brain. An introduction to neuropsychology. New York: Basic Books.

Lyle, O.E. & Gottesman, I.I. (1977). Premorbid psychometric indicators of the gene for Huntington's disease. Journal of Consulting and Clinical Psychology, 45, 1011-1022.

Lyle, O. & Quast, W. (1976). The Bender Gestalt: use of clinical judgement versus recall scores in prediction of Huntington's disease. Journal of Consulting and Clinical Psychology, 44, 229-232.

Lyon, R., LL. (1962). Huntington's Chorea in the Moray Firth area. British Medical Journal, 1, 1301-1306.

Macdonald, V., Halliday, G.M., Trent, R.J. & McCusker, E.A. (1997). Significant loss of pyramidal neurons in the angular gyrus of patients with Huntington's disease. Neuropathology and Applied Neurobiology, 23, 492-495.

MacMillan, J.C., Snell, R.G., Tyler, A., Houlihan, G.D., Fenton, I., Cheadle, J.P., Lazarou, L.P., Shaw, D.J. & Harper, P.S. (1993). Molecular analysis and clinical correlations of the Huntington's disease mutation. The Lancet, 342, 954-958.

Mann, D.M.A., Oliver, R. & Snowden, J.S. (1993). The topographic distribution of brain atrophy in Huntington's disease and progressive supranuclear palsy. Acta Neuropathologica, 85, 553-559.

Martindale, B. (1987). Huntington's chorea: some psychodynamics seen in those at risk and in the responses of the helping professions. British Journal of Psychiatry, 150, 319-323.

Martone, M., Butters, N., Payne, M., Becker, J.T. & Sax, D.S. (1984). Dissociations between skill learning and verbal recognition in amnesia and dementia. Archives of Neurology, 41, 965-970.

Martone, M., Butters, N. & Trauner, D. (1986). Some analyses of forgetting of pictorial material in amnesic and demented patients. Journal of Clinical and Experimental Neuropsychology, 8, 161-178.

Massman, P.J., Delis, D.C., Butters, N., Levin, B.E. & Salmon, D.P. (1990). Are all subcortical dementias alike?: verbal learning and memory in Parkinson's and Huntington's disease patients. Journal of Clinical and Experimental Neuropsychology, 12, 729-744.

Mazziotta, J.C., Phelps, M.E., Pahl, J.J., Huang, S-C., Baxter, L.R., Riege, W.H., Hoffman, J.M., Kuhl, D.E., Lanto, A.B., Wapenski, J.A. & Markham, C.H. (1987). Reduced cerebral glucose metabolism in asymptomatic subjects at risk for Huntington's disease. The New England Journal of Medicine, 316, 357-362.

Mayberg, H.S., Starkstein, S.E., Peyser, C.E., Brandt, J., Dannels, R.F. & Folstein, S.E. (1992). Paralimbic frontal lobe hypometabolism in depression associated with Huntington's disease. Neurology, 42, 1791-1797.

Mayeux, R., Stern, Y., Herman, A., Greenbaum, L. & Fahn, S. (1986). Correlates of early disability in Huntington's disease. Annals of Neurology, 20, 727-731.

McHugh, P.R. & Folstein, M.F. (1975). Psychiatric syndromes of Huntington's chorea: a clinical and phenomenologic study. In D.F. Benson & D. Blumer (Eds), Psychiatric Aspects of Neurological Diseases (pp. 267-286). New York: Grune & Stratton.

Meissen, G.J., Mastromauro, D.A., Kiely, D.S., McNamara, D.S. & Myers, R.H. (1991). Understanding the decision to take the predictive test for Huntington Disease. American Journal of Medical Genetics, 39, 404-410.

Meissen, G.J., Myers, R.H., Mastromauro, C.A., Koroshetz, W.J., Klinger, K.W., Farrer, L.A., Watkins, P.A., Gusella, J.F., Bird, E.D. & Martin J.B. (1988). Predictive testing for Huntington's disease with use of a linked DNA marker. The New England Journal of Medicine, 318, 535-542.

Mendez, M.F. (1994). Huntington's disease: update and review of neuropsychiatric aspects. International Journal of Psychiatry in Medicine, 24, 189-208.

Mendez, M.F., Adams, N.L. & Lewandowski, K.S. (1989). Neurobehavioral changes associated with caudate lesions. Neurology, 39, 349-354.

Meyers, C.A., Byrne, K.S. & Komaki, R. (1995). Cognitive deficits in patients with small cell lung cancer before and after chemotherapy. Lung Cancer, 12, 231-235.

Meyers, C.A. & Scheibel, R.S. (1990). Early detection and diagnosis of neurobehavioral disorders associated with cancer and its treatment. Oncology, 4, 115-122.

Meyers, C.A., Scheibel, R.S. & Forman, A.D. (1991). Persistent neurotoxicity of systematically administered interferon-alpha. Neurology, 41, 672-676.

Miller, B.L., Cummings, J.L., Villanueva-Meyer, J., Boone, K., Mehinger, C.M., Lesser, I.M. & Mena, I. (1991). Frontal lobe degeneration: clinical, neuropsychological, and SPECT characteristics. Neurology, 41, 1374-1382.

Millon, T. (1987). Millon Clinical Multiaxial Inventory-II. Minneapolis, M.N.: National Computer Systems.

Millon T. & Everly Jr, G.S. (1985). Personality and its disorders. New York: Wiley & Sons.

Mlynik-Szmíd, A. (1997). Psychological consequences of presymptomatic testing for Huntington's disease. The Lancet, 349, 808.

Moore, B.D., Copeland, D.R., Ried, H. & Levy, B. (1992). Neurophysiological basis of cognitive deficits in long-term survivors of childhood cancer. Archives of Neurology, 49, 809-817.

Moses, J.A., Golden, C.J., Berger, P.A. & Wisniewski, A.M. (1981). Neuropsychological deficits in early, middle, and

late stage Huntington's disease as measured by the Luria-Nebraska Neuropsychological battery. International Journal of Neuroscience, 14, 95-100.

Munley, P.H., Bains, D.S., Bloem, W.D., Busby, R.M. & Pendziszewski, S. (1995). Posttraumatic stress disorder and the MCMI-II. Psychological Reports, 76, 939-944.

Myers, R.H. & Falek, A. (1979). Quantification of muscle tremor of Huntington's disease patients and their offspring in an early detection study. Biological Psychiatry, 14, 777-789.

Myrianthopoulos, N.T. (1973). Huntington's chorea: the genetic problem five years later. In A. Barbeau, T.N. Chase & G.W. Paulson (Eds), Advances in Neurology (Vol. 1, pp. 149-159). New York: Raven Press.

Nakashima, K., Watanabe, Y., Kusumi, M., Nanba, E., Maeoka, Y., Nakagawa, M., Igo, M., Irie, H., Ishino, H., Fujimoto, A., Goto, J. & Takahashi, K. (1996). Epidemiological and genetic studies of Huntington's disease in the San-in area of Japan. Neuroepidemiology, 15, 126-31.

Narabayashi, H. (1973). Huntington's chorea in Japan: review of the literature. In A. Barbeau, T.N. Chase & G.W. Paulson (Eds), Advances in Neurology (Vol. 1, pp. 253-259). New York: Raven Press.

Nasir, J., Goldberg, Y.P. & Hayden, M.R. (1996). Huntington disease: new insights into the relationship between CAG expansion and disease. Human Molecular Genetics, 5 (Spec.), 1431-1435.

Nauta, W.J.H. & Domesick, V.B. (1984). Afferent and efferent relationships of the basal ganglia. In D. Evered & M. O'Connor (Eds), Functions of the basal ganglia (pp. 3-29). London: Pitman.

Neary, D. (1994a). Classification of the dementias. Reviews in Clinical Gerontology, 4, 131-140.

Neary, D. (1994b, March). Neuropsychological aspects of the fronto-temporal lobes. Paper presented at the Annual Congress of the Neurology Association of South Africa, Cape Town, South Africa.

Neary, D., Snowden, J.S. & Mann, D.M.A. (1993). The clinical pathological correlates of lobar atrophy. Dementia, 4, 154-159.

Neary, D., Snowden, J.S., Northen, B. & Goulding, P. (1988). Dementia of frontal lobe type. Journal of Neurology, Neurosurgery, and Psychiatry, 51, 353-361.

Nell, V. (1994). Interpretation and misinterpretation of the South African Wechsler-Bellevue Adult Intelligence scale: a history and a prospectus. South African Journal of Psychology, 24, 100-109.

Nelson, H.E. (1976). A modified card sorting test sensitive to frontal lobe defects. Cortex, 12, 313-324.

Nelson, H.E. & O'Connell, A. (1978). Dementia: the estimation of premorbid intelligence levels using the New Adult Reading Test. Cortex, 14, 234-244.

Neophytides, A.N., Di Chiro, G., Barron, S.A. & Chase, T.N. (1979). Computed axial tomography in Huntington's disease and persons at-risk for Huntington's disease. In T.N. Chase, N.S. Wexler & A. Barbeau (Eds), Advances in Neurology (Vol. 23, pp. 185-191). New York: Raven Press.

Norton, J.C. (1975). Patterns of neuropsychological test performance in Huntington's disease. The Journal of Nervous and Mental Disease, 161, 276-279.

O'Callaghan, E., Larkin, C., Redmond, O., Stack, J., Ennig, J.T. & Waddington, J.L. (1988). "Early onset schizophrenia" after teenage head injury. A case report with magnetic resonance imaging. British Journal of Psychiatry, 153, 394-396.

Oepen, H. (1973). Discordant features of monozygotic twin sisters with Huntington's chorea. In A. Barbeau, T.N. Chase & G.W. Paulson (Eds), Advances in Neurology (Vol. 1, pp. 199-201). New York: Raven Press.

Oepen, G., Mohr, U., Willmes, K. & Thoden, U. (1985). Huntington's disease: visuomotor disturbance in patients and offspring. Journal of Neurology, Neurosurgery, and Psychiatry, 48, 426-433.

Orsini, A., Fragassi, N.A., Chiacchio, L., Falanga, A.M., Cocchiaro, C. & Grossi, D. (1987). Verbal and spatial

memory span in patients with extrapyramidal diseases. Perceptual and Motor Skills, 65, 555-558.

Oscar-Berman, M., Sax, D.S. & Opoliner, L. (1973). Effects of memory aids on hypothesis behavior and focusing in patients with Huntington's chorea. In A. Barbeau, T.N. Chase & G.W. Paulson (Eds), Advances in Neurology (Vol. 1, pp. 717-728). New York: Raven Press.

Palm, J.D. (1973). Longitudinal study of a preclinical test program for Huntington's chorea. In A. Barbeau, T.N. Chase & G.W. Paulson (Eds), Advances in Neurology (Vol. 1, pp. 311-324). New York: Raven Press.

Parkin, A.J. & Leng, N.R.C. (1993). Neuropsychology of the Amnesic Syndrome. Hove, U.K.: Lawrence Erlbaum.

Passingham, R. (1993). The frontal lobes and voluntary action. Oxford University Press.

Paulsen, J.S., Butters, N., Sadek, J.R., Johnson, S.A., Salmon, D.P., Swerdlow, N.R. & Swenson, M.R. (1995). Distinct cognitive profiles of cortical and subcortical dementia in advanced illness. Neurology, 45, 951-956.

Paulsen J.S., Salmon, D.P., Monsch, A.U., Butters, N., Swenson, M.R. & Bondi, M.W. (1995). Discrimination of cortical from subcortical dementias on the basis of memory and problem-solving tests. Journal of Clinical Psychology, 51, 48-58.

Paulson, G.W. (1979). Diagnosis of Huntington's disease. In T.N. Chase, N.S. Wexler & A. Barbeau (Eds), Advances in Neurology (Vol. 23, pp. 177-184). New York: Raven Press.

Penney, J.B., Vonsattel, J-P., MacDonald, M.E., Gusella, J.F. & Myers, R.H. (1997). CAG repeat number governs the development rate of pathology in Huntington's disease. Annals of Neurology, 41, 689-692.

Penney, J.B. & Young, A.B. (1986). Striatal inhomogeneities and basal ganglia function. Movement Disorders, 1, 3-15.

Pereira, J., Hanson, J. & Bruera, E. (1997). The frequency and clinical course of cognitive impairment in patients with terminal cancer. Cancer, 79, 835-842.

Petajan, J.H., Jarcho, L.W. & Thurman, D.J. (1979). Motor unit control in Huntington's disease: a possible presymptomatic test. In T.N. Chase, N.S. Wexler & A Barbeau (Eds), Advances in Neurology (Vol. 23, pp. 163-175). New York: Raven Press.

Petit, H. & Milbled, G. (1973). Anomalies of conjugate ocular movements in Huntington's chorea: application to early detection. In A. Barbeau, T.N. Chase & G.W. Paulson (Eds), Advances in Neurology (Vol. 1, pp. 287-294). New York: Raven Press.

Peyser, C.E. & Folstein, S.E. (1990). Huntington's disease as a model for mood disorders. Clues from neuropathology and neurochemistry. Molecular Chemical Neuropathology, 12, 99-119.

Peyser, C.E., Folstein, M., Chase, G.A., Starkstein, S., Brandt, J., Cockrell, J.R., Bylsma, F., Coyle, J.T., McHugh, P.R. & Folstein, S.E. (1995). Trial of d- α -Tocopherol in Huntington's disease. The American Journal of Psychiatry, 152, 1771-1775.

Pillon, B., Deweer, B., Agid, Y. & Dubois, B. (1993). Explicit memory in Alzheimer's, Huntington's, and Parkinson's diseases. Archives of Neurology, 50, 374-379.

Pillon, B., Deweer, B., Michon, A., Malapani, C., Agid, Y. & Dubois, B. (1994). Are explicit memory disorders of progressive supranuclear palsy related to damage to striatofrontal circuits? Neurology, 44, 1264-1270.

Pillon B., Dubois, B., Ploska, A. & Agid, Y. (1991). Severity and specificity of cognitive impairment in Alzheimer's, Huntington's, and Parkinson's diseases and progressive supranuclear palsy. Neurology, 41, 634-643.

Pflanz, S., Besson, J.A.O., Ebmeier, K.P. & Simpson, S. (1991). The clinical manifestation of mental disorder in Huntington's disease: a retrospective case record study of disease progression. Acta Psychiatrica Scandinavica, 83, 53-60.

Pleydell, M.J. (1954). Huntington's chorea in Northamptonshire. British Medical Journal, 2, 1121-1128.

Podoll, K., Caspary, P., Lange, H.W. & Noth, J. (1988). Language functions in Huntington's disease. Brain, 111, 1475-1503.

Pogarell, O., Tatsch, K., Ott, M., Schwarz, J. & Oertel, W.H. (1996, June). Dopamine D2 receptor binding as assessed by 123I IBZM SPECT correlates with the duration of symptomatic period in Huntington's disease. Paper presented at the Fourth International Congress of Movement Disorders, Vienna, Austria.

Pollen, D.A. (1993). Hannah's heirs. The quest for the genetic origins of Alzheimer's disease. New York: Oxford University Press.

Quaid, K.A., Brandt, J., Faden, R.R. & Folstein, S.E. (1989). Knowledge, attitude, and the decision to be tested for Huntington's disease. Clinical Genetics, 36, 431-438.

Quaid, K.A. & Morris, M. (1993). Reluctance to undergo predictive testing: the case of Huntington disease. American Journal of Medical Genetics, 45, 41-45.

Quarrell, O. & Harper P. (1996). The clinical neurology of Huntington's disease. In P.S. Harper (Ed.), Huntington's disease, (2nd ed., pp. 31-72). London: W.B. Saunders.

Randolph, C. (1991). Implicit, explicit, and semantic memory functions in Alzheimer's disease and Huntington's disease. Journal of Clinical and Experimental Neuropsychology, 13, 479-494.

Randolph, C., Mohr, E. & Chase, T.N. (1993). Assessment of intellectual function in dementing disorders: validity of WAIS-R short forms for patients with Alzheimer's, Huntington's and Parkinson's disease. Journal of Clinical and Experimental Neuropsychology, 15, 743-753.

Randolph, C., Tierney, M.C., Mohr, E. & Chase, T.N. (1998). The repeatable battery for the assessment of neuropsychological status (RBANS): preliminary clinical validity. Journal of Clinical and Experimental Neuropsychology, 20, 310-319.

Reid, I.C., Besson, J.A.O., Best, P.V., Sharp, P.F., Gemmell, H.G. & Smith, F.W. (1988). Imaging of cerebral blood flow markers in Huntington's disease using single

photon emission computed tomography. Journal of Neurology, Neurosurgery, and Psychiatry, 51, 1264-1268.

Reitan, R.M. (1958). Validity of the Trail Making Test as an indication of organic brain damage. Perceptual and Motor Skills, 8, 271-276.

Reitan, R.M. & Wolfson, D. (1997). Emotional disturbances and their interaction with neuropsychological deficits. Neuropsychology Review, 7, 3-19.

Rey, A. (1941). L'examen clinique en psychologie dans les cas d'encéphalopathie traumatique (Psychological examination of traumatic encephalopathy). Archives de Psychologie, 28, 286-340.

Rey, A. (1964). L'examen clinique en psychologie (The clinical psychology examination). Paris: Presses Universitaires de France.

Reynolds, N.C., Lebel, R.R., de S Hamsher, K., Blackwell, B., Elejalde, B.R., Winter, G.R., Milwaukee, Brown Deer, and Elmhurst, III. (1994). DNA testing and genetic counseling: truth or consequences. Wisconsin Medical Journal, 93, 51-54.

Rich, J.B., Campodonico, J.R., Rothlind, J., Bylsma, F.W. & Brandt, J. (1997). Perseverations during paired-associate learning in Huntington's disease. Journal of Clinical and Experimental Neuropsychology, 19, 191-203.

Robbins, T.W., James, M., Owen, A.M., Lange, K.W., Lees, A.J., Leigh, P.N., Marsden, C.D., Quinn, N.P. & Summers, B.A. (1994). Cognitive deficits in progressive supranuclear palsy, Parkinson's disease, and multiple system atrophy in tests sensitive to frontal lobe dysfunction. Journal of Neurology, Neurosurgery, and Psychiatry, 57, 79-88.

Rodgers, J., Britton, P.G., Morris, R.G., Kernahan, J. & Craft, A.W. (1992). Memory after treatment for acute lymphoblastic leukaemia. Archives of Disease in Childhood, 67, 266-268.

Rosenberg, R.N. & Iannaccone, S.T. (1995). The prevention of neurogenetic disease. Archives of Neurology, 52, 356-362.

Rosenberg, N.K., Sørensen, S.A. & Christensen, A-L. (1995). Neuropsychological characteristics of Huntington's disease carriers: a double blind study. Journal of Medical Genetics, 32, 600-604.

Rosser, A. & Hodges, J.R. (1989). Initial letter and semantic category fluency in Alzheimer's disease, Huntington's disease, and progressive supranuclear palsy. Journal of Neurology, Neurosurgery, and Psychiatry, 57, 1389-1394.

Rosser, E., Huson, S.M. & Norbury, G. (1994). Prenatal, presymptomatic, and diagnostic testing with direct mutation analysis in Huntington's disease. The Lancet, 343, 487-488.

Rothlind, J.C., Brandt, J., Zee, D., Codori, A. M. & Folstein, S. (1993). Unimpaired verbal memory and oculomotor control in asymptomatic adults with the genetic marker for Huntington's disease. Archives of Neurology, 50, 799-802.

Rothlind, J.C., Bylsma, F.W., Peyser, C., Folstein, S.E. & Brandt, J. (1993). Cognitive and motor correlates of everyday functioning in early Huntington's disease. The Journal of Nervous and Mental Disease, 181, 194-199.

Saint-Cyr, J.A., Taylor, A.E. & Lang, A.E. (1988). Procedural learning and neostriatal dysfunction in man. Brain, 111, 941-959.

Salmon, D.P., Kwo-on-Yuen, P.F., Heindel, W.C., Butters, N. & Thal, L.J. (1989). Differentiation of Alzheimer's disease and Huntington's disease with the Dementia Rating Scale. Archives of Neurology, 46, 1204-1208.

Samuels, B.L. & Gelfand, M. (1978). Huntington's chorea in a Black Rhodesian family. South African Medical Journal, 54, 648-651.

Sandson, J. & Albert, M.L. (1984). Varieties of perseveration. Neuropsychologia, 22, 715-732.

Sax, D.S., Powsner, R., Kim, A., Tilak, S., Bhatia, R., Cupples, L.A. & Myers, R.H. (1996). Evidence of cortical metabolic dysfunction in early Huntington's disease by single-photon-emission computed tomography. Movement Disorders, 11, 671-677.

Scholz, O.B. & Berlemann, C. (1987). Memory performance in Huntington's disease. International Journal of Neuroscience, 35, 155-162.

Scrimgeour, E.M. (1982). The Huntington's chorea register of Tanzania. The East African Medical Journal, 59, 280-283.

Scrimgeour, E.M. & Pfumojena, J.W. (1992). Huntington disease in black Zimbabwean families living near the Mozambique border. American Journal of Medical Genetics, 44, 762-766.

Scrimgeour, E.M. & Simpson, S.A. (1992). Huntington disease in black African populations. Human Genetics, 90, 186-187.

Sharma, P., Savy, L., Britton, J., Taylor, R., Howick, A. & Patton, M. (1996). Huntington's disease: a molecular genetic and CT comparison. Journal of Neurology, Neurosurgery, and Psychiatry, 60, 206-208.

Shiwach, R. (1994). Psychopathology in Huntington's disease patients. Acta Psychiatrica Scandinavica, 90, 241-246.

Shiwach, R.S. & Norbury, C.G. (1994). A controlled psychiatric study of individuals at risk for Huntington's disease. British Journal of Psychiatry, 165, 500-505.

Siemers, E., Foroud, T., Bill, D.J., Sorbel, J., Norton Jr, J.A., Hodes, M.E., Niebler, G., Conneally, M. & Christian, J.C. (1996). Motor changes in presymptomatic Huntington disease gene carriers. Archives of Neurology, 53, 487-492.

Sillanpaa, M.C., Agar, L.M., Milner, I.B., Podany, E.C., Alexrod, B.N. & Brown, G.G. (1997). Gulf war veterans: a neuropsychological examination. Journal of Clinical and Experimental Neuropsychology, 19, 211-219.

Simpson, S.A., Harding, A.E. on behalf of the United Kingdom Huntington's Disease Prediction Consortium. (1993). Predictive testing for Huntington's Disease: after the gene. Journal of Medical Genetics, 30, 1036-1038.

Slater, E. and Roth, M. (Eds) (1969). Clinical Psychiatry (3rd ed.). London: Baillière Tindall.

Snowden, J.S., Craufurd, D., Griffiths, H.L. & Neary, D. (1998). Awareness of involuntary movements in Huntington's disease. Archives of Neurology, 55, 801-805.

South African Wechsler Adult Intelligence Scale. Revised Ed. (1983). Johannesburg, Republic of South Africa: HSRC.

Spargo, E., Everall, I.P. & Lantos, P.L. (1993). Neuronal loss in the hippocampus in Huntington's disease: a comparison with HIV infection. Journal of Neurology, Neurosurgery, and Psychiatry, 56, 487-491.

Speedie, L.J., Brake, N., Folstein, S.E., Bowers, D. & Heilman, K.M. (1990). Comprehension of prosody in Huntington's disease. Journal of Neurology, Neurosurgery, and Psychiatry, 53, 607-610.

Spreen, O. & Strauss, E. (1998). A Compendium of Neuropsychological Tests (2nd ed.). New York: Oxford University Press.

Sprengelmeyer, R., Canavan, A.G.M., Lange, H.W. & Hömberg, V. (1995). Associative learning in degenerative neostriatal disorders: contrasts in explicit and implicit remembering between Parkinson's and Huntington's diseases. Movement disorders, 10, 51-65.

Sprengelmeyer, R., Lange, H. & Hömberg, V. (1995). The pattern of attentional deficits in Huntington's disease. Brain, 118, 145-152.

Squire, L.R. (1987). Memory and Brain. New York: Oxford University Press.

Starkstein, S.E., Brandt, J., Folstein, S., Strauss, M., Berthier, M.L., Pearlson, G.D., Wong, D., McDonnell, A. & Folstein, M. (1988). Neuropsychological and neuroradiological correlates in Huntington's disease. Journal of Neurology, Neurosurgery, and Psychiatry, 51, 1259-1263.

Starkstein, S.E., Brandt, J., Bylsma, F., Peyser, C., Folstein, M. & Folstein, S.E. (1992). Neuropsychological correlates of brain atrophy in Huntington's disease: a magnetic resonance imaging study. Neuroradiology, 34, 487-489.

Stine, O.C., Pleasant, N., Franz, M.L., Abbott, M.H., Folstein, S.E. & Ross, C.A. (1993). Correlation between the onset age of Huntington's disease and length of the trinucleotide repeat in IT-15. Human Molecular Genetics, 2, 1547-1549.

Strauss, M.E. & Brandt, J. (1990). Are there neuropsychologic manifestations of the gene for Huntington's Disease in asymptomatic, at-risk individuals? Archives of Neurology, 47, 905-908.

Strauss, M.E. & Brandt, J. (1986). Attempt at preclinical identification of Huntington's disease using the WAIS. Journal of Clinical and Experimental Neuropsychology, 8, 210-218.

Struben, E.A.M. & Tredoux, C.G. (1989). The estimation of premorbid intelligence: the National Adult Reading Test in South Africa. paper presented at the 4th National Congress of the Brain and Behaviour Society. Durban, South Africa.

Tibben, A., Duivenvoorden, H.J., Vegter-van der Vlis, M., Niermeijer, M.F., Frets, P.G., van de Kamp, J.J.P., Roos, R.A.C., Rooijmans, H.G.M. & Verhage, F. (1993). Presymptomatic DNA-testing for Huntington Disease: identifying the need for psychological intervention. American Journal of Medical Genetics (Neuropsychiatric Genetics), 48, 137-144.

Tibben, A., Frets, P.G., van de Kamp, J.J.P., Niermeijer, M.F., Vegter-van der Vlis, M., Roos, R.A.C., van Ommen, G-J. B., Duivenvoorden, H.J. & Verhage, F. (1993). Presymptomatic DNA-testing for Huntington Disease: pretest attitudes and expectations of applicants and their partners in the Dutch Program. American Journal of Medical Genetics (Neuropsychiatric Genetics), 48, 10-16.

Tröster, A.I., Butters, N., Salmon, D.P., Cullum, C.M., Jacobs, D., Brandt, J. & White, R.F. (1993). The diagnostic utility of savings scores: differentiating Alzheimer's and Huntington's diseases with the Logical Memory and Visual Reproduction tests. Journal of Clinical and Experimental Neuropsychology, 15, 773-788.

Tröster, A.I., Salmon, D.P., McCullough, D. & Butters, N. (1989). A comparison of the category fluency deficits associated with Alzheimer's and Huntington's disease. Brain and Language, 37, 500-513.

Tyler, A. (1996). Social and psychological aspects of Huntington's disease. In P.S. Harper (Ed.), Huntington's disease, (2nd ed., pp. 137-160). London: W.B. Saunders.

Tyler, A., Ball, D. & Craufurd, D. on behalf of the United Kingdom Huntington's Disease Prediction Consortium. (1992). Presymptomatic testing for Huntington's disease in the United Kingdom. British Medical Journal, 304, 1593-1596.

Tyler, A., Morris, M., Lazarou, L., Meredith, L., Myring, J. & Harper, P. (1992). Presymptomatic testing for Huntington's disease in Wales 1987-90. British Journal of Psychiatry, 161, 481-488.

Valentine, A.D., Meyers, C.A. & Talpaz, M. (1995). Treatment of neurotoxic side effects of interferon-alpha with naltrexone. Cancer Investigation, 13, 561-566.

Van Zomeren, A.H. & Brouwer, W.H. (1994). Clinical Neuropsychology of Attention. New York: Oxford University Press.

Van der Steenstraten, I.M., Tibben, A., Roos, R.A.C., van de Kamp, J.J.P. & Niermeijer, M.F. (1994). Predictive testing for Huntington disease: nonparticipants compared with participants in the Dutch program. American Journal of Human Genetics, 55, 618-625.

Vonsattel, J-P., Myers, R.H., Stevens, T.J., Ferrante, R.J., Bird, E.D. & Richardson, E.P. (1985). Neuropathological classification of Huntington's disease. Journal of Neuropathology and Experimental Neurology, 44, 559-577.

Waddington, J.L., O'Callaghan, E. & Larkin, C. (1988). Premorbid neuropathology in schizophrenia. The Lancet, 2, 959-960.

Wallace D.C. (1979). Distortion of Mendelian segregation in Huntington's disease. In T.N. Chase, N.S. Wexler & A Barbeau (Eds), Advances in Neurology (Vol. 23, pp. 73-81). New York: Raven Press.

Wallace, D.C. & Parker, N. (1973). Huntington's chorea in Queensland: the most recent story. In Barbeau, A., Chase, T.N. & Paulson, G.W. (Eds), Advances in Neurology (Vol. 1, pp. 223-236). New York: Raven Press.

Watt, D.C. & Sellar, A. (1993). A clinico-genetic study of psychiatric disorder in Huntington's chorea. Monograph Supplement to Psychological Medicine, 23, 1-46.

Wechsler Memory Scale Form I (1945). New York: The Psychological Corporation.

Weeks, R.A., Piccini, P., Harding, A.E. & Brooks, D.J. (1996). Striatal D1 and D2 dopamine receptor loss in asymptomatic mutation carriers of Huntington's disease. Annals of Neurology, 40, 49-54.

Weigell-Weber, M., Schmid, W. & Spiegel, R. (1996). Psychiatric symptoms and CAG expansion in Huntington's disease. American Journal of Medical Genetics (Neuropsychiatric Genetics), 67, 53-57.

Weinberger, D.R. (1988). Premorbid neuropathology in schizophrenia. The Lancet, 2, 445.

Weingartner, H., Caine, E.D. & Ebert, M.H. (1979). Encoding processes, learning, and recall in Huntington's disease. In T.N. Chase, N.S. Wexler & A. Barbeau (Eds), Advances in Neurology (Vol. 23, pp. 215-226). New York: Raven Press.

Wells, A. & Matthews, G. (1994). Attention and Emotion. Hove: Lawrence Erlbaum.

Wetzler, S., Kahn, R.S., Cahn, W., van Praag, H.M. & Asnis, G.M. (1990). Psychological test characteristics of depressed and panic patients. Psychiatry Research, 31, 179-192.

Wexler, N.S. (1979). Perceptual-motor, cognitive, and emotional characteristics of persons at risk for Huntington's disease. In T.N. Chase, N.S. Wexler & A. Barbeau (Eds), Advances in Neurology (Vol. 23, pp. 257-271). New York: Raven Press.

Wiggins, S., Whyte, P., Huggins, M., Adam S., Theilmann, J., Bloch, M., Sheps, S.B., Schechter, M.T. & Hayden, M.R. for the Canadian collaborative study of predictive testing (1992). The psychological consequences of predictive testing for Huntington's disease. The New England Journal of Medicine, 327, 1401-1405.

Williamson, R. (1992). Testing for Huntington's disease. British Medical Journal, 304, 1585-1586.

Wilson, R.S. & Garron, D.C. (1979). Cognitive and affective aspects of Huntington's disease. In T.N. Chase, N.S. Wexler

& A Barbeau (Eds), Advances in Neurology (Vol. 23, pp. 193-201). New York: Raven Press.

White, D.A., Heaton, R.K. & Monsch, A.U. (1995). Neuropsychological studies of asymptomatic Human Immunodeficiency Virus-Type 1-infected individuals. Journal of the International Neuropsychological Society, 1, 304-315.

Whitehouse, P.J. (1986). The concept of subcortical and cortical dementia: another look. Annals of Neurology, 19, 1-6.

Whittier, J.R. (1973). Management of Huntington's chorea: the disease, those affected, and those otherwise involved. In Barbeau, A., Chase, T.N. & Paulson, G.W. (Eds), Advances in Neurology (Vol. 1, pp. 743-753). New York: Raven Press.

Wong, M.T.H., Chang, P.C.M., Yu, Y.L., Chan, Y.W. & Chan, V. (1994). Psychosocial impact of Huntington's disease on Hong Kong Chinese families. Acta Psychiatrica Scandinavica, 90, 16-18.

Xuereb, J.H., MacMillan, J.C., Snell, R., Davies, P. & Harper, P.S. (1996). Neuropathological diagnosis and CAG repeat expansion in Huntington's disease. Journal of Neurology, Neurosurgery, and Psychiatry, 60, 78-81.

Young, A. (1996). Current/future treatment and research directions in HD. Horizon, 80, 1-3.

Young, A.B., Penney, J.B., Starosta-Rubinstein, S., Markel, D.S., Berent, S., Giordani, B., Ehrenkaufer, R., Jewett, D. & Hichwa, R. (1986). PET scan investigations of Huntington's disease: cerebral metabolic correlates of neurological features and functional decline. Annals of Neurology, 20, 296-303.

Young, A.B., Shoulson, I., Penney, J.B., Starosta-Rubinstein, S., Gomez, F., Travers, H., Ramos-Arroyo, M.A., Snodgrass, S.R., Bonilla, E., Moreno, H. & Wexler, N.S. (1986). Huntington's disease in Venezuela: neurologic features and functional decline. Neurology, 36, 244-249.

Zappacosta, B., Monza, D., Meoni, C., Austoni, L., Soliveri, P., Gellera, C., Alberti, R., Mantero, M., Penati, G., Caraceni, T. & Girotti, F. (1996). Psychiatric symptoms do not correlate with cognitive decline, motor

symptoms, or CAG repeat length in Huntington's disease. Archives of Neurology, 53, 493-497.

Zweig, R.M., Koven, S.J., Hedreen, J.C., Maestri, N.E., Kazazian Jr, H.H. & Folstein, S.E. (1989). Linkage to the Huntington's disease locus in a family with unusual clinical and pathological features. Annals of Neurology, 26, 78-84.

Author Lucas M D

Name of thesis The Cognitive And Personality Profiles Of Individuals Who Request Predictive Testing For Huntington'S Disease Lucas M D 1998

PUBLISHER:

University of the Witwatersrand, Johannesburg

©2013

LEGAL NOTICES:

Copyright Notice: All materials on the University of the Witwatersrand, Johannesburg Library website are protected by South African copyright law and may not be distributed, transmitted, displayed, or otherwise published in any format, without the prior written permission of the copyright owner.

Disclaimer and Terms of Use: Provided that you maintain all copyright and other notices contained therein, you may download material (one machine readable copy and one print copy per page) for your personal and/or educational non-commercial use only.

The University of the Witwatersrand, Johannesburg, is not responsible for any errors or omissions and excludes any and all liability for any errors in or omissions from the information on the Library website.