

6. Conclusion

The procedures for the passage and propagation of four fish cell lines were established. The cell lines most suited for the isolation of viruses from trout in South Africa are the BF2 and RTG2 cells. This was based on average incubation periods for the cells to reach 100% confluency, as well as sustained susceptibility to the viruses and incubation periods needed for the viruses to produce CPE. At first, the FHM cell line had all the attributes which would make it one of the lines of choice. It was, however, discovered that this cell line inexplicably lost its susceptibility to the viruses. This loss of susceptibility could not be attributed to any changes in culture conditions, equipment, materials or passage number of the cultures. Although it is known that FHM is refractory to some serotypes of IPN virus, it was found that none of the serotypes of IPN virus, IHN virus or VHS virus would grow on this cell line once it had lost its susceptibility. No explanation could be supplied by other laboratories working with the FHM cells when approached. It was also noted that the BF2 cells began to detach and degenerate after about 14 days of incubation. This did not pose a problem as the viruses normally showed CPE after about three to four days post inoculation. This was, however problematic when attempting to isolate virus from fish. It was recommended (McDainal, 1975; Amos, 1985) that samples be inoculated for 14 days, followed by blind passage and another 14 days incubation. The BF2 cells were found to start detaching before the end of the incubation period. The incorporation of negative control wells in the 24 well plates was imperative to prevent recording of false positives which were in effect degenerating BF2 cells. This problem was not encountered with the other cell lines. Hill (1976a) recommended that cells be incubated for 7 days followed by a blind passage and incubation for an additional 7 days. During 1986, it was decided to reduce the incubation period to 7 days as used by Hill (1976a) and no further problems were encountered using the BF2 cells for the isolation of viruses from fish.

Samples of fish cell lines were also successfully frozen in liquid nitrogen for periods varying from 2 weeks to 2 years and reconstituted. Samples of viruses were also successfully stored and reconstituted. The different serotypes of IPN virus could be stored by addition of 50% glycerol, freezing at -20C or in liquid nitrogen, or by freeze drying. Samples of the other viruses were successfully stored by freezing or freeze drying. They did not survive in 50% glycerol.

The procedures for the serological identification of viruses from trout were established. It was found from sensitivity and specificity studies that the method of choice was the serum neutralization test. Both the indirect fluorescent antibody technique and the indirect immunoperoxidase assay were difficult to interpret due to non-specific staining. It was found that

the VR299, Ab and Sp serotypes of IPN virus possess sufficient common antigens to make specific identification using IFAT very difficult. Hill (1976) and Amos (1985) recommended the use of both serum neutralization and IFAT for serological identification and for this reason, IFAT was carried out on viruses isolated in South Africa.

A recently developed technique (VIBCA), although having the advantage of being very rapid, was not very sensitive and required high virus titres to be successful.

To alleviate the problem of the subjectivity of IFAT and immunoperoxidase assay, due to non-specific staining, a new technique was developed. This technique was based on the fact that Protein A, produced in the cell membrane of S. aureus Cowan strain A, binds IgG in such a way that the antigen binding sites are unaffected. Thus, a technique, based on the principles of IFAT was established. However, in this case, the indicator, being a bacterium which is easily visualized, could be counted, thus providing tangible quantification of the non-specific reactions. This technique was termed 'Immunostaphylococcus-Protein-A test'. As with fluorescent antibody techniques, there is a direct and an indirect method of doing ISPA. In the case of direct ISPA, virus specific antibodies were bound to the bacteria by simply incubating the bacteria with the antibodies.

The final and most important aspect of this work was to attempt to isolate viruses from rainbow trout in South Africa. During 1985, a virus was isolated from a farm in the Eastern Transvaal from fish imported from Denmark. The virus was serologically identified as the VR299 serotype which is unknown in Europe. Upon further investigation it was found that ova were imported onto this site from the USA and virus could be isolated from these fish. Neutralizing antibodies were detected in the serum collected from both the Danish and American imports. IPN VR299 virus was isolated again in 1985, this time from a consignment of ova imported from the USA. All importations from the USA were stopped at this stage.

During 1986, IPN VR299 virus was isolated from four sites during routine monitoring. All of these sites, except one had a history of ova imports from the same site in the USA. Up to this stage, no mortalities had been associated with IPN. A case of high mortality in fingerlings was investigated and IPN virus was isolated. Aeromonas salmonicida, a known pathogen of fish, was also isolated and the mortalities were attributed to the bacterial infection. These fingerlings had originated from ova imported from the USA in 1985.

A survey of fingerlings produced for sale was undertaken, and IPN VR299 virus was isolated from seven sites, one of which had been

tested before and found to be positive, thus confirming the original isolation. Neutralizing antibodies were detected in the serum from fish from two sites, the remaining five sites did not submit serum for testing.

The fact that IPN VR299 virus was isolated from sites in South Africa, and antibodies were found in the serum of fish from sites where the virus was isolated is conclusive evidence that IPN virus occurs in South Africa.

The virus which was isolated was the VR299 serotype, which is a North American serotype, and a similar virus was isolated from ova imported from a site in the USA. All, but one site had imported ova from this site in the USA. These facts indicate that the virus was introduced into South Africa via infected trout ova imported from the USA.

8. REFERENCES

- Adair, B.M. & H.W. Ferguson, 1981. Isolation of infectious pancreatic necrosis (IPN) virus from non-salmonid fish. *Journal of Fish Diseases*. 4: 69-76.
- Agius, C., 1982. Viral diseases of Warm Water Fish. In: Roberts, R.J. (ed). *Microbial Diseases of Fish*. Academic Press.
- Agius, C., H. Mangunwiryo, R.H. Johnson & D.A. Smail, 1982. A more sensitive technique for isolating infectious pancreatic necrosis virus from asymptomatic carrier rainbow trout, Salmo gairdneri Richardson. *Journal of Fish Diseases*. 5: 285-292.
- Agius, C., A. Richardson & W. Walker, 1983. Further observations on the co-cultivation method for isolating infectious pancreatic necrosis virus from asymptomatic carrier rainbow trout, Salmo gairdneri Richardson. *Journal of Fish Diseases*. 6: 477-480.
- Ahne, W. & L. Thomsen, 1985. Occurrence of VHS virus in wild white fish (Coregonus sp.). *Zentralblatt für Veterinarmedizin B*. 32: 73-75.
- Amend, D.F., 1974. Infectious hematopoietic necrosis (IHN) virus disease. Fish Disease Leaflet No 39. U.S. Dept. of the Interior, Fish and Wildlife Service.
- Amend, D.F. & V.C. Chambers, 1970. Morphology of certain viruses of salmonid fishes. I. In vitro studies of some viruses causing hematopoietic necrosis. *Journal of the Fisheries Research Board of Canada*. 27: 1285-1295.
- Amend, D.F. & J.P. Pietsch, 1972. An improved method for isolating viruses from asymptomatic carrier fish. *Transactions of the American Fisheries Society*. 101: 267-269.
- Amend, D.F. & G. Wedemeyer, 1970. Approved procedure for determining absence of infectious pancreatic necrosis (IPN) virus in certain fish and fish products. Fish Disease Leaflet 27. U.S. Dept. of the Interior, Fish and Wildlife

Service.

- Amend, D.F., W.T. Yasutake & R.W. Mead, 1969. A hematopoietic virus disease of rainbow trout and sockeye salmon. Transactions of the American Fisheries Society. 98: 796-804.
- Amos, K.H., 1985. Procedures for the detection and identification of certain fish pathogens. Fish Health Section. American Fisheries Society.
- Ball, H.J., A.L.S. Munro, A. Ellis, K.G.R. Elson, W. Hodgkiss & I.S. McFarlane, 1971. Infectious pancreatic necrosis in rainbow trout in Scotland. Nature, 234: 417-418.
- Besse, P., & P. de Kinkelin, 1965. Sur l'existence en France de la necrose pancreatique de la truite arc-en-ciel (Salmo gairdneri) Bulletin de l'Academie Veterinaire. 38: 185-190.
- Billi, J.L. & K. Wolf, 1969. Quantitative comparison of the peritoneal washes and faeces for detecting infectious pancreatic necrosis (IPN) virus in carrier brook trout. Journal of the Fisheries Research Board of Canada. 26: 1459-1465.
- Bonami, J.R., F. Cousserans, M. Weppe & B.J. Hill, 1983. Mortalities in hatchery-reared sea bass fry associated with a birnavirus. Bulletin of the European Association of Fish Pathologists. 3: 41.
- Bovo, G., G. Giorgetti, P.E. Vestergard-Jorgensen & N.J. Olesen, 1987. Infectious haematopoietic necrosis: First detection in Italy. Bulletin of the European Association of Fish Pathologists. 7: 124.
- Bowser, P.R., J.A. Plumb, 1980. Growth rates of a new cell line from channel catfish ovary and channel catfish virus replication at different temperatures. Canadian Journal of Fisheries and Aquatic Sciences. 37: 871-873.
- Bragg, R.R. & M.E. Combrink, 1987a. Isolation and identification of infectious pancreatic necrosis (IPN) virus from rainbow trout in South Africa. Bulletin of the European Association of Fish Pathologists. 7: 118-119.

- Bragg, R.R. & M.E. Combrink, 1987b. Immunostaphylococcus-protein-A (ISPA) test for the identification of infectious pancreatic necrosis and viral haemorrhagic septicaemia virus. Bulletin of the European Association of Fish Pathologists. 7: 32 - 34.
- Braun-Nesje, R. & R. Seljelid, 1982. Rainbow trout macrophages: Morphology and phagocytic activity. Developmental Comparative Immunology. 6: 281-291.
- Bullock, G.L., R.R. Rucker, D. Amend, K. Wolf & H.M. Stuckey, 1978. Infectious pancreatic necrosis: transmission with iodine-treated and non-treated eggs of brook trout (Salvelinus fontinalis). Journal of the Fisheries Research Board of Canada. 33: 1197-1198.
- Casals, J., 1967. Immunological techniques for animal viruses. Methods in Virology. 3: 113-198.
- Castric, J. & P. de Kinkelin, 1984. Experimental studies on the susceptibility of two marine fish species, sea bass and turbot, to viral haemorrhagic septicaemia. Aquaculture, 41: 203-212.
- Caswell-Reno, P., P.W. Reno & B.L. Nicholson, 1986. Monoclonal antibodies to infectious pancreatic necrosis virus: Analysis of viral epitopes and comparison of different isolates. Journal of General Virology. 67: 2193-2205.
- Cerini, C.P. & R.G. Malsberger, 1962. Fish cell and tissue culture. In: Hoar, W.S. & D. J. Randell (ed.). Fish Physiology. Vol 3, 1969, pp 253-301.
- Chang, N., R.D. MacDonald & T. Yamamoto, 1978. Purification of infectious pancreatic necrosis virus and comparison of polypeptide composition of different isolates. Canadian Journal of Microbiology. 24: 19-27.
- Chen, S.N., Y. Ueno, S.C. Wen & G.H. Kou, 1983. Establishment of a cell line from kidney of tilapia. Bulletin of the European Association of Fish Pathologists. 3: 1-4.

- Cohen, A., A. Poinsard & R. Scherrer 1973. Physico-chemical properties and morphological features of infectious pancreatic necrosis virus. *Journal of General Virology*, 21: 485-498.
- de Kinkelin, P., 1982. Viral haemorrhagic septicaemia. In: Anderson, D.P., Dorson, M. & Dubourget, P.H. (eds.). *Antigens of fish pathogens*. Collection Foundation Marcel Merieux pp 51-62.
- de Kinkelin, P. & J. Castric, 1982. An experimental study of the susceptibility of Atlantic salmon fry (*Salmo salar*) to viral haemorrhagic septicaemia. *Journal of Fish Diseases*, 5: 5-5.
- de Kinkelin, P. & R. Scherrer, 1970. Le virus d'Egtved. I. Stabilité, développement et structure de la souche danoise F1. *Annales de Recherches Veterinaires*, 1: 17-30.
- Dixon, P.F. & B.J. Hill, 1983. Rapid detection of infectious pancreatic necrosis virus (IPNV) by the enzyme-linked immunosorbent assay (ELISA). *Journal of General Virology*, 64: 321-330.
- Dobos, P., 1976. Size and structure of the genome of infectious pancreatic necrosis virus. *Nucleic acid Research*, 3: 1903-1924.
- Dobos, P., R. Hallett, D.T.C. Kells, O. Sorensen & D. Rowe 1977. Biophysical studies of infectious pancreatic necrosis virus. *Journal of Virology*, 22: 150-159.
- Dobos, P., B.J. Hill, R. Hallett, D.T.C. Kells, H. Becht & D. Teninges, 1979. Biophysical and biochemical characterization of five animal viruses with bisegmented double-stranded RNA genomes. *Journal of Virology*, 32: 593-605.
- Dorson, M., 1982. Infectious pancreatic necrosis of salmonids: Overview of current problems. In: Anderson, D.P., Dorson, M. & Dubourget, P.H. (eds.). *Antigens of Fish Pathogens*. Collection Foundation Marcel Merieux. pp 7-32.

- Dorson, M. & P. de Kinkelin, 1974. Necrose pancreatique infectieuse des salmonides: existence dans le serum de truites indemnes d' une molecule 6 S neutralisant specifiquement le virus. Comptes rendus de l' Academie des Science D. 278: 785-788.
- Elazhary, M.A.S.Y., A. Lagace, G. Cousineau, R.S. Roy, L. Berthiaume, R. Paulhus & J.L. Frechette, 1976. Outbreak of infectious pancreatic necrosis in yearling brook trout (Salvelinus fontinalis). Journal of the Fisheries Research Board of Canada. 33: 2621-2625.
- Evans, V.J., H.M. DeOca, J.C. Bryant, E.L. Schilling & J.E. Shannon, 1962. Recovery from liquid-nitrogen temperatures of established cell lines frozen in chemically defined medium. Journal of the National Cancer Institute. 26: 749-757.
- Fijan, N.N. & G. Giorgetti, 1978. Infectious pancreatic necrosis: Isolation of virus from eyed eggs of rainbow trout Salmo gairdneri Richardson. Journal of Fish Diseases. 1: 269-270.
- Finlay, J. & B.J. Hill 1975. The use of the complement fixation test for rapid typing of infectious pancreatic necrosis virus. Aquaculture. 5: 305-310.
- Gravell, M. & R.G. Malsberger, 1965. A permanent cell line from the fathead minnow (Pimephales promelas). Annals of the New York Academy of Science. 126: 555-565.
- Hedrick, R.P., W.D. Eaton, J.L. Fryer, Y.C. Hah, J.W. Park & S.W. Hong, 1985. Biochemical and serological properties of birnaviruses isolated from fish in Korea. Fish Pathology. 20: 463-468.
- Hedrick, R.P., J.L. Fryer, S.N. Chen & G.H. Kou, 1983. Characteristics of four birnaviruses isolated from fish in Taiwan. Fish Pathology. 18: 91-97.
- Hill, B.J., 1976a. Procedures for the isolation and identification of IPN, VHS, IHN and SVC viruses from diseased fish. Fisheries Research Technical Report. Ministry of Agriculture, Fisheries and Food Directorate of Fisheries Research.

- Hill, B.J. 1976b. Properties of a virus isolated from the bivalve mollusc Tellina tenuis (daCosta). In: Page, (ed). Wildlife Diseases. Plenum Press, New York, London. pp 445-452.
- Hill, B.J. 1982. Infectious pancreatic necrosis virus and its virulence. In: R.J. Roberts (ed). Microbial diseases of fish. Academic Press.
- Hill, B.J., R.F. Williams & J. Finlay, 1981. Preparation of antisera against fish virus disease agents. Developments in Biological Standardization. Fish Biologics: Serodiagnostics and Vaccines. 49: 209-218.
- Hill, B.J., B.O. Underwood, C.J. Smale & C.F. Brown 1975. Physico-chemical and serological characterization of five rhabdoviruses infecting fish. Journal of General Virology. 27: 369-378.
- Hodnichak, C.M., E. Turley-Shoger, J.G. Mohanty & K.S. Rosenthal, 1984. Visualization of herpes simplex virus type 1 attachment to target cells using Staphylococcus aureus as a morphologic tag. Journal of Virological Methods. 8: 191-198.
- Horlyck, V., S. Møllergaard, I. Dalsgaard & P.E. Vestergaard-Jørgensen, 1984. Occurrence of VHS in Danish maricultured rainbow trout. Bulletin of the European Association of Fish Pathologists. 4: 11-13.
- Hoy, W.W., 1916. Trout Fishing in South Africa. S.A. Railways Publishers.
- Hudson, E.B., D. Bucke & A. Forrest, 1981: Isolation of infectious pancreatic necrosis virus from eels, Anguilla anguilla, in the United Kingdom. Journal of Fish Diseases. 4: 429-431.
- Itawa, Y., 1957. Gas content of the blood in response to that of medium water in fish. Bulletin of the Japanese Society for Science in Fisheries. 23: 71-80.
- Jensen, M.H., 1963. Preparation of fish tissue cultures for virus research. Bulletin Office International Epizootic. 59: 131-134.

- Jensen, M.H. 1965. Research on the virus of Egtved disease. *Annals of the New York Academy of Science*. 126: 422-426.
- Kelly, R.K. & P.C. Loh, 1972. Electron microscopical and biochemical characterization of infectious pancreatic necrosis virus. *Journal of Virology*. 10: 824-834.
- Kimura, T., M. Yoshimizu & H. Yasuda, 1984. Rapid, simple serological diagnosis of infectious pancreatic necrosis by coagglutination test using antibody-sensitized Staphylococci. *Fish Pathology*. 19: 25-33.
- Kronvall, G., U.S. Seal, J. Finstad & R.C. Williams, 1970. Phylogenetic insight into evolution of mammalian Fc fragment of gamma globulin using staphylococcal protein A. *Journal of Immunology*. 104: 140-147.
- Langdon, J.S., J.D. Humphrey, J. Copland, R. Carolane, N. Gudkovs & C. Lancaster, 1986. The disease status of Australian salmonids: viruses and viral disease. *Journal of Fish Diseases*. 9: 129-135.
- Lannan, C.N., J.R. Winton & J.L. Fryer, 1984. Fish cell lines: Establishment and characterization of nine cell lines from salmonids. *In Vitro*. 20: 671-676.
- Lied, E., J. Gjerde & O.R. Braekkan, 1975. Simple and rapid technique for repeated blood sampling in rainbow trout (Salmo gairdneri) *Journal of the Fisheries Research Board of Canada*. 32: 699-701.
- Lewis, D.H. & J.E. Marks, 1985. Microculture of Sarotherodon mossambicus (Peter) cells: their use in detecting fish viruses. *Journal of Fish Diseases*. 8: 477-478.
- Li, M.F., V. Marrayatt, C. Annand & P. Odense, 1985. Fish cell culture: two newly developed cell lines from Atlantic sturgeon (Acipenser oxyrinchus) and guppy (Poecilia reticulata) *Canadian Journal of Zoology*. 63: 2867-2874.
- Lientz, J.C. & J.E. Springer, 1973. Neutralization tests on infectious pancreatic necrosis virus with polyvalent antiserum. *Journal of Wildlife Diseases*. 9: 120-124.

- Jensen, M.H. 1965. Research on the virus of Egtved disease. Annals of the New York Academy of Science. 126: 422-426.
- Kelly, R.K. & P.C. Loh, 1972. Electron microscopical and biochemical characterization of infectious pancreatic necrosis virus. Journal of Virology. 10: 824-834.
- Kimura, T., M. Yoshimizu & H. Yasuda, 1984. Rapid, simple serological diagnosis of infectious pancreatic necrosis by co-agglutination test using antibody-sensitized Staphylococcus. Fish Pathology. 19: 25-33.
- Kronvall, G., U.S. Seal, J. Finstad & R.C. Williams, 1970. Phylogenetic insight into evolution of mammalian Fc fragment of gamma globulin using staphylococcal protein A. Journal of Immunology. 104: 140-147.
- Langdon, J.S., J.D. Humphrey, J. Copland, R. Carolane, N. Gudkovs & C. Lancaster, 1986. The disease status of Australian salmonids: viruses and viral disease. Journal of Fish Diseases. 9: 129-135.
- Lannan, C.N., J.R. Winton & J.L. Fryer, 1984. Fish cell lines: Establishment and characterization of nine cell lines from salmonids. In Vitro. 20: 671-676.
- Lied, E., J. Gjerde & O.R. Braekkan, 1975. Simple and rapid technique for repeated blood sampling in rainbow trout (Salmo gairdneri) Journal of the Fisheries Research Board of Canada. 32: 699-701.
- Lewis, D.H. & J.E. Marks, 1985. Microculture of Sarotherodon mossambicus (Peter) cells: their use in detecting fish viruses. Journal of Fish Diseases. 8: 477-478.
- Li, M.F., V. Marrayatt, C. Annand & P. Odense, 1985. Fish cell culture: two newly developed cell lines from Atlantic sturgeon (Acipenser oxyrinchus) and guppy (Poecilia reticulata) Canadian Journal of Zoology. 63: 2867-2874.
- Lientz, J.C. & J.E. Springer, 1973. Neutralization tests on infectious pancreatic necrosis virus with polyvalent antiserum. Journal of Wildlife Diseases. 9: 120-124.

- Lombard, G.L. 1968. A survey of fish diseases and parasites encountered in Transvaal. Limnological Society of South Africa Newsletter. 11: 23-29.
- Luria, S.E., J.P. Kornell, Jr., D. Baltimore & A. Campbell, 1978. General Virology 3rd edition. John Wiley & Sons New York.
- MacDonald, R. & Yamamoto, 1977. The structure of infectious pancreatic necrosis virus RNA. Journal of General Virology. 34: 235-247.
- MacDonald, R.D., A.R. Moore & B.W. Souter, 1983. Three new strains of infectious pancreatic necrosis virus isolated in Canada. Canadian Journal of Microbiology. 29: 137-141.
- MacKelvie, R.M. & H. Artsob, 1969. Infectious pancreatic necrosis virus in young salmonids of the Canadian Maritime Province. Journal of the Fisheries Research Board of Canada. 26: 3259-3262.
- MacKelvie, R.M. & D. Desautels 1975. Fish viruses- survival and inactivation of infectious pancreatic necrosis virus. Journal of the Fisheries Research Board of Canada. 32: 1267-1273.
- Mangunwiryo, H. & C. Agius, 1988. Studies on the carrier state of infectious pancreatic necrosis virus infections in rainbow trout, Salmo gairdneri Richardson. Journal of Fish Diseases. 11: 125-132.
- McAllister, P.E., 1983. Infectious pancreatic necrosis (IPN) of salmonid fishes. Fish Disease Leaflet No 65. U.S. Fish & Wildlife Service.
- McAllister, P.E. & X. Reyes, 1984. Infectious pancreatic necrosis virus: isolation from rainbow trout, (Salmo gairdneri Richardson), imported into Chile. Journal of Fish Diseases. 7: 319-322.
- McAllister, P.E. & W.B. Schill, 1986. Immunoblot assay: A rapid and sensitive method for identification of salmonid fish

viruses. Journal of Wildlife Diseases. 22: 468-474.

- McAllister, P.E., M.W. Newman, J.H. Sauber & W.J. Owens, 1983. Infectious pancreatic necrosis virus: isolation from southern flounder, Paralichthys lethostigma, during an epizootic. Bulletin of the European Association of Fish Pathologists. 3: 37-38.
- McAllister, P.E., M.W. Newman, J.H. Sauber & W.J. Owens, 1984. Isolation of infectious pancreatic necrosis virus (serotype Ab) from diverse species of estuarine fish. Helgolander Meeresuntersuchungen. 37: 317-328.
- McCain, B.B., J.L. Fryer & K.S. Pilcher, 1974. Physicochemical properties of RNA of salmonid hematopoietic necrosis virus (Oregon strain). Proceedings of the Society for Experimental and Biological Medicine. 144: 34.
- McC Pott, R. 1979. A history of trout farming in South Africa. Fish Farmer. 25: 8-10.
- McC Pott, R. 1987. An overview of trout production in South Africa. In: Walmsley, R.D. & J. van As (eds). Aquaculture 1986. Occasional Report Series No 15. Ecosystem programmes, Foundation for Research Development, C.S.I.R., Pretoria. pp 130-134.
- McDaniel, D., 1979. Procedures for the detection and identification of certain fish pathogens. Fish Health Section, American Fisheries Society.
- McKnight, I.J., R.J. Roberts, 1976. The pathology of infectious pancreatic necrosis. I. The sequential histopathology of the naturally-occurring condition. British Veterinary Journal. 132: 76-85.
- Meier, W. & K. Pfister, 1981. Viral hemorrhagic septicaemia (VHS) in pike (Esox lucius L): Clinical macroscopic, histological and electron-microscopical findings; Direct visualization of the Egtved-virus. Schweizer Archiv für Tierheilkunde. 123: 37-49.

viruses. Journal of Wildlife Diseases. 22: 468-474.

- McAllister, P.E., M.W. Newman, J.H. Sauber & W.J. Owens, 1983. Infectious pancreatic necrosis virus: isolation from southern flounder, Paralichthys lethostigma, during an epizootic. Bulletin of the European Association of Fish Pathologists. 3: 37-38.
- McAllister, P.E., M.W. Newman, J.H. Sauber & W.J. Owens, 1984. Isolation of infectious pancreatic necrosis virus (serotype Ab) from diverse species of estuarine fish. Helgolander Meeresuntersuchungen. 37: 317-328.
- McCain, B.B., J.L. Fryer & K.S. Pilcher, 1974. Physicochemical properties of RNA of salmonid hematopoietic necrosis virus (Oregon strain). Proceeding of the Society for Experimental and Biological Medicine. 146: 630-634.
- McC Pott, R. 1979. A history of trout farming in South Africa. Fish Farmer. 25: 8-10.
- McC Pott, R. 1987. An overview of trout production in South Africa. In: Walmsley, R.D. & J. van As (eds). Aquaculture 1986. Occasional Report Series No 15. Ecosystem programmes, Foundation for Research Development, C.S.I.R., Pretoria. pp 130-134.
- McDaniel, D., 1979. Procedures for the detection and identification of certain fish pathogens. Fish Health Section, American Fisheries Society.
- McKnight, I.J., R.J. Roberts, 1976. The pathology of infectious pancreatic necrosis. I. The sequential histopathology of the naturally-occurring condition. British Veterinary Journal. 132: 76-85.
- Meier, W. & K. Pfister, 1981. Viral hemorrhagic septicaemia (VHS) in pike (Esox lucius L): Clinical macroscopic, histological and electron-microscopical findings; Direct visualization of the Egtved-virus. Schweizer Archiv fur Tierheilkunde. 123: 37-49.

- M'Gonigle, R.H., 1941. Acute catarrhal enteritis of salmonid fingerlings. Transactions of the American Fisheries Society. 70: 297-303.
- Moss, L.H. & M. Gravell 1969. Ultrastructure and sequential development of infectious pancreatic necrosis virus. Journal of Virology. 3: 52-58.
- Moyle, P.B. & J.J. Cech, 1982. Fishes: an introduction to ichthyology. Prentice-Hall, Inc. Englewood Cliffs. New Jersey.
- Mulcahy, D., 1984. Sudden appearance of IHN virus in steelhead and searun cutthroat trout hatcheries in lower Columbia River and development of brood stock culling to reduce losses. U.S. Fisheries and Wildlife Services Research Institute. Bulletin 84-86.
- Mulcahy, D., C.K. Jenes & R. Pascho, 1984. Appearance and quantification of infectious hematopoietic necrosis virus in female sockeye salmon (Oncorhynchus nerka) during their spawning migration. Archives of Virology. 80: 171-181.
- Munro, A.L.S., J. Liversidge & K.G.R. Elson, 1976. The distribution and prevalence of infectious pancreatic necrosis virus in wild fish in Loch Awe. Proceedings of the Royal Society of Edinburgh (B). 75: 223-232.
- Needham, P.R., 1969. Trout streams: conditions that determine their productivity and suggestions for stream and lake management. Holden-Day, San Francisco.
- Nicholson, B.L. & P. Caswell, 1982. Enzyme-linked immunosorbent assay for identification of infectious pancreatic necrosis virus. Journal of Clinical Microbiology. 16: 469-472.
- Nicholson, B.L. & J. Dunn, 1974. Homologous viral interference in trout and atlantic salmon cell cultures infected with infectious pancreatic necrosis virus. Journal of Virology. 14: 180-182.

- Nicholson, B.L. & E.A. Henschel, 1978. Rapid identification of infectious pancreatic necrosis virus in infected cell cultures by immunoperoxidase techniques. *Journal of Wildlife Diseases*. 14: 465-469.
- Nicholson, B.L., G.W. Thorne, C. Janicki & A. Hanson, 1979. Studies on a host range variant from different isolates of infectious pancreatic necrosis virus (IPNV). *Journal of Fish Diseases*. 2: 367-379.
- Olberding, K. P. & J. W. Frost, 1975. Electron microscopical observations of the structure of the virus of viral haemorrhagic septicaemia (VHS) of rainbow trout (Salmo gairdneri). *Journal of General Microbiology*. 27: 305-312.
- Parisot, T.J., W.T. Yasutake & V. Bressler, 1963. A new geographic and host record for infectious pancreatic necrosis. *Transactions of the American Fisheries Society*. 91: 63-66.
- Perry, V.P., C.A. Kroener & J.L. Martin, 1975. Protected freezing of cell suspensions. Procedure 76161. *Tissue Culture Association Manual*. 1: 119-120.
- Pfitzner, I., 1965. Cell and tissue culture of fresh water fish in virus research. *Annals of the New York Academy of Science*. 126: 547-554.
- Pike, T. 1980. A historical review of freshwater fish hatcheries in Natal. *Piscator*. 106: 49-53.
- Pilcher, K.S. & J.L. Fryer 1980. The viral diseases of fish: A review through 1978. Part 1: Diseases of proven viral etiology. *Critical Reviews in Microbiology*. 7: 287-363.
- Piper, D., B.L. Nicholson & J. Dunn, 1973. Immunofluorescent study of the replication of infectious pancreatic necrosis virus in trout and Atlantic salmon cell cultures. *Infection and Immunity*. 8: 249-254.

- Reed, L.J. & H. Muench, 1938. A simple method of estimating fifty per cent endpoints. The American Journal of Hygiene. 27: 493-497.
- Ribeiro, L.P., W. Ahne & V. Lichtenberg, 1983. Primary culture of normal pituitary cells of carp (Cyprinus carpio) for the study of gonadotropin release. In Vitro. 19: 41-45.
- Roberts, R.J., 1980. Fish Pathology. Academic Press.
- Roberts, R.J. & I.J. McKnight, 1976. The pathology of infectious pancreatic necrosis. II. Stress-mediated recurrence. British Veterinary Journal. 132: 209-213.
- Roberts, R.J. & C.J. Shepherd, 1985. Handbook of trout and salmon diseases. Fishing News Books Ltd. Farnham, Surrey, England.
- Robin, J. & A. Rodrigue, 1977. Purification and biochemical properties of Egtved viral RNA. Canadian Journal of Microbiology. 23: 1489-1491.
- Rucker, R.R., W.J. Whipple, J.R. Parvin & C.A. Evans, 1953. A contagious disease of sockeye salmon possibly of virus origin. U.S. Fisheries and Wildlife Service. Fisheries Bulletin. 54: 35-37.
- Sano, T. 1971. Studies on viral diseases of Japanese fishes. I Infectious pancreatic necrosis of rainbow trout: first isolation from epizootics in Japan. Bulletin of the Japanese Society of Scientific Fisheries. 37: 495-498.
- Sano, T., 1976. Viral diseases of cultured fishes in Japan. Fish Pathology. 10: 221-226.
- Sano, T., T. Nishimura, N. Okamoto, T. Yamazaki, H. Hanada & Y. Watanabe, 1977. Studies on viral diseases of Japanese fisheries. VI. Infectious haematopoietic necrosis of salmonids in the mainland of Japan. Journal of the Tokyo University of Fisheries. 63, 81-85.
- Scherrer, P., 1973. The morphology and ultrastructure of the Egtved virus- a summary account. In: Symposium on the major communicable fish diseases in Europe and their control. EIFAC Technical paper 17: 26-29.
- Schiffman, R.H., 1959. Method for repeated sampling of trout

blood. Progressive Fish Cultureist. 21: 151-153.

Schlotfeldt, H.-J., B. Liesse, & J.W. Frost, 1975. Erstisolierung und Identifizierung des Virus der infektiösen Pankreasnekrose (IPN) der Salmoniden in der Bundesrepublik Deutschland. Berliner und Münchener Tierärztliche Wochenschrift. 88: 109-111.

Schutz, M., E.B. May, J.N. Kraeuter & F.M. Hetrick, 1984. Isolation of infectious pancreatic necrosis virus from an epizootic occurring in cultured striped bass (Morone saxatilis Walbaum). Journal of Fish Diseases. 7: 500-507.

Simon, R.C. & W.B. Schill, 1984. Tables of sample size requirements for detection of fish infected by pathogens: three confidence levels for different infection prevalence and various population sizes. Journal of Fish Diseases. 7: 515-520.

Snieszko, S.F., K. Wolf, J.E. Camper & L.L. Pettijohn, 1959. Infectious nature of pancreatic necrosis. Transactions of the American Fisheries Society. 88: 289-293.

Sonstegard, R.A. & L.A. McDermott, 1972. Epidemiological model for passive transfer of IPNV by homeotherms. Nature. 237: 104-105.

Suerba, G., 1967. Freshwater fishes of the world. Studio Vista, London.

Swanson, R.N. & J.H. Gillespie, 1981. An indirect fluorescent antibody test for the rapid detection of infectious pancreatic necrosis virus in tissues. Journal of Fish Diseases. 4: 309-315.

Tu, K.-C., R.S. Spendlove & R.W. Goede, 1974. Immunofluorescent cell assay of infectious pancreatic necrosis virus. Applied Microbiology. 27: 593-599.

Underwood, B.O., C.J. Smale, F. Brown & B.J. Hill, 1977. Relationship of a virus from Tellina tenuis to infectious pancreatic necrosis virus. Journal of General Virology. 36: 93-109.

Verwey, W.F., 1940. A type-specific antigenic protein derived

from the Staphylococcus. Journal of Experimental Medicine. 71: 635-644.

Vestergard-Jorgensen, P.E., 1973. The nature and biological activity of IPN virus neutralizing antibodies in normal and immunized rainbow trout (Salmo gairdneri). Archiv fur die Gesamte Virusforschung. 42: 9-20.

Vestergard-Jorgensen, P.E. & F. Bregnballe, 1969. Infectious pancreatic necrosis in rainbow trout (Salmo gairdneri) in Denmark. Nordisk veterinærmedicin. 21: 142-148.

Vestergard-Jorgensen, P.E. & N.P. Kehlet, 1971. Infectious pancreatic necrosis (IPN) viruses in Danish rainbow trout: their serological and pathogenic properties. Nordisk Veterinærmedicin. 23: 568-575.

Vestergard-Jorgensen, P.E. & A. Meyling, 1972. Egtved virus: Demonstration of virus antigen by the fluorescent antibody technique in tissues of rainbow trout affected by viral haemorrhagic septicaemia and in cell cultures infected with Egtved virus. Archiv fur die gesamte Virusforschung. 36: 115-122.

Wingfield, W.H., J.L. Fryer & K.S. Pilcher 1969. Properties of the sockeye salmon virus (Oregon strain). Proceedings of the Society for Experimental Biology and Medicine. 130: 1055-1059.

Wolf, K., 1966. The fish viruses. Advances in Virus Research. 12: 35-101.

Wolf, K. 1970. Guidelines for virological examination of fishes. In: Snieszko S.F. (ed). A Symposium on diseases of fishes and shellfishes. Special Publication No 5. American Fisheries Society, Washington. pp 327-340.

Wolf, K., 1972. Advances in fish virology: a review 1966-1971. Symposia of the Zoological Society of London. 30: 305-331.

Wolf, K., 1979. Cold-blooded vertebrate cell and tissue culture. Methods in Enzymology. 58: 466-477.

Wolf, K., 1982. Newly discovered viruses and viral diseases of fishes, 1977-1981. In: Roberts, R.J. (ed). Microbial diseases of Fish. Academic Press.

- Wolf, K. 1988. Fish viruses and fish viral diseases. Cornell University Press, Ithaca, USA.
- Wolf, K. & J.A. Mann, 1980. Poikilothermic vertebrate cell lines and viruses: A current listing for fishes. *In Vitro*. 16: 168-179.
- Wolf, K. & M.C. Quimby, 1962. Established eurythermic line of fish cells in vitro. *Science*. 135: 1065-1066.
- Wolf, K. & M.C. Quimby, 1969. Infectious pancreatic necrosis: clinical and immune response of adult trout to inoculation with live virus. *Journal of the Fisheries Research Board of Canada*. 26: 2511-2516.
- Wolf, K. & M.C. Quimby, 1971. Salmonid viruses: infectious pancreatic necrosis virus. Morphology, pathology and serology of first European isolations. *Archive fur die gesamte Virusforschung*. 34: 144-156.
- Wolf, K. & M.C. Quimby, 1973a. Fish viruses: Buffers and methods for plaquing eight agents under normal atmosphere. *Applied Microbiology*. 25: 659-664.
- Wolf, K. & M.C. Quimby, 1973b. Fish Virology: Procedures and preparation of materials for plaquing fish viruses in normal atmosphere. *Fish Disease Leaflet No. 35*. U.S. Dept. of the Interior. Fish and Wildlife Service.
- Wolf, K. & M.C. Quimby, 1973c. Towards a practical fail-safe system of managing poikilothermic vertebrate cell lines in culture. *In Vitro*. 8: 316-321.
- Wolf, K. & M.C. Quimby, 1978. Systematic management of animal cell lines. *Tissue Culture Association Manual*. 4: 741-744.
- Wolf, K. & W.G. Taylor, 1975. Salmonid viruses: a syncytium forming agent from rainbow trout. *Fish Health News*. 4 (2): 3.
- Wolf, K. M. Gravell & R.G. Malsberger, 1964. Lymphocystis virus: isolation and propagation in centrarchid fish cell lines. *Science*. 151: 1004-1005.

- Wolf, K., T. Nagabayashi & M.C. Quimby, 1975a. Herpesvirus salmonis: tests of species susceptibility, suggestions for isolation, geographic distribution and control measures. Fish Health News. 4: 6-7.
- Wolf, K., M.C. Quimby & A.D. Bradford, 1963. Egg-associated transmission of IPN virus of trout. Virology. 21: 317-321.
- Wolf, K., T. Sano & T. Kimura, 1975b. Herpesvirus disease of salmonids. Fish Disease Leaflet No 44. U.S. Department of the Interior. Fish and Wildlife Service.
- Wolf, K., M.C. Quimby, E.A. Pyle & R.P. Dexter, 1960. Preparation of monolayer cell cultures from tissue of some lower vertebrates. Science 132: 1890-1891.
- Wolf, K., R.W. Darlington, W.G. Taylor, M.C. Quimby & T. Nagabayashi, 1978. Herpesvirus salmonis: characterization of a new pathogen of rainbow trout. Journal of Virology, 27: 659-666.
- Wood, E.M., S.F. Snieszko & W.T. Yasutake, 1955. Infectious pancreatic necrosis in brook trout. American Medical Association Archives of Pathology. 60: 26-28.
- Yamamoto, T., 1975a. Infectious pancreatic necrosis (IPN) virus carriers and antibody production in a population of rainbow trout (Salmo gairdneri). Canadian Journal of Microbiology. 21: 1343-1347.
- Yamamoto, T., 1975b. Frequency of detection and survival of infectious pancreatic necrosis virus in a carrier population of brook trout (Salvelinus fontinalis) in a lake. Journal of the Fisheries Research Board of Canada. 32: 568-570.
- Zwillenberg, L.O., M. Jensen & H. Zwillenberg, 1965. Electron microscopy of the virus of viral hemorrhagic septicemia of rainbow trout. Archgesamte Virusforschung. 17: 1-19

Appendix 1: List of ingredients in Eagles minimum essential medium, Eagles basal medium and non-essential amino acids.

Ingredient	Eagles Basal Medium mg/l	Eagles MEM mg/l	100x NEAA mg/l
L-Alanine			8.90
L-Arginine HCl	21.06	126.4	
L-Asparagine H ₂ O			15.00
L-Aspartic acid			13.30
L-Cystine disodium salt	14.21	28.42	
L-Glutamic acid			14.70
L-Glutamine	292.3	292.3	
Glycine			7.50
L-Histidine HCl.H ₂ O	10.50	41.90	
L-Isoleucine	26.23	52.50	
L-Leucine	26.23	52.50	
L-Lysine HCl	36.53	73.06	
L-Methionine	7.46	14.90	
L-Phenylalanine	16.51	33.02	
L-Proline			11.50
L-Serine			10.50
L-Threonine	23.82	47.64	
L-Tryptophan	4.08	10.20	
L-Tyrosine disodium salt	22.51	45.02	
L-Valine	23.43	46.90	
D-Ca pantothenate	1.00	1.00	
Choline chloride	1.00	1.00	
Folic acid	1.00	1.00	
D-Inositol	2.00	2.00	
Nicotinamide	1.00	1.00	
Pyridoxal HCl	1.00	1.00	
Riboflavin	0.10	0.10	
Thiamin HCl	1.00	1.00	
CaCl ₂ .2H ₂ O	264.9	264.9	
KCl	400.0	400.0	
MgSO ₄ .7H ₂ O	200.0	200.0	
NaCl	6800	6800	
NaHCO ₃	1680	2000	
NaH ₂ PO ₄ .2H ₂ O	158.3	158.3	
D-Glucose	1000	1000	
Phenol red sodium salt	17.00	17.00	

Appendix 2. Complete list of all cases which were investigated from January 1983 to the end of August 1987.

Date	Case No.	Site	Sample	No.	Cells	Results
4/1/83	F1/83	Searun R.T. ¹	S ⁶	6	RTG2	Negative
9/1/83	F3/83	NPB Himeville	S	5	RTG2	Negative
11/1/83	F4/83	Machado R.T. ²	F ⁷	3	RTG2	Negative
20/6/83	F14/83	J.H. Steyn	F	5	RTG2	Negative
15/7/83	F19/83	Machado R.T.	F	6	RTG2	Negative
25/7/83	F24/83	Misty Hills	F	8	RTG2	Negative
6/3/84	F6/84	Poortjie	S	5	FHM	Negative
5/4/84	F11/84	Waterval	F	20	FHM	Negative
22/5/84	F19/84	Pleasantways	S	4	FHM	Negative
6/9/84	F34/84	Waterval	S	4	RTG2	Negative
21/9/84	F36/84	Poortjie	F	10	RTG2/FHM	Negative
7/12/84	F44/84	G.J. Wille	F	6	RTG2/FHM	Negative
29/1/85	F2/85	Maloney's eye	F	2	RTG2	Negative
5/2/85	F5/85	TPA Lydenburg	F	9	RTG2	Negative
6/2/85	F6/85	Kritzinger	F	5	RTG2	Negative
20/2/85	F8/85	Waterval	F	5	BF2	Negative
20/2/85	F9/85	Aquacultura	F	10	BF2	Negative
27/2/85	F11/85	Machado R.T.	F	5	BF2	Negative
27/2/85	F12/85	Misty Hills	F	7	RTG2/FHM	Negative
14/3/85	F15/85	De Kuilen	F	9	RTG2/FHM	Negative
14/3/85	F16/85	Aquacultura	F	15	RTG2/FHM	Negative
14/3/85	F17/85	Maloney's eye	F	5	RTG2/FHM	Negative
15/3/85	F18/85	P. Smith	S	5	RTG2	Negative
15/3/85	F19/85	Waterval	S	1	RTG2	Negative
22/3/85	F21/85	Pleasantways	S	1	BF2	Negative
26/3/85	F22/85	Poortjie	F	1	BF2	Negative
19/4/85	F26/85	P. Smith	F	6	RTG2	Negative
1/5/85	F27/85	Maloney's eye	S	10	RTG2	Negative
28/6/85	F33/85	Waterval	Fry	55	RTG2	Positive
28/6/85	F33/86(A)	Waterval	Fry	50	RTG2/BF2	Positive
28/6/85	F33/85(D)	Waterval	Fry	50	RTG2/BF2	Positive
18/7/85	F35/85	R. Grabie	F	4	RTG2	Negative
1/8/85	F38/85	Waterval	Fry	13	RTG2	Negative
15/8/85	F46/85	Waterval	Fry	20	RTG2	Negative
22/11/85	F60/85	Maloney's eye	F	10	BF2	Negative
26/11/85	F61/85	Waterval	F	15	RTG2	Negative
13/12/85	F67/85	Misty Hills	F	9	RTG2	Negative
7/1/86	F3/86	Dr van Reener	S	4	BF2	Negative
7/1/86	F5/86	Machado R.T.	S	6	RTG2/BF2	Negative
7/1/86	F8/86	Pleasantways	S	2	RTG2/BF2	Negative
8/1/86	F9/86	Waterval	S	20	RTG2/BF2	Negative
8/1/86	F11/86	Pleasantways	S	2	BF2	Negative
9/1/86	F13/86	Waterval	S	6	BF2	Negative
9/1/86	F14/86	K. Combrink	S	2	BF2	Negative
13/1/86	F15/86	J.L.B. Smith	F	6	RTG2/FHM	Negative
12/2/86	F31/86	Jonkershoek	Fry	6	RTG2/BF2	Negative

Date	Case No.	Site	Sample	No.	Cells	Results
18/2/86	F33/86	Fisantekraal	Fry	15	RTG2/BF2	Negative
26/2/86	F36/86	Fisantekraal	Fry	19	RTG2/BF2	Negative
27/2/86	F37/86	Waterval	Fry	30	RTG2	Negative
27/2/86	F38/86	P. Smith	F	6	RTG2	Negative
6/3/86	F41/86	Dr van Reener	F	4	BF2	Negative
4/6/86	F66/86	Bushmans R.T. ³	B.S.	4	BF2	Negative
9/6/86	F69/86	Fisantekraal	Fry	35	RTG2	Negative
19/6/86	F70/86	Waterval	S	2	RTG2	Negative
21/7/86	F85/86	P. Smith	S	1	RTG2	Negative
21/7/86	F86/86	Mountain	S	3	RTG2	Negative
21/7/86	F87/86	P. Smith	S	10	RTG2	Negative
24/8/86	F95/86	Waterval	Fry	50	RTG2	Negative
24/8/86	F96/86	Waterval	Fry	40	BF2	Negative
24/8/86	F97/86	Waterval	Fry	25	RTG2	Negative
28/8/86	F99/86	Machado R.T.	F	8	RTG2	Negative
28/8/86	F100/86	Machado R.T.	F	10	RTG2	Positive
3/9/86	F102/86	Waterval	Fry	110	RTG2/BF2	Negative
3/9/86	F103/86	Waterval	Fry	25	BF2	Negative
3/9/86	F106/86	Mondi Hatchery	Fry	50	RTG2/BF2	Negative
3/9/86	F107/86	Mondi Hatchery	Fry	40	RTG2/BF2	Negative
3/9/86	F108/86	Mondi Hatchery	Fry	65	RTG2/BF2	Negative
3/9/86	F109/86	Mondi Hatchery	Fry	25	RTG2/FHM	Negative
3/9/86	F110/86	Mondi Hatchery	Fry	95	RTG2/FHM	Positive
3/9/86	F111/86	Mondi Hatchery	Fry	5	RTG2/FHM	Negative
3/9/86	F112/86	Mondi Hatchery	Fry	5	BF2/FHM	Positive
3/9/86	F113/86	Mondi Hatchery	Fry	2	BF2/FHM	Negative
3/9/86	F114/86	TPA ⁴ Lydenburg	Fry	75	BF2/FHM	Negative
3/9/86	F115/86	TPA Lydenburg	Fry	30	RTG2/BF2	Negative
3/9/86	F116/86	TPA Lydenburg	Fry	15	RTG2/BF2	Negative
3/9/86	F117/86	TPA Lydenburg	Fry	30	RTG2/BF2	Negative
3/9/86	F118/86	TPA Lydenburg	Fry	75	RTG2/BF2	Negative
3/9/86	F119/86	Kingfisher	Fry	25	RTG2/BF2	Positive
3/9/86	F120/86	Kingfisher	Fry	25	RTG2/BF2	Negative
3/9/86	F121/86	Kingfisher	Fry	25	RTG2/BF2	Negative
3/9/86	F122/86	Sperwing	Fry	25	RTG2/FHM	Positive
3/9/86	F123/86	Sperwing	Fry	25	RTG2/FHM	Negative
3/9/86	F124/86	Winifred	Fry	25	RTG2/FHM	Negative
3/9/86	F125/86	Katrina's Rust	Fry	30	BF2/FHM	Positive
3/9/86	F126/86	Katrina's Rust	Fry	20	BF2/FHM	Positive
3/9/86	F127/86	Katrina's Rust	Fry	150	BF2/FHM	Positive
3/9/86	F128/86	Fisantekraal	Fry	5	RTG2/BF2	Negative
3/9/86	F129/86	Fisantekraal	Fry	10	RTG2/BF2	Negative
3/9/86	F130/86	Fisantekraal	Fry	15	RTG2/BF2	Positive
24/9/86	F135/86	Fisantekraal	Fry	15	RTG2/BF2	Positive
1/10/86	F136/86	G. Rudert	B.S.	3	RTG2/BF2	Negative
9/11/86	F137/86	Aquaculture	S	4	RTG2/BF2	Negative
9/11/86	F138/86	P. Smith	F	6	RTG2/BF2	Negative
18/11/86	F149/86	Fisantekraal	F	15	RTG2/BF2	Negative

Date	Case	Site	Sample	No	Cells	Results
1/12/86	F152/86	Mountain	S	40	RTG2/BF2	Negative
4/12/86	F153/86	La Rochelle	F	30	RTG2/BF2	Negative
4/12/86	F154/86	La Rochelle	S	150	RTG2/BF2	Negative
17/12/86	F155/86	Maloney's eye	F	10	RTG2/BF2	Negative
18/12/86	F156/86	Maloney's eye	F	5	RTG2/BF2	Negative
6/1/87	F1/87	Aquacultura	S	34	RTG2/BF2	Negative
8/1/87	F2/87	P. Smith	F	6	RTG2/BF2	Negative
14/1/87	F4/87	Zimbabwe	Fry	15	RTG2/BF2	Negative
27/1/87	F15/87	Zimbabwe	Fry	10	RTG2/BF2	Negative
29/1/87	F18/87	Waterval	S	15	RTG2/BF2	Negative
6/2/87	F26/87	Waterval	Fry	70	RTG2/BF2	Negative
6/2/87	F28/87	Waterval	S	3	RTG2/BF2	Negative
6/2/87	F32/87	Waterval	W.F.	3	RTG2/BF2	Negative
6/2/87	F33/87	Waterval	S	2	RTG2/BF2	Negative
6/2/87	F34/87	Waterval	S	3	RTG2/BF2	Negative
13/2/87	F39/87	Waterval	F	5	RTG2/BF2	Negative
17/2/87	F41/87	Maloney's eye	Fry	30	RTG2/BF2	Negative
23/2/87	F43/87	Maloney's eye	S	5	RTG2/BF2	Negative
23/2/87	F44/87	Maloney's eye	Fry	30	RTG2/BF2	Negative
25/2/87	F45/87	Waterval	Fry	45	RTG2/BF2	Negative
23/3/87	F57/87	Waterval	S	15	RTG2/BF2	Negative
2/4/87	F63/87	W.J. Snyman	F	45	RTG2/BF2	Negative
3/4/87	F64/87	Waterval	Fry	50	RTG2/BF2	Negative
3/4/87	F65/87	Waterval	F	1	RTG2/BF2	Negative
23/4/87	F75/87	Machado R.T.	S	4	RTG2/BF2	Negative
23/4/87	F76/87	Machado R.T.	S	5	RTG2/BF2	Negative
23/4/87	F82/87	Waterval	Fry	25	RTG2/BF2	Negative
13/5/87	F85/87	Fisantekraal	S	5	RTG2/BF2	Negative
13/5/87	F86/87	Fisantekraal	S	5	RTG2/BF2	Negative
21/5/87	F89/87	Piri	Fry	25	RTG2/BF2	Negative
25/5/87	F90/87	Waterval	S	5	RTG2/BF2	Negative
6/7/87	F103/87	Maloney's eye	S	4	RTG2/BF2	Negative
16/7/87	F112/87	Dewdale	B.S.	3	RTG2/BF2	Negative
16/7/87	F118/87	NPB Kamberg	F	85	RTG2/BF2	Negative
23/7/87	F121/87	Elandspad	S	25	RTG2/BF2	Negative
24/7/87	F122/87	Maloney's eye	S	5	RTG2/BF2	Negative
3/8/87	F124/87	Fisantekraal	S	4	RTG2/BF2	Negative
3/8/87	F129/87	Waterval	Fry	60	RTG2/BF2	Negative
3/8/87	F130/87	Waterval	Fry	60	RTG2/BF2	Negative
3/8/87	F131/87	Waterval	Fry	100	RTG2/BF2	Negative
6/8/87	F136/87	Machado R.T.	Fry	100	RTG2/BF2	Negative
21/8/87	F142/87	RVL ⁶ Allerton	S	15	RTG2/BF2	Negative
24/8/87	F143/87	Elandspad	Fry	200	RTG2/BF2	Negative

1 Searun Rainbow Trout Farm 2 Machado Rainbow Trout Farm
3 Bushmans River Trout Farm 4 Transvaal Provincial Administration
5 Regional Veterinary Laboratory 6 Slaughter fish
7 Fingerling

Appendix 3. List of all localities from which viscera of asymptomatic fish were collected for virus isolation from January 1983 to the end of August 1987.

Date	Site	Age	Sample	Number	Cells	Results
5/6/85	Waterval	Fry	W ⁴	150	BF2	Negative
5/6/85	Waterval	S ⁵	V ³	150	BF2	Negative
5/6/85	Aquacultura	S	V	150	BF2	Negative
5/6/85	Aquacultura	S	V	30	BF2	Negative
5/6/85	Pleasantways	B.S. ¹	V	15	BF2	Negative
6/6/85	La Rochelle	S	V	150	BF2	Negative
6/6/85	La Rochelle	F ²	V	50	BF2	Negative
6/6/85	Mondi Hatchery	Fry	W	50	BF2	Negative
21/1/86	La Rochelle	S	V	115	RTG2/BF2	Negative
21/1/86	Aquacultura	S	V	150	RTG2/BF2	Negative
21/1/86	Waterval	S	V	150	RTG2/BF2	Negative
21/1/86	Pleasantways	F	V	90	RTG2/BF2	Negative
21/1/86	Pleasantways	S	V	5	RTG2/BF2	Negative
21/1/86	S. Gifford	F	V	85	RTG2/BF2	Negative
21/1/86	S. Gifford	S	V	25	RTG2/BF2	Negative
26/2/86	P. Smith	S	V	150	RTG2/BF2	Negative
3/6/86	Bushmans R.T. ⁶	F	W	30	RTG2/BF2	Negative
3/6/86	Bushmans R.T.	S	V	126	RTG2/BF2	Negative
3/6/86	Rainbow Lakes	B.S.	V	7	RTG2/BF2	Negative
4/6/86	P. Smith	S	V	40	RTG2/BF2	Negative
9/6/86	Fisantekraal	S	V	150	RTG2/BF2	Positive
16/7/86	Mountain	S	V	130	RTG2/BF2	Negative
16/7/86	La Rochelle	S	V	120	RTG2/BF2	Positive
16/7/86	P. Smith	S	V	115	RTG2/BF2	Negative
17/7/86	TPA ⁷ Lydenburg	Fry	W	140	RTG2/BF2	Positive
17/7/86	de Kuilen	Fry	W	160	RTG2/BF2	Negative
18/7/86	Pleasantways	Fry	W	25	RTG2/BF2	Negative
19/7/86	Aquacultura	S	V	150	RTG2/BF2	Negative
5/8/86	Waterval	Fry	W	85	RTG2/BF2	Negative
11/9/86	Bushmans R.T.	Fry	W	495	RTG2/BF2	Negative
29/1/87	Driehoek	S	V	150	RTG2/BF2	Negative
29/1/87	Waterval	B.S.	V	150	RTG2/BF2	Negative
29/1/87	Katrina's Rust	S	V	150	RTG2/BF2	Negative
29/1/87	Aquacultura	S	V	150	RTG2/BF2	Negative
6/2/87	La Rochelle	F	V	150	RTG2/BF2	Negative
6/2/87	La Rochelle	B.S.	V	150	RTG2/BF2	Negative
6/2/87	TPA Lydenburg	F	V	150	RTG2/BF2	Negative
5/3/87	de Kuilen	B.S.	V	150	RTG2/BF2	Negative
5/3/87	Lydenburg	B.S.	V	150	RTG2/BF2	Negative
5/3/87	de Kuilen	B.S.	V	150	RTG2/BF2	Negative
5/3/87	Pleasantways	B.S.	V	144	RTG2/BF2	Negative
5/3/87	P. Smith	S	V	150	RTG2/BF2	Negative
5/3/87	Mountain	B.S.	V	50	RTG2/BF2	Negative
3/4/87	L. T. Beck ⁸	F	V	50	RTG2/BF2	Negative
3/4/87	L. T. Beck	F	V	150	RTG2/BF2	Negative

Date	Site	Age	Sample	No	Cells	Results
23/4/87	Kingfisher	F	V	150	RTG2/BF2	Negative
23/4/87	Schoonspruit	Fry	W	150	RTG2/BF2	Negative
23/4/87	Sperwing	Fry	W	150	RTG2/BF2	Negative
23/4/87	Sperwing	F	V	25	RTG2/BF2	Negative
23/4/87	Sperwing	F	V	125	RTG2/BF2	Negative
18/6/87	Katrina's Rust	F	V	10	RTG2/BF2	Negative
24/6/87	La Rochelle	F	V	150	RTG2/BF2	Negative
13/7/87	Qwa Qwa	F	V	20	RTG2/BF2	Negative
16/7/87	Waternal	Fry	V	500	RTG2/BF2	Negative
16/7/87	P. Doyle	F	V	150	RTG2/BF2	Negative
29/7/87	Aquacultura	S	V	150	RTG2/BF2	Negative
29/7/87	Waternal	S	V	50	RTG2/BF2	Negative
29/7/87	Waternal	S	V	150	RTG2/BF2	Negative
13/8/87	Rainbow Lakes	B.S.	V	21	RTG2/BF2	Negative

- 1 = Brood stock
- 2 = Fingerling
- 3 = Viscera (Liver, spleen & kidney)
- 4 = Whole fish (Fry too small to eviscerate)
- 5 = Slaughter fish (and less than 1 year old)
- 6 = Bushmans R.T. = Bushmans River Trout Farm
- 7 = Transvaal Provincial Administration
- 8 = Little Trout Beck

Appendix 4. List of all localities from which ovarian fluid samples from asymptomatic fish were collected for virus isolation from January 1983 to the end of August 1987

Date	Site	Number	Cells	Results
5/6/85	Pleasantways	215	BF2	Negative
7/6/85	de Kuilen	150	BF2	Negative
4/7/85	Bushmans R.T. ¹	45	BF2	Negative
19/7/85	Rainbow Lakes	110	BF2	Negative
2/3/86	Bushmans R.T.	85	RTG2/BF2	Negative
3/5/86	Fisantekraal	35	RTG2/BF2	Negative
3/6/86	Bushmans R.T.	85	RTG2/BF2	Negative
3/6/86	Rainbow Lakes	30	RTG2/BF2	Negative
5/6/86	Pleasantways	35	RTG2/BF2	Negative
7/6/86	de Kuilen	150	RTG2/BF2	Negative
9/6/86	Fisantekraal	45	RTG2/BF2	Negative
27/6/86	Rainbow Lakes	130	RTG2/BF2	Negative
4/7/86	Bushmans R.T.	50	RTG2/BF2	Negative
16/7/86	La Rochelle	10	RTG2/BF2	Negative
18/7/86	Pleasantways	120	RTG2/BF2	Negative
19/7/86	Rainbow Lakes	180	RTG2/BF2	Negative
24/7/86	Aquacultura	165	RTG2/BF2	Positive
3/8/86	Waterval	75	RTG2/BF2	Negative
3/9/86	Pleasantways	20	RTG2/BF2	Negative
3/9/86	Driehoek	90	RTG2/BF2	Negative
12/6/87	de Kuilen	150	RTG2/BF2	Negative
12/6/87	Katrina's Rust	40	RTG2/BF2	Negative
17/6/87	Gwa Gwa	160	RTG2/BF2	Negative
18/6/87	Katrina's Rust	45	RTG2/BF2	Negative
18/6/87	Pleasantways	25	RTG2/BF2	Negative
13/7/87	Pleasantways	45	RTG2/BF2	Negative
13/7/87	TPA Lydenburg	60	RTG2/BF2	Negative
13/7/87	TPA Lydenburg	65	RTG2/BF2	Negative
13/7/87	Pleasantways	30	RTG2/BF2	Negative
16/7/87	Blyde River	20	RTG2/BF2	Negative
16/7/87	TPA ² Lydenburg	85	RTG2/BF2	Negative
16/7/87	Pleasantways	110	RTG2/BF2	Negative
16/7/87	Bushmans R.T.	160	RTG2/BF2	Negative
23/7/87	Elandspad	40	RTG2/BF2	Negative
3/8/87	Fisantekraal	10	RTG2/BF2	Negative
3/8/87	Blyde River	22	RTG2/BF2	Negative

1 = Bushmans River Trout Farm

2 = Transvaal Provincial Administration

Appendix 5. List of all samples of ova, both imported and local, examined for the presence of viruses from January 1983 to the end of August 1987.

Date	Case No	Source	No	Cells	Result*
11/7/83	F18/83	de Kuilen	1000	RTG2	Negative
14/2/85	F9/85	U.S.A.	200	RTG2	Negative
6/3/85	F13/85	U.S.A.	200	RTG2/BF2	Negative
2/11/85	F56/85	U.S.A.	200	RTG2/BF2	Positive
3/1/86	F1/86	U.S.A.	200	RTG2/BF2	Negative
10/1/86	F10/86	England	200	RTG2/BF2	Negative
9/4/86	F51/86	England	200	RTG2/BF2	Negative
29/4/86	F55/86	England	200	BF2	Negative
1/5/86	F56/86	Denmark	200	RTG2/BF2	Negative
3/5/86	F57/86	U.S.A.	200	RTG2/BF2	Negative
3/5/86	F59/86	U.S.A.	200	RTG2/BF2	Negative
18/11/86	F150/86	England	200	RTG2/BF2	Negative
15/1/87	F5/87	Denmark	200	RTG2/BF2	Negative
16/1/87	F9/87	Denmark	200	RTG2/BF2	Negative
27/1/87	F17/87	England	200	RTG2/BF2	Negative
6/2/87	F27/87	Denmark	200	RTG2/BF2	Negative
10/3/87	F53/87	England	200	RTG2/BF2	Negative
12/3/87	F54/87	England	200	RTG2/BF2	Negative
3/4/87	F66/87	Denmark	200	RTG2/BF2	Negative
3/4/87	F67/87	Denmark	200	RTG2/BF2	Negative
16/4/87	F74/87	Denmark	200	RTG2/BF2	Negative
3/8/87	F132/87	Waterval	200	RTG2/BF2	Negative



Author Bragg Robert Richard

Name of thesis Isolation And Identification Of Infectious Pancreatic Necrosis Virus From Rainbow Trout (salmo Gairdneri Richardson) In South Africa. 1989

PUBLISHER:

University of the Witwatersrand, Johannesburg

©2013

LEGAL NOTICES:

Copyright Notice: All materials on the University of the Witwatersrand, Johannesburg Library website are protected by South African copyright law and may not be distributed, transmitted, displayed, or otherwise published in any format, without the prior written permission of the copyright owner.

Disclaimer and Terms of Use: Provided that you maintain all copyright and other notices contained therein, you may download material (one machine readable copy and one print copy per page) for your personal and/or educational non-commercial use only.

The University of the Witwatersrand, Johannesburg, is not responsible for any errors or omissions and excludes any and all liability for any errors in or omissions from the information on the Library website.