

https://dspace.org/

The reduction of fluxed and non-fluxed manganese ores by ferromanganese-silicide

Channon, Walter Patrick

2014-12-12
http://hdl.handle.net/10539/15969

Downloaded from a DSpace repository. https://dspace.org/

and FULTON, J. C. The solubility of carbon in molten iron and in iron - silicon and in iron - manganese alloys. Trans. American Society for Metals. vol. 44. 1952 pp. 1215-1232.

(60) TURKDOGAN, E. T. AND LEAKE, L. E. Thermodynamics of carbon dissolved in iron alloys. Part I: Solubility of carbon in iron - phosphorus, iron - silicon and iron - manganese melts. J. Iron Steel Inst., vol. 179. Jan. 1955. pp. 39-43.

(61) TOLSTOGUZOV, N. V. Distribution of silicon and manganese between metal and slag in the production of manganese alloys. Izv. V. U. Z., Chern. Met. vol. 9, no. 2 1966. pp. 56-62.

(62) OIKS, G. N. and RASHAV, Ts. N. Kinetics of iron oxide reduction from molten slag rich in manganese and carbon. Sb. Mosk. Inst. Stali. i Spavov. no. 41. 1966. pp. 141-150.

(63) BORONENKOV, V. N., ESIN, O. A. and LYAMKIN, S. A. Kinetacs of the reduction of metal oxides in liquid slags by solid carbon. Izv. Akad. Nauk. USSR Met. no. 1 1972. pp. 17-23.

(64) KUBASCHEWSKI, O. and EVANS, E. LI. and ALCOCK, C. B. Metallurgical Thermochemistry. 4th ed. London. Pergamon Press, 1967. 495 pp.

(65) ELLIOTT, J. F. and GLEISER, M. Thermochemistry for steelmaking . vol 1. Addison-Wesley Pub. co. Inc., Mass. 1960. 296 pp.

(66) CHIKASHUA, D. S. Production of medium carbon ferromanganese. Stal', vol. 23, no. 9. 1963. pp. 811-815. (Eng. translation National Institute for Metallurgy, Johannesburg TR-548).

(67) BARCZA, N. A. Ph. D. Thesis (to be submitted) University of the Witwatersrand.

(68) SCHENCK, H. and NEUMAN, F. The reaction equilibria of manganese and silicon between liquid carbon - saturated iron melts and lime - silica acid slags at 1450 - 1500°C. Arch. Eisenhüttenw., vol. 30 1959. pp. 705-711.

(69) SCHENCK, H., FROHBERG, M.G. and EL GAMMAL, T. Investigation of the distribution of manganese between liquid, carbon saturated iron, and lime - silica slags at 1550°C. Arch. Eisenhüttenw., vol. 31. 1960. pp. 567-569.

(70) SELMER OLSEN, S. Slag-metal relationship in Metalloys high carbon ferromanganese furnaces. INFACON 74. Glen, H. (ed), Johannesburg. South African Institute of Mining and Metallurgy. 1975. pp. 209-218.

(71) STUKEL, J.E. and COCUBINSKY, J. Distribution of manganese between slag and metal under reducing conditions. Trans. AIME, vol. 200. Mar. 1954. pp. 353-356, J. Metals, N.Y., vol. 6. 1954.

(72) TURKDOGAN, E.T. Silicon and manganese reactions in ferromanganese blast furnace processes. J. Iron Steel Inst., vol. 182. Jan. 1956. pp. 74-79.

(73) WAGNER, C. The physical chemistry of steelmaking. John Wiley and Sons, New York. 1958. pp. 237-251.

(74) DAINES, W.L. and PEHLKE, R.D. Kinetics of manganese oxide reduction from basic slags by silicon dissolved in liquid iron. Trans. AIME, vol. 242. Apr. 1968. pp. 565-575.

(75) CALDERON, F.P., SANO, N. and MATSUSHITA, Y. Diffusion of manganese and silicon in liquid iron over the whole range of composition. Met. Trans., vol. 2. Dec. 1971. pp. 3325-3332.

(68) SCHENCK, H. and NEUMAN, F. The reaction equilibria of manganese and silicon between liquid carbon - saturated iron melts and lime - silica acid slags at 1450 - 1500°C. Arch. Eisenhüttenw., vol. 30 1959. pp. 705-711.

(69) SCHENCK, H., FROHBERG, M.G. and EL GAMMAL, T. Investigation of the distribution of manganese between liquid, carbon saturated iron, and lime - silica slags at 1550°C. Arch. Eisenhüttenw., vol. 31. 1960. pp. 567-569.

(70) SELMER OLSEN, S. Slag-metal relationship in Metalloys high carbon ferromanganese furnaces. INFACON 74. Glen, H. (ed), Johannesburg. South African Institute of Mining and Metallurgy. 1975. pp. 209-218.

(71) STUKEL, J.E. and COCUBINSKY, J. Distribution of manganese between slag and metal under reducing conditions. Trans. AIME, vol. 200. Mar. 1954. pp. 353-356. J. Metals, N.Y., vol. 6. 1954.

(72) TURKDOGAN, E.T. Silicon and manganese reactions in ferromanganese blast furnace processes. J. Iron Steel Inst., vol. 182. Jan. 1956. pp. 74-79.

(73) WAGNER, C. The physical chemistry of steelmaking. John Wiley and Sons, New York. 1958. pp. 237-251.

(74) DAINES, W.L. and PEHLKE, R.D. Kinetics of manganese oxide reduction from basic slags by silicon dissolved in liquid iron. Trans. AIME, vol. 242. Apr. 1968. pp. 565-575.

(75) CALDERON, F.P., SANO, N. and MATSUSHITA, Y. Diffusion of manganese and silicon in liquid iron over the whole range of composition. Met. Trans., vol. 2. Dec. 1971. pp. 3325-3332.

(76) NIKITIN, Yu. P, MIKHAILETS, N.S., NOVOKSHONOV, N.I., DEMIDOV, K.N. and CHERNKASHIN, A.V. Rate of reduction of iron from liquid slags by the silicon of ferrosilicon. Steel USSR, vol. 2, no. 8. 1972. pp. 605-606.

(77) BAUM, B.A., AKSHENTSEV, Yu. N. and SHANTARIN, V.D. Diffusion of silicon in silico - manganese melts. Izv. V.U.Z. Chern. Met. vol 12, no. 12. 1969. pp. 19-22.

(78) TOPORISHCHEV, G.A., STREL'TSOV, A.K. and ESIN, O.A. The kinetics of manganese extraction from slag. Izv. V.U.Z., Chern. Met. vol 13, no. 3. 1970. pp. 13-17.

(79) DAINES, W.L. and PEHLKE, R.D. Kinetics of manganese oxide reduction from basic slags by carbon dissolved in liquid iron. Metall. Trans. vol. 2. Apr. 1971. pp. 1203-1211.

(80) SAITO, T. and MARUYA, K. Bull. Res Inst. Mineral Dressing, Tohoku Univ., vol 12, 1956. p 27.

(81) DE VILLIERS, J.P.R. A mineralogical investigation of natural and heated Mamatwan manganese ore. Johannesburg. National Institute for Metallurgy, Technical Memorandum. no. 1. May, 1973.

(82) FILER, E.W. and DARKEN, S.L. Equilibrium between blast - furnace metal and slag as determined by remelting. J. Met. Trans. AIME, 1952. pp. 253-257.

(83) TANAKE, I , SAITO, H., NISHIDA, T., AND OKA, K. Ferromanganese slags. III. Apparent equilibrium of the Si - reducing reaction in producing high - C ferromanganese. Nippon. Kizokn. Gakkaishi., vol. 20. 1956. pp. 593-597.

(84) OSBORN, E.F., DE VRIES, R.C., GEE, K.H., and KRANER, H.M. Optimum compositions of blast furnace slag as deduced

from liquidus data for the quaternary system CaO-MgO-Al_2O_3-SiO_2. J. Met., vol. 6. Trans. AIME, vol. 200. 1954. p. 42.

(85) WOOLLACOTT, L. C., JOCHENS, P. R. and HOWAT, D. D. The viscosities and electrical conductivities of slags associated with the production of high-carbon ferromanganese alloys. INFACON 74. Glen, H. (ed.), Johannesburg. South African Institute of Mining and Metallurgy. 1975. pp. 227-231.

(86) ELLIOTT, J. F., GLEISER, M. and RAMAKRISHNA, V. Thermochemistry for Steelmaking. vol. 2 Addison-Wesley Pub. Co. Inc., Mass. 1963. p. 678.

(87) WAGNER, C. The concept of the basicity of slags. Trans. Met. Soc. AIME. vol. 6B. Sept. 1975. pp. 405-409.

(88) GERICKE, W. Private Communication. Transalloys Limited. Apr. 1974.

(89) FRUEHAN, R. J. The thermodynamic properties of liquid Fe-Si alloys. Trans. Met. Soc. AIME. vol. 1 Apr. 1970. pp. 865-870.

Author Channon W P
Name of thesis The Reduction of fluxed and non-fluxed manganese ores by Ferromanganese - silicide 1975

PUBLISHER:
University of the Witwatersrand, Johannesburg
©2013

LEGAL NOTICES:

Copyright Notice: All materials on the University of the Witwatersrand, Johannesburg Library website are protected by South African copyright law and may not be distributed, transmitted, displayed, or otherwise published in any format, without the prior written permission of the copyright owner.

Disclaimer and Terms of Use: Provided that you maintain all copyright and other notices contained therein, you may download material (one machine readable copy and one print copy per page) for your personal and/or educational non-commercial use only.

The University of the Witwatersrand, Johannesburg, is not responsible for any errors or omissions and excludes any and all liability for any errors in or omissions from the information on the Library website.