

## TABLE OF CONTENTS

<b>List of Figures</b>	<b>viii</b>
<b>List of Tables</b>	<b>ix</b>
<b>Acknowledgements</b>	<b>x</b>
<b>Abstract</b>	<b>xi</b>
<b>Ethical Clearance</b>	<b>xv</b>
<b>Dedication</b>	<b>xvi</b>
<b>List of Abbreviations</b>	<b>xvii</b>
<b>Glossary</b>	<b>xix</b>
<b>Declaration</b>	<b>ix</b>
<b>Chapter 1</b>	
<b>1.1 Background</b>	<b>1</b>
<b>1.2 Literature Review</b>	<b>5</b>
<b>1.3 Health Services offered in informal settlement Health Care Facilities</b>	<b>10</b>
<b>1.4 Motivation for Study</b>	<b>11</b>
<b>1.5 HIV infection and the EDL</b>	<b>13</b>
<b>1.6 ARV Drugs and the EDL</b>	<b>14</b>
<b>1.7 Study Aim and Objectives</b>	<b>19</b>

<b>1.7.1 Overall Aim</b>	<b>19</b>
<b>1.7.2 Specific Objectives</b>	<b>19</b>
<b>Chapter 2</b>	
<b>2.1 Introduction</b>	<b>20</b>
<b>2.2 Study Site Description</b>	<b>22</b>
<b>2.3 Methods</b>	<b>26</b>
<b>2.4 Study Design</b>	<b>28</b>
<b>2.5 Sample Determination</b>	<b>29</b>
<b>2.6 Results Analysis</b>	<b>30</b>
<b>2.6.1 Analysis of Demographic Patterns of Informal Settlements Health Care Facilities</b>	<b>30</b>
<b>2.6.2 Analysis of EDL Compliance by Health Care Professionals</b>	<b>31</b>
<b>2.6.3 Analysis of Commonly Occurring Conditions</b>	<b>31</b>
<b>2.6.4 Analysis of Commonly Prescribed Drugs</b>	<b>32</b>
<b>2.7 Limitations of the Study</b>	<b>32</b>
<b>2.7.1 Selection Bias</b>	<b>32</b>
<b>2.7.2 Patient Mobility</b>	<b>32</b>
<b>2.7.3 Health Service Organization</b>	<b>33</b>

<b>Chapter 3</b>	
<b>3.1 Introduction</b>	<b>34</b>
<b>3.2 Results</b>	<b>34</b>
<b>3.3 Discussion and Conclusions</b>	<b>38</b>
<b>Chapter 4</b>	
<b>4.1 Introduction</b>	<b>40</b>
<b>4.2 Results</b>	<b>41</b>
<b>4.2.1 Analysis of Proportions of Patients Consulted Different Health Care Professionals</b>	<b>41</b>
<b>4.2.2 Analysis of Drugs Prescribed by Different Health Care Professionals</b>	<b>42</b>
<b>4.2.2.1 Paracetamol</b>	<b>43</b>
<b>4.2.2.2 Hydrochlorothiazide</b>	<b>43</b>
<b>4.2.2.3 Pen VK</b>	<b>44</b>
<b>4.3 Discussion and Conclusions</b>	<b>44</b>
<b>Chapter 5</b>	
<b>5.1 Introduction</b>	<b>46</b>
<b>5.2 Results</b>	<b>47</b>
<b>5.3 Discussion and Conclusions</b>	<b>51</b>
<b>Chapter 6</b>	

<b>6.1 Introduction</b>	<b>52</b>
<b>6.2 Results</b>	<b>52</b>
<b>6.2.1 Analysis of Prescription by Generic Name and According to the EDL</b>	<b>52</b>
<b>6.2.2 Analysis of Commonly Prescribed Drugs</b>	<b>53</b>
<b>6.2.3 Analysis of Prescribed Drugs by Symptoms or Disease Condition</b>	<b>55</b>
<b>6.3 Discussion and Conclusions</b>	<b>61</b>
<b>Chapter 7</b>	
<b>7.1 Introduction</b>	<b>64</b>
<b>7.2 Demographics of Informal Settlements Health Care Clients</b>	<b>64</b>
<b>7.3 Staffing of Primary Health Care Facilities</b>	<b>66</b>
<b>7.4 Disease Profiles in Informal Settlements Health Care Facilities</b>	<b>67</b>
<b>7.5 Prescription Patterns of Health Care Professionals</b>	<b>71</b>
<b>7.6 Discussion and Conclusions</b>	<b>73</b>
<b>7.7 Recommendations</b>	
<b>Appendix 1</b>	<b>74</b>

<b>Appendix 2</b>	<b>75</b>
<b>Appendix 3</b>	<b>76</b>
<b>Appendix 4</b>	<b>77</b>
<b>Appendix 5</b>	<b>78</b>
<b>Appendix 6</b>	<b>79</b>
<b>Bibliography</b>	<b>80</b>
<b>Index</b>	<b>86</b>