

https://dspace.org/

Partial purification and characterization of soluble cyclic nucleotide phosphodiesterases in human and murine tissues

Robinson, Marion Frances

2015-08-18
http://hdl.handle.net/10539/18255

Downloaded from a DSpace repository. https://dspace.org/

Sharma RK, Wirch E. Calcium/dependent cyclic nucleotide phosphodiesterase from rabbit lung. *Biochem Biophys Res Commun* 1979;91:338-344

Sharma RK, Wang TH, Wirch E, Wang JH. Purification and properties of bovine brain calmodulin-dependent cyclic nucleotide phosphodiesterase. *J Biol Chem* 1980(a);12:5916-5923

Sharma RK, Bhalla RC. Multiple forms of cyclic nucleotide phosphodiesterases in normal and goitrous rat thyroid. *Arch Biochem Biophys* 1980(b);202:210-220

Sharma RK, Adachi A-M, Adachi K, Wang JH. Demonstration of bovine brain calmodulin-dependent cyclic nucleotide phosphodiesterase isoenzymes by monoclonal antibodies. *J Biol Chem* 1984;259:9248-9254

Sharma RK, Wang JH. Differential regulation of bovine brain calmodulin-dependent cyclic nucleotide phosphodiesterase isozymes by cyclic AMP-dependent protein kinase and calmodulin dependent phosphatase. *Proc Natl Acad Sci(USA)* 1985;82:2603-2607

Sharma RK, Wang JH. Calmodulin and Ca2+/dependent phosphorylation and dephosphorylation of 63-kDa subunit-containing bovine brain calmodulin-stimulated cyclic nucleotide phosphodiesterase isozyme. *J Biol Chem* 1986(a);261:1322-1328

Sharma RK, Wang JH. Purification and characterization of bovine lung calmodulin-dependent cyclic nucleotide phosphodiesterase. *J Biol Chem* 1986(b);261:14160-14166

Sharma RK, Wang JH. Regulation of cAMP concentration by calmodulin-dependent nucleotide phosphodiesterase. *Biochem Cell Biol* 1986(c);64:1072-1080

Shenolikar S, Thompson WJ, Strada SJ. Characterization of a Calcium/calmodulin-stimulated cyclic GMP phosphodiesterase from bovine brain. *Biochemistry* 1985;24:672-678

Sheppard JR, Prescott RR. Cyclic AMP levels in synchronized mammalian cells. *Exp Cell Res* 1972;75:293-296

Sheth NA, Shubhada S, Tikekar S. Cyclic adenosine 3',5'-monophosphate phosphodiesterase activity in normal and neoplastic murine mammary gland. *Indian J Exp Biol* 1980;18:571-573

Sim MK, Chantharaksri U. Rat uterine contractility and the activities of uterine adenyl cyclase and phosphodiesterase during the estrus cycle. *Biochem Pharmacol* 1973;221417-1422

Sitaramaya A, Harkness J, Parkes JH, Gonzalez-Olivia C, Liebman PA. Kinetic studies suggest that light-activated cyclic GMP phosphodiesterase is a complex with G-protein subunits. *Biochemistry* 1986;25:651-656

Singer AL, Sherwin RP, Dunn AS, Appleman MM. Cyclic nucleotide phosphodiesterase in neoplastic and nonneoplastic human mammary tissues. *Cancer Res* 1976;36:60-66

Singer AL, Ariano MA. Localization of cyclic adenosine monophosphate phosphodiesterase in mouse alveolar cells. *J Histochem Cytochem* 1981;29:1372-1376

Smoake JA, Johnson LS, Peake GT. Calmodulin-dependent high-affinity cyclic AMP phosphodiesterase in liver membranes. *Arch Biochem Biophys.* 1981(a);206:331-335

Smoake JA, McMahon KL, Wright RK, Solomon SS. Hormonally sensitive cyclic AMP phosphodiesterase in liver cells: an ectoenzyme. *J Biol Chem* 1981(b);256:8531-8535

Spears G, Sneyd JGT, Loten EG. A method for deriving kinetic constants for two enzymes acting on the same subsrate. *Biochem J* 1971;125:1149-1151

Stancel GM, Thompson WJ, Strada SJ. Cyclic nucleotide phosphodiesterase in uterine development. *Mol Cell Endocrinol* 1975;3:283-295

Stellwagen E, Tucker MM, Robinson JB. A structure for calmodulin-activated cyclic nucleotide phosphodiesterase deduced from proteolysis studies. *Adv Cyclic Nucleotide Protein Phosphor Res* 1984;16:49-54

Stolfi RL, Martin DS, Fugmann RA. Spontaneous murine mammary adenocarcinoma: model system for evaluation of combined methods of therapy. *Cancer Chemother Rep* 1971;55:239-251

Strada SJ, Thompson WJ. Multiple forms of cyclic nucleotide phosphodiesterases: anomalies or biologic regulators? *Adv Cyclic Nucleotide Res* 1978;9:265-283

Strada SJ, Epstein PM, Gardner EA, Thompson WJ, Stancel GM. Evidence for convertible forms of soluble uterine cyclic nucleotide phosphodiesterase. *Biochim Biophys Acta* 1981;661:12-20

Strada SJ, Martin MW, Thompson WJ. General properties of multiple molecular forms of cyclic nucleotide phosphodiesterase in the nervous system. *Adv Cyclic Nucleotide Protein Phosphor Res* 1984;16:13-29

Strewler GJ, Danello MA, Manganiello VC, Vaughan M. Calcium/independent cyclic GMP phosphodiesterases from rat liver and HTC hepatoma cells. *Biochem J* 1983;213:379-386

Stryer L. Cyclic GMP cascade of vision. *Ann Rev Neurosci* 1986;9:87-119

Sugimura K, Mizutani A. Electron-microscopic cytochemical study of cyclic nucleotide phosphodiesterase in rat brain. *Histochemistry* 1978;55:97-105

Sullivan TA, Duemier BH, Kuttesch NJ, Keravis TM, Wells JN. Irreversible inhibition of calmodulin-sensitive cyclic nucleotide phosphodiesterase. *J Cyclic Nucleotide Protein Phosphor Res* 1987;11:355-364

Suoranta K, Londesborough J. Purification of intact and nicked forms of a zinc-containing magnesium/dependent, low Km cyclic AMP phosphodiesterase from baker's yeast. *J Biol Chem* 1984;259:6964-6971

Sutherland EW, Rall TW. Fractionation and characterization of a cyclic adenine ribonucleotide formed by tissue particles. *J Biol Chem* 1958;232:1077-2010

Sutherland EW, Robison GA. The role of cyclic 3',5'-AMP in responses to catecholamine and other hormones. *Pharmacol Rev* 1966;18:145-161

Szabo M, Burke G. Adenosine 3':5'-cyclic phosphate phosphodiesterase from bovine thyroid: isolation and properties of a partially purified, soluble fraction. *Biochim Biophys Acta* 1972;284:208-219

Szego CM, Davis JS. Adenosine-3',5'-monophosphate in rat uterus: acute elevation by estrogen. *Proc Natl Acad Sci(USA)* 1967;58:1711-1718

Tagliaferri P, Katsaros D, Clair T, Ally S, Tortora G, Neckers N, Rubalcava B, Parandoosh Z, Chang Y, Revankar GR, Crabtree GW, Robins RK, Cho-Chung YS. Synergistic inhibition of growth of breast and colon human cancer cell lines by site-selective cyclic AMP analogues. *Cancer Res* 1988;48:1642-1650

Tai H-H, Tai CL. Stimulation of cyclic nucleotide phosphodiesterase by products of phosphatidylinositol metabolism catalyzed by phospholipase AA. *Arch Biochem Biophys* 1982;214:622-627

Takai Y, Kikkawa K, Kaibuchi K, Nishizuka Y. Membrane phospholipid metabolism and signal transduction for protein phosphorylation. *Adv Cyclic Nucleotide Protein Phosphor Res* 1984;18:119-158

Takemoto DJ, Lee WN, Kaplan SA, Appleman MM. Cyclic AMP phosphodiesterase in human lymphocytes and lymphoblasts. *J Cyclic Nucleotide Res* 1978;4:123-132

Takemoto LJ, Hansen J, Farber DB, Souza D, Takemoto DJ. Cyclic GMP phosphodiesterase from bovine retina. *Biochem J* 1984(a);217:129-133

Takemoto DJ, Hansen J, Takemoto LJ, Houslay MD, Marchmont RJ. Peptide mapping of cyclic nucleotide phosphodiesterases. *Adv Cyclic Nucleotide* Protein Phosphor Res 1984(b);16:55-64

Taylor-Papadimitriou J, Purkis P, Fentimen IS. Cholera toxin and analogues of cyclic AMP stimulate the growth of cultured human mammary epithelial cells. *J Cell Physiol* 1980;102:317-321

Terasaki WL, Appleman MM. The role of cyclic GMP in the regulation of cyclic AMP hydrolysis. *Metabolism* 1975;24:311-319

Teo TS, Wang JH. Mechanism of activation of cyclic adenosine 3':5'-monophosphate phosphodiesterase from bovine heart by calcium ion. *J Biol Chem* 1973;248:5950-5955

Thompson WJ, Appleman MM. Characterization of cyclic nucleotide phosphodiesterases of rat tissues. *J Biol Chem* 1971;246:3145-3150

Thompson WJ, Brooker G, Appleman MM. Assay of cyclic nucleotide phosphodiesterases with radioactive substrates. *Methods Enzymol* 1974;38:205-212

Thompson WJ, Epstein PM, Strada SJ. Purification and characterization of high-affinity cyclic adenosine monophosphate phosphodiesterase from dog kidney. *Biochemistry* 1979(a);18:5228-5237

Thompson WJ, Terasaki WL, Epstein PM, Strada SJ. Assay of cyclic nucleotide phosphodiesterase and resolution of multiple molecular forms of the enzyme. *Adv Cyclic Nucleotide Res* 1979(b);10:69-92

Thompson WJ, Pratt ML, Strada SJ. Biochemical properties of high affinity cyclic AMP phosphodiesterase. *Adv Cyclic Nucleotide Protein Phosphor Res* 1984;16:137-148

Tjornhammer ML, Lazaridis G, Bartfai T. Cyclic GMP efflux from liver slices. *J Biol Chem* 1983;256:6882-6886

Tomlinson S, MacNeil S, Walker SW, Ollis CA, Merritt JE, Brown BL. Calmodulin and cell function. *Clin Sci* 1984;68:497-508

Trembley J, Lachance B, Hamet P. Activation of cyclic GMP-binding and cyclic AMP-specific phosphodiesterases of rat platelets by a mechanism involving cyclic AMP-dependent phosphorylation. *J Cyclic Nucleotide* Protein Phosphor Res 1985;10:397-411

Tucker MM, Robinson JB Jr, Stellwagon E. The effect of proteolysis on the calmodulin activation of cyclic nucleotide phosphodiesterase. *J Biol Chem* 1981;256:9051-9058

Turnbull JL, Hickie RA. The isolation and characterization of cyclic nucleotide phosphodiesterase from Morris hepatoma 5123tc(h) and rat liver. *Eur J Biochem* 1984;16:19-29

Umekawa H, Tanaka T, Kimura Y, Hidaka H. Purification of cyclic adenosine monophosphate phosphodiesterase from human platelets using new-inhibitor sepharose chromatography. *Biochem Pharmacol* 1984;33:3339-3344

Unger E, Buchwalow IB. NAD-Pyrophosphorylase. In: *Electron microscopy of enzymes*, edited by M A Hayat 1975;203-215. Van Nostrand Reinhold Company.

Uzonov P, Weiss B. Separation of multiple molecular forms of cyclic adenosine-3',5'-monophosphate phosphodiesterase in rat cerebellum by polyacrylamide gel electrophoresis. *Biochem Biophys Acta* 1972;284:220-226

Uzonov P, Shein HM, Weiss B. Cyclic AMP phosphodiesterase in clones of astrocytoma cells: norepinephrine induces a specific enzyme form. *Science* 1973;180:304-306

Vallet-Strouve C, Ferre F, Breuiller M. Evolution of cAMP phosphodiesterase activity in cultured myometrial cells: effects of steroids and of successive subcultures. *J Cell Physiol* 1984;120:391-396

Van Belle H. The effect of drugs on calmodulin and its interaction with phosphodiesterase. *Adv Cyclic Nucleotide Protein Phosphor Res* 1984;17:557-567

Van Inwegen RG, Pledger WJ, Strada SJ, Thompson WJ. Characterization of cyclic nucleotide phosphodiesterases with multiple separation techniques. *Arch Biochem Biophys* 1976;175:700-709

Vandermeers A, Vandermeers-Piret M-C, Rathe J, Christophe J. Purification and kinetic properties of two soluble forms of calmodulin-dependent cyclic nucleotide phosphodiesterase from rat pancreas. *Biochem J* 1983;211:341-347

Vaughan M, Danello MA, Mangaiello VC, Strewler GJ. Regulation of cyclic nucleotide phosphodiesterase activity. *Adv Cyclic Nucleotide Res* 1981;14:263-271

Venuti MC, Jones GH, Alvarez R, Bruno JJ. Inhibitors of cyclic AMP phosphodiesterase. *J Med Chem* 1987;30:303-318

Wada H, Osborne JC Manganiello VC. Effects of pH on allosteric and catalytic properties of the guanosine cyclic 3',5'-phosphate stimulated nucleotide phosphodiesterase from calf liver. *Biochemistry* 1987(a);26:6565-6570

Wada H, Manganiello VC, Osborne JC. Analysis of the kinetics of cyclic AMP hydrolysis by cyclic GMP-stimulated cyclic nucleotide phosphodiesterase. *J Biol Chem* 1987(b);262:13938-13945

Walker SW, MacNeil S, Senior HJ, Bleehen SS, Tomlinson S. Calmodulin activation of cyclic AMP phosphodiesterase in the B16 mouse melanoma. *Biochem J* 1984;219:941-946

Wallace RW, Lynch TJ, Tallant EA, Cheung WY. Purification and characterization of an inhibitor protein of brain adenylate cyclase and cyclic nucleotide phosphodiesterase. *J Biol Chem* 1978;254:377-382

Wallace AV, Heyworth CM, Houslay MD. N6-(phenylisopropyl)adenosine prevents glucagon both blocking insulin's activation of the plasma-membrane cyclic AMP phosphodiesterase and uncoupling hormonal stimulation of adenylate cyclase activity in hepatocytes. *Biochem J* 1984;222:177-182

Walter U. Cyclic-GMP-regulated enzymes and their possible physiological functions. *Adv Cyclic Nucleotide Protein Phosphor Res* 1984;17:249-258

Wang JH, Teo TS, Ho HC, Stevens FC. Bovine heart protein activator of cyclic nucleotide phosphodiesterase. *Adv Cyclic Nucleotide Res* 1975;5:179-197

Weber K, Osborn M. The reliability of molecular weight determinations by dodecyl sulfate-polyacrylamide gel electrophoresis. *J Biol Chem* 1969;244:4406-4412

Weber HW, Chung F-Z, Day K, Appleman MM. Insulin stimulation of cyclic AMP phosphodiesterase is independent from the G-protein pathways involved in adenylate cyclase regulation. *J Cyclic Nucleotide Phosphodiesterase Protein Phosphor Res* 1987;11:345-354

Wedner HJ, Chan BY, Parker CS, Parker CW. Cyclic nucleotide phosphodiesterase activity in human peripheral blood lymphocytes and monocytes. *J Immunol* 1979;123:725-732

Weishaar RE, Cain MH, Bristol JA. A new generation of phosphodiesterase inhibitors: multiple molecular forms of phosphodiesterase and the potential for drug selectivity. *J Med Chem* 1985;28:537-545

Weiss B, Fertel R, Figlin R, Uzunov P. Selective alteration of the activity of the multiple forms of adenosine 3':5'-monophosphate phosphodiesterase of rat cerebrum. *Mol Pharmacol* 1974;10:615-625

Weiss B. Differential activation and inhibition of the multiple forms of cyclic nucleotide phosphodiesterase. *Adv Cyclic Nucleotide Res* 1975;5:195-211

Wells JN, Baird CE, Wu YJ, Hardman JG. Cyclic nucleotide phosphodiesterase activities of pig coronary arteries. *Biochim Biophys Acta* 1975;384:430-442

Wells JN, Hardman JG. Cyclic nucleotide phosphodiesterases. *Adv Cyclic Nucleotide Res* 1977;8:119-143

Westwood SA, Luzio JP, Flockhart DA, Siddle K. Investigation of the subcellular distribution of cyclic-AMP phosphodiesterase in rat hepatocytes, using a rapid immunological procedure for the isolation of plasma membrane. *Biochim Biophys Acta* 1979;583:454-466

Whitson RH, Appleman MM. Purification, characterization and production of rabbit antibodies to rat liver particulate, high-affinity, cyclic AMP phosphodiesterase. *Biochim Biophys Acta* 1982;714:279-291

Wilson SR, Housley MD. Proteolytic activation and solubilization of endoplasmic-reticulum cyclic AMP phosphodiesterase activity. *Biochem J* 1983(a);213:99-105

Wilson SR, Wallace AV, Housley MD. Insulin activates the plasma-membrane and dense-vesicle cyclic AMP phosphodiesterase in hepatocytes by distinct routes. *Biochem J* 1983(b);216:245-248

Wolff DJ, Brostrom CO. Properties and functions of the calcium-dependent regulator protein. *Adv Cyclic Nucleotide Res* 1979;11:27-88

Wombacher H. Evidence for a membrane-bound multienzyme sequence degrading cyclic adenosine 3',5'-monophosphate. *Arch Biochem Biophys* 1980;201:8-19

Wombacher H. Theophylline effect on the cyclic AMP degrading multienzyme sequence. *Biochem Pharm* 1982;31:3441-3446

Wong EHA, Ooi S-O. Methylxanthine and non-xanthine phosphodiesterase inhibitors: their effects on adenosine uptake and the low Km cyclic AMP phosphodiesterase in intact rat adipocyte. *Biochem Pharmacol* 1985;34:2891-2896

Yamazaki A, Sen I, Bitenski MW, Casnellie JE, Greengard P. Cyclic GMP-specific , high affinity, non catalytic, binding sites on light activated phosphodiesterase. *J Biol Chem* 1980;255:11619-11624

Yamazaki A, Bartucca F, Ting A, Bitensky MW. Recipricol effects of an inhibitory factor on catalytic activity and noncatalytic cGMP binding sites of rod phosphodiesterase. *Proc Natl Acad Sci(USA)* 1982;79:3702-3706

Yamomoto T, Manganiello VC, Vaughan M. Purification and characterization of cyclic GMP-stimulated cyclic nucleotide phosphodiesterase from calf liver. *J Biol Chem* 1983(a);258:12526-12533

Yamomoto T, Yamamoto S, Osborne JC Jr, Manganiello VC, Vaughan M. Complex effects of inhibitors on cyclic GMP-stimulated cyclic nucleotide phosphodiesterase. *J Biol Chem* 1983(b);258:14173-14177

Yamomoto T, Lieberman F, Osborne JC, Manganiello VC, Vaughan M, Hidaka H. Selective inhibition of two soluble adenosine cyclic 3',5'-phosphate phosphodiesterases partially purified from calf liver. *Biochemistry* 1984(a);23:670-675

Yamomoto T, Yamomoto S, Manganiello VC, Vaughan M. Effects of fatty acids on activity of cGMP-stimulated cyclic nucleotide phosphodiesterase from calf liver. *Arch Biochem Biophys* 1984(b);229:81-89

Yang MS, Passonneau P, Lowry OH. Distribution of cyclic nucleotide phosphodiesterase in mouse brain. *J Neurochem* 1981;36:1272-1278



Author Robinson M F
Name of thesis Partial Purification and Characterization of Soluble Cyclic Nucleotide Phosphodiesterases in Human and Murine tissues 1988

PUBLISHER:
University of the Witwatersrand, Johannesburg
©2013

LEGAL NOTICES:

Copyright Notice: All materials on the University of the Witwatersrand, Johannesburg Library website are protected by South African copyright law and may not be distributed, transmitted, displayed, or otherwise published in any format, without the prior written permission of the copyright owner.

Disclaimer and Terms of Use: Provided that you maintain all copyright and other notices contained therein, you may download material (one machine readable copy and one print copy per page) for your personal and/or educational non-commercial use only.

The University of the Witwatersrand, Johannesburg, is not responsible for any errors or omissions and excludes any and all liability for any errors in or omissions from the information on the Library website.