

6 REFERENCES

- Bayazit, M., Önöz, B. and Aksoy, H. (2001), Non-parametric streamflow simulation by wavelet or Fourier analysis, *Hydrological Sciences Journal*, 46 (4).
- Brissete, F.P., Khalili, M. and Leconte R. (2007), Efficient stochastic generation of multi-site synthetic precipitation data, *Journal of Hydrology*, 345, 121-133.
- Burden, R.L. and Faires, J.D.(1993), *Numerical Analysis*, fifth ed., Prindle, Weber & Schmidt Publishing Company, Boston, p. 768.
- Chiew, F. H. S., Peel, M. C., Amirthanathan, G. E., and Pegram, G. G. S.(2005) Identification of oscillations in historical global streamflow data using Empirical Mode Decomposition, in: *Regional Hydrological Impacts of Climatic Change Hydro-climatic Variability*, Proceedings of Symposium S6 held during the Seventh IAHS Scientific Assembly at Foz do Iguacu, Brazil, IAHS Publ., 296, p. 5362, 2005.
- Clark, M.P., Gagopadhyay, S., Brandon, D., Werner, L.H., Rajagopalan, B. and Yates, D. (2004), A resampling procedure for generating conditioned daily weather sequences, *Water Resources Research*, Vol. 40, and W04304.
- Coughlin, K. T. and Tung, K.K. (2004), 11 Year solar cycle in the stratosphere extracted by the empirical mode decomposition method, *Advances in space research*, 34, 323-329.
- Dätig, M. and Schlurmann, T. (2004), Performance and limitations of the Hilbert-Huang transformation (HHT) with an application to irregular water waves, *Ocean Engineering*, 31, 1783-1834.
- Diodato, N. and Bellochi, G. (2010), Storminess and environmental changes in the Mediterranean Central Area, *Earth Interactions*, 14, 1-16.

- Dragomiretskiy, K. and Zosso, D. (2013), Variational Mode Decomposition, IEEE transactions on signal processing, Vol., X. No. Y, 222 20WW.
- Eisinger, D. and Wiegand, K. (2008), Serge: A spatially explicit generator of local rainfall in Southern Africa. South African Journal of Science 104(1-2), 37-42.
- Hofreiter, M. and Trnka, P. (2011), On-line empirical mode decomposition of environmental data, 15th International Research/Expert conference, “Trends in the Development of machinery and Associated Technology”, TMT 2011, Prague, Czech Republic, 12-18 September 2011.
- Gao, Q., Duan, C., Fan, H. and Meng, Q. (2008), Rotating machine fault diagnosis using empirical mode decomposition, Mechanical Systems and Signal Processing 22: 1072–1081.
- Greef, P. (2003), Applying Constrained Cubic Splines to Yield Curves, Think Notes, Riscura.
- Huang, N. E. and Wu, Z. (2008), A review on Hilbert-Huang transform: Method and its applications to Geophysical studies, Reviews of Geophysics, 46, DOI: 10.1029/2007RG000228.
- Huang, N.E., Wu, M-L.C., Long, S.R., Shen, S.S.P., Qu, W., Gloersen, P. and Fan, K.L. (2003), A confidence limit for the empirical mode decomposition and Hilbert spectral analysis, Proc. R. Soc. Lond. A, 459, 2317-2345.
- Huang, N.E., Shen, Z., Long, S.R., Wu, M.C., Shih, H. H., Zheng, Q., Yen, N. C., Tung, C.C. and Liu, H.H. (1998), The empirical mode decomposition and Hilbert spectrum for non-linear and non-stationary time series analysis, Proc. R. Soc. London, Vol. 454, 903-995.

- Hughes, D.A. (2012), Hydrological impacts of climate change in southern Africa - what do we really know? Proceedings, 16th SANCIAHS Symposium, Pretoria, South Africa.
- Karthikeyan, D. and Kumar, D. N. (2013), Predictability of non-stationary time series using wavelet and EMD based ARMA models, Journal of hydrology, Vol. 502,103-119.
- Karagiannis, A. and Constantiou, P. (2010), On the processing of white Gaussian noise signals with the Empirical Mode Decomposition, in Proc. XII Mediterranean Conf. Med Biol. Eng. Comput., IFMBE 2010, vol. 29, pp. 101-106.
- Kim, T., Ahn, H., Chung G. and Yoo, C. (2008), Stochastic multi-site generation of daily rainfall occurrence in South Florida, Stochastic Environmental Risk Assess, 22, 705-717.
- Klasson, K. T. (2008), Construction of spline functions in spreadsheets to smooth experimental data, Adv. Eng. Software, 39,5: 422 -429.
- Kruger, C J. C. (2002), Constrained cubic splines interpolation for chemical engineering applications, <http://www.korf.co.uk/spline.pdf>.
- Koutsoyiannis, D. (2000), A generalized mathematical framework for stochastic simulation and forecast of hydrologic time series, Water Resources Research, Vol. 36, Pg. 1519-1533.
- Koutsoyiannis, D. (2001), Coupling stochastic models of different time scales, Water Resources Research, 37 (2), 379-392.
- Koutsoyiannis, D., Yao, H. and Georgakakos, A. (2008), Medium-range flow prediction for the Nile: a comparison of stochastic and deterministic methods. Hydrological Sciences Journal, 53 (1), 142-164.

- Kwon, H-H., Lall, U. and Khalil, A.F. (2007), Stochastic simulation model for non-stationary time series using an autoregressive wavelet decomposition: Applications to rainfall and temperature, *Water Resources Research*, Vol. 43, W05407, DOI:10.1029/2006WR005258.
- Lall, U and Sharma, A (1996), A nearest neighbour bootstrap for resampling hydrological time series, *Water Resources Research*, Vol. 32(3), 679 - 693.
- McKinley, S. and Levine, M. (1998), Cubic Spline Interpolation, *Math 45: Linear Algebra*.
- McMahon, T. A., Kiem, A. S., Peel, M. C, Jordan, P. W. and Pegram, G. G. S. (2008), A new approach to stochastically generating six-monthly rainfall sequences based on empirical mode decomposition, *J. Hydrometeorol.*,9(6), 1377–1389.
- Mak, M. (1995) Orthogonal wavelet analysis, Inter-annual variability in the sea surface temperature, *Bull. Amer. Meteor. Soc.*, Vol. 76, 2179-2186.
- Mehrotra, R., Srikanthan, R., and Sharma, A. (2006), A comparison of three multi-site precipitation occurrence generators, *Journal of Hydrology*, 331, 280 - 292.
- Mehrotra, R., and Sharma, A. (2006a), “Conditional resampling of hydrologic time series using multiple predictor variables, A *K*-nearest neighbor approach.”, *Adv. Water Resour.*, 29, 987–999.
- Mehrotra, R. and Sharma, A., (2009), Evaluating spatio-temporal representations in daily rainfall sequences from three stochastic multi-site weather generation approaches, *Advances in Water Resources*, 32,948-962.
- Mehrotra, R. and Sharma, A.(2007), A semi parametric model for stochastic generation of multi-site daily rainfall exhibiting low-frequency variability, *Journal of Hydrology*, 335, 180-193.

- Milly, P. C. D., Betancourt, J., Falkenmark, M., Hirsch, R. M., Kundzewicz, Z. W., Lettenmaier, D. P., and Stouffer, R. J. (2008), Stationarity is dead: whither water management?, *Science*, 319,573–574, doi:10.1126/science.1151915.
- Molla M.K.I., Rahman and A.S., Banik, P. (2006), Empirical mode decomposition analysis of climate changes with special reference to rainfall data, Hindawi publishing corporation, *Discrete Dynamics in Nature and society*.
- Ndiritu, J. (2011a), A variable length bootstrap method for multi-site synthetic streamflow generation, *Hydrological Sciences Journal*, 56 (3), 2011.
- Ndiritu, J. (2011b), Effect of fragment-based perturbations on the disaggregation performance of a VLB streamflow generator, *Physics and Chemistry of the Earth* 36, 823-829.
- Ndiritu, J. and Nyaga, J. (2014), A non-parametric multi-site stochastic rainfall model with applications to climate change, Water Research Commission (WRC) of South Africa, WRC Report No. K5/2148/1, ISBN.
- Ott, H. (1988), Noise reduction techniques in electronic systems, 2nd edition, John Wiley and Sons, New York, NY, USA.
- Oh, H.S., Ammann, C.M., Naveau, Ph., Nychka, D., and Otto-Bliesner, B.L. (2003), Multi-resolutional time series analysis applied to solar irradiance and climate reconstructions, *Journal of Atmospheric Solar-Terr. Phys* 65,191-201.
- Peel, M.C. and Blöschl, G. (2011), Hydrological modelling in a changing world, *Progress in Physical Geography*, 35 (2), 249-261, DOI: 10.1177 /0309133311402550.
- Peel, M.C., McMahon T.A., and Pegram, G.G.S. (2009), Assessing the performance of rational spline-based empirical mode decomposition using a global annual precipitation dataset, *Proceedings of the royal society, Proc, R. Soc.*

Peel, M.C., Pegram, G.G.S. and McMahon T.A. (2005), Empirical Mode Decomposition, Improvement and application, In MODSIM 2005 Int. congress on modeling and simulation, December 2005(eds. A. Zerger and R. M. Argent), pp1681-1687, Canberra, Australia, Modelling and Simulation society of Australia and New Zealand Inc.

Peel, M.C., Amirthanathan, G.E., Pegram, G.G.S., McMahon, T.A. and Chiew, F.H.S. (2005), Issues with the application of empirical mode decomposition analysis, In MODSIM 2005, Int. congress on modeling and simulation, December 2005(eds L. Oxley and Kulasiri), pp. 2996-3002, Canberra, Australia, Modelling and Simulation society of Australia and New Zealand Inc.

Pegram, G.G.S. (2003), Probabilistic methods and stochastic Hydrology, Hydraulic Structures, Equipment and water data acquisition systems, Vol. 1, UNESCO-EOLSS Sample papers- <https://www.eolss.net/eolss-sampleallchapter.aspx>.

Pegram, G.G.S. (2011), PEGRAIM-W User's Manual: Report to Department of Water Affairs.

Qian ,X-Y., Gu, G-F and Zhou, W-X. (2011), Modified detrended fluctuation analysis based on empirical mode decomposition for the characterization of anti-persistent processes, Physics A, 390, 4388-4395.

Rato, R.T., Ortigueira, M. D. and Batista, A.G. (2008), On the HHT, its problems, and some solutions, Mechanical Systems and Signal Processing, 22 , 1374–1394.

Radic, V., Pasaric, Z. and Sinik, N. (2004), Analysis of Zagreb climatological data series using empirically decomposed intrinsic mode functions, Geofizika, Vol.21.

Rajagopalan, B. and Lall, U. (1999), A K-nearest neighbour simulator for daily precipitation and other weather variables, Water Resources Research Vol. 35(10) 3089-3101.

- Rilling, G., Flandrin, P. and Gonçalves, P. (2003), On empirical mode decomposition and its algorithms, In IEEE EURASIP workshop on non-linear signal and image processing (NSIP)-03, Grado, Italy.
- Sang, Y-F., Wang, Z. and Liu, C. (2012), Period identification in hydrologic time series using empirical mode decomposition and maximum entropy spectral analysis, *Journal of hydrology*, 424-425,154-164.
- Serinaldi, F. and Kilsby, C.G.(2012), A modular class of multisite monthly rainfall generators for water resource management and impact studies, *Journal of Hydrology*, 464-465,528-540.
- Sinclair, S. and Pegram, G.G.S. (2005), Empirical mode decomposition in 2-D space and time: a tool for space-time rainfall analysis and Nowcasting, *Hydrology and Earth Sciences*, 9, 127-137.
- Sharma, A., Srikanthan, R. and McMahon, T.A. (2002), Stochastic generation of monthly rainfall data, Cooperative research centre for catchment hydrology, Technical Report ,02/8.
- Sharma, A., Harrold, T. I. and Sheather, S. J.(2003), A non-parametric model for the stochastic generation of daily rainfall amounts, *Water Resources Research*, 39(12), 1343.
- Shaw, E.M. (1984), *Hydrology in Practice*, Third Edition.
- Schulze, R. E. (2011), Approaches towards practical adaptive management options for selected water-related sectors in South Africa in a context of climate change, *Water SA* Vol. 37 No. 5, 621-646.
- Smith, S. W. (1999), *The scientist and engineer's guide to digital signal processing*, California Technical Publishing, San Diego, CA, USA.

- Sonechin, D. M. and Datsenko, N.M. (2000), Wavelet analysis of non-stationary and chaotic time series with an application to the climate change problem, *Pure Appl. Geophys.*, 157, 653-677.
- Srikanthan,R., McMahon, T.A and Sharma, A (2002), Stochastic generation of monthly rainfall data, Cooperative Research Centre for catchment hydrology, Technical Report, 02/8.
- Srikanthan, R., Harrold, T.I., Sharma, A. and McMahon, T.A. (2005), Comparison of two approaches for generation of daily rainfall data, *Stochastic Environmental Resources Assessment*, 19, 215-226.
- Srikanthan, R. and Pegram, G.C.S. (2009), A nested multisite daily rainfall stochastic generation model, *Journal of Hydrology*, 371, 142-153.
- Tianlu, M. and Zengli, L. (2013), Inhibition of Envelope Correction Method to EMD End Effect, *Proceedings of the 2nd International Conference on Computer Science and Electronics Engineering, ICCSEE*.
- Trenberth, K. E. (1990), Conceptual Framework for Changes of Extremes of the Hydrological Cycle with Climate Change, *Climatic Change*, 42, 327–339.
- Tsonis, A. A (1996), Widespread increases in low-frequency variability of precipitation over the past century, *Nature*, 382, 700-702.
- Ünal, N.E., Aksoy, H. and Akar, T. (2004), Annual and monthly rainfall data generation schemes, *Stochastic Environmental Resources Assessment*, vol. 18,245-257.
- Victor (2012), Introduction to Empirical Mode Decomposition, *MQL5 Articles*.

- Xinxia, L., Anbing, Z., Cuimei, S. and Haifeng, W. (2009), Filtering and Multi-scale RBF prediction model of rainfall based on EMD model, The 1st international conference on conference on information science and Engineering (ICISE2009).
- Yang, P., Wang G., Bian, J., and Zhou, X.(2010), The Prediction of Non-stationary Climate Series Based on Empirical Mode Decomposition, Advances in Atmospheric Sciences, Vol. 27, no. 4, 845-854.
- Wang, Q.J. and Nathan, R. A.(2007), A method for coupling daily and monthly time scales in stochastic generation of rainfall series, Journal of hydrology, 346, 122-130.
- Wang, W.C., Xu, D.M., Chau, K.W. and Chen, S.Y. (2011), Improved annual rainfall-runoff forecasting using PSO-SVM model based on EEMD, Journal of Hydroinformatics, 15 (4): 1377-1390.
- Wang, W. and Ding, J. A. (2007), A multivariate non-parametric model for synthetic generation of daily streamflow, Hydrological Processes, 21, 1764-1771.
- Wilks, D.S., (1998), Multi-site generalization of daily stochastic precipitation generation model, Journal of Hydrology, 210, 178-191.
- Wu, F. and Qu, L.(2008), An improved method for restraining the end effect in empirical mode decomposition and its applications to the fault diagnosis of large rotating machinery, Journal of sound and vibration,314, 586-602.
- Wu, Z. and Huang, N.E. (2008), Ensemble Empirical Mode Decomposition, A noise assisted data analysis method, Advances in Adaptive Data Analysis1, 1-41.
- Yang, P., Wang, G., Jianchun, B. and Xiuji, Z.(2010), The prediction of non-stationary climate series based on empirical mode decomposition, Advances in atmospheric sciences, Vol. 27. No. 4, 845-854.

- Yates, D., Gangopadhyay, S, Rajagopalan, B and Strzepek, K. (2003), A technique for generating regional climate scenarios using a nearest-neighbour algorithm, *Water Resources Research*, VOL. 39, NO. 7, 1199, DOI: 10.1029/2002WR001769.
- Yevjevich, V. (1987), Stochastic models in hydrology, *Stochastic Hydro. Hydraulics*, 1, 17-36.
- Yevjevich, V. (1972), Probability and statistics in hydrology, Fort Collins: Water Resources Publications, Record number 148710.
- Zhao, J. and Huang, D. (2001), Mirror extending and circular spline function for empirical mode decomposition method, *J. Zhejiang Univ. Sci.*, 2: 247–252.
- Zhang, M., Zhu, K. and Li, C. (2008), Segmented second algorithm of empirical mode decomposition, *J Shanghai Uni. (Eng. Ed)*, 12(5): 444-449, Digital Object Identifier (DOI): 10.1007/s 11741-008-0513-2.
- Zheng, Z, Fan, J, Liu, H and Zheng, D. (2010), The analysis and predictions of agricultural drought trend in Guangdong province based on empirical mode decomposition, *Journal of agricultural science*, Vol. 2, No. 4.