

APPENDIX 2:

Images of the fossil specimens included in this study. To help orientate each tooth, cusp identifications have been included in occlusal view.

STERKFONTAIN SPECIMENS




Figure A2.1. Fig A- Stw 11, scale bar 1 cm. Fig B- Stw 37, scale bar 0.5 cm. FS = face studied.




Figure A2.2. A- Stw 71, scale 0.5 cm. B- Stw 90, scale 0.5 cm




Figure A2.3. A- Stw 96, scale 0.5 cm. B- Stw 188, scale 0.5 cm.




Figure A2.4. A- Stw 208/217, scale 0.5 cm. B- Stw 252H, scale 0.25 cm




Figure A2.5.A- Stw 284, scale 3 mm. B- Stw 285, scale 1 cm




Figure A2.6.Stw 402, scale 5 mm.




Figure A2.7. Stw 11, scale (left) 1 mm, right, 0.7 mm.




Figure A2.8. Stw 37, scale 1.5 mm




Figure A2.9. Stw 90, scale left 0.5 mm, right 1 mm




Figure A2.10. Stw 208/217, scale 2 mm.



Figure A2.11. Stw 402, scale 2 mm



Figure A2.12. Stw 284, scale 2mm

SWARTKRANS and KROMDRAAI




Figure A2.11. A, SK 30; B, SK 35




Figure A2.12. A, 875. B, SK 849




Figure A2.13. A, SK 4768, B, SK 4769




Figure A2. 14. A, SK 4771; B, SKX 21841




Figure A2.15. A, KB 5223, B TM PAL 99



Figure A2.16. SKW 4779, Scales: A, 1mm; B, 3mm, and C, 0.6mm




Figure A2.17. SK 35. Scales: A, 1mm, and B, 1.8 mm




Figure A2.18. SK 37. Scales: A, 3.8 mm, and B, 1.8 mm




A



B



C



D

Figure A2.16. SK 55: A, view of mandible; B, Posterior view of mandible; C, close up of the cervical area of the LM₂; D, detail of cuspal striae on the LM₂.