## **Table of Contents**

Declaration	Page
	111
Acknowledgements	1V
Table of contents	V1
List of figures	XÌ
List of tables	xix
List of symbols	xxi
Abbreviations and acronyms	xxiv

1	INTRODUCTION				
	1.1	The conservation importance of the Nylsvlei floodplain	1		
	1.2	The flooding regime of the Nylsvlei floodplain			
	1.3	Location and description of the Nylsvlei floodplain			
	1.4	Climate of the Nylsvlei floodplain			
	1.5	Vegetation of the Nylsvlei Floodplain			
	1.6	Past and future developmental threats to the Nylsvlei floodplain			
	1.7	The hydrologic and hydraulic study of the behaviour of the			
		Nylsvlei floodplain	12		
	1.8	Summary			
	1.9	Dissertation preview			
2	REVIEW OF HYDRAULIC MODELLING METHODS IN				
	WETLANDS AND FLOODPLAINS				
	2.1	Why develop a model?			
	2.2	The choice of a modelling method for the Nylsvlei floodplain 2			
	2.3	Review of previous attempts to model the hydraulics of the			
		Nylsvlei floodplain	24		
		2.3.1 DWAF model of the Nyl River basin	25		
		2.3.2 SRK model of the Mogalakwena River basin	26		
		2.3.3 A mass-balance model of the Nylsvlei floodplain	27		

3

4

2.4	Review of a few similar projects in other wetlands and floodplains 30			
	2.4.1	Hydraulic models of three floodplains in South Africa		
		(Weiss, 1976)	30	
	2.4.2	One-dimensional model of the Porter Ranch wetland,		
		Michigan, USA (Hammer and Kadlec, 1986)	32	
	2.4.3	A water balance model of the Hadejia-Nguru wetlands,		
		Nigeria (Thompson & Hollis, 1995)	32	
	2.4.4	WETFLOW (Feng and Molz, 1997)	33	
	2.4.5	RBFVMD-2D (Zhao et al, 1994)	34	
	2.4.6	Modelling the River Culm, UK, using RMA-2		
		(Bates et al, 1992; Anderson and Bates, 1994)	35	
	2.4.7	Modelling the River Culm, UK, using a two-dimensional		
		finite-difference model (Nicholas and Walling, 1998)	36	
	2.4.8	Modelling the Waihao River floodplain, New Zealand,		
		using Hydro2de, a two-dimensional finite volume		
		approach and MIKE11, a one-dimensional model		
		(Beffa and Connell, 2001; Connell et al, 2001)	38	
	2.4.9	The Okavango Delta, Botswana (Dincer et al, 1987)	39	
	2.4.10	Rule-based modelling methods	41	
2.5	HEC-F	RAS	42	
2.6	Summ	ary	44	
DATA	COLL	ECTION AND SURVEY	46	
3.1	Introdu	action	46	
3.2	Gauge	plate installation, survey and stage data collection	46	
3.3	Collec	tion of discharge and rating data	51	
3.4	Analys	sis of observed flow and stage data	54	
3.5	Rainfa	11	56	
3.6	Survey	of the floodplain using laser scanning and aerial		
	photog	raphy	57	
3.7	Summ	ary	62	
EVAP	OTRAN	SPIRATION LOSSES FROM THE NYLSVLEI		
FLOO	DPLAI	N	63	

5

4.2 Metho	Methods to determine potential evapotranspiration				
4.2.1	Climatological models	65			
4.2.2	Micrometeorological methods	69			
4.2.3	Direct measurements	72			
4.3 Metho	ods to determine actual evapotranspiration	74			
4.3.1	The surface energy balance method	75			
4.3.2	Leaf area indices	81			
4.3.3	Study by Sanchez-Carrillo et al (2001) of				
	evapotranspiration from a wetland	81			
4.4 Previo	ous studies of evapotranspiration at Nylsvlei	82			
4.4.1	Study of evapotranspiration on the floodplain at the				
	Nylsvley Reserve using an energy balance	83			
4.4.2	Moore's study of evapotranspiration in the savanna at				
	the Nylsvley Reserve	87			
4.5 Avera	age monthly evapotranspiration rates for the Nylsvlei				
floodj	plain	87			
4.6 Comp	Comparison of evapotranspiration rates derived from energy				
balan	balance measurements at the Nylsvley Reserve with some				
empir	ical and pan methods	92			
4.6.1	Empirical methods	92			
4.6.2	Pan methods	93			
4.7 Recor	nmended evapotranspiration rates for the Nylsvlei				
flood	floodplain				
4.8 Sumn	nary	95			
INFILTRAT	ION LOSSES FROM THE NYLSVLEI FLOODPLAIN	97			
5.1 Introd	luction	97			
5.2 Metho	ods of measuring infiltration	103			
5.2.1	Ponded infiltrometers	103			
5.2.2	The Guelph Permeameter	104			
5.2.3	Other study methods	110			
5.3 Previo	ous studies of infiltration at Nylsvlei	110			

	5.4	Fieldwork at the Nylsvley Nature Reserve during 200211				
	5.5	Recommended infiltration rate for the Nylsvlei floodplain				
	5.6	Summ	ary	122		
6	MOD	MODEL DEVELOPMENT				
	6.1	Introduction				
	6.2	The hydrological model				
	6.3	Introduction to the hydraulic model				
	6.4	Drawing a contour map using Quicksurf 1				
	6.5	Positioning and extracting cross-sections using RiverCAD 1				
	6.6	Unsteady hydraulic modelling using HEC-RAS 14				
	6.7	Predicting inundation surface areas				
	6.8	Water	balance of the Nyl River floodplain	146		
	6.9	Calibr	ation of the model	150		
		6.9.1	Initial attempts at calibration	151		
		6.9.2	Final calibration	152		
		6.9.3	Manning's resistances in the Middelfontein reach	153		
	6.10	Discussion of the calibration and verification of the model				
	6.11	Application of the model				
	6.12	Summary 16				
7	DEVE	DEVELOPMENT OF CATCHMENT SCENARIOS				
	7.1	Introduction				
	7.2	Virgin catchment scenario				
	7.3	Historical catchment scenario 16				
	7.4	Olifan	tspruit Dam with constant 30 l/s environmental flow			
		release	e catchment scenario	167		
	7.5	Olifan	tspruit Dam with IFR flow release catchment scenario	171		
		7.5.1	Introduction	171		
		7.5.2	Background	171		
		7.5.3	The duration of the peak IFR flow release and its effect on			
			inundation of the Nylsvlei floodplain	174		
		7.5.4	Results	177		
		7.5.5	Maintenance high flow IFR release period for the scenario	182		

	7.6	No flow from the Olifantspruit scenario	182			
	7.7	Summary	183			
8	CAT	CATCHMENT SCENARIOS APPLICATION AND BIOTIC LINKS				
	8.1	Introduction	184			
	8.2	Determination of appropriate model resolutions and development				
		of biotic links with wild rice	184			
	8.3	Comparison of stream hydrographs and inundated areas with				
		Tarboton's observations	188			
	8.4	Scenario predictions for temporal occurrence of inundation in the				
		Nylsvley Reserve reach	193			
	8.5	Scenario predictions for inundation areas of the duration				
		preferred by wild rice	196			
	8.6	Scenario predictions for temporal occurrence of inundation				
		areas of duration preferred by wild rice	200			
	8.7	Scenario predictions for inundation areas of duration and depth				
		preferred by wild rice and their temporal occurrences in the				
		Nylsvley Reserve reach	203			
	8.8	Summary	209			
9	CONCLUSIONS AND RECOMMENDATIONS FOR FURTHER					
	RESE	RESEARCH				
	9.1	Conclusions	210			
	9.2	Recommendations for further research	213			
10	REFE	ERENCES	215			
11	APPENDIX A: Infiltration data collected on the floodplain in the					
	Nylsvley Reserve during October and November 2002					
12	APPENDIX B: Results of the analysis of inundation areas for different					
	scena	rios in terms of the depth and duration requirements for wild rice	230			
13	APPE	APPENDIX C: Example of a flood inundation map drawn with				
	RiverCAD					