

**INSECTICIDE RESISTANCE IN MALARIA VECTORS IN
CENTRAL SUDAN**

Hiba Mohammed Abu Bakr Abdalla

A dissertation submitted to the Faculty of Science, University of the
Witwatersrand, Johannesburg, in fulfilment of the requirements for the
degree of Master of Science.

Johannesburg, January 2007.

DECLARATION

I,.....declare that this
dissertation is my own, unaided work. It is being submitted for the Degree of Master of
Science at the University of the Witwatersrand, Johannesburg. It has not been submitted
before for any degree or examination at any other University.

.....

January 2007

ABSTRACT

Malaria is the leading cause of mortality and morbidity in Sudan. The annual malaria cases and deaths are estimated at 7.5 million and 35, 000 respectively. One of the possible factors that have led to this situation is the development of insecticide resistance in the main malaria vector in Sudan, *Anopheles arabiensis*.

This study therefore, was initiated to identify the malaria vectors in Gezira and Sennar states of central Sudan, determine their susceptibility levels to the different classes of insecticides used for malaria vector control, identify mechanisms of resistance, and determine the sporozoite infection rate and the blood meal sources in these populations.

The polymerase chain reaction (PCR) for species identification revealed that *An. arabiensis* was the only member of the *An. gambiae* complex present in the study area. The blood meal analysis using ELISA showed high anthropophily with 89.2% feeding on humans. The overall sporozoite infection rate was 2.3 %. WHO susceptibility tests showed complete susceptibility of *An. arabiensis* to bendiocarb (100% mortality) and multiple resistance to permethrin (54-78%), DDT (55-66%) and malathion (76-78%).

The *kdr* mutation analysis revealed the presence of the West African *kdr* allele with the majority of specimens being heterozygous (RS). The *kdr* in DDT/permethrin susceptible specimens were: 15% homozygous for the *kdr* mutation (RR), 64.2% heterozygous (RS) and 20.8% homozygous for the susceptible allele (SS). Amongst the DDT/permethrin resistant specimens, 13% were SS, 48.7% RS and 38.3% RR. The apparent lack of

correlation between *kdr* and resistant phenotype strongly suggests that other resistance mechanisms are playing a role.

DEDICATION

To the memory of my grandfathers.

To my grandmother, my parents, my sisters and my brothers. Without you, my life would fall apart. I might not know where the life's road will take me, but walking with you through this journey has given me strength.

Publications and Presentations Arising from this Study

Publication

Matambo, T.S., Abdalla, H., Brooke, B.D., Koekemoer, L.L., Mnzava, A., Hunt, R.H., and Coetzee, M. (2007). Insecticide resistance in the malarial mosquito *Anopheles arabiensis* and association with the *kdr* mutation. *Journal of Medical and Veterinary Entomology*, 21, 97–102. (See Appendix III).

Presentation

Abdalla, H. M., Koekemoer, L. L., Mnzava, A. P., Hunt R. H and Coetzee' M. (2006). *Anopheles arabiensis* from Sudan: insecticide resistance and the West African *kdr* mutation. *Poster presentation at the NICD Academic Day*, 28-29 November, 2006. (See Appendix IV).

ACKNOWLEDGMENTS

I would like to express my gratitude to my supervisor, Prof. Maureen Coetzee for her supervision, advice, and guidance from the very early stage of this study as well as giving me extraordinary experience throughout the work. I am indebted to her more than she knows. I am very much thankful to Prof. Richard Hunt for teaching me the insectary management and suggesting the topic of this study.

I would like to acknowledge Dr. Lizette Koekemoer for her kind assistance during my laboratory work and her valuable comments from the beginning to the final write up of my thesis, Dr. Basil Brooke for teaching me the biochemical analysis techniques and statistical analysis, all the staff members and the students from the Vector Control Reference Unit at the National Institute for Communicable Diseases; they helped me one way or another in completing my study.

A very special thanks goes to Dr. Abraham Mnzava from the World Health Organization/Eastern Mediterranean Regional Office (WHO/EMRO). I doubt that I will ever be able to convey my appreciation fully, but I owe him my eternal gratitude.

Special acknowledgement goes to Prof. Osman A. Nour "the father of entomology in Sudan" for teaching and supporting me all the way, Prof. Osman K. Saeed, the dean of the Faculty of Medicine – University of Gezira and the former manager of the Blue Nile Research and Training Institute (BNRTI), Dr. Abdalla A. Kareem, the manager of BNRTI, Dr. El Fatih M. Malik the director of the National Malaria Control Programme – Sudan, Dr. Hassan Abu Elbashar the Technical Director of the Ministry of Irrigation and

Water Resources – Gezira state, Sudan. I am very grateful to all the staff members of BNRTI for their encouragements and help during the entire study.

For assistance during the fieldwork and conducting the susceptibility tests, I thank the team from Gezira State Malaria Control Programme and the Malaria Training Centre at Sennar state, Sudan.

This project was funded by the World Health Organization, Eastern Mediterranean Regional Office (WHO/EMRO).

TABLE OF CONTENTS

Title Page.....	i
Declaration.....	ii
Abstract.....	iii
Dedication.....	v
Publications and Presentations Arising from this Study.....	vi
Acknowledgments.....	vii
List of Figures.....	xv
List of Tables.....	xvi

CHAPTER ONE

INTRODUCTION

1.1 Malaria.....	1
1.3 The malaria vectors.....	2
1.3 <i>Anopheles gambiae</i> Giles complex: sibling species, description, biology and distribution.....	3
1.3.1 <i>An. gambiae</i> Giles.....	4
1.3.2 <i>An. arabiensis</i> Patton.....	6
1.3.3 <i>An. merus</i> Dönitz.....	7
1.3.4 <i>An. melas</i> Theobald.....	7
1.3.5 <i>An. quadriannulatus</i> Theobald.....	8
1.3.6 <i>An. quadriannulatus</i> species B.....	8
1.3.7 <i>An. bwambae</i> White.....	8
1.4 Identification of sibling species.....	9
1.4.1 Morphological identification.....	9
1.4.2 Salinity tolerance.....	9
1.4.3 Cross-mating experiments.....	10
1.4.4 Cytogenetic analysis.....	10
1.4.5 Isoenzyme analysis.....	11
1.4.6 Polymerase Chain Reaction (PCR).....	11
1.5 Malaria control: history, insecticides and insecticide resistance.....	12
1.5.1 Malaria control (history and current).....	12

1.5.2 Classification of insecticides.....	13
1.5.3 Insecticide Resistance.....	14
1.5.4 Mode of action of insecticides and resistance mechanisms	15
1. 5.4.1 Target site resistance.....	15
1.5.4.2 Metabolic resistance.....	19
1.6 Malaria in Sudan: history and current situation.....	23
1.6.1 Demographical profile.....	23
1.6.2 Malaria in Sudan.....	24
1.6.3 Malaria vectors and parasites.....	26
1.6.4 History of malaria situation in central (Sudan).....	26
1.6.5 Control activities in central Sudan	27
1.7 Resistance management.....	30
1.7.1 The WHO standard protocol for susceptibility test.....	30
1.7.2 Biochemical techniques.....	31
1.7.3 Molecular methods.....	31
1.8 Aim and objectives of the study.....	32
1.8.1 General objective.....	32
1.8.2 Specific objectives.....	32

CHAPTER TWO

MATERIAL AND METHODS

2.1 The study area.....	34
2.1.1 Gezira state.....	34
2.1.2 Sennar State.....	37
2. 2 Mosquito collections.....	40
2.2.1 Indoor collections.....	40
2.2.2 Larval Collections.....	40
2.3 Insecticide susceptibility tests.....	41
2.4. <i>Anopheles gambiae</i> species-specific polymerase chain reaction (PCR).....	43
2.5 Detection of the <i>kdr</i> mutations	45
2.5.1 DNA extractions	46
2.5.2 Polymerase Chain Reaction for detection of <i>kdr</i> mutation/s.....	46
2.5.3 Sequencing.....	47
2.6 Blood meal analysis using enzyme linked immuno-sorbent assay (ELISA)..	48
2.7 Detection of <i>plasmodium falciparum</i> sporozoites in <i>anopheles</i> mosquitoes by ELISA.....	49
2.8 Selection for DDT resistance.....	51
2.8.1 Biochemical analysis.....	52
2.8.1.1 Mixed function oxidase assay.....	52
2.8.1.2 Altered Acetylcholinesterase assay (AChE).....	53
2.8.1.3 Naphthyl acetate assays.....	53

2.8.1.4 Glutathione-S-transferase (GST) assay.....	54
2.8.1.5 Protein assay.....	54
2.9 Data analysis.....	55

CHAPTER THREE

RESULTS

3.1 Studies on field material.....	56
3.1.1 <i>Anopheles gambiae</i> complex species-specific polymerase chain reaction (PCR).....	56
3.1.2 ELISA for blood meal analysis.....	58
3.1.3 Sporozoite ELISA.....	60
3.1.4 WHO susceptibility tests.....	61
3.1.5 <i>kdr</i> mutations detection.....	65
3.1.5.1 Polymerase chain reaction (PCR).....	65
3.1.5.2 Sequencing results.....	68
3.2 Studies on colony material.....	70
3.2.1 Selection of DDT resistance.....	70
3.2.3 Molecular analysis of <i>Kdr</i> detection.....	72
3.2.5 Biochemical studies of metabolic resistance.....	72

CHAPTER FOUR

GENERAL DISCUSSION

4.1 Field material.....	74
4.1.1 Species identifications.....	74
4.1.2 Blood meal and sporozoite analysis.....	76
4.1.3 Susceptibility tests.....	78
4.1.4 The West African <i>kdr</i> mutation.....	81
4.2 Laboratory colony studies.....	85

CHAPTER FIVE

GENERAL CONCLUSION.....	87
-------------------------	----

APPENDIXES

I. Susceptibility tests form.....	89
II. Laboratory methods.....	90
III. Matambo <i>et al.</i> (2007) paper.....	95
IV. Abdalla <i>et al.</i> (2006) poster.....	122

REFERENCES	124
------------------	-----

LIST OF FIGURES

Figure 1.1: Map showing the malaria endemicity levels in Sudan.....	25
Figure 2.1: Map showing the location of the study area and the sentinel sites..	36
Figure 2.2: Cotton spraying at the Gezira Irrigation Scheme.....	39
Figure 2.3: Typical houses at one of the villages in Gezira state.....	39
Figure 3.1: Amplified fragments using PCR assay for the identification of members of the <i>An. gambiae</i> complex.....	58
Figure 3.2: Blood meal analysis for <i>An. arabiensis</i> from the five sentinel sites.	59
Figure 3.3: Microtitre plate showing results of ELISA after blood meal identification in <i>An. arabiensis</i>	60
Figure 3.4: <i>Plasmodium falciparum</i> sporozoite infection rate in <i>An. arabiensis</i> per site.....	61
Figure 3.5: Chromatograms examples of the sequence results obtained.....	69
Figure 3.6: Susceptibility results using males and females of <i>An. arabiensis</i> (SENN-U) colony from central Sudan exposed to DDT 4% for 1 hour.....	71

LIST OF TABLES

Table 1.1: Insecticides used for malaria control, their classes, dosage and effective action as recommended by the WHO Pesticide Evaluation Scheme.....	14
Table 2.1: Shows the geographical coordinates for the sentinel sites in Gezira and Sennar states.....	38
Table 2.2: Insecticides used in the study and their discriminating concentrations	43
Table 2.3: <i>Anopheles gambiae</i> complex species diagnostic primers sequences and their melting and melting temperature.....	45
Table 2.4: Sequences of the primers used in the <i>kdr</i> detection.....	48
Table 3.1: <i>Anopheles gambiae</i> complex species-specific PCR carried out on adults obtained from larval collections (LC) and indoor resting collections (IRC).....	57
Table 3.2: WHO standard susceptibility results on 1-3 days old female <i>An. arabiensis</i> from 13 localities in Central Sudan	64
Table 3.3: The observed and expected genotype numbers (Hardy-Weinberg, H- W) and allele frequencies for the West African <i>kdr</i> mutation for permethrin survivor and dead samples are given.....	66
Table 3.4: The observed and expected genotype numbers (Hardy-Weinberg, H -W) and allele frequencies for the West African <i>kdr</i> mutation for DDT survivor and dead samples are given.	67
Table 3.5: Association of the <i>kdr</i> genotypes with DDT/permethrin susceptible	

and resistant phenotypes of the <i>An. arabiensis</i> samples from central Sudan following 1 hr exposure to 4% DDT and 0.75% permethrin...	68
Table 3.6: Mean optical density values for glutathione S-transferase (GSTs), monooxygenase (Oxy) and esterase enzymes (EST) using α and β naphthyl acetate as substrates.....	73
Table 3.7: Mean percentage inhibition of acetylcholinesterase activity by the carbamate insecticide propoxur.....	73