

https://dspace.org/

To establish normative data using the Jebsen Taylor hand function test (JHFT) for normal, ethnically diverse South Africans aged between 20 and 59 years

Govender, Paranjothi

2009-05-06T13:27:56Z
http://hdl.handle.net/10539/6931

Downloaded from a DSpace repository. https://dspace.org/

References

(1) Jebsen RH, Taylor N, Trieschmann RB, Trotter MJ, Howard LA. An objective and standardized test of hand function. Arch.Phys.Med.Rehabil. 1969; 50(6):311-319.

(2) American Society of Hand Therapists. Clinical Assessment Recommendations. 2nd ed. Chicago: ASHT; 1992.

(3) Hocking C. Implementing Occupation Based Assessment. Am.J.Occup.Ther. 2001; 55:463-469.

(4) World Health Organisation. International Classification of Functioning, Health and Disability ICF. Geneva: WHO; 2001.

(5) Hackel ME, Wolfe GA, Bang SM, Canfield JS. Changes in hand function in the aging adult as determined by the Jebsen Test of Hand Function. Phys Ther 1992; 72 ;(5):373; 373.

(6) Rudman D, Hannah S. An instrument evaluation framework: description and application to assessments of hand function. J.Hand Ther. 1998; 11(4):266-277.

(7) Mathiowetz V. Role of physical performance component evaluations in occupational therapy functional assessment. Am.J.Occup.Ther. 1993; 47(3):225-230.

(8) Bear-Lehman J, Abreu BC. Evaluating the Hand: Issues in Reliability and Validity. Phys Ther 1989; 69:1025-1033.

(9) Fess EE. Guidelines for Evaluating Assessment Instruments. J.Hand Ther. 1995; 8:144-158.

(10) Jarus T, Poremba R. Hand function evaluation: a factor analysis study. Am.J.Occup.Ther. 1993; 47(5):439-443.

(11) Desrosiers J, Herbert R, Dutil E, Bravo G. Development and Reliability of an Upper Extremity Test for the Elderly: The TEMPA. Can J Occup Ther 1993; 60(1):9-15.

(12) Alon G, Levitt AF, McCarthy PA. Functional electrical stimulation enhancement of upper extremity functional recovery during stroke rehabilitation: a pilot study. Neurorehabil Neural Repair 2007; 21(3):207-215.

(13) Boggio PS, Nunes A, Rigonatti SP, Nitsche MA, Pascual-Leone A, Fregni F. Repeated sessions of non-invasive brain DC stimulation is associated with motor function improvement in stroke patients. Restorative Neurology & Neuroscience 2007; 25(2):123-129.

(14) Gillen G, Boiangiu C, Neuman M, Reinstein R, Schaap Y. Trunk posture affects upper extremity function of adults. Percept.Mot.Skills 2007; 104(2):371-380.

(15) Holavanahalli RK, Helm PA, Gorman AR, Kowalske KJ. Outcomes after deep full-thickness hand burns. Arch.Phys.Med.Rehabil. 2007; 88(12 Suppl 2):S30-35.

(16) Poole J. Measures of Adult Hand Function. Arthritis and Rheumatism 2003; 49(5S):859-866.

(17) Metcalf C, Adams J, Burridge J, Yule V, Chappell P. Review of Clinical Upper limb Assessments within the framework of the WHO ICF. Musculoskeletal Care 2007; 5(3):160-173.

(18) Perry A, Morris M, Unsworth C, Duckett S, Skeat J, Dodd K, Taylor N, Reilly K. Therapy outcome measures for allied health practitioners in Australia: the AusTOMs Evidence-Based Practice in Occupational Therapy: An Introduction. Intern J Qual in Health Care 2004; 16:285-291.

(19) Cooper C. Hand Impairments. In: Trombly CA, Radomski MV, editors. Occupational Therapy for Physical Dysfunction. 5th ed. Philadelphia: Lippincott, Williams and Wilkins; 2002. p. 927-961.

(20) Wetter S, Poole JL, Haaland KY. Functional implications of ipsilesional motor deficits after unilateral stroke. Arch.Phys.Med.Rehabil. 2005; 86(4):776-781.

(21) Blennerhassett J, Dite W. Additional task-related practice improves mobility and upper limb function early after stroke: a randomised controlled trial. Aust.J.Physiother. 2004; 50(4):219-224.

(22) Wah JWM, Wang MKW, Ping CW. Construct Validity of the Chinese Version of the Patient-rated Wrist Evaluation Questionnaire (PRWE-Hong Kong Version). J Hand Ther 2006; 19(1):18-27.

(23) Gosciak DM. Establishing New Jebsen Taylor Hand Function Test. Dissertation Abstracts International 1992-1996; 34-04:1574. British Library (http://www.umi.com/products_pq/descriptions/dai.shtml)

(24) Agnew P, Maas F. An Interim Australian Version of the Jebsen Test of Hand Function. Aust.J.Physiother. 1982; 28(2):23-29.

(25) Carey JR, Durfee WK, Bhatt E, Nagpal A, Weinstein SA, Anderson KM, et al. Comparison of finger tracking versus simple movement training via telerehabilitation to alter hand function and cortical reorganization after stroke. Neurorehabil Neural Repair 2007; 21(3):216-232.

(26) Chung KC, Watt AJ, Kotsis SV. A prospective outcomes study of four-corner wrist arthrodesis using a circular limited wrist fusion plate for stage II scapholunate advanced collapse wrist deformity. Plast.Reconstr.Surg. 2006; 118(2):433-442.

(27) Jain A, Ball C, Nanchahal J. Functional outcome following extensor synovectomy and excision of the distal ulna in patients with rheumatoid arthritis. J.Hand Surg. [Br]. 2003; 28(6):531-536.

(28) Karantana A, Downs-Wheeler MJ, Webb K, Pearce CA, Johnson A, Bannister GC. The effects of scaphoid and colles casts on hand function. The Journal of Hand Surgery: Journal of the British Society for Surgery of the Hand, 2006; 8; 31(4):436-438.

(29) Kreder HJ, Agel J, McKee MD, Schemitsch EH, Stephen D, Hanel DP. A randomized, controlled trial of distal radius fractures with metaphyseal displacement but without joint incongruity: closed reduction and casting versus closed reduction, spanning external fixation, and optional percutaneous K-wires. J.Orthop.Trauma 2006; 20(2):115-121.

(30) Umraw N, Chan Y, Comez M, Cartotto RC, Fish JS. Effective Hand Function Assessment after Burn Injuries. J Burn Care and Rehabilit 2004; 25:134-139.

(31) Kimmerle M, Mainwaring L, Borenstein M. The functional repertoire of the hand and its application to assessment. Am.J.Occup.Ther. 2003; 57(5):489-498.

(32) Tredget EE, Shankowsky HA, Tilley WA. Electrical injuries in Canadian burn care. Identification of unsolved problems. Ann.N.Y.Acad.Sci. 1999; 30; 888:75-87.

(33) Bovend'Eerdt TJ, Dawes H, Johansen-Berg H, Wade DT. Evaluation of the Modified Jebsen Test of Hand Function and the University of Maryland Arm Questionnaire for Stroke. Clin.Rehabil. 2004; 18(2):195-202.

(34) Occupational Therapy Program. Jebsen Test of Hand Function. 2006; Available at: www.maa.nsw.gov.au/getfile.aspx?Type=document&ID=24550&ObjectType=3&ObjectID=2375. Accessed August 2007.

(35) Li-Tsang CWP, Hung LK, Mak AFT. The effect of corrective splinting on flexion contracture of rheumatoid fingers, J.Hand Ther, 2002; 15(2):185-191.

(36) Neistadt ME. The effects of different treatment activities on functional fine motor coordination in adults with brain injury. Am.J.Occup.Ther. 1994; 48(10):877-882.

(37) Hiller LB, Wage CK. Upper Extremity Functional Assessment Scales in Children with Duchenne Muscular Dystrophy. A Comparison. Arch.Phys.Med.Rehabil. 1992; 73(6):527-533.

(38) Lum PS, Uswatte G, Taub E, Hardin P, Mark VW. A telerehabilitation approach to delivery of constraint-induced movement therapy. J.Rehabil.Res.Dev. 2006; 43(3):391-399.

(39) Wu CW, Seo H, Cohen LG. Influence of electric somatosensory stimulation on paretic-hand function in chronic stroke. Arch.Phys.Med.Rehabil. 2006; 87(3):351-357.

(40) O'Brien KA, Weinstock-Zlotnick G, Hunter H, Yurt RW. Comparison of positive pressure gloves on hand function in adults with burns. J.Burn Care.Res. 2006; 27(3):339-344.

(41) Mazur JM, Menelaus MB, Hudson I, Stillwell A. Hand function in patients with spina bifida cystica. J.Pediatr.Orthop. 1986; 6(4):442-447.

(42) Mulcahey MJ, Smith BT, Betz RR, Weiss AA. Outcomes of tendon transfer surgery and occupational therapy in a child with tetraplegia secondary to spinal cord injury. Am.J.Occup.Ther. 1995; 49(7):607-617.

(43) Vaz DV, Mancini MC, Fonseca ST, Vieira DSR, de Melo Pertence AE. Muscle stiffness, strength, and their relation to hand function in children with hemiplegic cerebral palsy. Developmental Medicine & Child Neurology 2006; 48(9):728-733.

(44) Miller JM. Comparison of Well Elderly Scores on the Jebsen Taylor Hand Function Test. Dissertation Abstracts International 1997-2000; 37-04:1206. . British Library (http://www.umi.com/products_pq/descriptions/dai.shtml)

(45) Handy Healthcare Ltd. Jebsen Taylor Hand Function Test. 2007; Available at: http://www.handyhealthcare.co.uk/mobility-aids/testing/dexterity/jebsen-taylor-hand-function-test.html. Accessed December 22, 2007.

(46) Sammons Preston. Jebsen Taylor hand Function Test. 2007; Available at: http://www.sammonspreston.com/Supply/Product.asp?Leaf_Id=8063. Accessed January 5, 2008.

(47) Ridder B, Linden C. Comparisons of the standardised and non-standardised administrations of the Jebsen Hand Function Test. J Hand Ther 1988; 2:121-123.

(48) Fess EE. The need for reliability and validity in hand assessment instruments. J Hand Surg [Am] 1986; 11A:621-623.

(49) van Tuijl JH, Janssen-Potten YJM, Seelen HAM. Evaluation of upper extremity motor function tests in tetraplegics. Spinal Cord 2002; 40(2):51-64.

(50) Stern EB. Stability of the Jebsen-Taylor Hand Function Test across three test sessions. Am.J.Occup.Ther. 1992; 46(7):647-649.

(51) Hill K, Denisenko S, Miller K, Clements T, Batchelor F. Clinical Outcome Measurement in Adult Neurological Physiotherapy. 3rd ed. Victoria: Australian Physiotherapy Association National Neurology Group; 2005.

(52) Linch KB, Bridle MJ. Validity of the Jebsen-Taylor Hand Function Test in predicting activities of daily living. Occup Ther J Res 1989; 9:317-318.

(53) Engelberg R, Martin DP, Agel J, Obremsky W, Coronado G, Swiontkowski MF. Musculoskeletal Function Assessment Instrument: Criterion and Construct Validity. J Orth Res 1996; 14:182-192.

(54) Açik E, Bilgütay S, Uyan M, Kay H, Bumin G. The Relation of Hand Function with Activities in Cerebral Palsy. 2005; Poster-Hacettepe University. The School of Physical Therapy and Rehabilitation. Monaco.

(55) Max LR. Hand Function in Older Adults. Dissertation Abstracts International 1992-1996; 34-02:735. . British Library (http://www.umi.com/products_pq/descriptions/dai.shtml)

(56) Sharma S, Schumacher HR, Jr, McLellan AT. Evaluation of the Jebsen hand function test for use in patients with rheumatoid arthritis [corrected. Arthritis Care Res. 1994; 7(1):16-19.

(57) Kim JC, Kim MJ, Park SB, Lee SG, Jang SJ. Jebsen Hand Function Test in Rheumatoid Arthritis Patients. J Korean Acad Rehabil Med 1999; 23(2):405-410.

(58) Spaulding SJ, McPherson J, Strachota E, Kuphal M, Ramponi M. Jebsen Hand Function Test: Performance of the uninvolved hand in hemiplegia and of right-handed, right and left hemiplegic persons. Arch Phys Med Rehabil 1988; 69(6):419-422.

(59) Beekhuizen KS, Field-Fote EC. Massed practice versus massed practice with stimulation: effects on upper extremity function and cortical plasticity in individuals with incomplete cervical spinal cord injury. Neurorehabil Neural Repair 2005; 19(1):33-45.

(60) Eliasson A, Forssberg H, Hung Y, Gordon AM. Development of hand function and precision grip control in individuals with cerebral palsy: a 13-year follow-up study. Pediatrics 2006 10; 118(4):e1226-36.

(61) Chung KC, Petruska EA. Treatment of unstable distal radial fractures with the volar locking plating system. Surgical technique. J.Bone Joint Surg. Am. 2007; 89 Suppl 2 Pt.2:256-266.

(62) Chung KC, Watt AJ, Kotsis SV, Margaliot Z, Haase SC, Kim HM. Treatment of Unstable Distal Radial Fractures with the Volar Locking Plating System. J.Bone Joint Surg. Am 2006; 88(12):2687-2694.

(63) Stamm T, Mathis M, Aletaha D, Kloppenburg M, Machold K, Smolen J. Mapping hand functioning in hand osteoarthritis: comparing self-report instruments with a comprehensive hand function test. Arthritis Rheum. 57(7):1230-1237.

(64) Duncan P, Richards L, Wallace D, Stoker-Yates J, Pohl P, Luchies C, et al. A Randomized, Controlled Pilot Study of a Home-Based Exercise Program for Individuals with Mild and Moderate Stroke. Stroke; 1998; 29(10):2055-2060.

(65) Padilha DMP, Hugo FN, Hilgert JB, Dal Moro RG. Hand function and oral hygiene in older institutionalized Brazilians. J Am Geriatr Soc. 2007; 55:8-9.

(66) Carlson JD, Trombly CA. The effect of wrist immobilization of performance of the Jebsen hand function test. Am J Occup Ther 1983; 37:167-175.

(67) Melchior H, Vatine J, Weiss PL. Is there a relationship between light touch-pressure sensation and functional hand ability? Disability & Rehabilitation 2007; 29(7):567-575.

(68) Outcome measures following surgery to the rheumatoid hand. Surgery of the Rheumatoid Hand and Wrist. Course papers presented at the XI Congress of the Federation of the European Societies for Surgery of the Hand; June 2006.

(69) Jerosch-Herold C, de Carvalho Leite JC, Song F. A systematic review of outcomes assessed in randomized controlled trials of surgical interventions for carpal tunnel syndrome using the International Classification of Functioning, Disability and Health (ICF) as a reference tool. BMC Musculoskeletal Disorders 2006; seven (96):1-10.

(70) Andersen-Ranberg K, Petersen I, Frederiksen H, Mackenbach JP, Christensen K. Cross-national differences in grip strength among 50+ year-old Europeans. 1st SHARE–ELSA–HRS User Conference; 26 – 28 September; Lund, Sweden; 2005.

(71) Kamarul T, Ahmad TS, Loh WY. Handgrip strength in the adult Malaysian population. J.Orthop.Surg. (Hong Kong) 2006; 14(2):172-177.

(72) Annet M. Handedness as a continuous variable with dextral shift: Sex, generation, and family handedness in subgroups of left- and right-handers. Behaviour Genetics 1994; 24:51-64.

(73) De Agostini M, Khamis AH, Ahui AM. Environmental Influences in Hand Preference: An African Point of View. Brain and Cognition 1997; 35:151-167.

(74) Learning to Eat with the Right Hand. A Comparative Study in France and the Ivory Coast. International Conference on Infant Studies; April 18-21; 2002.

(75) Zverev YP. Cultural and environmental pressure against left-hand preference in urban and semi-urban Malawi. Brain and Cognition, 2006; 60(3):295-303.

(76) Singh M, Kindu A. Hand preference and approval among Hindus and Muslims in India, The International Journal of Neuroscience 1994; 75:19-29.

(77) Kuaranen K, Vanharanta H. Influences of Aging, Gender and Handedness on Motor Performance of Upper and Lower Extremities. Perceptual and Motor Skills 1996; 82:515-525.

(78) Ruff RM, Parker SB. Gender and Age Specific Changes in Motor Speed and Eye-Hand Coordination in Adults: Normative Values for the Finger Tapping and Grooved Pegboard Tests. Perceptual & Motor Skills 1993; 76:1219-1230.

(79) Josty IC, Tyler MPH, Shewell PC, Roberts AHN. Grip and pinch strength variations in different types of workers. The Journal of Hand Surgery: Journal of the British Society for Surgery of the Hand 1997 4; 22(2):266-269.

(80) King MP. Cross-sectional and Longitudinal Research Designs Issues in the Studies of Human Development. Graduate Research in Nursing 2001:3(1).

(81) Medland SE, Perelle I, De Monte V, Ehrman L. Effects of Culture, Sex and Age on the Distribution of handedness: An Evaluation of the Sensitivity of Three Measures of Handedness. Laterality 2004; 9:287-297.

(82) Easton VJ, McColl JH. Confidence Intervals. Statistics Glossary Version 1:1. Available at: http://www.cas.lancs.ac.uk/glossary_v1.1/confint.html (Accessed 24th June, 2007.

(83) Bland M. Introduction to Medical Statistics. 3rd ed. Oxford: Oxford University Press; 2000.

(84) Brooks G. Advantages of confidence intervals in clinical research. Cardiopulmonary Physical Therapy Journal Sep 2003; 09:12-14

(85) Annet M. Five Tests of hand Skill. Cortex 1992: 28:583-600.

(86) Stevens JA, Stoykov ME. Simulation of bilateral movement training through mirror reflection: a case report demonstrating an occupational therapy technique for hemiparesis. Top. Stroke Rehabil. 2004; 11(1):59-66.

(87) Stamm T, Geyh S, Cieza A, Machold K, Kollerits B, Kloppenburg M, et al. Measuring functioning in patients with hand osteoarthritis--content comparison of questionnaires based on the International Classification of Functioning, Disability and Health (ICF). Rheumatology (Oxford). 2006; 45(12):1534-1541.

(88) Webster BR, Celnik PA, Cohen LG. Noninvasive Brain Stimulation in Stroke Rehabilitation. NeuroRX , 2006; 3(4):474-481.