

CHAPTER 8

REFERENCES

- Ambrose, S.H. 2002. Small things remembered: origins of early microlithic industries in sub-Saharan Africa. *Archaeological Papers of the American Anthropological Association* **12**: 9-29.
- Amman, A. A. 2007. Inductively coupled plasma mass spectrometry (ICP MS): a versatile tool. *Journal of Mass Spectrometry* **42**: 419-427.
- Avery, D. M. 1987. Late Pleistocene coastal environment of the southern Cape Province of South Africa: micromammals from Klasies River Mouth. *Journal of Archaeological Science* **14**: 405-421.
- Avery, G., Cruz-Urbe, K., Goldberg, P., Grine, F. E., Klein, R. G., Lenardi, M. J., Marean, C.W., Rink, J.W., Schwarcz, H.P., Thackeray, A.I. & Wilson, M.L. 1997. The 1992-1993 excavations at the Die Kelders Middle and Later Stone Age cave site, South Africa. *Journal of Field Archaeology* **24**: 263-291.
- Ayliffe, L.K., Marianelli, P.C., Moriarty, K.C., Wells, R.T., McCulloch, M.T., Mortimer, G.E. & Hellstrom, J.C. 1998. 500 ka precipitation record from south-eastern Australia: evidence for interglacial relative aridity. *Geology* **26**: 147-150.
- Backwell, L., d'Errico, F. & Wadley, L. 2008. Middle Stone Age bone tools from the Howiesons Poort layers, Sibudu Cave, South Africa. *Journal of Archaeological Science* **35**: 566-1580.
- Bada, J. L. & Deems, L. 1975. Accuracy of dates beyond the ^{14}C dating limit using the aspartic acid racemization reaction. *Nature* **255**: 218-219.
- Baker, A., Smart, P. L. & Ford, D. C. 1993. Northwest European palaeoclimate as indicated by growth frequency variations of secondary calcite deposits. *Palaeogeography, Palaeoclimatology, Palaeoecology* **100**: 291-301.
- Baker, A., Barnes, W. L. & Smart, P. L. 1996. Speleothem luminescence intensity and spectral characteristics: signal calibration and a record of palaeovegetation change. *Chemical Geology* **130**: 65-76.

- Baker, A., Ito, E., Smart, P. L. & McEwan, R. F. 1997. Elevated and variable values of ^{13}C in speleothems in a British cave system. *Chemical Geology* **136**: 263-270.
- Baldini, J. U. L., McDermott, F., Baker, A., Baldini, L. M., Matthey, D. P. & Railsback, L. B. 2005. Biomass effects on stalagmite growth and isotope ratios: a 20th Century analogue from Wiltshire, England. *Earth and Planetary Science Letters* **240**:486-494.
- Baldini, J.U.L., McDermott, F. & Fairchild, I.J. 2006. Spatial variability in cave drip water hydrochemistry: implications for stalagmite palaeoclimate records. *Chemical Geology* **235**: 390-404.
- Bard, E. & Rickaby, R.E.M. 2009. Migration of the subtropical front as a modulator of glacial climate. *Nature* **460**: 380-383.
- Barker, S. & Knorr, G. 2007. Antarctic climate signature in the Greenland ice core record. *Proceedings of the National Academy of Sciences* **104**: 17278-17282.
- Bar-Matthews, M., Ayalon, A., Matthews, A., Sass, E. & Halicz, L. 1996. Carbon and oxygen isotope study of the active water-carbonate system in a karstic Mediterranean cave: implications for palaeoclimate research in semiarid regions. *Geochimica et Cosmochimica Acta* **60**: 337-347.
- Bar-Matthews, M., Ayalon, A. & Kaufman, A. 1997. Late Quaternary palaeoclimate in the eastern Mediterranean region from stable isotope analysis of speleothems at Soreq Cave, Israel. *Quaternary Research* **47**: 155-168.
- Bar-Matthews, M., Marean, C. W., Karkanas, P., Jacobs, Z., Fisher, E., Herries, A. I. R., Brown, K., Williams, H.M., Bernatchez, J., Ayalon, A. & Nilssen, P.J. 2008. High resolution and continuous isotopic speleothem record of palaeoclimate and palaeoenvironment from 92–55 ka from Pinnacle Point, South Africa. *PalaeoAnthropology* **2008A**: A2-A3.
- Bar-Matthews, M., Marean, C. W., Karkanas, P., Jacobs, Z., Fisher, E., Herries, A. I. R., Brown, K., Williams, H.M., Bernatchez, J., Ayalon, A. & Nilssen, P.J. 2010. High resolution and continuous isotopic speleothem record of palaeoclimate

and palaeoenvironment from 90–53 ka from Pinnacle Point on the south coast of South Africa. *Quaternary Science Reviews* **29**: 2131-2145.

Bar-Yosef Mayer, D.E.; Vandermeersch, B. & Bar-Yosef, O. 2009. Shells and ochre in Middle Palaeolithic Qafzeh Cave, Israel: indications for modern behaviour. *Journal of Human Evolution* **56**: 307-314.

Bateman, M. D., Holmes, P. J., Carr, A. S., Horton, B. P. & Jaiswal, M. K. 2004. Aeolianite and barrier dune construction spanning the last two glacial–interglacial cycles from the southern Cape coast, South Africa. *Quaternary Science Reviews*, **23**: 1681-1698.

Beaumont, P. B. & Vogel, J. C. 2006. On a timescale for the past million years of human history in central South Africa. *South African Journal of Science* **102**: 217-228.

Bird, C., Minichillo, T. & Marean, C. W. 2007. Edge damage distribution at the assemblage level on Middle Stone Age lithics: an image-based GIS approach. *Journal of Archaeological Science* **34**: 771-780.

Blunier, T. & Brook, E. J. 2001. Timing of millennial-scale climate change in Antarctica and Greenland during the last glacial period. *Science* **291**: 109-112.

Bouzouggar, A.; Barton, N., Vanhaeren, M.; d’Errico, F.; Collcutt, S.; Higham, T.; Hodge, E.; Parfitt, S.; Rhodes, E.; Schwenninger, J.L.; Stringer, C.; Turner, E.; Ward, S.; Moutmir, A. & Stambouli, A. 2007. 82 000 year old shell beads from North Africa and implications for the origins of modern human behaviour. *Proceedings of the National Academy of Sciences* **104**: 9964-9969.

Brain, C. K. 1981. *The hunters or the hunted? an introduction to African cave taphonomy*. Chicago: University of Chicago Press.

Brand, W. A. 2004. Mass spectrometer hardware for analyzing stable isotope ratios. **In:** de Groot, P. (ed.) *Handbook of stable isotope analytical techniques*: 835-856. Amsterdam: Elsevier.

Broecker, W. S. & Denton, G. H. 1990. What drives glacial cycles? *Scientific American* **262**: 49-56.

- Butzer, K. W. & Helgren, D. M. 1972. Late Cenozoic evolution of the cape coast between Knysna and Cape St. Francis, South Africa. *Quaternary Research* **2**: 143-169.
- Carr, A.S., Thomas, D.S.G., Bateman, M.D., Meadows, M.E. & Chase, B.M. 2006a. Late Quaternary palaeoenvironments of the winter-rainfall zone of southern Africa: palynological and sedimentological evidence from the Agulhas Plain. *Palaeogeography, Palaeoclimatology, Palaeoecology* **239**: 147-165.
- Carr, A.S., Thomas, D.S.G. & Bateman, M.D. 2006b. Climatic and sea level controls on Late Quaternary eolian activity on the Agulhas Plain, South Africa. *Quaternary Research* **65**: 252-263.
- Carr, A.S., Bateman, M.D. & Holmes, P.J. 2007. Developing a 150 ka luminescence chronology for the barrier dunes of the southern Cape, South Africa. *Quaternary Geochronology* **2**: 110-116.
- Carr, A.S., Bateman, M.D., Roberts, D.L., Murray-Wallace, C.V., Jacobs, Z. & Holmes, P.J. 2010. The last interglacial sea-level high stand on the southern Cape coastline of South Africa. *Quaternary Research* **73**: 351-368.
- Chase, B.M. 2010. South African palaeoenvironments during marine oxygen isotope stage 4: a context for the Howiesons Poort and Still Bay industries. *Journal of Archaeological Science* **37**:1359-1366.
- Chase, B.M. & Meadows, M.E. 2007. Late Quaternary dynamics of southern Africa's winter-rainfall zone. *Earth-Science Reviews* **84**: 103-138.
- Chazan, M., Ron, H., Matmon, A., Porat, N., Goldberg, P., Yates, R., Avery, M., Sumner, A. & Horwitz, L.K. 2008. Radiometric dating of the Earlier Stone Age sequence in excavation 1 at Wonderwerk Cave, South Africa: preliminary results. *Journal of Human Evolution* **55**: 1-11.
- Cockcroft, M. J., Wilkinson, M.J. & Tyson, P.D. 1987. The application of a present-day climatic model to the Late Quaternary in southern Africa. *Climatic Change* **10**: 161-181.
- Compton, J. S. 2004. *Rocks and mountains of Cape Town*. Double Storey: Cape Town.

- Constantin, S., Bojar, A.V., Lauritzen, S.E. & Lundberg, J. 2007. Holocene and Late Pleistocene climate in the sub-Mediterranean continental environment: a speleothem record from Poleva Cave (southern Carpathians, Romania). *Palaeogeography, Palaeoclimatology, Palaeoecology* **243**: 322-338.
- Cowling, R.M. 1983. Phytochorology and vegetation history in the south-Eastern Cape, South Africa. *Journal of Biogeography* **10**: 393-419.
- Cowling, R.M., Pierce, S.M. & Moll, E.J. 1986. Conservation and utilisation of the south coast Renosterveld, an endangered South African vegetation type. *Biological Conservation* **37**: 363-377.
- Cowling, R.M. & Holmes, P.J. 1992. Flora and vegetation. **In:** Cowling, R.M. (ed.) *The ecology of fynbos: nutrients, fire and diversity*: 62-112. Cape Town: Oxford University Press.
- Cowling, R.M. & Richardson, D. 1995. *Fynbos: South Africa's unique floral kingdom*. Vlaeberg: Fernwood Press.
- Craig, H. 1961. Isotopic variations in meteoric waters. *Science* **133**: 1702-1703.
- Cruz Jr., F.W., Karmann, I., Viana Jr., O., Burns, S.J., Ferrari, J.A., Vuille, M., Sial, A.N. & Moreira, M. Z. 2005. Stable isotope study of cave percolation waters in subtropical Brazil: Implications for palaeoclimate inferences from speleothems. *Chemical Geology* **220**: 245-262.
- Cruz Jr., F.W., Burns, S.J., Karmann, I., Sharp, W.D. & Vuille, M. 2006: Reconstruction of regional atmospheric circulation features during the late Pleistocene in subtropical Brazil from oxygen isotope composition of speleothems. *Earth and Planetary Science Letters* **248**: 495-507.
- Deacon, H.J. 1979. Excavations at Boomplaas Cave: a sequence through the Upper Pleistocene and Holocene in South Africa. *World Archaeology* **10**: 241-257.
- Deacon, H.J. 1989. Late Pleistocene palaeoecology and archaeology in the southern Cape, South Africa. **In:** Mellars, P. & Stringer, C. (eds) *The human*

revolution: behavioural and biological perspectives on the origins of modern humans: 547-564. Princeton: Princeton University Press.

Deacon, H.J. & Geleijnse, V.B. 1988. The stratigraphy and sedimentology of the main site sequence, Klasies River, South Africa. *South African Archaeological Bulletin* **43**: 5-14.

d'Errico, F., Henshilwood, C.S. & Nilssen, P. 2001. An engraved bone fragment from ca. 75 kyr Middle Stone Age levels at Blombos Cave, South Africa: implications for the origin of symbolism. *Antiquity* **75**: 309-18.

d'Errico, F., Henshilwood, C., Vanhaeren, M. & van Niekerk, K. 2005. *Nassarius kraussianus* shell beads from Blombos Cave: evidence for symbolic behaviour in the Middle Stone Age. *Journal of Human Evolution* **48**: 3-24.

d'Errico, F. & Henshilwood, C. 2007. Additional evidence for bone technology in the southern African Middle Stone Age. *Journal of Human Evolution* **52**: 142-163.

Dorale, J. A., Edwards, R. L., Ito, E. & González, L. A. 1998. Climate and vegetation history of the midcontinent from 75 to 25 ka: a speleothem record from Crevice Cave, Missouri, USA. *Science* **282**: 1871-1874.

Dorale, J.A., Edwards, R.L. & Onac, B.P. 2002. Stable isotopes as environmental indicators in speleothems. **In**: Yuan, D. (ed.) *Karst processes and the carbon cycle*: 107-120. Beijing: Geological Publishing House.

Dorale, J.A., Edwards, R.L., Alexander Jr., E.C., Shen, C.C., Richards, D.A. & Cheng, H. 2004. Uranium series disequilibrium dating of speleothems: current techniques, limits and applications. **In**: Sasowsky, I.D. & Mylroie, J. (eds) *Studies of cave sediments: physical and chemical records of palaeoclimate*: 177-197. New York: Kluwer Academic.

Dorale, J. A. & Lui, Z. 2009. Limitations of Hendy test criteria in judging the palaeoclimatic suitability of speleothems and the need for replication. *Journal of Cave and Karst Studies* **71**: 73-80.

Dreybrodt, W. 1999. Chemical kinetics, speleothem growth and climate. *Boreas* **28**: 347-356.

- Erlandson, J.M. 2001. The archaeology of aquatic adaptations: paradigms for a new millennium. *Journal of Archaeological Research* **9**: 287-350.
- Fairchild, I. J., Smith, C. L., Baker, A., Fuller, L., Spötl, C., Matthey, D., McDermott, F. & E.I.M.F. 2006. Modification and preservation of environmental signals in speleothems. *Earth-Science Reviews* **75**: 105-153.
- Feathers, J.K. 2002. Luminescence dating in less than ideal conditions: case studies from Klasies River Main Site and Duinefontein, South Africa. *Journal of Archaeological Science* **29**: 177-194.
- Fisher, E.C., Bar-Matthews, M., Jerardino, A. & Marean, C.W. 2010. Middle and Late Pleistocene palaeoscape modelling along the southern Cape coast of South Africa. *Quaternary Science Reviews* **29**: 1382-1398.
- Ford, T. D. 1976. The geology of caves. **In**: Ford, T. D. & Cullingford, C.H.D. (eds) *The science of speleology*: 11-60. London: Academic Press.
- Ford, D. C. & Williams, P. 2007. *Karst hydrogeology and geomorphology*. Chichester: Wiley & Sons.
- Frisia, S., Borsato, A., Fairchild, I.J., McDermott, F. & Selmo, E.M. 2002. Aragonite-calcite relationships in speleothems (Grotte de Clamouse, France): environment, fabrics and carbonate geochemistry. *Journal of Sedimentary Research* **72**: 687-699.
- Frumkin, A., Carmi, I., Gopher, A., Ford, D.C, Scwarcz, H.P. & Tsuk, T. 1999. A Holocene millennial-scale climatic cycle from a speleothem in Nahal Qanah Cave, Israel. *Holocene* **9**: 677-682.
- Gascoyne, M. 1992. Palaeoclimate determination from cave calcite deposits. *Quaternary Science Reviews* **11**: 609-632.
- Gascoyne, M. & Nelson, D.E. 1983. Growth mechanisms of recent speleothems from Castleguard Cave, Columbia icefields, Alberta, Canada, inferred from a comparison of uranium-series and carbon-14 age data. *Arctic and Alpine Research* **15**: 537-542.

- Goede, A. & Vogel, J.C. 1991. Trace element variations and dating of a Late Pleistocene Tasmanian speleothem. *Palaeogeography, Palaeoclimatology, Palaeoecology* **88**: 121-131.
- Goldstein, S. J. & Stirling, C. H. 2003. Techniques for measuring uranium-series nuclides: 1992-2002. *Reviews in Mineralogy & Geochemistry* **52**: 23-57.
- Grine, F.E., Henshilwood, C.S. & Sealy, J.C. 2000. Human remains from Blombos Cave, South Africa: (1997-1998 excavations). *Journal of Human Evolution* **37**: 755-765.
- Grine, F.E. & Henshilwood, C.S. 2002. Additional Human Remains from Blombos Cave, South Africa: (1999-2000 excavations). *Journal of Human Evolution* **42**: 293-302.
- Grün, R., Yan, G., McCulloch, M. T. & Mortimer, G. 1999. Detailed mass spectrometric U-series analyses of two teeth from the archaeological site of Pech de l'Aze II: implications for uranium migration and dating. *Journal of Archaeological Science* **26**: 1301-1310.
- Halliday, A. N., Lee, D. C., Christensen, J. N., Walder, A. J., Freedman, P. A., Jones, C. E., Hall, C. M., Yi, W. & Teagle, D. 1995. Recent developments in inductively coupled plasma magnetic sector multiple collector mass spectrometry. *International Journal of Mass Spectrometry and Ion Processes* **146**: 21-33.
- Harmon, R. S., Thompson, P., Schwarcz, H. P. & Ford, D. C. 1978. Late Pleistocene palaeoclimates of North America as inferred from stable isotope studies of speleothems. *Quaternary Research* **9**: 54-70.
- Harmon, R. S., Schwarcz, H. P., Gascoyne, M., Hess, J. W. & Ford, D. C. 2004. Palaeoclimate information from speleothems: the present as a guide to the past. **In:** Sasowsky, I. D. & Mylroie, J. (eds) *Studies of cave sediments: physical and chemical records of palaeoclimate*: 199-206. New York: Kluwer.
- Hellstrom, J. 2003. Rapid and accurate U/Th dating using parallel ion-counting multi-collector ICP-MS. *Journal of Analytical Atomic Spectrometry* **18**: 1346-1351.

- Hellstrom, J. 2006. U-Th dating of speleothems with high initial ^{230}Th using stratigraphical constraint. *Quaternary Geochronology* **1**: 289-295.
- Hellstrom, J.C. & McCulloch, M.T. 2000. Multi-proxy constraints on the climatic significance of trace element records from a New Zealand speleothem. *Earth and Planetary Science Letters* **179**: 287-297.
- Hellstrom, J., Drysdale, R., Woodhead, J., Greig, A. & Zanchetta, G. 2006. High resolution speleothem growth rate as a palaeoenvironmental proxy. *Geochimica et Cosmochimica Acta* **70** (Supplement 1): A242-A242.
- Hendey, Q.B. & Volman, T.P. 1986. Last interglacial sea levels and coastal caves in the Cape Province, South Africa. *Quaternary Research* **25**: 189-198.
- Hendy, C.H. 1971. The isotopic geochemistry of speleothems-I: the calculation of the effects of different modes of formation on the isotopic composition of speleothems and their applicability as palaeoclimatic indicators. *Geochimica et Cosmochimica Acta* **35**: 801-824.
- Henshilwood, C.S. 1995. *Holocene archaeology of the coastal Garcia State Forest, southern Cape, South Africa*. DPhil, University of Cambridge.
- Henshilwood, C.S. 2006. Stratigraphic integrity of the Middle Stone Age levels at Blombos Cave. In: d'Errico, F. & Backwell, L. (eds) *From tools to symbols, from early hominids to humans*: 441-458. Johannesburg: University of Witwatersrand Press.
- Henshilwood, C.S. 2008a. Holocene prehistory of the southern Cape, South Africa: excavations at Blombos Cave and the Blombosfontein Nature Reserve. *Cambridge Monographs in African Archaeology* **75**: 1-171.
- Henshilwood, C.S. 2008b. Winds of change: palaeoenvironments, material culture and human behaviour in the Late Pleistocene (~ 77 ka-48 ka) in the Western Cape Province, South Africa. *South African Archaeological Bulletin Goodwin Series* **10**: 35-51.
- Henshilwood, C.S. & Sealy, J. 1997. Bone artefacts from the Middle Stone Age at Blombos Cave, southern Cape, South Africa. *Current Anthropology* **38**: 890-895.

Henshilwood, C.S., Sealy, J. C., Yates, R., Cruz-Urbe, K., Goldberg, P., Grine, F. E. Klein, R. G., Poggenpoel, C., van Niekerk, K.L. & Watts, I. 2001a. Blombos Cave, southern Cape, South Africa: preliminary report on the 1992-1999 excavations of the Middle Stone Age levels. *Journal of Archaeological Science* **28**: 421-448.

Henshilwood, C.S., d'Errico, F., Marean, C.W., Milo, R.G. & Yates, R. 2001b. An early bone tool industry from the Middle Stone Age at Blombos Cave, South Africa: implications for the origins of modern human behaviour, symbolism and language. *Journal of Human Evolution* **41**: 631-678.

Henshilwood, C.S., d'Errico, F., Yates, R., Jacobs, Z., Tribolo, C., Duller, G.A.T., Mercier N., Sealy, J. C., Valladas, H., Watts, I. & Wintle, A. G. 2002. Emergence of modern human behaviour: Middle Stone Age engravings from South Africa. *Science* **295**: 1278-1280.

Henshilwood, C.S. & Marean, C.W. 2003. The origin of modern human behaviour. *Current Anthropology* **44**: 627-651.

Henshilwood, C.S., d'Errico, F., Vanhaeren, M., van Niekerk, K. & Jacobs, Z. 2004. Middle Stone Age shell beads from South Africa. *Science* **304**: 404-404.

Henshilwood, C.S. & Dubreuil, B. 2009. Reading the artefacts: gleaning language skills from the Middle Stone Age in southern Africa. **In**: Botha, R. & Knight, C. (eds) *The cradle of language*: 41-60. Oxford: Oxford University Press.

Henshilwood, C.S., d'Errico, F. & Watts, I. 2009. Engraved ochre from the Middle Stone Age levels at Blombos Cave, South Africa. *Journal of Human Evolution* **57**: 27-47.

Henshilwood, C. S. & Dubreuil, B. in press. The Still Bay and Howiesons Poort, 77 - 59 ka: Perspective-taking and the evolution of the modern human mind during the African Middle Stone Age. *Current Anthropology*.

Herries, A.I.R., Thompson, J., Jacobs, Z., Thompson, E., Kyriacou, K., Schwartz, S. & Matthews, T. 2008. Evidence for short MSA occupation events at PP9 (Mossel Bay, South Africa) at 133 ka and 85 ka: evidence for early systematic

exploitation of marine resources during single occupation events.

PalaeoAnthropology **2008A**: A12-A12.

Heumann, K.G., Gallus, S.M., Rädlinger, G. & Vogl, J. 1998. Accurate determination of element species by on-line coupling of chromatographic systems with ICP-MS using isotope dilution techniques. *Spectrochimica Acta Part B: Atomic Spectroscopy* **53**: 273-287.

Hodge, E.J., Richards, D.A., Smart, P.L., Andreo, B., Hoffmann, D.L., Matthey, D.P. & González-Ramón, A. 2008. Effective precipitation in southern Spain (~266 to 46 ka) based on a speleothem stable carbon isotope record. *Quaternary Research* **69**: 447-457.

Holmes, P.J., Bateman, M.D., Carr, A.S. & Marker, M.E. 2007. The place of aeolian coversands in the geomorphic evolution of the southern Cape coast, South Africa. *South African Journal of Geology* **110**: 125-136.

Holmgren, K., Karlén, W., Lauritzen, S.E., Lee-Thorp, J.A., Partridge, T.C., Piketh, S., Repinski, P., Stevenson, C., Svanered, O. & Tyson, P.D. 1999. A 3000-year high resolution stalagmite based record of palaeoclimate for northeastern South Africa. *Holocene* **9**: 295-309.

Holmgren, K., Lee-Thorp, J.A., Cooper, G.R.J., Lundblad, K., Partridge, T.C., Scott, L., Sithaldeen, R., Talma, A.S. & Tyson, P.D. 2003. Persistent millennial-scale climatic variability over the past 25 000 years in southern Africa. *Quaternary Science Reviews* **22**: 2311-2326.

Holzkämper, S., Holmgren, K., Lee-Thorp, J., Talma, S., Mangini, A. & Partridge, T. 2009. Late Pleistocene stalagmite growth in Wolkberg Cave, South Africa. *Earth and Planetary Science Letters* **282**: 212-221.

Hopley, P.J., Marshall, J.D., Weedon, G.P., Latham, A.G., Herries, A.I.R. & Kuykendall, K.L. 2007. Orbital forcing and the spread of C₄ grasses in the Late Neogene: stable isotope evidence from South African speleothems. *Journal of Human Evolution* **53**: 620-634.

Hvidberg, C.S. 2000. When Greenland ice melts. *Nature* **404**: 551-552.

Imbrie, J., Hays, J.D., Martinson, D.G., McIntyre, A., Mix, A.C., Morley, J.J., Pisias, N.G., Prell, W.L. & Shackleton, N.J. 1984. The orbital theory of Pleistocene climate: support from a revised chronology of the marine $\delta^{18}\text{O}$ record. **In:** Berger, A.L. (ed.) *Milankovitch and Climate*: 269-305. Norwell: D. Reidel Publishing Company.

Irving, S.J.E. & Meadows, M.E. 1997. Radiocarbon chronology and organic matter accumulation at Vankervelsvlei, near Knysna, South Africa. *South African Geographical Journal* **79**: 101-105.

Ivanovich, M. 1982. The phenomenon of radioactivity and uranium series disequilibrium applications in geochronology. **In:** Ivanovich, M. & Harmon, R. S. (eds) *Uranium series disequilibrium: applications to environmental problems*: 107-142. Oxford: Oxford University Press.

Jacobs, Z., Duller, G.A.T. & Wintle, A.G. 2003a. Optical dating of dune sand from Blombos Cave, South Africa: I—multiple grain data. *Journal of Human Evolution* **44**: 599–612.

Jacobs, Z., Duller, G.A.T. & Wintle, A.G. 2003b. Optical dating of dune sand from Blombos Cave, South Africa: II—single grain data. *Journal of Human Evolution* **44**: 613–625.

Jacobs, Z., Duller, G.A.T., Henshilwood, C.S. & Wintle, A.G. 2006. Extending the chronology of deposits at Blombos Cave, South Africa, back to 140 ka using optical dating of single and multiple grains of quartz. *Journal of Human Evolution* **51**: 255-273.

Jacobs, Z. & Roberts, R.G. 2008. Testing times: old and new chronologies for the Howiesons Poort and Still Bay industries in environmental context. *South African Archaeological Bulletin Goodwin Series* **10**: 9-34.

Jacobs, Z., Roberts, R.G., Galbraith, R.F., Deacon, H.J., Grün, R., Mackay, A., Mitchell, P., Vogelsang, R. & Wadley, L. 2008. Ages for the Middle Stone Age of southern Africa: implications for human behaviour and dispersal. *Science* **322**: 733-735.

- Johnson, K.R., Hu, C., Belshaw, N.S. & Henderson, G.M. 2006. Seasonal trace-element and stable-isotope variations in a Chinese speleothem: the potential for high resolution palaeomonsoon reconstruction. *Earth and Planetary Science Letters* **244**: 394-407.
- Kawamura, K., Parrenin, F., Lisiecki, L., Uemura, R., Vimeux, F., Severinghaus, J.P., Hutterli, M. A., Nakazawa, T., Aoki, S., Jouzel, J., Raymo, M. E., Matsumoto, K., Nakata, H., Motoyama, H., Fujita, S., Goto-Azuma, K., Fujii, Y. & Watanabe, O. 2007. Northern Hemisphere forcing of climatic cycles in Antarctica over the past 360 000 years. *Nature* **448**: 912-916.
- Keeley, J.E. & Rundel, P.W. 2003. Evolution of CAM and C4 carbon-concentrating mechanisms. *International Journal of Plant Science* **164**: S55–S57.
- King, L.C. 1963. *South African scenery: a textbook of geomorphology* (3rd Ed.). Edinburgh: Oliver & Boyd.
- Klein, R.G. 1972. The Late Quaternary mammalian fauna of Nelson Bay Cave (Cape Province, South Africa): its implications for megafaunal extinctions and environmental and cultural change. *Quaternary Research* **2**:135-142.
- Klein, R.G. 1974. Environment and subsistence of prehistoric man in the southern Cape Province, South Africa. *World Archaeology* **5**: 249-284.
- Klein, R.G. 1976. The mammalian fauna of Klasies River Mouth sites, southern Cape Province, South Africa. *South African Archaeological Bulletin* **31**: 75-98.
- Klein, R.G. 1995. Anatomy, behaviour and modern human origins. *Journal of World Prehistory* **9**: 167-198.
- Klein, R.G. & Cruz-Urbe, K. 2000. Middle and Later Stone Age large mammal and tortoise remains from Die Kelders Cave I, Western Cape Province, South Africa. *Journal of Human Evolution* **38**: 169-195.
- Kristen, I., Fuhrmann, A., Thorpe, J., Rohl, U., Wilkes, H. & Oberhänsli, H. 2007. Hydrological changes in southern Africa over the last 200 ka as recorded in lake sediments from the Tswaing Impact Crater. *South African Journal of Geology* **110**: 311-326.

- Ku, T.L. 1976. The uranium-series methods of age determination. *Annual Review of Earth and Planetary Science* **4**: 347-379.
- Lambeck, K., Esat, T.M. & Potter, E. 2002. Links between climate and sea levels for the past three million years. *Nature* **419**: 199-206.
- Langmuir, D. & Herman, J.S. 1980. The mobility of thorium in natural waters at low temperatures. *Geochimica et Cosmochimica Acta* **44**: 1753-1766.
- Lauritzen, S.E. & Lundberg, J. 1999. Calibration of the speleothem delta function: an absolute temperature record for the Holocene in northern Norway. *Holocene* **9**: 659-669.
- Lauritzen, S.E. & Onac, B.P. 1999. Isotopic stratigraphy of a last interglacial stalagmite from northwestern Romania: correlation with the deep-sea record and northern-latitude speleothem. *Journal of Cave and Karst Studies* **61**: 22-30.
- Lepper, K. 2007. Optically stimulated luminescence dating-an introduction. *New Mexico Geology* **29**: 111-111.
- Linder, H.P. 2005. Evolution of diversity: the Cape flora. *Trends in Plant Science* **10**: 536-541.
- Linder, H.P., Meadows, M.E. & Cowling, R.M. 1992. History of the Cape flora. **In:** Cowling, R.M. (ed.) *The ecology of fynbos: nutrients, fire and diversity*: 113-134. Cape Town: Oxford University Press southern Africa.
- Lloyd, P.H. 2000. *State of biodiversity: Western Cape Province, South Africa: mammals*. Western Cape State of Biodiversity 2000.
- Lock, B.E. 1978. The Cape Fold Belt of South Africa: tectonic control of sedimentation. *Proceedings of the Geologists Association* **89**: 263-281.
- Lombard, M. 2005. Evidence of hunting and hafting during the Middle Stone Age at Sibudu Cave, KwaZulu-Natal, South Africa: a multi-analytical approach. *Journal of Human Evolution* **48**: 279-300.
- Lombard, M. 2006. Direct evidence for the use of ochre in the hafting technology of Middle Stone Age tools from Sibudu Cave, KwaZulu-Natal. *Southern African Humanities* **18**: 57-67.

Lombard, M. 2007. Evidence for change in Middle Stone Age hunting behaviour at Blombos Cave: results of a macro-fracture analysis. *South African Archaeological Bulletin* **62**: 62–67.

Lombard, M., Wadley, L., Jacobs, Z., Mohapi, M. & Roberts, R.G. 2010. Still Bay and serrated points from Umhlatuzana Rock Shelter, KwaZulu-Natal, South Africa. *Journal of Archaeological Science* **37**: 1773-1784.

Low, A.B. & Rebelo, A.G. 1996. *Vegetation of South Africa, Lesotho and Swaziland: a companion to the vegetation map of South Africa, Lesotho and Swaziland*. Pretoria: Department of Environmental Affairs and Tourism.

Luo, X., Rehkämper, M., Lee, D.C. & Halliday, A.N. 1997. High precision $^{230}\text{Th}/^{232}\text{Th}$ and $^{234}\text{U}/^{238}\text{U}$ measurements using energy filtered ICP magnetic sector multiple collector mass spectrometry. *International Journal of Mass Spectrometry and Ion Processes* **171**: 105-117.

Mackay, A. & Welz, A. 2008. Engraved ochre from a Middle Stone Age context at Klein Kliphuis in the Western Cape of South Africa. *Journal of Archaeological Science* **35**: 1521-1532.

Marean, C.W., Nilssen, P.J., Brown, K., Jerardino, A. & Stynder, D. 2004. Palaeoanthropological investigations of Middle Stone Age sites at Pinnacle Point, Mossel Bay (South Africa): archaeology and hominid remains from the 2000 field season. *PalaeoAnthropology* **1**: 14-83.

Marean, C.W., Bar-Matthews, M., Bernatchez, J., Fisher, E., Goldberg, P., Herries, A.I.R., Jacobs, Z., Jerardino, A., Karkanas, P., Minichillo, T., Nilssen, P.J., Thompson, E., Watts, I. & Williams, H.M. 2007. Early human use of marine resources and pigment in South Africa during the Middle Pleistocene. *Nature* **449**: 905-908.

Marker, M.E. & Holmes, P.J. 1999. Laterisation on limestones of the Tertiary Wankoe Formation and its relationship to the African Surface, southern Cape, South Africa. *Catena* **38**: 1–21.

- Marker, M.E. & Holmes, P.J. 2005. Landscape evolution and landscape sensitivity: the case of the southern Cape. *South African Journal of Science* **101**: 53-60.
- Martinson, D.G., Pisias, N.G., Hays, J.D., Imbrie, J., Moore Jr., T.C. & Shackleton, N.J. 1987. Age dating and the orbital theory of the Ice Ages: development of a high resolution 0 to 300 000 year chronostratigraphy. *Quaternary Research* **27**: 1-29.
- Maslin, M.A. & Christensen, B. 2007. Tectonics, orbital forcing, global climate change and human evolution in Africa: introduction to the African palaeoclimate special volume. *Journal of Human Evolution* **53**: 443-464.
- Mattey, D., Lowry, D., Duffet, J., Fisher, R., Hodge, E. & Frisia, S. 2008. A 53-year seasonally resolved oxygen and carbon isotope record from a modern Gibraltar speleothem: reconstructed drip water and relationship to local precipitation. *Earth and Planetary Science Letters* **269**: 80-95.
- McBrearty, S. & Brooks, A.S. 2000. The revolution that wasn't: a new interpretation of the origin of modern human behaviour. *Journal of Human Evolution* **39**: 453-563.
- McCall, G.S. 2007. Behavioural ecological models of lithic technological change during the Later and Middle Stone Age of South Africa. *Journal of Archaeological Science* **34**: 1738-1751.
- McDermott, F. 2004. Palaeoclimate reconstruction from stable isotope variations in speleothems: a review. *Quaternary Science Reviews* **23**: 901-918.
- McDermott, F., Schwarcz, H.P. & Rowe, P.J. 2006. Isotopes in speleothems. **In**: Leng, M.J. (ed.) *Isotopes in palaeoenvironmental research*: 185-226. Dordrecht: Springer.
- McMillan, E.A., Fairchild, I.J., Frisia, S., Borsato, A. & McDermott, F. 2005. Annual trace element cycles in calcite-aragonite speleothems: evidence of drought in the western Mediterranean 1200-1100 yr BP. *Journal of Quaternary Science* **20**: 423-434.

- Meadows, M.E. & Baxter, A.J. 1999. Late Quaternary palaeoenvironments of the south-western Cape, South Africa: a regional synthesis. *Quaternary International* **57**: 193-206.
- Mellars, P. 2006. Why did modern human populations disperse from Africa ca. 60 000 years ago? A new model. *Proceedings of the National Academy of Sciences* **103**: 9381-9386.
- Mickler, P.J., Stern, L.A & Banner, J.L. 2006. Large kinetic isotope effects in modern speleothems. *Geological Society of America Bulletin* **118**: 65-81.
- Mills, G.A. & Urey, H.C. 1940. The kinetics of isotopic exchange between carbon dioxide, bicarbonate ion, carbonate ion and water, *Journal of the American Chemical Society* **62**: 1019-1026.
- Milton, S.J. 1987. Effects of harvesting on four species of forest ferns in South Africa. *Biological Conservation* **41**: 133-146.
- Minichillo, T. 2006. Raw material use and behavioural modernity: Howiesons Poort lithic foraging strategies. *Journal of Human Evolution* **5**: 359-364.
- Mitchell, P. 2008. Developing the archaeology of marine isotope stage 3. *South African Archaeological Bulletin Goodwin Series* **10**: 52-65.
- Moffett, O. & Deacon, H.J. 1977. The flora and vegetation in the surrounds of Boomplaas Cave, Cango Valley. *South African Archaeological Bulletin* **32**: 127-145.
- Mooney, H.A., Troughton, J.H. & Berry, J.A. 1977. Carbon isotope ratio measurements of succulent plants in southern Africa. *Oecologia* **30**: 295-305.
- Overpeck, J. & Cole, J. 2008. Palaeoclimate: the rhythm of the rains. *Nature* **451**: 1061.
- Partridge, T.C. 1993. Warming phases in southern Africa during the last 150 000 years: an overview. *Palaeogeography, Palaeoclimatology, Palaeoecology* **101**: 237-244.

- Partridge, T.C. 1997. Cainozoic environmental change in southern Africa, with special emphasis on the last 200 000 year. *Progress in Physical Geography* **21**: 3-22.
- Partridge, T.C. & Maud, R. R. 1987. Geomorphic evolution of southern Africa since the Mesozoic. *South African Journal of Geology* **90**:179-208.
- Partridge, T.C., Kerr, S.J., Metcalfe, S.E., Scott, L., Talma, A.S. & Vogel, J.C. 1993. The Pretoria Saltpan: a 200 000 year southern African lacustrine sequence. *Palaeogeography, Palaeoclimatology, Palaeoecology* **101**: 317-337.
- Partridge, T.C., DeMenocal, P.B., Lorentz, S.A., Paiker, M.J. & Vogel, J.C. 1997. Orbital forcing of climate over South Africa: a 200, 000 year rainfall record from the Pretoria Saltpan. *Quaternary Science Reviews* **16**: 1125-1133.
- Pearcy, R.W. & Ehleringer, J. 1987. Comparative ecophysiology of C₃ and C₄ plants. *Plant, Cell and Environment* **7**: 1-13.
- Peeters, F.J.C., Acheson, R., Brummer, G.J.A., de Ruijter, W.P.M., Schneider, R.R., Ganssen, G.M., Ufkes, E. & Kroon, D. 2004. Vigorous exchange between the Indian and Atlantic oceans at the end of the past five glacial periods. *Nature* **430**: 661-665.
- Picknett, R.G., Bray, L.G. & Stenner, R.D. 1976. The chemistry of cave waters. **In:** Ford, T.D. & Cullingford, C.H.D. (eds) *The science of speleology*: 225-248. London: Academic Press.
- Pietruszka, A.J., Carlson, R.W. & Hauri, E.H. 2002. Precise and accurate measurement of ²²⁶Ra-²³⁰Th-²³⁸U disequilibria in volcanic rocks using plasma ionisation multicollector mass spectrometry. *Chemical Geology* **188**: 171-191.
- Procheş, S., Cowling, R.M., Goldblatt, P., Manning, J.C. & Snijman, D.A. 2006. An overview of Cape geophytes. *Biological Journal of the Linnaean Society* **87**: 27-43.
- Rahmstorf, S. 2002. Ocean circulation and climate during the past 120 000 years. *Nature* **419**: 207-214.

- Ramsay, P.J. & Cooper, J.A.G. 2002. Late Quaternary sea level change in South Africa. *Quaternary Research* **57**: 82-90.
- Ravelo, A.C., Andreasen, D.H., Lyle, M., Olivarez Lyle, A. & Wara, M.W. 2004. Regional climate shifts caused by gradual global cooling in the Pliocene epoch. *Nature* **429**: 263-267.
- Raven, P.H. & Johnson, G.B. 1989. *Biology*. Missouri: Times Mirror/Mosby College Publishing.
- Reason, C.J.C. 2002. Sensitivity of the southern African circulation to dipole sea-surface temperature patterns in the south Indian Ocean. *International Journal of Climatology* **22**: 377-393.
- Roberts, D.L., Bateman, M.D., Murray-Wallace, C.V., Carr, A.S. & Holmes, P.J. 2008. Last Interglacial fossil elephant trackways dated by OSL/AAR in coastal aeolianites, Still Bay, South Africa. *Palaeogeography, Palaeoclimatology, Palaeoecology* **257**: 261-279.
- Rogers, J. 1984. *Cenozoic geology of the southern Cape coastal plain between Cape Agulhas and Mossel Bay, focussing on the area between the Goukou and Gouritz Rivers*. Technical Report No.15. University of Cape Town: Marine Geoscience Unit.
- Rust, I.C. 1998. Geology and geomorphology. **In**: Lubke, R.R. & De Moor, I.J. (eds) *Field guide to the eastern and southern Cape coasts* (2nd Ed.): 10-26. Cape Town: University of Cape Town Press.
- Scholtz, A. 1986. *Palynological and palaeobotanical studies in the southern Cape*. Unpublished MA. University of Stellenbosch.
- Schumann, E.H., Cohen, A.L. & Jury, M.R. 1995. Coastal sea surface temperature variability along the south coast of South Africa and the relationship to regional and global climate. *Journal of Marine Research* **53**: 231-248.
- Schwarcz, H.P. 1992. Uranium series dating and the origin of modern man. *Philosophical Transactions: Biological Sciences* **337**: 131-137.

- Schwarcz, H.P., Goldberg, P.D. & Blackwell, B. 1980. Uranium series dating of archaeological sites in Israel. *Israel Journal of Earth Sciences* **29**: 157-165.
- Scott, H.A. 1999. *De Hoop Nature Reserve*. Cape Town: Cape Department of Nature and Environmental Conservation.
- Scott, L. 2002. Grassland development under glacial and interglacial conditions in southern Africa: review of pollen, phytolith and isotope evidence. *Palaeogeography, Palaeoclimatology, Palaeoecology* **177**: 47-57.
- Sealy, J. 1996. Seasonality of rainfall around the Last Glacial Maximum as reconstructed from carbon isotope analyses of animal bones from Nelson Bay Cave. *South African Journal of Science* **92**: 441-444.
- Sharp, Z. 2007. *Principles of stable isotope geochemistry*. New Jersey: Prentice Hall.
- Silberberg, M. 1996. *Chemistry: the molecular nature of matter and change* (2nd Ed.). St. Louis: Mosby.
- Singer, R. & Wymer, J. 1982. *The Middle Stone Age at Klasies River Mouth in South Africa*. Chicago: University of Chicago Press.
- Smart, P. 1991. *Quaternary dating methods: a user's guide*. Great Britain: Quaternary Research Association.
- Smith, D.I. & Atkinson, T.C. 1976. Process, landforms and climate in limestone regions. In: Derbyshire, E. (ed.) *Geomorphology and climate*: 367-409. New York: Wiley.
- St. Pierre, E., Zhao, J. & Reed, E. 2009. Expanding the utility of uranium series dating of speleothems for archaeological and palaeontological applications. *Journal of Archaeological Science* **36**: 1416-1423.
- Stuut, J.W., Prins, M.A., Schneider, R.R., Weltje, G.J., Jansen, J.H.F. & Postma, G. 2002. A 300-kyr record of aridity and wind strength in southwestern Africa: inferences from grain size distributions of sediments on Walvis Ridge, SE Atlantic. *Marine Geology* **180**: 221-233.

- Sundqvist, H.S., Seibert, J. & Holmgren, K. 2007. Understanding conditions behind speleothem formation in Korallgrottan, northwestern Sweden. *Journal of Hydrology* **347**: 13-22.
- Suwa, M. & Bender, M.L. 2008. Chronology of the Vostok ice core constrained by O₂/N₂ ratios of occluded air and its implication for the Vostok climate records. *Quaternary Science Reviews* **27**: 1093-1106.
- Talma, A.S. & Vogel, J.C. 1992. Late Quaternary palaeotemperatures derived from a speleothem from Cango Caves, Cape Province, South Africa. *Quaternary Research* **37**: 203-213.
- Texier, P.J., Porraz, G., Parkington, J., Rigaud, J.P., Poggenpoel, C., Miller, C., Tribolo, C., Cartwright, C., Coudenneau, A., Klein, R., Steele, T. & Verna, C. 2010. A Howiesons Poort tradition of engraving ostrich eggshell containers dated to 60 000 years ago at Diepkloof Rock Shelter, South Africa. *Proceedings of the National Academy of Sciences* **107**: 6180-6185.
- Thackeray, J.F. 1987. Late Quaternary environmental changes inferred from small mammalian fauna, southern Africa. *Climatic Change* **10**: 285-305.
- Thackeray, J.F. 1988. Molluscan fauna from Klasies River, South Africa. *South African Archaeological Bulletin* **43**: 27-32.
- Thackeray, J.F. 2007. Sea levels and chronology of Late Pleistocene coastal cave deposits at Klasies River in South Africa. *Annals of the Transvaal Museum* **44**: 219-220.
- Thackeray, J.F. 2009. Chronology, climate and technological innovation associated with the Howieson's Poort and Still Bay industries in South Africa. *South African Journal of Science* **105**: 90-90.
- Thomas, R. 2001. A beginner's guide to ICP-MS part V: the ion focusing system. *Spectroscopy* **16**: 38-44.
- Thompson, W.G. & Goldstein, S.L. 2006. A radiometric calibration of the SPECMAP timescale. *Quaternary Science Reviews* **25**: 3207-3215.

- Thwaites, R.N. & Jacobs, E.O. 1989. The Cenozoic history of the coastal landscape of the southern Cape Province, South Africa: a review. *Quaternary Science Reviews* **8**: 283-293.
- Tribolo, C., Mercier, N. & Valladas, H. 2005. Chronology of the Howieson's Poort and Still Bay techno-complexes: assessment and new data from luminescence. In: d'Errico, F. & Backwell, L. (eds) *From tools to symbols: from early hominids to modern humans*: 493–511. Johannesburg: Witwatersrand University Press.
- Tribolo, C., Mercier, N., Selo, M., Joron, J-L., Reyss, J.L., Henshilwood, C., Sealy, J. & Yates, R. 2006. TL dating of burnt lithics from Blombos Cave South Africa: further evidence for the antiquity of modern human behaviour. *Archaeometry* **48**: 341–357.
- Tribolo, C., Mercier, N., Valladas, H., Joron, J.L., Guibert, P., Lefraisse, Y., Selo, M., Texier, P.J., Rigaud, J.P., Porraz, G., Poggenpoel, C., Parkington, J., Texier, J.P. & Lenoble, A. 2009. Thermoluminescence dating of a Stillbay–Howiesons Poort sequence at Diepkloof Rock Shelter (Western Cape, South Africa). *Journal of Archaeological Science* **36**: 730–739.
- Tyson, P.D. & Preston-Whyte, R.A. 2000. The weather and climate of southern Africa. Cape Town: Oxford University Press southern Africa.
- Vaks, A., Bar-Matthews, M., Ayalon, A., Matthews, A., Halicz, L. & Frumkin, A. 2007. Desert speleothems reveal climatic window for African exodus of early modern humans. *Geology* **35**: 831-834.
- Van Andel, T.H. 1989. Late Pleistocene sea levels and the human exploitation of the shore and shelf of southern South Africa. *Journal of Field Archaeology* **16**: 133-154.
- Vanhaeren, M.; d'Errico, F. Stringer, C., James, S.L., Todd, J.A. & Mienis, H.K. 2006. Middle Palaeolithic shell beads in Israel and Algeria. *Science* **312**: 1785-1788.
- van der Merwe, N.J. 1982. Carbon isotopes, photosynthesis and archaeology. *American Scientist* **70**: 596-606.

- Van Zinderen Bakker, E.M. 1976. The evolution of Late Cenozoic palaeoclimates of southern Africa. *Palaeoecology of Africa* **9**: 160-202.
- Villa, P., Soressi, M., Henshilwood, C.S. & Mourre, V. 2009. The Still Bay points of Blombos Cave (South Africa). *Journal of Archaeological Science* **36**: 441-460.
- Vogel, J.C. 2001. Radiometric dates for the Middle Stone Age in South Africa. **In:** Tobias, P.V., Raath, M.A., Maggi-Cecchi, J. & Doyle, G.A. (eds) *Humanity from African naissance to coming millennia*: 261-268. Florence: Florence University Press.
- Vogel, J.C., Fuls, A. & Ellis, R.A. 1978. The geographical distribution of Krantz grasses in South Africa. *South African Journal of Science* **99**: 247-250.
- Wadley, L. 2007. Announcing a Still Bay industry at Sibudu Cave, South Africa. *Journal of Human Evolution* **52**: 681 – 689.
- Wadley, L. 2001. What is cultural modernity? A general view and a South African perspective from Rose Cottage Cave. *Cambridge Archaeological Journal* **11**: 201-221.
- Wadley, L., Hodgkiss, T. & Grant, M. 2009. Implications for complex cognition from the hafting tools with compound adhesives in the Middle Stone Age, South Africa. *Proceedings of the National Academy of Sciences* **106**: 9590-9594.
- Wendt, W.E. 1976. 'Art mobiler' from Apollo 11 Cave, Southwest Africa: Africa's oldest dated works of art. *South African Archaeological Bulletin* **31**: 5-11.
- White, W.B. 2007. Cave sediments and palaeoclimate. *Journal of Cave and Karst Studies* **69**: 76-93.
- White, W.B. 2004. Palaeoclimate records from speleothems in limestone caves. **In:** Sasowsky, I.D. & Myroie, J. (eds) *Studies of cave sediments: physical and chemical records of palaeoclimate*: 135-175. New York: Kluwer Academic.
- Whitehead, N.E., Ditchburn, R.G., Williams, P.W. & McCabe, W.J. 1999. ^{231}Pa and ^{230}Th contamination at zero age: a possible limitation on the U/Th series dating of speleothem material. *Chemical Geology* **156**: 359-366.

Wurz, S. 1999. The Howiesons Poort backed artefacts from Klasies River: an argument for symbolic behaviour. *South African Archaeological Bulletin* **54**: 38-50.

Wurz, S. 2000. *The Middle Stone Age at Klasies River, South Africa*. PhD thesis, University of Stellenbosch.

Wurz, S. 2002. Variability in the Middle Stone Age lithic sequence 115 000-60 000 years ago at Klasies River, South Africa. *Journal of Archaeological Science* **29**: 1001-1015.

Wurz, S., Le Roux, N.J., Gardner, S. & Deacon, H.J. 2003. Discriminating between the end products of the earlier Middle Stone Age sub-stages at Klasies River using biplot methodology. *Journal of Archaeological Science* **30**: 1107–1126.

Wynn, J.G., Bird, M.I. & Wong, V.N.L. 2005. Rayleigh distillation and the depth profile of $^{13}\text{C}/^{12}\text{C}$ ratios of soil organic carbon from soils of disparate texture in Iron Range National Park, far north Queensland, Australia. *Geochimica et Cosmochimica Acta* **69**: 1961-1973.

Zavilopulo, A.N., Chipev, F.F. & Shpenik, O.B. 2005. Ionisation of water and carbon dioxide molecules by electron impact near threshold. *Nuclear Instruments and Methods in Physics Research Section B: Beam Interactions with Materials and Atoms* **233**: 298-301.

Zeuner, F.E. 1952. *Dating the past: an introduction to geochronology* (3rd Ed.). London: Methuen.

Zhou, H., Zhao, J., Feng, Y., Gagan, M.K., Zhou, G. & Yan, J. 2008. Distinct climate change synchronous with Heinrich event one, recorded by stable oxygen and carbon isotopic compositions in stalagmites from China. *Quaternary Research* **69**: 306-315.