

Menage, A., and G.Morel.1964.Sur la presence d'octopine dans les tissus de crown gall. CR Acad.Sci.(Paris).244:2171-2174.

Menage, A., and G.Morel.1965.Sur la presence d' un acide amine nouveau dans le tissu de crown gall. CR Soc. Biol.(Paris).159: 561-562.

Merlo, P.J., and E.W.Nester.1977.Plasmids in avirulent strains of *Agrobacterium* J. bacteriol.129:76-80.

Merlo, P.J., R.C.Nutter, A.L.Montoya, D.J.Garfinkel, M.H.Drummond, M-D.Chilton, M.P.Gordon, and E.W.Nester.1980. The boundaries and copy numbers of Ti-plasmid T-DNA vary in crown gall tumours.Mol. Gen. Genet. 177:637-643. SAVE

Mermod, N., J.L.Ramos, P.R.Lehrbach, and K.M.Timmis.1986 Vector for regulated expression of cloned genes in a wide range of Gram-negative bacteria. J. Bacteriol.167:447-454.

Messens, E., A.Lenaerts, R.W. Hedges, and M.Van Montagu.1985 Agrocinopine A, a phosphorylated opine is secreted from crown gall cells.EMBO Journal.4:571-577.

Miller, J.H.1977.Experiments in molecular genetics. Cold Spring Harbor Laboratory, New York.

Murai, N., and J.D.Kemp.1982.Octopine synthase mRNA isolated from sunflower crown gall cells in homologous to the Ti-plasmid of *Agrobacterium tumefaciens* Proc. Natl. Acad. Sci. USA 79:86-90.

Murphy, P.J., and W.P. Roberts.1979.A basis for agrocin sensitivity in *Agrobacterium radiobacter*. J. Gen. Microbiol. 114:207-213.

Murphy, P.J., M.E.Tate, and, A.Kerr.1981.Substituents at N⁶ and C 5'control selective uptake and toxicity of the adenine- nucleotide bacteriocin, agrocin 84 in *Agrobacteria*. Eur. J. Biochem. 115:539-543.

New, P.B., and A.Kerr.1972.Biological control of crown gall: field measurements and glasshouse experiments. J. Appl. Bacteriol. 35:279-287.

New, P.B., J.J.Scott, C.R.Ireland, S.K.Farrand, B.B.Lippincott, and J.A...Lippincott.1983.Plasmid pSa causes loss of LPS-mediated adherence in *Agrobacterium*. J. Gen. Microbiol.129: 3657-3660.

Ooms, G., R.J.Hooykaas, G.Moleman, and R.A.Schilperoot.1981. Crown gall plant tumours of abnormal morphology, induced by *Agrobacterium tumefaciens* carrying mutated octopine Ti-plasmids : analysis of T-DNA functions. Gene.14:33-50.

Panagopoulos, C.G., and P.G.Psallidas.1973.Characteristics of Greek isolates of *Agrobacterium tumefaciens*. J. Appl. Bacteriol.36:233--240.

Panagopoulos, C.G., P.G.Psallidas, A.S.Alivizatos.1978. Studies on biotype 3 of *Agrobacterium radiobacter*. var.*tumefaciens*. Proceedings of the fourth International Conference of Plant Pathogenic Bacteria. Angers, France. 221-227

Panagopoulos, C.G., P.G.Psallidas, and A.S.Alivizatos.1979. Evidence of a breakdown in the effectiveness of biological control of crown gall. In: Schippers, B., and W.Gams (eds). Soil-borne plant pathogens. pp.569-578. Academic Press, London.

Panagopoulos, C.G., P.G.Psallidas, and D.C.Stylianidis.1983. Current work on the effectiveness of biocontrol of crown gall. International workshop on crown gall.Swiss Federal Research Station for fruit-growing viticulture and horticulture.pp. 67-78.

Peralta, E.G., R.Hellmiss, and W.Rear.1986.Overdrive, a T-DNA transmission enhancer on the *A. tumefaciens* tumour-inducing plasmid. EMBO Journal. 5: 1137-1142.

Perry, K.L., and C.I.Kado.1982.Characteristics of Ti plasmids from broad-host range and ecologically specific biotype 2 and 3 strains of *Agrobacterium tumefaciens*. J. Bacteriol. 151:343-350.

Petit, A.,Y.Dessaux, and J.Tempe.1978.The biological significance of opines: 1. A study of opine catabolism by *Agrobacterium tumefaciens*.Proceedings of the fourth International Conference on Plant Pathogenic Bacteria. Angers, France.pp.143-152.

Priefer, U.V., R.simon, and A. Publer.1985.Extension of the host range of *Escherichia coli*. vectors by incorporation of RSF1010 replication and mobilisation functions. J. Bacteriol. 163:324-330.

Roberts, W.P., and A.Kerr.1974.Crown gall induction: serological reactions, isozyme patterns and sensitivity to mitomycin C and bacteriocin, of pathogenic and non-pathogenic strains of *Agrobacterium radiobacter*. Physiol. Plant Pathol. 4:81-91.

Schell, J., and M.Van Montagu.1983.The Ti-plasmids as natural and as practical gene vectors for plants. Biotechnology. 4:175-180.

Schroth, M.N., A.R.Weinhold, A.H.McCain, D.C.Hilderbrand, and N.Ross.1971.Biology and control of *Agrobacterium tumefaciens*. Hilgardia.40:537-552.

Shaw, C.H., M.D.Watson,G.H.Carter, and, C.H.Shaw.1984. The right hand copy of the nopaline Ti-plasmid 25bp repeat is required for tumour formation. Nucleic Acids Res.12:6031.

Simon, R., U.Priefer, and A.Puhler.1983.A broad host range mobilisation system for in vivo genetic engineering: transposon mutagenesis in Gram-negative bacteria. Biotechnology.Nov.784-790.

Skoog, F., C.O.Miller.1957.Chemical regulation of growth and organ formation in plant tissues cultured in vitro. Symp. Soc. Exp. Biol. 11:118-131.

Slota, J.E., and S.K.Farrand.1982.Genetic isolation and physical characterisation of pAgK84, the plasmid responsible for agrocin 84 production. Plasmid 8:175-186.

Southern, E.M.1975.Detection of specific sequences among DNA fragments separated by gel electrophoresis. J. Mol. Biol. 98: 503-517.

Stachel, S.E., E.Messens, M.Van Montagu, and P.Zambriski. 1985.Identification of the signal molecules produced by wounded plant cells that activate T-DNA transfer in *Agrobacterium tumefaciens*. Nature.318:624-629.

Stachel, S.E., and P.Zambriski.1986.*virA* and *virG* control the plant-induced activation of the T-DNA transfer process of *A. tumefaciens*. Cell 46:325-333.

Stonier, T. 1956. Labelling crown gall bacteria with P^{32} for radioautoradiography. J. Bacteriol. 72: 259-268.

Stonier, T. 1960. *Agrobacterium tumefaciens* Conn. II production of an antibiotic substance. J Bacteriol. 79: 889-898.

Sule, S., and C.I. Kado. 1980. Agrocine resistance in virulent derivatives of *Agrobacterium tumefaciens* harbouring the pTi plasmid. Physiol. Plant Pathol. 17: 347-356.

Thomashow, M.F., R. Nutter, A.L. Montoya, M.P. Gordon, and E.W. Nester. 1980a. Integration and organisation of Ti plasmid sequences in crown gall tumours. Cell. 19: 729-739.

Thomashow, M.F., R. Nutter, K. Postle, M-D. Chilton, F.R. Blattner; A. Powell, M.P. Gordon, and E.W. Nester. 1980b. Recombination between higher plant DNA and the Ti plasmid of *Agrobacterium tumefaciens*. Proc. Natl. Acad. Sci. USA. 77: 6448-6452.

Thomashow, M.F., C.G. Panagopoulos, M.P. Gordon, and E.W. Nester. 1980c. Host range of *Agrobacterium tumefaciens* is determined by the Ti plasmid. Nature. 283: 794-796.

Thomashow, M.F., U.C. Knauf, and E.W. Nester. 1981. Relationship between the limited and the wide host range octopine type Ti- plasmids of *Agrobacterium tumefaciens* J. Bacteriol. 146: 484-493.

Thomson, J.A. 1985. The use of agrocine-producing bacteria in biological control of crown gall. (submitted).

Thomson, J.A. 1986. The potential for biological control of crown gall disease in grapevines. Trends in Biotechnology. 4: 219-224.

Van Haute, E., H. Joos, M. Maes, G. Warren, M. Van Montagu, J. Schell. 1983. Intergeneric transfer and exchange recombination of restriction fragments cloned in pBr322; a novel strategy for the reversed genetics of the Ti-plasmids of *Agrobacterium tumefaciens* EMBO Journal. 2:411-418.

Van Larebeke, N., G. Engler, M. Holsters, S. Van Den Elsacker, I. Zaenen, R. A. Schilperoot, and J. Schell. 1974. Large plasmid in *Agrobacterium tumefaciens* essential for crown gall inducing ability. Nature. 252:169-170.

Vierra, J., and J. Messing. 1982. The pUC plasmids or M13 mp. 7 derived system for insertion mutagenesis and sequencing with synthetic universal primers. Gene. 19:259-268.

Volleinweider, H. J., M. Fianndt, E. C. Rosenvold, and W. Szymbański. 1980. Packaging of plasmid DNA containing the cohesive ends of coliphage lambda. Gene. 9:171-174.

Wang, K., L. Herrera-Estrella, M. Van Montagu, and P. Zambryski. 1981. Right 25bp terminus sequence of the nopaline T-DNA is essential for, and determines direction of DNA transfer from *Agrobacterium* to the plant genome. Cell. 38:455-462.

Watson, B., T. C. Currier, M. P. Gordon, M. D. Chilton, and E. W. Nester. 1975. Plasmid required for virulence of *Agrobacterium tumefaciens* J. Bacteriol. 123:255-264.

Webster, J., M. Dos Santos, and J. A. Thomson. 1986. Agrocin- producing *Agrobacterium tumefaciens* strain active against grapevine isolates. Appl. Environ. Microbiol. 52:217-219.

Whatley, M.H., J.B.Margot, J.Schell, B.B.Lippincot, and J.A.Lippincot.1978.Plasmid or chromosomal determination of *Agrobacterium* adherence specificity. J. Gen. Microbiol. 107:395-398.

White, F.F., G.Ghidossi, M.P.Gordon and E.W.Nester.1982. Tumor induction by *Agrobacterium rhizogenes* involves the transfer of plasmid DNA to the plant genome.Proc. Natl. Acad. Sci. USA.79:3193-3197.

Willmitzer, L., M. De Beuckeler, M.Lemmers, M.Van Montagu, and J.Schell.1980.DNA from Ti-plasmid is present in the nucleus and absent from plastids of plant crown-gall cells. Nature.287:359-361.

Willmitzer, L., G.Simons, and J.Schell.1982.The Ti-DNA in octopine crown-galltumours for seven well-defined polyadenylated transcripts. EMBO Journal.1:139-146.

Willmitzer, L., P.Dahese, P.H.Schvuer, W.Schmalenbach,M.Van Montagu, and J.Schell.1983. Cell.32:1045-1056.

Yadav, N.S., K.Postle, R.K.Saiki, M.F.Thomashow, and M-D.Chilton. 1980.

Yadav, N.S., J.Vanderleyden, D.R.Bennett, W.M.Barnes, and M-D.Chilton.1982.Short direct repeats flank the T-DNA on a nopaline Ti-plasmid. Proc. Natl. Acad. Sci. USA.79:6322-6326.

Yanofsky, M., B.Lowe, A.Montoya, R.Rubin, W.Krul, M.Gordon, and E.W.Nester.1985. Molecular and genetic analysis of factors controlling host range in *Agrobacterium tumefaciens*. Mol. Gen. Genet. 201:237-246.

Yang, N.Y.1985.*Agrobacterium*T-DNA oncogenes encode plant growth regulators: are there cellular homologues in plants?. Trends in Biotechnology. 3:126-127.

Zenen, I., N.Van Larebeke, H.Teuchy, M.Van Montagu, and J.Schell.1974.Supercoiled circular DNA in crown gall inducing *Agrobacterium* strains. J. Mol. Biol.86:109-127.

Zambryski, P., A. Depicker, K. Kruger, and H.M. Goodman. 1982. Tumor induction by *Agrobacterium tumefaciens* analysis of the boundaries of T-DNA. *Mol. Appl. Genet.* 1:361-370.

Zambryski, P., H.Joos, C.Genetelico, J.Leemans, M.Van Montagu, and J.Schell.1983.Ti-plasmid vector for the introduction of DNA into plant cells without alteration for their normal regeneration capacity. EMBO Journal.2:2143-2150.

Author Herrera Gerardo

Name of thesis Construction Of A Gene Bank And Use Of The Chromosome Walking Technique For The Detection Of New Putative Agrocins Genes In Agrobacterium Tumefaciens Strain D286. 1987

PUBLISHER:

University of the Witwatersrand, Johannesburg

©2013

LEGAL NOTICES:

Copyright Notice: All materials on the University of the Witwatersrand, Johannesburg Library website are protected by South African copyright law and may not be distributed, transmitted, displayed, or otherwise published in any format, without the prior written permission of the copyright owner.

Disclaimer and Terms of Use: Provided that you maintain all copyright and other notices contained therein, you may download material (one machine readable copy and one print copy per page) for your personal and/or educational non-commercial use only.

The University of the Witwatersrand, Johannesburg, is not responsible for any errors or omissions and excludes any and all liability for any errors in or omissions from the information on the Library website.