

https://dspace.org/

The effect of music on submaximal cycling

Schie, Nicola Alison

2006-11-01T10:47:46Z
http://hdl.handle.net/10539/1568

Downloaded from a DSpace repository. https://dspace.org/

TABLE OF CONTENTS

DECLARATION	i
DEDICATION	ii
ABSTRACT	iii-iv
CONGRESS PRESENTATION	v
ACKNOWLEDGEMENTS	vi
TABLE OF CONTENTS	vii-ix
LIST OF FIGURES	x
LIST OF TABLES	xi -xii

CHAPTER 1: INTRODUCTION

1.1 Historical review	1-3
1.2 Aim of research	3

CHAPTER 2: LITERATURE REVIEW

2.1 Section 2.1: Rationale for utilizing music in cycling training	4-5
2.2 Section 2.2: The physiological effects of utilizing music	6- 8
2.3 Section 2.3: The psychological effects of music on cycling performance	8-12
2.4 Section 2.4: Type of music most suitable for exercise	12-15
2.5 Section 2.5: Music and exercise type	16-17

CHAPTER 3: METHODOLOGY

3.1 Study Design 18
3.2 Subjects 18-19
3.3 Procedure 19 -23
3.3.1. Familiarization and maximal oxygen consumption 19 -20
3.3.2. Submaximal cycling sessions 20- 23
3.4 Instrumentation and materials 23- 26
3.4.1 Familiarization cycling session and maximal oxygen consumption 23- 24
3.4.2 Submaximal cycling sessions 24- 26
3.5 Statistical analysis 26
3.5.1. Sample size 26
3.5.2. Analysis 26

CHAPTER 4: RESULTS

4.1 Demographic data 27-28
4.2 Training histories 28-30
4.3 Oxygen consumption 30- 31
4.4 Submaximal cycling sessions 31-35

CHAPTER 5: DISCUSSION 36- 37
5.1 Perception 37
5.2 Music 37- 38
5.3 Heart rate 38- 39
5.4 Borg Scale 39- 40
5.5 Change in lactate 40- 41
5.6 Summary 41
5.7 Ideas for future research 42

CHAPTER 6: CONCLUSION 43

REFERENCES 44-46

APPENDIX

Appendix 1- Explanation of what A, B, C, D category cyclists are 47

Appendix 2- Informed consent 48- 50

Appendix 3- Medical questionnaire 51- 52

Appendix 4- Pre-test questionnaire 53- 54

Appendix 5- Borg scale 55

Appendix 6- Post-test questionnaire 56

Appendix 7-Copy of ethical clearance certificate 57

LIST OF FIGURES

Figure 3.1- The hand held lactate analyzer (Accusport) 22

Figure 3.2-Two period cross over design 23

Figure 3.3- A maximal oxygen consumption test in progress 24

Figure 3.4- A submaximal cycling session in progress 25

Figure 4.1- Subjects' perception of which cycling session was easier 34

Figure 4.2- Subjects' classification of music 35

LIST OF TABLES

Table 4.1- Physical characteristics of subjects (mean ± SD) and cyclist categories 27

Table 4.2.1-Training history of subjects in group A 28

Table 4.2.2-Training history of subjects in group B 29

Table 4.2.3.-Training history of all the subjects combined 29-30

Table 4.3-Oxygen consumption of group A and B (mean ±SD) with music and without music 30

Table 4.4.1- Change in plasma lactate concentration (mean, 95% confidence interval, p- value and coefficient of determination) before and after submaximal (80% VO_2 max) cycling with and without music (baseline adjusted to two minutes) n = 30 31

Table 4.4.2- Heart rate (mean, 95% confidence intervals, p-value and coefficient of determination) at two minute intervals during

submaximal (80% VO_2 max) cycling with and without music (baseline adjusted to two minutes) n =30 32

TABLE 4.4.3-Borg scale (mean, 95% confidence intervals, p-values and coefficient of determination) at two minute intervals during submaximal (80% VO_2 max) cycling with and without music (baseline adjusted to two minutes) n =30 33