DSPACE

https://dspace.org/

A landscape approach to the archaeology of the Vredefort Dome

Byrne, Patrick Joseph

2012-09-18
http://hdl.handle.net/10539/11959

Downloaded from a DSpace repository. https://dspace.org/

SiteName	SiteType	Type	SIteID	Total Area m^2	Inner Area m^2	Living Area m^2	Living Area to Inner Area
BFK SWS 01	2	Group 1b	1	4254.93	714.71	3540.22	4.95
BFK SWS 02	3	Group 1c	2	4069.97	1263.23	2806.75	2.22
BFK SWS 03	1	Group 1a	3	1469.87	171.69	1298.18	7.56
BFK SWS 04	6	Group 4	4	2808.90	986.78	1822.12	1.85
BFK SWS 05	1	Group 1a	5	866.53	224.68	641.85	2.86
BFK SWS 06	6	Group 4	6	1176.76	335.59	841.17	2.51
BFK SWS 07	6	Group 4	7	6608.68	839.96	5768.72	6.87
BFK SWS 08	7	Group 5	8	1692.31	207.62	1484.69	7.15
BFK SWS 09	1	Group 1a	9	2551.03	261.01	2290.02	8.77
BFK SWS 10	1	Group 1a	10	1742.05	273.70	1468.35	5.36
BFK SWS 11	3	Group 1c	11	1727.23	589.36	1137.87	1.93
BFK SWS 12	3	Group 1c	12	4949.70	1262.31	3687.39	2.92
BFK SWS 13	6	Group 4	13	2949.56	573.52	2376.04	4.14
BFK SWS 14	3	Group 1c	14	3824.89	1052.95	2771.94	2.63
BFK SWS 15	1	Group 1a	15	1783.24	264.44	1518.80	5.74
BFK SWS 16	5	Group 3	16	1913.19	869.10	1044.08	1.20
BFK SWS 17	8	Mason Class 8	17	6393.84	826.42	5567.42	6.74
BFK SWS 18	1	Group 1a	18	2414.17	951.96	1462.21	1.54
BFK SWS 19	1	Group 1a	19	888.98	114.66	774.31	6.75
BFK SWS 20	1	Group 1a	20	2343.63	146.71	2196.92	14.97
BFK SWS 21	1	Group 1a	21	1321.12	41.31	1279.81	30.98
BFK SWS 22	2	Group 1b	22	7007.65	823.23	6184.41	7.51
BFK SWS 23	1	Group 1a	23	1675.45	313.55	1361.90	4.34
BFK SWS 24	7	Group 5	24	1165.58	234.36	931.22	3.97
BFK SWS 25	5	Group 3	25	3333.43	1033.94	2299.49	2.22
BFK SWS 26	3	Group 1c	26	7096.93	1341.27	5755.66	4.29
BFK SWS 27	3	Group 1c	27	1345.33	332.84	1012.48	3.04
BFK SWS 28	3	Group 1c	28	4842.35	835.44	4006.91	4.80
BFK SWS 29	1	Group 1a	29	2657.02	206.03	2450.99	11.90
BFK SWS 30	3	Group 1c	30	4468.78	680.32	3788.46	5.57
BFK SWS 31	1	Group 1a	31	966.35	221.97	744.38	3.35
BFK SWS 32	5	Group 3	32	1362.69	493.18	869.51	1.76
BFK SWS 33	5	Group 3	33	1443.00	405.99	1037.01	2.55

Perimeter Length m	Inter Length m	Percentage	Wall Density	Slope Degrees	Slope Percentage	Aspect Degrees	Aspect Direction
310.90	476.23	16.80	0.18	4.79	6.37	59.56	NE
305.32	320.40	31.04	0.15	5.96	4.68	105.62	E
170.54	79.92	11.68	0.17	11.17	3.98	210.00	SW
215.91	239.98	35.13	0.16	8.81	1.37	247.18	SW
109.44	63.51	25.93	0.20	8.19	5.88	247.25	SW
146.50	82.44	28.52	0.19	6.35	5.94	270.00	W
243.97	407.61	12.71	0.10	5.98	8.58	118.40	SE
216.62	0.00	12.27	0.13	15.15	17.78	147.89	SE
261.17	79.73	10.23	0.13	9.49	5.65	90.34	E
112.62	122.09	15.71	0.13	7.33	2.35	82.95	E
112.37	184.06	34.12	0.17	12.91	13.63	22.50	N
350.71	239.19	25.50	0.12	9.71	9.93	47.24	NE
200.66	180.44	19.44	0.13	16.56	5.27	24.37	NE
246.66	211.53	27.53	0.12	7.88	8.61	64.27	NE
160.22	102.09	14.83	0.15	10.81	19.55	13.39	N
132.09	170.65	45.43	0.16	9.62	7.53	100.18	E
305.37	337.01	12.93	0.10	12.18	5.12	305.55	NW
195.29	130.79	39.43	0.14	4.41	10.07	219.95	SW
96.76	58.27	12.90	0.17	9.00	9.08	88.45	E
176.59	70.59	6.26	0.11	9.49	2.22	66.92	NE
164.57	27.43	3.13	0.15	2.88	4.76	96.72	E
284.87	208.34	11.75	0.07	4.43	6.72	240.19	SW
168.61	108.74	18.71	0.17	4.91	3.84	256.72	W
170.28	0.00	20.11	0.15	8.29	9.51	321.82	NW
276.03	198.85	31.02	0.14	5.89	9.01	195.16	S
372.86	413.69	18.90	0.11	3.29	6.95	37.58	NE
82.40	159.66	24.74	0.18	7.18	13.81	9.78	N
300.01	346.27	17.25	0.13	15.16	4.03	21.68	N
204.84	93.84	7.75	0.11	14.12	12.45	310.89	NW
295.74	220.26	15.22	0.12	7.76	16.00	116.02	SE
64.66	54.46	22.97	0.12	2.83	9.55	123.86	SE
140.06	129.75	36.19	0.20	9.83	16.20	159.78	S
140.60	154.77	28.14	0.20	5.93	14.18	148.28	SE

ALTITUDE MEAN	Inner Circles	Perim Circles	Total	Outside features	NEAR_DIST Perenial	NEAR_DIST Non Perenial
1435.20	9	1	10	2	1750.42820854000	231.66180635100
1462.75	9	2	11	1	1945.85094293000	309.46625665100
1431.00	3	1	4		1977.80733167000	90.83466314840
1444.00	6		6		1913.55072664000	182.47554950400
1460.00	1		1		1975.94252780000	211.37651705300
1464.00	2	2	4	2	1954.85602900000	252.44846182600
1468.38	11		11	2	1969.76521324000	232.03256904400
1464.00		1	1		1897.47245605000	160.63890667500
1460.00	2	1	3		1805.09185089000	55.73099376270
1447.00	3		3		1823.22600556000	40.03632949000
1442.00	6		6		1911.20783717000	47.14823005970
1432.67	6	3	9		1947.92266322000	92.37381171320
1438.67	2		2	4	2030.73728050000	141.37761494900
1461.50	6		6		1989.09917434000	133.53600649700
1449.50	3		3		1984.73129560000	118.79940225200
1453.67		5	5		2135.43548213000	78.33730573790
1519.14	10		10		1921.81002055000	140.07977957400
1546.00	2	1	3		1982.71117941000	149.48521683100
1548.00	2		2		1937.70927293000	79.97491023550
1544.33	3		3		1629.49558562000	114.99099509600
1552.00	1		1		2166.67404036000	174.19403825200
1557.80	4		4		1922.43904462000	60.22086923580
1469.33	4	1	5		1396.23921469000	230.66044180600
1496.00		1	1		1291.21637668000	123.11342254000
1488.67		5	5		1267.29876661000	83.02549961220
1485.71	16	2	18		1159.52018362000	132.17755073500
1485.00			0		1233.63459215000	173.75129965100
1448.63	7	1	8	1	974.95197866600	185.42635351200
1434.00	2		2		1401.02747699000	70.09721212820
1433.40	6	1	7		1315.05870811000	99.58787430120
1434.00	1		1		1344.03898945000	58.77883259230
1441.50		5	5		1167.22909274000	51.64291467450
1427.33	3	2	5		1334.70532381000	26.94101042890

Semi Perm
241.09137682700
309.46625665100
90.83466314840
182.47554950400
211.37651705300
252.44846182600
232.03256904400
160.63890667500
332.95050455000
235.54355762700
196.72022323200
118.28048863000
141.37761494900
190.21883388500
118.79940225200
140.07977957400
567.99860334400
579.17690157200
680.91878136200
541.00785796800
812.05156295400
1031.00544655000
230.66044180600
424.00276941100
422.88744657900
507.57989617700
435.44078920600
726.14745370200
308.76734383300
417.88701588700
404.48875622400
440.99638158400
616.88410568200