

References

1. Blake MA, Sweeney AT. Pheochromocytoma [Internet]. 2010 [updated 19 Oct 2011; cited 5 Nov 2011]. Available from: <http://emedicine.medscape.com/article/124059-overview>
2. Pacak K, Eisenhofer G, Ahlman H, Bornstein SR, Gimenez-Roqueplo AP, Grossman AB, et al. Pheochromocytoma: recommendations for clinical practice from the First International Symposium. October 2005. *Nat Clin Pract Endocrinol Metab*. 2007 Feb;3(2):92-102.
3. Sullivan J, Groshong T, Tobias JD. Presenting signs and symptoms of pheochromocytoma in paediatric-aged patients. *Clin Pediatr (Phila)*. 2005 Oct; 44(8):715-9
4. Lenders JW, Eisenhofer G, Mannelli M, Pacak K. Pheochromocytoma. *Lancet*. 2005 Aug 20-26;366(9486):665-75
5. De Krijger RR, Petri BJ, Van Nederveen FH, Korpershoek E, De Herder WW, De Muinck Keizer-Schrama SM, et al. Frequent genetic changes in childhood pheochromocytomas. *Ann N Y Acad Sci*. 2006 Aug;1073:166-76.
6. Havekes B, Romijn JA, Eisenhofer G, Adams K, Pacak K. Update on pediatric pheochromocytoma. *Pediatr Nephrol*. 2009 May;24(5):943-50.
7. Grondal S, Hamberger B, Telenius-Berg M. Secretory pattern and blood pressure in pheochromocytoma. *World J Surg*. 1986 Aug;10(4):724-8.
8. Bravo EL, Tagle R. Pheochromocytoma: state-of-the-art and future prospects. *Endocr Rev*. 2003 Aug;24(4):539-53.

9. Weise M, Merke DP, Pacak K, Walther MM, Eisenhofer G. Utility of plasma free metanephrines for detecting childhood pheochromocytoma. *J Clin Endocrinol Metab.* 2002 May;87(5):1955-60.
10. Davidson DF. Elevated urinary dopamine in adults and children. *Ann Clin Biochem.* 2005 May;42(Pt 3):200-7.
11. Pacak K, Linehan WM, Eisenhofer G, Walther MM, Goldstein DS. Recent advances in genetics, diagnosis, localization, and treatment of pheochromocytoma. *Ann Intern Med.* 2001 Feb 20;134(4):315-29.
12. Elsayes KM, Narra VR, Leyendecker JR, Francis IR, Lewis JS, Jr., Brown JJ. MRI of adrenal and extraadrenal pheochromocytoma. *AJR Am J Roentgenol.* 2005 Mar;184(3):860-7
13. Janse van Rensburg P. Imaging Phaeochromacytoma. *Journal of Endocrine Metabolism and Diabetes of South Africa.* 2010;15(3):122-32.
14. Pacak K, Ilias I, Adams KT, Eisenhofer G. Biochemical diagnosis, localization and management of pheochromocytoma: focus on multiple endocrine neoplasia type 2 in relation to other hereditary syndromes and sporadic forms of the tumour. *J Intern Med.* 2005 Jan;257(1):60-8.
15. Wiseman GA, Pacak K, O'Dorisio MS, Neumann DR, Waxman AD, Mankoff DA, et al. Usefulness of 123I-MIBG scintigraphy in the evaluation of patients with known or suspected primary or metastatic pheochromocytoma or paraganglioma: results from a prospective multicenter trial. *J Nucl Med.* 2009 Sep;50(9):1448-54.

16. Howman-Giles R, Shaw PJ, Uren RF, Chung DK. Neuroblastoma and other neuroendocrine tumours. *Semin Nucl Med.* 2007 Jul;37(4):286-302.
17. Van der Harst E, de Herder WW, Bruining HA, Bonjer HJ, de Krijger RR, Lamberts SW, et al. [(123)I]metaiodobenzylguanidine and [(111)In]octreotide uptake in benign and malignant pheochromocytomas. *J Clin Endocrinol Metab.* 2001 Feb;86(2):685-93.
18. Ilias I, Pacak K. Current approaches and recommended algorithm for the diagnostic localization of pheochromocytoma. *J Clin Endocrinol Metab.* 2004 Feb;89(2):479-91.
19. Thompson LD. Pheochromocytoma of the Adrenal gland Scaled Score (PASS) to separate benign from malignant neoplasms: a clinicopathologic and immunophenotypic study of 100 cases. *Am J Surg Pathol.* 2002 May;26(5):551-66.
20. Ein SH, Pullerits J, Creighton R, Balfe JW. Pediatric pheochromocytoma. A 36-year review. *Pediatr Surg Int.* 1997;12(8):595-8.
21. Kercher KW, Novitsky YW, Park A, Matthews BD, Litwin DE, Heniford BT. Laparoscopic curative resection of pheochromocytomas. *Ann Surg.* 2005 Jun;241(6):919-26; discussion 26-8.
22. Thompson LDR. Pheochromocytoma. *Pathology Case Reviews.* 2005 Sep/Oct; 10(5):243-250.
23. Ein SH, Shandling B, Wesson D, Filler R. Recurrent pheochromocytomas in children. *J Pediatr Surg.* 1990 Oct;25(10):1063-5.

24. Kroiss A, Putzer D, Uprimny C, Decristoforo C, Gabriel M, Santner W, et al. Functional imaging in pheochromocytoma and neuroblastoma with ⁶⁸Ga-DOTA-Tyr 3-octreotide positron emission tomography and ¹²³I-metaiodobenzylguanidine. *Eur J Nucl Med Mol Imaging*. 2011 May;38(5):865-73.
25. Pham TH, Moir C, Thompson GB, Zarroug AE, Hamner CE, Farley D, et al. Pheochromocytoma and paraganglioma in children: a review of medical and surgical management at a tertiary care center. *Pediatrics*. 2006 Sep;118(3):1109-17.
26. Bissada NK, Safwat AS, Seyam RM, Al Sobhi S, Hanash KA, Jackson RJ, et al. Pheochromocytoma in children and adolescents: a clinical spectrum. *J Pediatr Surg*. 2008 Mar;43(3):540-3.
27. Ciftci AO, Tanyel FC, Senocak ME, Buyukpamukcu N. Pheochromocytoma in children. *J Pediatr Surg*. 2001 Mar;36(3):447-52.
28. Stenstrom G, Svardsudd K. Pheochromocytoma in Sweden 1958-1981. An analysis of the National Cancer Registry Data. *Acta Med Scand*. 1986;220(3):225-32.
29. Armstrong R, Sridhar M, Greenhalgh KL, Howell L, Jones C, Landes C, et al. Pheochromocytoma in children. *Arch Dis Child*. 2008 Oct;93(10):899-904.
30. Shimazui T, Kikuchi K, Sato K, Kiriya I, Ishikawa S, Nemoto R, et al. [Detectability and characteristics of the primary adrenal tumour by ultrasonography--comparison with CAT scan and adrenal scintigraphy]. *Nihon Hinyokika Gakkai Zasshi*. 1989 Jul;80(7):1031-6.

31. Perel Y, Schlumberger M, Marguerite G, Alos N, Revillon Y, Sommelet D, et al. Pheochromocytoma and paraganglioma in children: a report of 24 cases of the French Society of Pediatric Oncology. *Pediatr Hematol Oncol.* 1997 Sep-Oct;14(5):413-22.
32. Reddy VS, O'Neill JA, Jr., Holcomb GW, 3rd, Neblett WW, 3rd, Pietsch JB, Morgan WM, 3rd, et al. Twenty-five-year surgical experience with pheochromocytoma in children. *Am Surg.* 2000 Dec;66(12):1085-91; discussion 92.