

Appendix B

Various lithic classes: frequencies according to stratigraphy

Frequencies of chunks according to stratigraphic level												
	S	1	2	3	4	5	6	7	8	9	10	Total
A1	6	7	14	10	79	479	391	208	342	856	1109	3501
A2	8	6	12	17	38	92	91	60	63	199	335	921
A3	15	15	25	52	25	68	39	29	41	68	97	474
A4	14	20	21	20	39	66	82	34	115	93	120	724
A5	15	9	16	11	23	20	8	4	16	12	26	160
B1	10	14	4	20	42	116	206	435	378	565	422	2212
B2	6	11	8	50	41	56	150	75	102	233	169	901
B3	21	34	31	70	33	19	103	80	57	70	73	591
B4	9	49	38	24	72	14	78	199	147	189	322	1141
B5	6	8	25	19	51	20	29	38	51	77	80	404
C1	4	4	1	8	14	24	249	233	732	152	913	2334
C2	11	7	4	32	4	37	71	56	62	110	161	555
C3	22	9	22	40	22	44	34	64	30	36	119	442
C4	12	8	20	37	28	71	126	274	162	90	130	958
C5	7	4	34	17	43	25	52	87	58	41	46	414
D1	16	10	14	26	15	91	118	90	435	302	697	1814
D2	13	7	4	8	6	38	34	226	59	180	237	812
D3	7	11	30	33	33	16	44	81	31	76	90	452
D4	14	16	55	24	78	39	56	230	157	214	160	1043
D5	11	19	34	7	40	18	36	129	101	117	125	637
F1	4	6	7	13	21	67	145	336	247	560	1523	2919
F2	1	11	6	23	27	31	24	52	33	64	78	350
F3	5	20	10	18	23	22	48	37	34	36	98	351
F4	3	11	11	20	31	41	63	21	70	114	100	485
F5	3	32	22	27	19	52	18	48	41	28	96	386
Total	243	348	468	626	847	1566	2295	3126	3564	4482	7326	24891
%	1.0	1.4	1.9	2.5	3.4	6.3	9.2	12.6	14.3	18.0	29.4	100.0

Appendix B

Various lithic classes: frequencies according to stratigraphy

Frequencies of chips according to stratigraphic level

	S	1	2	3	4	5	6	7	8	9	10	Total
A1	1	11	16	3	83	550	146	279	254	614	326	2283
A2	8	8	5	8	54	122	88	7	41	347	373	1061
A3	21	8	2	63	66	135	76	39	62	212	148	832
A4	16	14	13	21	165	135	150	83	340	257	97	1291
A5	35	16	11	4	9	43	7	14	22	37	8	206
B1	9	0	0	7	50	112	317	686	590	571	100	2442
B2	6	8	13	28	21	85	130	90	167	144	193	885
B3	12	22	23	92	27	48	90	128	219	121	87	869
B4	3	33	27	36	85	21	206	558	575	411	250	2205
B5	5	11	30	8	77	28	54	32	87	87	53	472
C1	4	0	1	3	13	51	101	223	1245	97	1616	3354
C2	5	0	5	15	8	84	29	41	64	156	208	615
C3	4	17	14	45	17	37	62	64	59	69	158	546
C4	10	16	13	28	45	175	246	281	248	218	205	1485
C5	11	0	19	22	96	30	28	71	155	30	57	519
D1	15	20	6	11	18	62	74	79	821	547	889	2542
D2	4	6	8	8	6	77	32	167	84	324	96	812
D3	3	15	9	33	23	30	19	90	43	37	52	354
D4	13	10	59	11	103	79	131	327	244	462	103	1542
D5	19	9	25	8	92	30	42	154	139	136	37	691
F1	1	1	0	2	0	18	66	160	185	661	648	1742
F2	0	10	1	2	3	18	21	47	35	42	46	225
F3	1	8	2	6	68	12	27	12	12	17	105	270
F4	0	0	6	17	20	28	72	47	86	82	229	587
F5	2	10	8	5	27	38	11	16	17	1	43	178
Total	208	253	316	486	1176	2048	2225	3695	5794	5680	6127	28008
%	0.7	0.9	1.1	1.7	4.2	7.3	7.9	13.2	20.7	20.3	21.9	100.0

Appendix B

Various lithic classes: frequencies according to stratigraphy

Frequencies of quartz crystals according to stratigraphic level												
	S	1	2	3	4	5	6	7	8	9	10	Total
A1	1	1	0	0	4	49	82	94	57	52	51	391
A2	0	0	0	0	1	5	10	3	17	60	36	132
A3	0	0	0	1	1	2	3	1	5	14	8	35
A4	0	0	1	0	2	0	2	1	11	11	4	32
A5	1	2	2	4	1	0	2	0	4	0	2	18
B1	1	0	0	1	1	1	22	133	131	61	39	390
B2	1	0	0	2	3	2	2	3	28	24	19	84
B3	1	0	1	5	2	1	2	1	3	3	4	23
B4	0	5	0	0	7	0	4	3	11	10	8	48
B5	0	0	4	1	5	1	1	1	5	2	0	20
C1	0	0	0	1	1	5	1	8	337	10	147	510
C2	2	1	4	2	1	7	10	3	10	34	56	130
C3	3	2	3	2	4	1	1	3	0	5	5	29
C4	0	4	2	4	5	6	12	4	5	12	19	73
C5	0	1	2	1	6	0	1	3	3	0	7	24
D1	1	1	1	5	0	4	6	16	149	157	234	574
D2	3	0	0	2	3	7	2	20	7	57	59	160
D3	0	1	1	2	1	1	2	15	2	4	2	31
D4	1	2	2	0	4	3	4	19	12	15	18	80
D5	0	0	0	0	1	8	3	13	26	12	12	75
F1	0	0	0	0	1	6	11	102	22	194	272	608
F2	0	0	1	1	3	6	2	5	13	38	9	78
F3	1	1	1	1	2	4	2	0	1	1	12	26
F4	0	0	1	0	2	0	1	2	8	0	4	18
F5	0	0	1	3	5	3	3	13	1	9	8	46
Total	16	21	27	38	66	122	191	466	868	785	1035	3635
%	0.4	0.6	0.7	1.0	1.8	3.4	5.3	12.8	23.9	21.6	28.5	100.0

Appendix B

Various lithic classes: frequencies according to stratigraphy

Frequencies of pebbles according to stratigraphic level

	S	1	2	3	4	5	6	7	8	9	10	Total
A1	1	1	2	0	9	21	15	11	19	33	18	130
A2	1	3	0	0	10	4	4	5	2	13	10	52
A3	3	0	6	1	4	2	6	5	8	11	20	66
A4	2	1	8	1	8	0	11	2	3	5	0	41
A5	3	0	1	0	3	0	0	0	0	2	5	14
B1	0	3	2	10	6	13	19	59	25	19	12	168
B2	0	1	0	0	5	8	7	6	0	5	0	32
B3	0	7	2	4	0	4	0	0	0	3	7	27
B4	0	5	3	4	2	1	7	6	0	14	4	46
B5	0	0	0	2	0	2	3	1	0	1	2	11
C1	0	0	0	0	0	0	16	32	11	0	40	99
C2	0	0	0	3	0	5	9	6	0	20	13	56
C3	2	3	0	0	0	2	2	4	0	0	5	18
C4	0	3	0	2	3	4	10	8	5	4	0	39
C5	0	0	0	0	3	4	11	7	6	6	3	40
D1	0	2	4	13	0	9	11	3	8	20	19	89
D2	2	6	0	2	0	7	0	5	5	0	22	49
D3	3	3	8	7	0	0	3	2	0	6	9	41
D4	2	4	2	9	0	2	0	5	4	6	10	44
D5	9	4	1	2	3	0	0	2	3	2	2	28
F1	0	1	1	0	0	6	31	6	7	22	75	149
F2	1	0	0	3	0	2	1	2	4	7	3	23
F3	1	1	2	1	0	0	2	0	1	1	3	12
F4	0	4	0	1	3	0	2	0	2	0	3	15
F5	0	0	3	1	0	0	1	0	2	3	4	14
Total	30	52	45	66	59	96	171	177	115	203	289	1303
%	2.3	4.0	3.5	5.1	4.5	7.4	13.1	13.6	8.8	15.6	22.2	100.0

Appendix B

Various lithic classes: frequencies according to stratigraphy

Frequencies of cores according to stratigraphic level												
	S	1	2	3	4	5	6	7	8	9	10	Total
A1	0	0	0	1	9	70	106	84	32	57	35	394
A2	0	0	1	1	3	10	9	25	8	27	19	103
A3	1	3	2	0	4	6	11	13	2	6	5	53
A4	1	3	5	5	4	7	8	15	4	5	1	58
A5	1	0	1	2	0	0	0	2	0	1	0	7
B1	3	2	0	3	5	10	28	163	31	39	21	305
B2	1	0	4	3	5	6	16	14	7	9	18	83
B3	3	5	4	9	0	5	10	8	1	7	2	54
B4	0	3	6	1	4	3	5	8	1	8	3	42
B5	1	5	3	1	3	8	3	12	1	2	0	39
C1	0	0	0	2	3	3	31	72	89	19	48	267
C2	1	0	1	2	0	15	6	12	6	17	12	72
C3	3	10	0	7	3	7	5	2	1	3	3	44
C4	0	2	0	3	2	5	12	8	10	8	5	55
C5	1	0	3	3	5	1	11	3	4	0	3	34
D1	2	1	1	5	2	7	13	5	58	76	112	282
D2	0	0	2	2	0	2	3	9	17	28	25	88
D3	0	5	4	6	5	4	9	4	4	2	1	44
D4	3	2	4	2	4	6	20	12	14	10	7	84
D5	0	2	8	4	3	4	4	5	7	1	4	42
F1	0	2	0	1	3	5	26	56	68	143	201	505
F2	1	2	0	5	1	13	13	4	11	10	6	66
F3	0	0	1	6	3	3	6	1	2	3	10	35
F4	0	4	6	1	5	12	11	2	4	8	3	56
F5	0	5	7	3	6	6	4	10	8	3	11	63
Total	22	56	63	78	84	217	390	549	370	491	555	2875
%	0.8	1.9	2.2	2.7	2.9	7.5	13.6	19.1	12.9	17.1	19.3	100.0

Appendix B

Various lithic classes: frequencies according to stratigraphy

Frequencies of pigments according to stratigraphic level												
	S	1	2	3	4	5	6	7	8	9	10	Total
A1	3	0	2	2	63	255	78	46	56	178	183	866
A2	4	5	1	6	11	26	23	16	8	56	91	247
A3	8	91	41	10	13	18	6	11	6	23	29	256
A4	7	1	14	15	40	25	54	8	49	17	49	279
A5	19	2	12	3	4	9	7	4	6	14	2	82
B1	5	5	0	5	19	57	76	220	158	150	134	829
B2	8	4	3	4	15	58	29	26	29	35	43	254
B3	9	22	19	25	12	5	10	18	23	11	15	169
B4	17	23	12	25	28	0	33	41	33	46	43	301
B5	9	27	25	10	36	10	10	18	31	22	8	206
C1	0	6	3	8	6	28	86	111	114	64	486	912
C2	3	3	5	5	1	22	19	11	24	59	58	210
C3	12	5	2	6	2	11	11	4	22	19	41	135
C4	15	15	5	20	16	37	35	17	14	30	49	253
C5	1	10	20	4	39	21	39	16	28	87	26	291
D1	7	6	8	14	13	102	67	22	243	129	316	927
D2	6	12	2	4	7	24	4	49	19	76	148	351
D3	8	26	35	27	11	7	4	13	9	31	54	225
D4	13	13	30	9	33	19	13	46	34	67	136	413
D5	15	23	49	9	41	14	13	27	47	51	78	367
F1	1	3	2	8	5	52	91	126	81	213	476	1058
F2	1	6	10	8	12	18	15	20	12	26	14	142
F3	6	9	6	7	27	31	9	2	9	14	19	139
F4	1	7	0	9	31	2	28	24	27	68	26	223
F5	5	12	24	39	28	50	33	48	27	11	62	339
Total	183	336	330	282	513	901	793	944	1109	1497	2586	9474
%	1.9	3.5	3.5	3.0	5.4	9.5	8.4	10.0	11.7	15.8	27.3	100.0

A ppendix B Various lithic classes: frequencies according to stratigraphy

Mass of pigments in gram according to stratigraphic level												
	S	1	2	3	4	5	6	7	8	9	10	Total
A1	5	0	6	15	355	1052	520	255	438	1153	1627	5426
A2	44	12	12	16	42	137	84	97	82	353	404	1283
A3	28	88	9	50	47	60	11	43	14	157	142	649
A4	31	6	63	50	121	76	159	22	161	294	141	1124
A5	87	5	39	23	7	24	26	10	25	56	15	317
B1	11	8	0	8	61	268	318	1137	728	949	1035	4523
B2	19	12	50	14	42	227	134	160	139	345	173	1315
B3	25	98	55	132	63	14	23	60	66	59	59	654
B4	32	73	57	70	74	0	73	169	107	223	175	1053
B5	29	55	104	63	123	51	46	62	138	134	51	856
C1	0	12	5	36	34	116	330	470	765	279	1482	3529
C2	14	8	22	21	5	88	88	70	115	250	369	1050
C3	19	19	28	41	12	33	78	20	67	104	195	616
C4	51	43	11	47	105	111	92	68	37	173	182	920
C5	28	29	58	23	156	58	136	118	208	344	104	1262
D1	25	10	186	60	86	359	223	125	1324	768	1334	4500
D2	37	44	30	21	15	168	19	264	111	399	637	1745
D3	34	100	236	121	36	45	14	20	51	173	351	1181
D4	55	69	128	29	208	59	52	237	88	251	482	1658
D5	30	73	198	26	104	50	81	128	103	351	357	1501
F1	5	30	8	34	30	201	320	913	683	1357	1207	4788
F2	4	27	55	53	50	170	52	10	54	106	146	727
F3	10	29	29	63	209	163	33	14	41	55	70	716
F4	11	20	41	25	95	26	144	89	80	256	160	947
F5	26	51	137	235	81	226	197	237	117	59	268	1634
Total	660	921	1567	1276	2161	3782	3253	4798	5742	8648	11166	43974
%	1.5	2.1	3.6	2.9	4.9	8.6	7.4	10.9	13.1	19.7	25.4	100.0

Appendix B

Various lithic classes: frequencies according to stratigraphy

Frequencies of all flakes (excluding MSA) according to stratigraphic level

	S	1	2	3	4	5	6	7	8	9	10	Total
A1	3	3	5	2	39	212	236	158	148	215	159	1180
A2	0	0	8	5	24	35	41	75	28	91	154	461
A3	7	5	9	26	10	44	20	25	11	31	28	216
A4	11	12	12	30	46	53	58	47	25	19	31	344
A5	7	5	6	19	12	9	1	3	6	3	8	79
B1	2	0	4	9	19	34	118	304	202	152	275	1119
B2	5	9	1	16	4	49	72	68	65	49	68	406
B3	3	10	9	27	7	26	35	30	13	20	15	195
B4	1	15	9	5	24	16	35	54	61	41	38	299
B5	4	4	9	11	31	24	16	10	28	34	19	190
C1	1	0	3	5	4	36	113	148	295	76	407	1088
C2	2	0	4	8	5	28	25	34	50	51	107	314
C3	4	13	6	19	6	17	21	12	14	17	30	159
C4	3	9	6	11	20	44	80	60	55	73	53	414
C5	2	3	11	18	20	8	33	21	23	26	19	184
D1	0	5	4	9	0	52	73	27	214	223	407	1014
D2	1	7	2	8	5	33	16	47	32	76	104	331
D3	2	8	5	24	14	25	20	19	16	23	20	176
D4	6	8	25	18	31	51	56	78	51	48	58	430
D5	8	9	16	4	11	28	13	24	43	6	35	197
F1	1	0	4	7	7	43	105	343	92	352	595	1549
F2	1	12	6	17	14	37	24	22	13	36	28	210
F3	5	4	4	14	25	48	20	7	9	10	14	160
F4	0	8	8	7	22	27	41	32	25	37	27	234
F5	3	7	12	13	12	25	20	52	22	15	52	233
Total	82	156	188	332	412	1004	1292	1700	1541	1724	2751	11182
%	0.7	1.4	1.7	3.0	3.7	9.0	11.6	15.2	13.8	15.4	24.6	100.0

Appendix B

Various lithic classes: frequencies according to stratigraphy

Frequencies of MSA flakes and tools according to stratigraphic level												
	S	1	2	3	4	5	6	7	8	9	10	Total
A1	0	0	0	0	0	0	0	0	1	8	14	23
A2	0	0	0	0	0	0	0	0	0	2	2	4
A3	0	0	0	0	0	0	0	0	0	0	0	0
A4	0	0	0	0	0	0	0	0	0	0	0	0
A5	0	0	0	0	0	0	0	0	0	0	0	0
B1	0	0	0	0	0	0	0	0	0	7	9	16
B2	0	0	0	0	0	0	0	0	0	1	0	1
B3	0	0	0	0	0	0	0	0	0	0	0	0
B4	0	0	0	0	0	0	0	1	0	0	0	1
B5	0	0	0	0	0	0	0	0	0	0	0	0
C1	0	0	0	0	0	0	0	0	0	0	5	5
C2	0	0	0	0	0	0	0	0	0	0	0	0
C3	0	0	0	0	0	0	0	0	0	0	0	0
C4	0	0	0	0	0	0	0	2	0	0	0	2
C5	0	0	0	0	0	0	0	0	0	0	0	0
D1	0	0	0	0	0	0	0	0	0	0	0	0
D2	0	0	0	0	0	0	0	0	0	0	0	0
D3	0	0	0	0	0	0	0	0	0	0	1	1
D4	0	0	0	0	0	0	0	0	0	0	1	1
D5	0	0	0	0	0	0	0	0	0	0	1	1
F1	0	0	0	0	0	0	0	0	3	0	4	7
F2	0	0	0	0	0	0	0	0	0	0	0	0
F3	0	0	0	0	0	0	0	0	1	0	1	2
F4	0	0	0	0	0	0	0	0	0	0	0	0
F5	0	0	0	0	0	0	0	0	0	0	0	0
Total	0	0	0	0	0	0	0	3	5	18	38	64
%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.7	7.8	28.1	59.4	100.0

Appendix B

Various lithic classes: frequencies according to stratigraphy

Frequencies of all bladelets (including backed) according to stratigraphic level												
	S	1	2	3	4	5	6	7	8	9	10	Total
A1	0	0	0	1	4	109	82	74	54	67	35	426
A2	1	0	2	0	0	6	15	22	6	54	66	172
A3	1	2	0	0	4	11	14	12	6	13	8	71
A4	0	0	2	2	8	20	46	24	17	6	12	137
A5	0	0	3	2	2	2	5	0	1	1	4	20
B1	0	0	0	0	2	12	79	189	66	41	62	451
B2	1	0	0	2	2	13	22	13	20	25	27	125
B3	0	1	0	4	0	7	25	17	6	8	1	69
B4	0	1	1	2	10	9	9	24	13	22	9	100
B5	0	0	5	1	4	13	7	10	12	4	3	59
C1	0	0	0	0	1	16	32	69	167	28	188	501
C2	0	0	2	2	0	3	3	3	13	13	25	64
C3	0	1	4	6	19	0	1	5	5	15	10	66
C4	0	0	1	2	2	9	42	22	15	26	48	167
C5	0	0	3	0	3	0	12	3	9	8	17	55
D1	0	0	0	0	0	4	13	2	8	63	190	279
D2	2	1	2	2	1	16	7	9	5	28	34	107
D3	0	1	0	0	1	17	2	1	7	10	11	50
D4	0	0	5	4	7	25	21	21	17	59	23	182
D5	0	2	2	0	0	8	17	11	17	20	22	99
F1	0	0	0	0	0	6	23	72	25	206	169	501
F2	0	3	0	1	3	12	11	6	10	22	22	90
F3	0	3	0	1	6	16	11	0	0	5	17	59
F4	0	0	0	6	8	9	10	8	15	18	11	85
F5	4	2	4	9	3	12	3	13	12	8	34	103
Total	9	17	36	47	90	355	512	630	526	770	1048	4040
%	0.2	0.4	0.9	1.2	2.2	8.8	12.7	15.6	13.0	19.1	25.9	100.0

Appendix B

Various lithic classes: frequencies according to stratigraphy

Frequencies of blades according to stratigraphic level												
	S	1	2	3	4	5	6	7	8	9	10	Total
A1	0	0	0	1	0	1	4	5	0	73	44	128
A2	0	0	0	0	1	0	1	3	0	7	33	45
A3	0	0	0	0	1	2	0	1	1	1	4	10
A4	0	0	0	0	0	2	2	0	1	1	3	9
A5	0	0	0	0	0	0	0	0	0	1	1	2
B1	0	0	0	0	0	0	6	5	2	28	63	104
B2	0	0	0	0	0	1	3	2	0	11	3	20
B3	0	0	0	0	0	3	2	1	0	1	0	7
B4	0	0	0	0	0	0	0	3	0	3	11	17
B5	0	0	0	0	0	1	0	0	0	12	2	15
C1	0	0	0	0	0	0	0	0	0	13	67	80
C2	0	0	0	0	0	0	0	1	2	12	3	18
C3	0	0	0	0	0	0	0	0	0	3	7	10
C4	0	0	0	0	0	1	3	2	3	12	2	23
C5	0	3	0	0	0	1	0	0	5	4	1	14
D1	1	0	0	0	4	0	2	0	9	32	15	63
D2	0	0	0	0	0	7	0	0	0	5	9	21
D3	0	0	0	0	0	1	0	0	1	0	3	5
D4	0	0	0	0	0	0	1	0	9	5	11	26
D5	0	0	0	0	0	0	1	0	0	5	3	9
F1	0	0	0	0	0	0	4	4	18	11	33	70
F2	0	0	0	0	0	1	0	0	1	3	6	11
F3	0	0	0	0	0	0	2	2	0	1	5	10
F4	0	0	0	0	0	0	1	5	0	8	4	18
F5	0	0	0	1	0	2	0	1	0	2	2	8
Total	1	3	0	2	6	23	32	35	52	254	335	743
%	0.1	0.4	0.0	0.3	0.8	3.1	4.3	4.7	7.0	34.2	45.1	100.0

Appendix B

Various lithic classes: frequencies according to stratigraphy

Frequencies of all scraper types according to stratigraphic level												
	S	1.0	2.0	3.0	4.0	5.0	6.0	7.0	8.0	9.0	10.0	Total
A1	0	1	7	0	7	51	38	51	29	22	11	217
A2	1	0	0	4	1	8	9	48	2	23	12	108
A3	1	1	2	1	3	9	4	16	7	1	1	46
A4	2	1	4	4	11	6	11	75	8	8	5	135
A5	5	1	1	4	1	4	2	0	1	2	2	23
B1	0	3	2	0	9	19	23	98	31	11	6	202
B2	1	1	0	3	19	13	10	16	5	12	7	87
B3	1	3	2	2	0	5	8	9	1	3	0	34
B4	2	1	4	2	12	8	8	21	12	25	4	99
B5	2	1	3	3	2	12	5	5	4	2	3	42
C1	0	0	0	0	9	13	4	61	39	9	45	180
C2	0	0	1	2	0	5	4	7	4	7	11	41
C3	2	4	2	8	5	10	8	0	2	3	6	50
C4	0	5	5	6	6	5	17	17	11	14	7	93
C5	0	0	0	9	8	0	16	5	5	2	7	52
D1	1	0	1	6	4	10	12	6	41	34	47	162
D2	3	0	0	0	2	0	4	21	5	17	13	65
D3	1	4	6	5	5	13	6	2	5	3	4	54
D4	0	1	7	2	12	16	14	21	18	15	5	111
D5	1	3	5	0	4	16	16	13	14	8	15	95
F1	2	1	1	0	1	6	34	45	16	58	52	216
F2	0	0	0	6	7	7	10	5	2	1	0	38
F3	2	2	6	2	15	13	11	1	5	4	8	69
F4	0	2	4	3	12	1	13	9	2	11	3	60
F5	2	0	2	10	9	17	9	17	13	11	6	96
Total	29	35	65	82	164	267	296	569	282	306	280	2375
%	1.2	1.5	2.7	3.5	6.9	11.2	12.5	24.0	11.9	12.9	11.8	100.0

Appendix B

Various lithic classes: frequencies according to stratigraphy

Frequencies of small scrapers excluding backed scrapers according to stratigraphic level												
	S	1	2	3	4	5	6	7	8	9	10	Total
A1	0	1	7	0	3	51	37	43	20	12	7	181
A2	1	0	0	2	1	8	8	45	2	18	7	92
A3	1	1	2	1	3	9	4	12	6	1	0	40
A4	2	1	4	3	10	6	10	72	8	7	4	127
A5	5	1	1	4	1	4	2	0	1	2	2	23
B1	0	3	2	0	8	19	20	80	29	6	2	169
B2	1	1	0	2	19	13	9	14	5	8	6	78
B3	1	3	2	2	0	5	5	8	1	2	0	29
B4	2	1	3	2	12	8	8	19	12	14	4	85
B5	2	1	3	3	2	10	4	4	4	2	3	38
C1	0	0	0	0	8	13	0	48	37	6	38	150
C2	0	0	1	2	0	5	0	7	4	7	10	36
C3	2	4	2	8	5	9	6	0	2	0	2	40
C4	0	5	4	6	6	5	12	14	10	14	6	82
C5	0	0	0	9	8	0	16	5	5	0	7	50
D1	1	0	1	6	4	10	9	4	37	31	44	147
D2	3	0	0	0	2	0	4	21	5	15	12	62
D3	1	4	6	4	5	12	6	2	5	2	2	49
D4	0	1	7	2	11	16	14	20	16	13	5	105
D5	1	3	5	0	4	15	16	13	13	5	15	90
F1	2	1	1	0	1	6	33	43	11	50	39	187
F2	0	0	0	6	7	7	8	5	2	0	0	35
F3	2	2	6	2	14	12	10	1	3	4	7	63
F4	0	2	3	3	10	1	11	8	2	10	3	53
F5	2	0	2	9	9	15	9	14	11	9	5	85
Total	29	34	58	74	125	248	255	441	218	206	202	1890
%	1.5	1.8	3.1	3.9	6.6	13.1	13.5	23.3	11.5	10.9	10.7	100.0

A ppendix B Various lithic classes: frequencies according to stratigraphy

Frequencies of medium scrapers according to stratigraphic level												
	S	1	2	3	4	5	6	7	8	9	10	Total
A1	0	0	0	0	4	0	1	8	5	2	1	21
A2	0	0	0	2	0	0	1	3	0	5	0	11
A3	0	0	0	0	0	0	0	4	1	0	1	6
A4	0	0	0	1	1	0	1	3	0	1	0	7
A5	0	0	0	0	0	0	0	0	0	0	0	0
B1	0	0	0	0	1	0	3	15	2	1	1	23
B2	0	0	0	1	0	0	1	1	0	4	0	7
B3	0	0	0	0	0	0	1	1	0	1	0	3
B4	0	0	1	0	0	0	0	2	0	11	0	14
B5	0	0	0	0	0	0	0	1	0	0	0	1
C1	0	0	0	0	1	0	4	11	2	2	4	24
C2	0	0	0	0	0	0	4	0	0	0	1	5
C3	0	0	0	0	0	1	2	0	0	3	4	10
C4	0	0	1	0	0	0	5	3	1	0	1	11
C5	0	0	0	0	0	0	0	0	0	2	0	2
D1	0	0	0	0	0	0	2	2	2	3	3	12
D2	0	0	0	0	0	0	0	0	0	2	0	2
D3	0	0	0	1	0	1	0	0	0	0	1	3
D4	0	0	0	0	1	0	0	1	1	2	0	5
D5	0	0	0	0	0	1	0	0	1	3	0	5
F1	0	0	0	0	0	0	1	2	2	8	13	26
F2	0	0	0	0	0	0	2	0	0	1	0	3
F3	0	0	0	0	1	1	1	0	0	0	0	3
F4	0	0	1	0	2	0	2	1	0	1	0	7
F5	0	0	0	1	0	2	0	3	2	2	0	10
Total	0	0	3	6	11	6	31	62	19	53	30	221
%	0.0	0.0	1.4	2.7	5.0	2.7	14.0	28.1	8.6	24.0	13.6	100.0

Appendix B Various lithic classes: frequencies according to stratigraphy

Frequencies of large scrapers according to stratigraphic level												
	S	1	2	3	4	5	6	7	8	9	10	Total
A1	0	0	0	0	0	0	0	0	4	8	3	15
A2	0	0	0	0	0	0	0	0	0	0	5	5
A3	0	0	0	0	0	0	0	0	0	0	0	0
A4	0	0	0	0	0	0	0	0	0	0	1	1
A5	0	0	0	0	0	0	0	0	0	0	0	0
B1	0	0	0	0	0	0	0	3	0	4	3	10
B2	0	0	0	0	0	0	0	1	0	0	1	2
B3	0	0	0	0	0	0	2	0	0	0	0	2
B4	0	0	0	0	0	0	0	0	0	0	0	0
B5	0	0	0	0	0	2	1	0	0	0	0	3
C1	0	0	0	0	0	0	0	2	0	1	3	6
C2	0	0	0	0	0	0	0	0	0	0	0	0
C3	0	0	0	0	0	0	0	0	0	0	0	0
C4	0	0	0	0	0	0	0	0	0	0	0	0
C5	0	0	0	0	0	0	0	0	0	0	0	0
D1	0	0	0	0	0	0	1	0	2	0	0	3
D2	0	0	0	0	0	0	0	0	0	0	1	1
D3	0	0	0	0	0	0	0	0	0	1	1	2
D4	0	0	0	0	0	0	0	0	1	0	0	1
D5	0	0	0	0	0	0	0	0	0	0	0	0
F1	0	0	0	0	0	0	0	0	3	0	0	3
F2	0	0	0	0	0	0	0	0	0	0	0	0
F3	0	0	0	0	0	0	0	0	2	0	1	3
F4	0	0	0	0	0	0	0	0	0	0	0	0
F5	0	0	0	0	0	0	0	0	0	0	1	1
Total	0	0	0	0	0	2	4	6	12	14	20	58
%	0.0	0.0	0.0	0.0	0.0	3.4	6.9	10.3	20.7	24.1	34.5	100.0

Appendix B

Various lithic classes: frequencies according to stratigraphy

Frequencies of backed scrapers according to stratigraphic level												
	S	1.0	2.0	3.0	4.0	5.0	6.0	7.0	8.0	9.0	10.0	Total
A1	0	0	0	0	0	2	0	0	3	1	0	6
A2	0	0	0	0	0	0	0	16	0	4	0	20
A3	0	0	0	0	0	0	0	0	0	0	0	0
A4	0	0	0	0	0	0	0	0	0	0	1	1
A5	0	0	0	0	1	0	0	0	0	0	1	2
B1	0	0	0	0	0	0	0	10	5	1	0	16
B2	0	1	0	0	18	2	0	3	2	0	0	26
B3	0	0	0	0	0	0	0	0	0	0	0	0
B4	0	0	0	0	3	0	0	2	0	0	0	5
B5	0	0	2	0	0	0	0	0	1	1	0	4
C1	0	0	0	0	1	0	0	11	9	1	8	30
C2	0	0	0	0	0	0	0	1	0	1	0	2
C3	0	0	0	0	0	1	0	0	0	0	0	1
C4	0	0	0	0	0	0	1	1	1	0	0	3
C5	0	0	0	0	0	0	1	0	0	0	0	1
D1	0	0	0	2	2	0	0	2	9	6	10	31
D2	0	0	0	0	0	0	1	2	1	3	0	7
D3	0	0	0	0	1	2	0	0	0	0	0	3
D4	0	0	1	0	1	1	1	1	0	0	2	7
D5	0	0	0	0	0	2	0	0	0	0	0	2
F1	0	0	0	0	0	0	1	9	1	13	5	29
F2	0	0	0	0	0	1	0	0	0	0	0	1
F3	0	0	0	0	0	0	0	0	0	0	0	0
F4	0	0	0	0	1	0	0	1	0	2	1	5
F5	0	0	1	0	0	0	1	1	1	0	0	4
Total	0	1	4	2	28	11	6	60	33	33	28	206
%	0.0	0.5	1.9	1.0	13.6	5.3	2.9	29.1	16.0	16.0	13.6	100.0

Appendix B

Various lithic classes: frequencies according to stratigraphy

Frequencies of formal tools (excluding scrapers) according to stratigraphic level												
	S	1	2	3	4	5	6	7	8	9	10	Total
A1	0	0	0	0	1	26	25	21	4	20	4	101
A2	0	0	0	1	0	0	3	5	0	6	11	26
A3	1	0	0	0	0	2	2	12	2	0	1	20
A4	0	0	0	1	1	5	3	5	4	2	1	22
A5	0	0	0	2	1	0	1	0	0	2	2	8
B1	0	0	0	0	0	1	8	33	19	5	6	72
B2	0	0	0	0	0	1	8	8	0	3	5	25
B3	0	1	0	1	1	5	3	4	0	1	0	16
B4	0	0	0	0	0	4	5	1	2	2	0	14
B5	0	0	0	1	0	6	0	2	0	0	1	10
C1	1	0	0	0	1	1	3	19	18	4	12	59
C2	0	0	0	1	0	2	2	1	2	2	4	14
C3	0	2	0	0	2	0	0	0	0	1	1	6
C4	0	1	0	0	1	1	2	1	2	4	3	15
C5	0	0	1	0	0	0	4	2	2	1	0	10
D1	0	0	0	0	0	3	8	1	26	15	34	87
D2	0	0	0	0	0	1	0	6	1	5	8	21
D3	0	2	0	0	0	2	2	1	2	4	0	13
D4	0	0	0	0	1	1	4	4	11	39	3	63
D5	0	0	1	0	0	1	6	4	3	3	1	19
F1	0	0	0	0	0	1	8	10	21	29	20	89
F2	0	0	0	0	0	2	1	4	2	4	1	14
F3	0	0	0	1	2	3	3	1	0	1	5	16
F4	0	0	0	0	0	1	4	0	1	2	1	9
F5	0	0	0	0	3	6	4	6	5	2	0	26
Total	2	6	2	8	14	75	109	151	127	157	124	775
%	0.3	0.8	0.3	1.0	1.8	9.7	14.1	19.5	16.4	20.3	16.0	100.0

Appendix B Various lithic classes: frequencies according to stratigraphy

Frequencies of backed bladelets according to stratigraphic level												
	S	1	2	3	4	5	6	7	8	9	10	Total
A1	0	0	0	0	0	19	0	6	0	8	0	33
A2	0	0	0	0	0	0	1	3		2	8	14
A3	0	0	0	0	0	1	1	3	0	0	0	5
A4	0	0	0	1	1	3	0	3	1	0	1	10
A5	0	0	0	2	0	0	0	0	0	1	1	4
B1	0	0	0	0	0	0	0	6	2	3	0	11
B2	0	0	0	0	0	0	2	2	0	2	2	8
B3	0	1	0	1	0	0	0	1	0	0	0	3
B4	0	0	0	0	0	2	0	0	0	0	0	2
B5	0	0	0	1	0	0	0	1	0	0	0	2
C1	0	0	0	0	1	0	1	0	5	0	2	9
C2	0	0	0	0	0	0	0	1	1	0	1	3
C3	0	0	0	0	0	0	0	0	0	0	0	0
C4	0	0	0	0	1	0	0	0	1	1	0	3
C5	0		1	0	0	0	0	0	0	0	0	1
D1	0	0	0	0	0	1	0	0	8	5	21	35
D2	0	0	0	0	0	0	0	2	0	2	4	8
D3	0	0	0	0	0	0	0	0	1	0	0	1
D4	0	0	0	0	0	0	1	1	2	2	0	6
D5	0	0	1	0	0	0	1	3	1	2	1	9
F1	0	0	0	0	0	1	2	3	11	9	2	28
F2	0	0	0	0	0	0	0	0	2	1	0	3
F3	0	0	0	0	0	0	1	0	0	0	0	1
F4	0	0	0	0	0	0	0	0	0	1	0	1
F5	0	0	0	0	3	2	0	1	2	1	1	10
Total	0	1	2	5	6	29	10	36	37	40	44	210
%	0.0	0.5	1.0	2.4	2.9	13.8	4.8	17.1	17.6	19.0	21.0	100.0

Appendix B

Various lithic classes: frequencies according to stratigraphy

Frequencies of borers and awls according to stratigraphic level												
	S	1	2	3	4	5	6	7	8	9	10	Total
A1	0	0	0	0	0	6	25	15	4	9	4	63
A2	0	0	0	1	0	0	0	2	0	4	3	10
A3	0	0	0	0	0	0	1	9	2	0	1	13
A4	0	0	0	0	0	0	3	2	3	1	0	9
A5	0	0	0	0	1	0	1	0	0	1	0	3
B1	0	0	0	0	0	1	4	24	16	2	4	51
B2	0	0	0	0	0	0	6	5	0	1	3	15
B3	0	0	0	0	0	4	3	1	0	1	0	9
B4	0	0	0	0	0	2	5	0	2	2	0	11
B5	0	0	0	0	0	6	0	1	0	0	0	7
C1	1	0	0	0	0	1	2	18	13	2	10	47
C2	0	0	0	1	0	2	2	0	1	1	3	10
C3	0	2	0	0	1	0	0	0	0	1	1	5
C4	0	1	0	0	0	1	2	1	1	3	3	12
C5	0	0	0	0	0	0	4	2	2	1	0	9
D1	0	0	0	0	0	2	6	1	17	2	12	40
D2	0	0	0	0	0	1	0	4	1	2	4	12
D3	0	2	0	0	0	2	2	1	1	4	0	12
D4	0	0	0	0	0	0	3	3	9	36	2	53
D5	0	0	0	0	0	1	5	0	2	1	0	9
F1	0	0	0	0	0	0	4	4	17	14	15	54
F2	0	0	0	0	0	2	1	4	0	2	1	10
F3	0	0	0	1	0	3	2	0	0	1	3	10
F4	0	0	0	0	0	1	4	0	1	1	1	8
F5	0	0	0	0	0	4	3	4	3	0	0	14
Total	1	5	0	3	2	39	88	101	95	92	70	496
%	0.2	1.0	0.0	0.6	0.4	7.9	17.7	20.4	19.2	18.5	14.1	100.0

A

ppendix B

Various lithic classes: frequencies according to stratigraphy

Frequencies of adzes, spokeshaves and burins according to stratigraphic level												
	S	1	2	3	4	5	6	7	8	9	10	Total
A1										2		2
B1									1			1
B3								2				2
B4								1				1
C1									1			1
D1							2			5		7
F1									1			1
F2										1		1
F3								1			2	3
F5										1		1
Total	0	0	0	0	0	0	2	4	3	9	2	20
%	0.0	0.0	0.0	0.0	0.0	0.0	10.0	20.0	15.0	45.0	10.0	100.0

Appendix B

Various lithic classes: frequencies according to stratigraphy

Frequencies of segments according to stratigraphic level												
	S	1	2	3	4	5	6	7	8	9	10	Total
A1	0	0	0	0	1	1	0	0	0	0	0	2
A2	0	0	0	0	0	0	2	0	0	0	0	2
A3	1	0	0	0	0	1	0	0	0	0	0	2
A4	0	0	0	0	0	1	0	0	0	1	0	2
A5	0	0	0	0	0	0	0	0	0	0	1	1
B1	0	0	0	0	0	0	2	3	0	0	1	6
B2	0	0	0	0	0	1	0	1	0	0	0	2
B3	0	0	0	0	1	1	0	0	0	0	0	2
B4	0	0	0	0	0	0	0	0	0	0	0	0
B5	0	0	0	0	0	0	0	0	0	0	0	0
C1	0	0	0	0	0	0	0	1	0	1	0	2
C2	0	0	0	0	0	0	0	0	0	0	0	0
C3	0	0	0	0	1	0	0	0	0	0	0	1
C4	0	0	0	0	0	0	0	0	0	0	0	0
C5	0	0	0	0	0	0	0	0	0	0	0	0
D1	0	0	0	0	0	0	0	0	0	0	0	0
D2	0	0	0	0	0	0	0	0	0	1	0	1
D3	0	0	0	0	0	0	0	0	0	0	0	0
D4	0	0	0	0	1	0	0	0	0	1	1	3
D5	0	0	0	0	0	0	0	1	0	0	0	1
F1	0	0	0	0	0	0	0	2	0	1	0	3
F2	0	0	0	0	0	0	0	0	0	0	0	0
F3	0	0	0	0	2	0	0	0	0	0	0	2
F4	0	0	0	0	0	0	0	0	0	0	0	0
F5	0	0	0	0	0	0	0	1	0	0	0	1
Total	1	0	0	0	6	5	4	9	0	5	3	33
%	3.0	0.0	0.0	0.0	18.2	15.2	12.1	27.3	0.0	15.2	9.1	100.0

Appendix B

Various lithic classes: frequencies according to stratigraphy

Frequencies of grooved stones according to stratigraphic level												
	S	1	2	3	4	5	6	7	8	9	10	Total
A1	0	0	0	0	0	2	0	0	0	0	0	2
A2	0	1	0	0	0	0	0	0	0	0	0	1
A3	0	1	1	0	0	0	0	0	0	0	0	2
A4	0	0	0	1	0	2	0	0	0	0	1	4
A5	0	0	0	0	0	0	0	0	0	0	0	0
B1	0	0	0	0	0	5	4	1	0	0	0	10
B2	0	0	0	0	0	2	0	1	0	0	0	3
B3	0	0	0	1	0	0	0	0	0	0	0	1
B4	0	0	1	0	1	0	0	0	0	0	0	2
B5	0	0	3	0	0	0	0	0	0	0	0	3
C1	0	0	0	0	0	0	11	5	0	0	0	16
C2	0	0	0	0	1	0	1	1	0	0	0	3
C3	0	0	0	0	0	1	0	0	0	0	0	1
C4	0	0	0	2	2	2	1	5	1	0	0	13
C5	0	0	0	0	2	0	4	7	1	1	2	17
D1	0	0	0	0	0	5	7	2	6	1	0	21
D2	0	0	0	0	0	1	2	0	1	0	0	4
D3	0	1	0	1	0	1	0	0	0	1	0	4
D4	0	1	0	0	2	0	1	0	0	0	1	5
D5	0	0	0	0	0	0	0	2	1	0	1	4
F1	0	0	0	0	0	6	2	6	0	1	1	16
F2	0	0	0	0	0	0	2	0	0	0	0	2
F3	0	0	1	1	5	1	0	0	0	1	0	9
F4	0	0	0	0	2	0	0	1	0	0	0	3
F5	0	0	0	0	0	0	1	0	0	0	0	1
Total	0	4	6	6	15	28	36	31	10	5	6	147
%	0.0	2.7	4.1	4.1	10.2	19.0	24.5	21.1	6.8	3.4	4.1	100.0

A ppendix B Various lithic classes: frequencies according to stratigraphy

Frequencies of diverse groundstone including palettes according to stratigraphic level												
	S	1	2	3	4	5	6	7	8	9	10	Total
A1	0	0	0	0	0	1	0	0	0	0	0	1
A2	0	0	0	1	3	0	1	0	0	0	0	5
A3	0	0	0	0	0	0	0	0	0	0	0	0
A4	0	0	0	1	0	0	0	0	0	0	0	1
A5	0	0	0	0	0	0	0	0	0	0	0	0
B1	0	0	0	0	0	0	0	0	0	0	0	0
B2	0	0	0	0	0	0	0	0	0	0	0	0
B3	0	0	0	0	1	0	1	0	0	0	0	2
B4	0	0	0	0	1	0	0	0	0	0	0	1
B5	0	0	0	0	0	0	1	0	0	0	0	1
C1	0	0	0	0	0	0	0	0	1	0	0	1
C2	0	0	0	0	0	0	0	0	0	0	0	0
C3	0	0	0	0	0	0	0	0	0	0	0	0
C4	0	0	0	0	0	0	0	0	0	0	0	0
C5	0	0	0	0	0	0	0	0	0	0	0	0
D1	0	0	0	0	0	0	1	0	0	1	0	2
D2	0	0	0	0	0	0	0	0	0	0	0	0
D3	0	0	0	0	0	0	0	0	0	0	0	0
D4	0	0	0	0	0	0	0	0	1	0	0	1
D5	0	0	0	0	0	0	0	0	0	0	0	0
F1	0	0	0	0	0	0	0	1	1	0	1	3
F2	0	0	0	1	0	0	0	0	0	0	0	1
F3	0	0	0	0	0	0	0	0	0	0	0	0
F4	0	0	0	0	0	0	0	0	0	0	0	0
F5	0	0	0	0	0	0	0	0	0	0	0	0
Total	0	0	0	3	5	1	4	1	3	1	1	19
%	0.0	0.0	0.0	15.8	26.3	5.3	21.1	5.3	15.8	5.3	5.3	100.0

A ppendix B Various lithic classes: frequencies according to stratigraphy

Frequencies of anvils, nutting stones and lower grinders according to stratigraphic level												
	S	1	2	3	4	5	6	7	8	9	10	Total
A1	0	0	0	0	0	3	0	0	0	0	0	3
A2	0	0	0	0	0	0	1	0	0	1	0	2
A3	0	0	0	0	0	0	0	0	0	0	0	0
A4	0	0	0	0	0	0	0	0	0	0	0	0
A5	0	0	0	0	0	0	0	0	0	0	0	0
B1	0	0	0	0	0	0	0	2	0	0	2	4
B2	0	0	0	0	0	0	0	3	0	0	0	3
B3	0	0	0	0	0	0	0	2	0	1	0	3
B4	0	0	0	0	0	0	0	0	0	0	0	0
B5	0	0	0	0	0	0	0	0	0	0	0	0
C1	0	0	0	0	0	0	0	2	3	1	0	6
C2	0	0	0	0	0	0	0	0	0	0	2	2
C3	0	0	0	0	0	0	0	0	0	0	0	0
C4	0	0	0	0	0	0	0	0	0	0	0	0
C5	0	0	0	0	0	0	0	0	1	0	0	1
D1	0	0	0	0	0	0	0	0	1	0	1	2
D2	0	0	0	0	0	0	0	0	0	1	0	1
D3	0	0	0	0	0	0	0	0	0	0	0	0
D4	0	0	0	0	0	0	1	0	0	0	0	1
D5	0	0	0	0	0	0	0	0	0	0	0	0
F1	0	0	0	0	0	0	0	6	1	5	0	12
F2	0	0	0	0	0	0	1	0	1	0	3	5
F3	0	0	0	0	0	0	3	0	0	0	0	3
F4	0	0	0	0	0	0	0	0	0	1	0	1
F5	0	0	0	1	0	0	0	0	0	0	0	1
Total	0	0	0	1	0	3	6	15	7	10	8	50
%	0.0	0.0	0.0	2.0	0.0	6.0	12.0	30.0	14.0	20.0	16.0	100.0

A ppendix B Various lithic classes: frequencies according to stratigraphy

Frequencies of hammer stones/punches/upper grinders according to stratigraphic level												
	S	1	2	3	4	5	6	7	8	9	10	Total
A1	0	0	0	0	0	3	0	0	1	0	0	4
A2	0	0	0	0	0	0	1	1	0	0	0	2
A3	0	0	0	0	0	0	0	0	0	0	0	0
A4	0	0	0	0	0	0	0	1	0	0	0	1
A5	0	0	0	0	0	0	0	0	0	0	0	0
B1	0	0	0	0	0	0	0	5	2	0	13	20
B2	0	0	0	0	0	0	0	0	0	0	1	1
B3	0	0	0	0	0	0	0	0	0	0	0	0
B4	0	0	0	0	0	0	0	0	2	0	0	2
B5	0	0	0	0	0	0	0	0	0	0	0	0
C1	0	0	0	0	0	0	0	0	2	0	0	2
C2	1	0	0	0	0	0	0	0	0	0	0	1
C3	0	0	0	0	0	0	0	0	0	0	0	0
C4	0	0	0	0	0	0	0	0	0	0	0	0
C5	0	0	0	0	0	0	0	0	0	0	0	0
D1	0	0	0	0	0	0		0	0	1	0	1
D2	0	0	0	0	0	0	1	1	0	1	0	3
D3	0	0	0	0	0	0	0	0	0	0	0	0
D4	0	0	0	0	1	1	1	0	0	0	0	3
D5	0	0	0	0	0	0	0	0	0	0	1	1
F1	0	0	0	0	0	0	1	2	1	2	1	7
F2	0	1	0	0	0	0	4	0	0	1	0	6
F3	0	0	0	0	0	0	1	0	0	0	0	1
F4	0	0	0	0	0	0	1	1	0	0	0	2
F5	0	0	0	0	0	0	0	0	0	0	1	1
Total	1	1	0	0	1	4	10	11	8	5	17	58
%	1.7	1.7	0.0	0.0	1.7	6.9	17.2	19.0	13.8	8.6	29.3	100.0