

hepatitis C virus in Italian patients with hepatocellular carcinoma, *Lancet*,
2 1006-1008.

Cote GJ and Chiu J-F (1987) The expression of oncogenes and liver
specific genes in Morris hepatomas *Biochem. Biophys. Res. Commun.*, 143
264-268.

Crick FHC (1966) Codon-Anticodon Pairing: The Wobble Hypothesis, *J.*
Mol. Biol., 19 548-555.

Curran T and Franza BR (1988) Fos and Jun: The AP-1 connection, *Cell*, 55
395-397.

Curran T, Abate C and Macgregor P (1992) Transcriptional Regulation by
Fos and Jun, In *Nuclear Processes and Oncogenes*, Eds PA Sharp and SK
Carter, pp 23-51, Academic Press: San Diego.

Dalla-Favera R, Galman EP, Martinotti S, Franchini G, Papas TS, Gallo RC
and Wong-Staal F (1982) Cloning and characterisation of different human
sequences related to the *onc* gene (*v-myc*) of avian myelomatosis virus
(MC29), *Proc. Natl. Acad. Sci. USA*, 79 6497-6501.

Daugherty D (1991) DNA Integration sites and hepatocellular carcinoma, *Hepatology*, 13 380-382.

Davis LG, Dibner MD and Battey JF (1986) In *Basic Methods in Molecular Biology*, pp 1-338, Elsevier: New York.

de Feo-Jones D, Scolnick EM, Koller R and Diard R (1983) *ras*-Related gene sequences identified and isolated from *Saccharomyces cerevisiae*, *Nature*, 306 707-709.

Dean M, Levine RA, Ran W, Kindy MS, Sonnenshein GE and Campisi J (1987) Regulation of *c-myc* transcription and abundance by serum growth factors and cell contact, *J. Biol. Chem.*, 261 9161-9166.

Dejean A, Bréchet C, Tiollais P and Wain-Hobson S (1983) Characterisation of integrated hepatitis B viral DNA cloned from a human hepatoma and the hepatoma-derived cell line PCL/PRF/5, *Proc. Natl. Acad. Sci. USA*, 80 2505-2509.

Dejean A, Bouguelerot L, Grzeschick K-H and Tiollais P (1986) Hepatitis B virus integration in a sequence homologous to *v-erbA* and steroid receptor

genes in hepatocellular carcinoma, *Nature*, 322 70-72.

Denhardt DT, Edwards DR and Parfett CLJ (1986) Gene Expression during the Mammalian Cell cycle, *Biochem. Biophys. Acta*, 865 83-125.

Dryja TP, Rapaport JM, Joyce JM and Peterson RA (1986) Molecular detection of deletions involving band q14 of chromosome 13 in retinoblastomas, *Proc. Natl. Acad. Sci. USA*, 83 7391-7394.

Esteban JI, Esteban R, Viladomiu L, Lopez Talavera JC, Gonzalez A, Hernandez JM, Roget M Vargas V, Geriñscà J and Buti M (1989) Hepatitis C virus antibodies among risk groups in Spain, *Lancet*, 2 294-297.

Finkelstein MA, Millman I, Halbert T, Simmons H and Blumberg BS (1986) A newly identified hepatitis B type virus in tree squirrels, *Proc. Natl. Acad. Sci. USA*, 83 2233-2237.

Fausto N and Shank PR (1983) Oncogene expression in liver regeneration and hepatocarcinogenesis, *Hepatology*, 3 1016-1023.

Fausto N and Shank PR (1987) Analysis of Proto-oncogene Expression

During Liver Regeneration and Hepatocarcinogenesis, In Neoplasms of the Liver, Eds K Okuda and KG Ishak, pp 57-69, Springer Verlag: Tokyo.

Fausto N (1991) Hepatocyte growth factor and the *c-met* oncogene, Hepatology, 14 738-739.

Feinberg AP and Vogelstein B (1984) A technique for radiolabelling DNA restriction endonuclease fragments to high specific activity, Addendum Anal. Biochem., 137 226-227.

Foster JA and Burman MM (1977) Solid liver tumours, Major Problems in Clinical Surgery, 22 1-342.

Fourel G, Trepo C, Bougueleret L, Henglain B, Pongetto A, Tiollais P and Buendia M-A (1990) Frequent activation of *N-myc* genes by hepadnavirus insertion in woodchuck liver tumours, Nature, 347 294-298.

Franza BR, Rauscher FJ, Josephs SF and Curran T (1988) The Fos complex and Fos related antigens recognise sequence elements that contain AP-1 binding sites, Science 239 1150-1153.

Friend SH, Bernardo R, Rogeli S, Weinberg RA, Rapsport JM, Albert DM and Dryjon TP (1986) A human DNA segment with properties of the gene that predisposes to retinoblastoma and osteosarcoma, *Nature*, **323** 643-646.

Gallie BL, Squire JA, Goddard A, Dunn JM, Canton M, Hinton D, Zhu XP and Phillips RA (1990) Mechanism of oncogenesis in retinoblastoma, *Lab. Invest.*, **62** 394-408.

Ganem D (1991) Assembly of hepadnaviral Virions and subviral particles, In *Current Topics in Microbiology and Immunology - Hepadnaviruses: Molecular Biology and Pathogenesis*, pp 61-83, Eds WS Mason and C Seeger, Springer Verlag: Berlin.

Gannon JV and Lane DP (1987) p53 and DNA polymerase α compete for binding to SV40 T antigen, *Nature*, **329** 456-458.

Gill GN, Bertics PJ and Santon JB (1987) Epidermal growth factor and its receptor, *Mol. Cell. Endocrinol.*, **51** 169-186.

Goldfarb M and Weinberg RA (1981) Generation of novel, biologically

active Harvey sarcoma viruses via apparently illegitimate recombination, *J. Virol.*, **38** 136-150.

Goyette M, Petropoulos CJ, Shank PR and Fausto N (1983) Expression of a cellular oncogene during liver regeneration, *Science*, **219** 510-512.

Grosjean F and Fiers W (1982) Preferential Codon Usage In Prokaryotic Genes: The Optimal Codon-Anticodon Interaction Energy and the Selective Codon Usage in Efficiently Expressed Genes, *Gene*, **18** 199-209.

Gutman A and Wasylyk B (1991) Nuclear targets for transcription regulation by oncogenes, *TIG*, **7** 49-54.

Halazonetis TD, Georgopoulos K, Greenberg ME and Leder P (1988) c-Jun dimerises with itself and with c-Fos, forming complexes of different DNA binding affinities, *Cell*, **55** 917-924.

Hamel PA, Gallie BL and Phillips RA (1992) The retinoblastoma protein and cell cycle regulation, *TIG*, **8** 180-185.

Harlow E, Williamson NM, Ralston R, Halfman DM and Adams TE (1985)

Molecular cloning and *in vitro* expression of a cDNA clone for human cellular tumor antigen p53, *Mol. Cell. Biol.*, 5 1601-1610.

Harris AL (1991) Telling changes of base, *Nature*, 350 377-378.

Harrison NW, Dhru D, Primack A, Shana D and Kyalwazi SK (1973) The surgical management of primary hepatocellular carcinoma in Uganda, *Br. J. Surgery*, 60 565-569.

Heikkila R, Schwab, Wickstrom E, Loke SL, Pluznik DH, Watt R and Neekers LM (1987) A *c-myc* antisense oligodeoxynucleotide inhibits entry into S phase but not progress from G0 to G1, *Nature*, 328 445-449.

Herrin DL and Schmidt GW (1988) Rapid, Reversible staining of Northern blots prior to hybridisation, *Biotechniques*, 6, 196.

Higginson J (1963) The geographical pathology of primary liver cancer, *Cancer Res.*, 23 1624-1633.

Hill DE, Hope IA, Mackie JP and Struhl K (1986) Saturation mutagenesis of the yeast *his* regulatory site: Requirements for transcriptional induction

and for the binding of GCN4 activator protein, *Science*, **234** 451-457.

Hino O, Shows TB and Rogler CE (1986) Hepatitis B virus integration site in hepatocellular carcinoma at chromosome 17;18 translocation, *Proc. Natl. Acad. Sci. USA*, **83** 8338-8342.

Hodgson CP and Fisk RZ (1987) Hybridisation probe size control: Optimized "oligo labelling", *Nucl. Acids Res.*, **15** 6295.

Holley RW and Kiernan JA (1988) Contact inhibition of cell division in 3T3 cells, *Proc. Natl. Acad. Sci. USA*, **60** 300-304.

Hope IA and Struhl K (1987) GCN4, a eukaryotic transcriptional activator protein binds as a dimer to target DNA, *EMBO J.*, **6** 2781-2784.

Hosono S, Lee CS, Chou MJ, Yang CS and Shih CH (1991) Molecular analysis of the *p53* alleles in primary hepatocellular carcinomas and cell lines, *Oncogene*, **6** 237-243.

Houghton M, Weiner A, Han J, Kuo G and Choo Q-L (1991) Molecular biology of the hepatitis C viruses: Implications for diagnosis, development

and control of viral disease, *Hepatology*, 14 381-388.

Howard A and Pelc SR (1951) Nuclear incorporation of ^{32}P as demonstrated by autoradiographs, *Exp. Cell Res.*, 2 178-187.

Howard A and Pelc SR (1953) Synthesis of deoxyribonucleic acid in normal and irradiated cells and its relation to chromosomal breakage, *Heredity*, 6 261-273.

Hsu TY, Moroy T, Etiemble J, Louise A, Trepo C, Tiollais P and Buendia MA (1988) Activation of *c-myc* by woodchuck hepatitis virus insertion in hepatocellular carcinoma, *Cell*, 55 627-635.

Hsu IC, Metcalf RA, Sun T, Welsh JA, Wang J and Harris CC (1991) Mutational hotspot in the p53 gene in human hepatocellular carcinoma, *Nature*, 350 427-428.

Hu Q, Lees J, Buchkovich, Dyson N and Harlow E (1992) The retinoblastoma protein is regulated by the cdc2 kinase, in *Nuclear Processes and Oncogenes*, Eds PA Sharp and SK Carter, pp 119-132, Academic Press: San Diego.

Hunter T and Pines J (1991) Cyclins and cancer, *Cell*, 66 1071-1074.

Ikemura T and Ozeki H (1982) Codon Usage and Transfer RNA Contents: Organism-Specific Codon-Choice Patterns in Reference to the Isoacceptor Contents, *Cold Spring Harbor Symposium on Quantitative Biology*, 47 1087-1096.

Imazeki F, Yaginumu K, Omata M, Okuda K, Koayashi M and Koike K (1987) RNA transcripts of hepatitis B virus in hepatocellular carcinoma, *Hepatology*, 7 753-757.

Itakura K, Rossi JJ and Wallace RB, (1984) Synthesis and use of Synthetic Oligonucleotides, *Ann. Rev. Biochem.*, 53 323-356.

Jansson M, Philipson L and Vennartorn B (1983) Isolation and characterisation of multiple genes homologous to the oncogenes of avian erythroblastosis virus, *EMBO J.*, 2 561-565.

Kal M Kamiya S Sawamura S Yamamoto T and Ozeki A (1991) Simplified Method for Confirmation of PCR Products, *Nucl. Acids Res.*, 19, 4562.

Kaluz S and Reid KBM (1991) A Novel Rapid Method for the Detection of PCR Products. Nucl. Acids Res., 19, 4012.

Kaneko S and Miller R (1989) Heterogeneity in the core gene sequence in a patient chronically infected with the hepatitis B virus, J. Infect. Dis., 160 903-904.

Kato N, Hijikata M, Ootsuyama Y, Nakagawa M, Ohkoshi S, Sugimura T and Shimotohno K (1990) Molecular cloning of the human hepatitis C virus genome from Japanese patients with non-A, non-B hepatitis, Proc. Natl. Acad. Sci. USA, 87 9524-9528.

Kekulé AS, Lauer U, Meyer M, Caemelmann WH, Hofschneider PH and Koshy R (1990) The *preS2/S* region of integrated hepatitis B virus DNA encodes a transcriptional transactivator, Nature, 343 457-461.

Kerkhoff E, Blster K and Klempnauer K-H (1991) Sequence-specific DNA binding by Myc proteins, Proc. Natl. Acad. Sci. USA, 88 4323-4327.

Kern SE, Kinzler KW, Baker SJ, Nigro JM, Lotter V, Levine A.I, Friedman P, Prives C and Vogelstein B (1991) Mutant p53 proteins bind DNA

abnormally *in vitro*, *Oncogene*, 6 131-136.

Kew MC and Geudes EW (1982) Hepatocellular carcinoma in rural southern African Blacks, *Medicine*, 61 98-108.

Kew MC (1986) The development of hepatocellular cancer in humans, *Cancer Surveys*, 4 719-739.

Kew MC, Houghton M, Choo Q-L and Kuo G (1990) Hepatitis C virus antibodies in southern African blacks with hepatocellular carcinoma, *Lancet*, 1 873-874.

Kim C-M, Koike K, Salto I, Miyamura T and Jay G (1991) *HBx* gene of hepatitis B virus induces liver cancer in transgenic mice, *Nature*, 351 317-320.

Klemnauer K-H and Sippel AE (1987) The highly conserved amino-terminal region of the protein encoded by the *v-myb* oncogene functions as DNA-binding domain, *EMBO J.*, 6 2789-2795.

Koch J and Leffert H (1979) Increased Sodium ion influx is necessary to

initiate rat hepatocyte proliferation, *Cell*, **18** 153-163.

Koch S, von Loringhoven AF, Hofschneider PH and Koshy R (1984) Amplification and rearrangement in hepatoma cell DNA associated with integrated hepatitis B virus DNA, *EMBO J.*, **3** 185-2189.

Koike K, Koyabashi M and Mizusawa H (1983) Rearrangement of the surface antigen gene of hepatitis B virus integrated in the human hepatoma cell lines, *Nucl. Acids Res.*, **11** 5391-5402.

Koike K (1992) Hepatitis B virus and transcriptional transactivation, In Program and abstracts of the first IUMB Conference - Biochemistry of Diseases, June 1-6, p 1-p-66-2, Nagoya, Japan.

Koshy R, Maupas P, Muller R and Hofschneider PH (1981) Detection of hepatitis B virus specific DNA in the genomes of human hepatocellular carcinoma and liver cirrhosis tissues, *J. Gen. Virol.*, **57** 95-102.

Koshy R, Koch S and van Loringhoven AF (1983) Integration of hepatitis B virus DNA: Evidence for integration in the single stranded gap, *Cell*, **34** 215-233.

Kouzarides T and Ziff E (1988) The role of the leucine zipper in the fos-jun interaction, *Nature*, **339** 646-651.

Kruijer W, Cooper JA, Hunter T and Verma IM (1984) Platelet-derived growth factor induces rapid but transient expression of the c-fos gene and protein, *Nature*, **312** 711-715.

Kwok S, Kellogg DE, McKinney N, Spasic D, Goda L, Levenson C and Sninsky JJ (1990) Effects of primer-template mismatches on the polymerase chain reaction: human immunodeficiency virus type 1 model studies, *Nucl. Acids Res.*, **18** 999-1005.

L'Allemain G, Paris S and Pouyssegur J (1984) Increased sodium ion influx is necessary to initiate rat hepatocyte proliferation, *J. Biol. Chem.*, **259** 5809-5815.

L'Allemain G, Franchi A, Craggoc E and Pouyssegur J (1984) Blockade of Na^+/H^+ antiport abolishes growth factor-induced DNA synthesis in fibroblasts, *J. Biol. Chem.*, **259** 4314-4319.

Laemmli VK (1970) Cleavage of Structural Proteins during the Assembly of

the Head of Escherichia coli bacteriophage T4, Nature, 227 680-688.

Lajtha JG (1963) On the concept of the cell cycle, J. Cell. Comp. Physiol., 62 143-149.

Lamph WW, Wamsley P, Sassone-Corsi P and Verma IM (1988) Induction of proto-oncogene JUN/AP-1 by serum and TPA, Nature, 334 629-631.

Landschulz WH, Johnson PH and McKnight SL (1988) The leucine zipper: A hypothetical structure common to a new class of DNA binding proteins, Science, 240, 1759-1764.

Lane DP and Crawford LV (1979) T Antigen is bound to a host protein in SV40 transformed cells, Nature, 278 261-263.

Lane DP (1992) p53, guardian of the genome, Nature, 358, 15-16.

Lau LF and Nathans D (1987) Expression of a set of growth-related immediate early genes in BALB/c 3T3 cells: Coordinate regulation with c-fos or c-myc, Proc. Natl. Acad. Sci. USA, 84 1182-1186.

Lee W, Haslinger A, Karin M and Tjian R (1987a) Two factors that bind and activate the human metallothionein II_A gene *in vitro* also interact with the

SV40 promotor and enhancer regions, Nature, 325 368-372.

Lee W, Mitchell P and Tjian R (1987b) Purified transcription factor AP-1 interacts with TPA-inducible enhancer elements, Cell, 49 749-752.

Levine AJ, Momand J and Finlay CA (1991) The p53 tumour suppressor gene, Nature, 351 453-456.

Levero M, Jean-Jean O, Balsano C, Will H and Perricaudet M (1990) Hepatitis B virus (HBV) X-gene expression in human cells and anti-HBx antibodies detection in chronic HBV infection, Virology, 174 299-304.

Low DJ and Reed SI (1992) A proliferation of cyclins, Trends Cell Biol., 2 77-81.

Ley KD and Tobey RA (1970) Regulation of initiation of DNA synthesis in Chinese hamster cells, J. Cell. Biol., 47 453-459.

Lichtler AC, Sierra F, Clark S, Wells JR, Stein JL and Stein GS (1982) Multiple H4 histone mRNA's of HeLa cells are encoded in different genes, Nature, 298 195-198.

Lieberman HM, Tur-Kaspa R and Shafritz DA (1987) Hepatitis B virus infection and hepatocellular carcinoma, In *Neoplasia of the Liver*, Eds K Okuda and KG Ishak, pp 21-33, Springer Verlag: Tokyo.

Linsell A (1984) Liver cancer and mycotoxins, In *Virus associated Cancers in Africa*, Eds. AO Williams, GT O'Connor, GB de-The and CA Johnson, pp 161-165, IARC: Lyon.

Linzer DI and Levine AJ (1979) Characterisation of a 54K dalton cellular SV40 tumour antigen present in SV40 transformed cells and uninfected embryonal carcinoma cells, *Cell*, 17 43-52.

Lo SJ, Chien ML and Leet YW (1988) Characteristics of the X-gene of the hepatitis B virus, *Virology*, 209-292.

Lowry OM, Roseborough NJ, Farr AL and Randall RJ (1951) Protein measurement with the Folin phenol reagent, *J. Biol. Chem.*, 193 265-275.

Lucibello FC, Neuberg M, Hunter JB, Jenuwein T, Schuermann M, Wallich R, Stein B, Schönthal A, Herrlich P and Müller R (1988) Transactivation of gene expression by fcs protein: Involvement of a binding site for the

transcription factor AP-1, *Oncogene*, **3** 43-51.

Lucibello FC, Lowang C, Neuberg and Müller R (1989) *Trans*-Repression of the Mouse *c-fos* Promotor: A Novel Mechanism of Fos-Mediated *Trans*-Regulation, *Cell*, **59** 999-1007.

Main BF, Jones PJH, MacGillivray RTA and Banfield DK (1991) Rapid Apolipoprotein E Genotype Identification, In *PCR Topics - Usage of Polymerase Chain Reaction in Genetic and Infectious Diseases*, Eds A Rolfs, M Schumacher and P Marx, pp 99-102, Springer Verlag: Berlin.

Makino R, Hayashi T, Sato S and Sugimura T (1984) Expression of the *c-Ha-ras* and *c-myc* genes in rat liver tumors, *Biochem. Biophys. Res. Commun.*, **119** 1096-1102.

Marion PL, Oshira LS, Pegnary DC, Scullard GH and Robinson WS (1980) A virus in Beechey ground squirrels that is related to hepatitis B virus of humans, *Proc. Natl. Acad. Sci. USA*, **77** 2941-2944.

Mason WS, Seal G and Summers J (1980) Virus of Pekin ducks with structural and biological relatedness to human hepatitis B virus, *J. Virol.*,

36 829-836.

McNurney R, Darling D and Johnstone A (1987) Differential control of proto-oncogene *c-myc* and *c-fos* expression in lymphocytes and fibroblasts, *Biochem. J.*, **248 605-608.**

Meinkoth J and Wahl G (1984) Hybridisation of nucleic acids immobilised on solid supports, *Anal. Biochem.* **138 267-284.**

Melton DA, Krieg PA, Rebagliati MR, Maniatis T, Zinn K and Green MR (1984) Efficient *in vitro* synthesis of biologically active RNA and RNA hybridisation probes from plasmids containing a bacteriophage SP6 promoter, *Nucl. Acids Res.*, **12 7035.**

Meyer M, Wiedorn KH, Hofschneider PH, Koshy R and Caselman WH (1992) A chromosome 17:7 translocation is associated with a hepatitis B virus DNA integration in human hepatocellular carcinoma DNA, *Hepatology*, **15 665-671.**

Michalopoulos GK and Zarnegar R (1992) Hepatocyte growth factor, *Hepatology*, **15 149-155.**

Michel M-L and Tiollais P (1987) Structure and Expression of the Hepatitis B Virus Genome, Hepatology, 7 61S-63S.

Miller EC and Miller JA (1966) Mechanisms of chemical carcinogenesis: Nature of proximate carcinogens and interactions with macromolecules, Pharmacol. Rev., 18 805-838.

Miller EC and Miller JA (1981) Searches for ultimate chemical carcinogens and their reactions with cellular macromolecules, Cancer, 47 2327-2345.

Miller RH and Robinson WS (1986) Common evolutionary origin of hepatitis B virus and retroviruses, Proc. Natl. Acad. Sci. USA, 83 2531-2535.

Miller RH, Kaneko S, Chung CT, Girones R and Purcell RH (1989) Compact Organisation of the Hepatitis B Virus Genome, Hepatology, 9 322-327.

Miller RH (1991) Comparative molecular biology of the hepatitis viruses, Seminars in Liver Disease, 11 113-120.

Mitchison JM (1971) The Biology of the Cell Cycle, Cambridge University Press: Cambridge.

Miyamura T, Saito I, Katayama T, Kikuchi S, Tateda A, Houghton M, Choo Q-L and Kuo G (1990) Detection of antibody against antigen expressed by molecularly cloned hepatitis C virus cDNA: Application to diagnosis and blood screening for post transfusion hepatitis, *Proc. Natl. Acad. Sci. USA*, **87** 983-987.

Moolenaar W, Yarden Y, de Laat S and Schlessinger J (1982) Epidermal growth factor induces electrically silent Na^+ influx in human fibroblasts, *J. Biol. Chem.*, **257** 8502-8506.

Moolenaar W, Tsien R, van der Saag P and de Laat S (1983) Na^+/H^+ Exchange and cytoplasmic pH in the activation of growth factors in human fibroblasts, *Nature*, **304** 645-648.

Morgan CJ and Pledger WJ (1989) Cell cycle dependent growth factor regulation of gene expression, *J. Cell. Physiol.*, **141** 535-542.

Moroy T, Marchio A, Etiemble J, Trepo C, Tiollais P and Buendia MA (1986) Rearrangement and enhanced expression of c-myc in hepatocellular carcinoma of hepatitis virus infected woodchucks, *Nature*, **324** 276-279.

Morris AG (1992) Cytoplasmic Oncogenes, in Introduction to the Molecular Genetics of Cancer, Ed RG Vile, pp 47-72, Wiley: Chichester, England.

Motoo Y, Mahmoudi M, Osther K and Bollon AP (1986) Oncogene expression in human hepatoma cells, Biochem. Biophys. Res. Commun., 135 262-268.

Muldoon LL, Dinerstein RJ and Villereal ML (1985) Intracellular pH in human fibroblasts: Effect of mitogens, A23187, and phospholipase activation, Am. J. Physiol., 249 140-148.

Nakabeppu Y, Ryder K and Nathans D (1988) DNA-binding activities of three murine Jun proteins: Stimulation by Fos, Cell, 55 907-915.

Negro F, Baldi M, Bonino F *et al*, (1988) Chronic HDV (hepatitis delta virus) hepatitis: Intrahepatic expression of delta antigen, histologic activity and outcome of liver disease, J. Hepatol., 6 8-14.

Neubauer A, Neubauer B and Liu E (1990) Polymerase chain reaction based assay to detect allelic loss in human DNA: loss of beta-interferon gene in chronic myelogenous leukemia, Nucleic Acids Res 18 993-998.

Neurath AR, Kent SBH, Strick N and Parker K (1986) Identification and chemical synthesis of a host cell receptor binding site on hepatitis B virus, *Cell* 45 429-436.

Newberne PM (1984) Chemical carcinogenesis: mycotoxins and other toxins to which human are exposed, *Seminars in Liver Disease*, 4 122-135.

Newton CR, Graham A, Heptinstall LE, Powell SJ, Summers C, Kalsheker N, Smith JC and Markham AF (1989) Analysis of any point mutation in DNA. The amplification refractory mutation system (ARMS), *Nucl. Acids Res.*, 17 2503-2516.

Nirenberg MW and Matthaei JH (1961) The Dependence of Cell-Free Protein Synthesis in *E.coli* upon Naturally Occurring or Synthetic Polyribonucleotides, *Proc. Natl. Acad. Sci. USA*, 47 1588-1602.

Nirenberg MW and Leder P (1964) The Effect of Trinucleotides upon the binding of sRNA to Ribosomes, *Science*, 145 1399-1407.

Nishimura S, Jones DS and Khorana HG (1965) The *in vitro* Synthesis of a Copolypeptide Containing Two Amino Acids in Alternating Sequence

Dependent upon a DNA-Like Polymer Containing Two Nucleotides in Alternating Sequence, *J. Mol. Biol.*, 13 302-324.

Norris W (1820) *Edinburgh Med. Surg. J.*, 16 562-565.

O'Farrell PH (1992) Cell cycle control: many ways to skin a cat, *Trends Cell Biology*, 2 159-163.

Ochiya T, Fujiyama A, Fukushige S, Hatada I and Matsubara K (1986) Molecular cloning of an oncogene from a human hepatocellular carcinoma, *Proc. Natl. Acad. Sci. USA*, 83 4993-4997.

Okayama H, Curiel DT, Brently ML, Holmes MD and Crystal RG (1989) Rapid, non-radioactive detection of mutations in the human genome by allele specific amplification, *J. Lab. Clin. Med.*, 114 105-113.

Okuda K (1976) Clinical aspects of hepatocellular carcinoma - analysis of 134 cases, In *Hepatocellular Carcinoma*, Eds K Okuda and RL Peters, pp 387-436, Wiley: New York.

Olashaw NE, Olson JE, Drozdoff and Pladjer WJ (1992) *Growth Factors:*

Their role in the control of Cell Proliferation, In *Molecular and Cellular Approaches to the Control of Proliferation and Differentiation*, Eds GS Stein and JB Lian, pp 3-27, Academic Press: San Diego.

Oren M, Bienz B, Givol D, Rechavi G and Zakut R (1983) Analysis of recombinant DNA clones specific for the murine p53 cellular tumor antigen, *EMBO J.*, 2 1633-1639.

Orita M, Iwahana H, Kanazawa H, Hayashi K and Sekiya T (1989a) Detection of polymorphisms of human DNA by gel electrophoresis as single strand conformation polymorphisms, *Proc. Natl. Acad. Sci. USA*, 86, 2766-2770.

Orita M, Suzuki Y, Sekiya T and Hayashi K (1989b) Rapid and Sensitive Detection of Point Mutations and DNA Polymorphisms Using the Polymerase Chain Reaction, *Genomics*, 5, 874-879.

Owen TA, Cosenza SC, Soprano DR and Soprano KJ (1987) Time of *c-fos* and *c-myc* expression in human diploid fibroblasts stimulated to proliferate after prolonged periods of quiescence, *J. Biol. Chem.*, 262 15111-15117.

Pardee AB (1974) A restriction point for control of normal cell proliferation, Proc. Natl. Acad. Sci. USA, 71 1286-1290.

Pardee AB and James LJ (1975) Directive killing of transformed baby hamster kidney (BHK) cells, Proc. Natl. Acad. Sci. USA, 72 4994-4998.

Pardee AB, Dubrow R, Hamlin JL and Kletzien RF (1978) Animal Cell Cycle, Ann. Rev. Biochem., 47 715-750.

Parker JD and Burner GC (1991) The Oligomer Extension "Hot Blot": A rapid Alternative to Southern Blots for Analyzing Polymerase Chain Reaction Products, Biotechniques, 10, 94-101.

Patterson AC, Kew MC, Harman AB, Becker PJ, Hodgkinson J and Isaacson C (1985) Liver morphology in southern african blacks with hepatocellular carcinoma: a study within the urban environment, Hepatology 5:72-78.

Pauza CD (1987) Regulation of human T lymphocyte gene expression by interleukin 2: Immediate response genes include the protooncogene *c-myc*, Mol. Cell. Biol., 7 342-348.

Pendergrast GC and Ziff EB (1992) A new bind for Myc, TIG, 91-96.

Pennica D, Goeddel DV, Hayflick JS, Reich NC, Anderson CW and Levine AJ (1984) The amino acid sequence of murine p53 determined from a cDNA clone, Virology, 134 477-482.

Persson H and Leder P (1984) Nuclear localisation and DNA binding properties of a protein expressed by the c-myc oncogene, Science, 225 718-721.

Persson H, Gray HE and Godeau F (1986) Growth-dependent synthesis of c-myc-encoded proteins: Early stimulation by serum factors in synchronised mouse 3T3 cells, Mol. Cell. Biol., 5 2903-2912.

Peters RL (1976) Pathology of hepatocellular carcinoma, In Hepatocellular carcinoma, Eds K Okuda and RL Peters, pp 107-168, Wiley: New York.

Pledger WJ, Stiles CD, Antoniades HN and Scher CD (1977) Induction of DNA synthesis in BALB/c 3T3 cells by serum components: Reevaluation of the commitment process, Proc. Natl. Acad. Sci. USA, 74 4481-4485.

Pledger WJ, Stiles CD, Antoniades HN and Scher CD (1978) An ordered sequence of events is required before BALB/c 3T3 cells become committed to DNA synthesis, Proc. Natl. Acad. Sci. USA, 75 2839-2843.

Popper H (1979) Hepatic cancers in man: Quantitative perspectives, Environ. Res., 19 482-494.

Popper H (1988) Pathobiology of hepatocellular carcinoma, In Viral Hepatitis and Liver Disease, Ed AJ Zuckerman, pp 719-722.

Porter LE, Elm MS, van Thiel DH and Eagon PK (1987) Hepatic estrogen receptor in human liver disease, Gastroenterology, 92 735-745.

Pouyssegur J, Chambard JC, Franchi A, Paris S, and van Obberghen-Schilling E (1982) Growth factor activation of an amiloride sensitive Na^+/H^+ exchange system in quiescent fibroblasts: Coupling to ribosomal protein S6 phosphorylation, Proc. Natl. Acad. Sci. USA, 79 3935-3939.

Pouyssegur J, Sardet C, Franchi A, L'Allemain J and Paris S (1984) A specific mutation abolishing Na^+/H^+ antiport activity in hamster fibroblasts precludes growth at neutral and acidic pH, Proc. Natl. Acad. Sci. USA, 81

4833-4837.

Pouyssegur J, Franchi A, L'Allemain G and Paris S (1985) Cytoplasmic pH, a key determinant of growth factor-induced DNA synthesis in quiescent fibroblasts, *FEBS Lett.*, 190 115-120.

Pouyssegur J (1987) The growth factor-activatable Na^+/H^+ exchange system: a genetic approach, In *Oncogenes and Growth Factors*, Eds RA Bradshaw and S Prentis, pp 292-297. Elsevier: Amsterdam.

Prates MD (1961) Cancer and cirrhosis of the liver in the Portuguese East African, *Acta Unio International Contra Cancrum*, 17 718-739.

Prendergrast GC and Ziff EB (1991) Methylation-sensitive sequence-specific DNA binding by the c-Myc basic region, *Science*, 251 186-189.

Prescott DM (1987) Cell Reproduction, *Int. Rev. Cytol.*, 100 93-128.

Quartin RS, Finlay CA and Levine AJ (1992) The p53 gene and gene product, In *Nuclear Processes and Oncogenes*, Eds PA Sharp and SK Carter, pp 87-104, Academic Press: San Diego.

Quin JD (1992) The insulin-like growth factors, *Quarterly J. Med.*, **82(298)** 81-90.

Rauscher FJ, Cohen DR, Curran T, Bos TJ, Vogt PK, Bohm D, Njian R and Franza BR (1988a) Fos associated protein p39 is the product of the *jun* protooncogene, *Science*, **240** 1010-1016.

Rauscher FJ, Sambucetti LC, Curran T, Distel RJ and Spiegelman BM (1988b) A common DNA binding site for Fos protein complexes and transcription factor AP-1, *Cell*, **52** 471-480.

Rauscher FJ, Voulales PJ, Franza BR and Curran T (1988c) Fos and Jun bind cooperatively to the AP-1 site: reconstitution in vitro, *Genes Dev.*, **2** 1687-1699.

Reed JC, Alpers JD, Nowell PC and Hoover RG (1986) Sequential expression of protooncogenes during lectin stimulated mitogenesis of normal human lymphocytes, *Proc. Natl. Acad. Sci. USA*, **83** 3982-3986.

Rizetto M, Hoyer B, Canese MG, Shih JW, Purcell RH and Jerin JL (1980) δ agent: Association of δ antigen with hepatitis B surface antigen and RNA

in serum of δ -infected chimpanzees, Proc. Natl. Acad. Sci. USA, 77 6124-6128.

Robinson WS, Miller R and Marion PL (1987) Hepadnaviruses and Retroviruses Share Genome Homology and Features of Replication, Hepatology, 7 64S-73S.

Rogler CE and Summers J (1985) Novel forms of woodchuck hepatitis virus DNA isolated from chronically infected woodchuck liver nuclei, J. Virol., 44 852-863.

Rogler CE, Hino O and Su C-Y (1987) Molecular aspects of persistent woodchuck hepatitis virus and hepatitis B virus infection and hepatocellular carcinoma, Hepatology, 7 74S-78S.

Rothenberg P, Glaser L, Schlesinger P and Cassel D (1983) Activation of Na^+/H^+ exchange by epidermal growth factor elevates intracellular pH in A431 cells, J. Biol. Chem., 258 12644-12653.

Rozengurt E (1981) Stimulation of Na^+ influx, Na-K pump activity and DNA synthesis in quiescent cultured cells, Adv. Enzyme Regul., 19 61-85.

Rozengurt E (1983) Growth factors, cell proliferation and cancer: An overview, *Mol. Biol. Med.*, 1 169-181.

Rozengurt E (1986) Early signals in mitogenic response, *Science*, 234 161-166.

Saito I, Miyamura T, Ohbayashi A, Harada H, Katayama T, Kikuchi S, Wanatabe Y, Koi S, Onji M and Ohta Y (1990) Hepatitis C virus infection is associated with the development of hepatocellular carcinoma, *Proc. Natl. Acad. Sci. USA*, 87 6547-6549.

Sambrook J, Fritsch EF and Maniatis T (1989) *Molecular Cloning: A Laboratory Manual*, pp 1.1-1.104; 2.1-2.121; 4.1-4.50; 6.1-6.59; 7.1-7.83; 8.1-8.81; 10.1-10.67; 11.1-11.57; 13.1-13.101; 18.1-18.85, Cold Spring Harbor Laboratory Press: New York.

Sanger F, Nicklen S and Coulson AR (1977) DNA sequencing with chain terminating inhibitors, *Proc. Natl. Acad. Sci. USA*, 74 5463-5468

Sap J, Munoz A, Damm K, Goldberg Y, Ghysdael J, Leutz A, Beug H and Vennstrom B (1986) The *c-erbA* protein is a high affinity receptor for

thyroid hormone, *Nature*, 324 635-640.

Sassone-Corsi P, Lamph WW, Kemps M and Verma IM (1988) Fos associated cellular p39 is related to nuclear transcription factor AP-1, *Cell*, 54 553-560.

Schaller H and Fischer M (1991) Transcriptional control of hepadnavirus gene expression, In *Current Topics in Microbiology and Immunology - Hepadnaviruses: Molecular Biology and Pathogenesis*, Eds WS Mason and C Seeger, pp 21-39, Springer Verlag: Berlin.

Scherdin U, Rhodes K and Brändl M (1990) Transcriptionally active genome regions are preferred targets for retroviral integration, *J. Virol.*, 64 907-912.

Schönthal A, Büscher M, Angel P, Rahmsdorf HJ, Ponta H, Hattori K, Chiu R, Karin M and Herrlich P (1989) The Fos and Jun/AP-1 proteins are involved in the downregulation of Fos transcription, *Oncogene*, 4 629-636.

Scolnick EM, Rands E, Williams D and Parks WP (1973) Studies on the Nucleic Acid Sequences of Kirsten Sarcoma Virus: A Model for Formation

of a Mammalian RNA-Containing Sarcoma Virus, *J. Virol.*, **12** 458-463.

Seeger C, Ganem D and Varmus HE (1987) Biochemical and genetic evidence for the hepatitis B virus replication strategy, *Science*, **232** 477-484.

Seeger C, Summers J and Mason WS (1991) Viral DNA synthesis, In *Current Topics in Microbiology and Immunology - Hepadnaviruses: Molecular Biology and Pathogenesis*, Eds WS Mason and C Seeger, pp 41-60, Springer Verlag: Berlin.

Sellers JW and Struhl K (1989) Changing Fos oncoprotein to a Jun-independent DNA binding protein with GCN4 dimerisation specificity by swapping 'leucine zippers', *Nature*, **341** 74-76.

Shafritz DA and Kew MC (1981) Identification of integrated hepatitis-B virus sequences in human hepatocellular carcinoma, *Hepatology*, **1** 1-8.

Shafritz DA, Shouval D, Sherman HI, Hadziyannis SJ and Kew MC (1981) Integration of hepatitis B virus DNA into the genome of liver cells in chronic liver disease and hepatocellular carcinoma, *New Engl. J. Med.*, **305** 1067-

1073.

Shibuya M, Hanafusa T, Hanafusa H and Stephenson JR (1980) Homology exists among the transforming sequences of avian and feline sarcoma viruses, *Proc. Natl. Acad. Sci. USA*, **81** 4697-4701.

Shilo B and Weinberg RA (1981) DNA sequences homologous to vertebrate oncogenes are conserved in *Drosophila melanogaster*, *Proc. Natl. Acad. Sci. USA*, **78** 6789-6792.

Siddiqui A, Jameel S and Mapoles J (1987) Expression of the hepatitis B virus X gene in mammalian cells, *Proc. Natl. Acad. Sci. USA*, **84** 2513-2517.

Sleeman JP (1992) Nuclear Oncogenes, Cancer and the Growth Control Network, In *Introduction to the Molecular Genetics of Cancer*, Ed RG Vile, pp 47-72, Wiley: Chichester, England.

Smedile A, Farci P, Verme G, Caredda F, Cargnel A, Caporaso N, Dentico P, Trepo C, Opolon P, Gimson A, Vergani D, Williams R and Rizetto M

(1982) Influence of delta infection on severity of hepatitis B, *Lancet*, 2
945-947.

Soprano KJ and Cosenza SC (1992) Cell Cycle and Cell-Growth Control, In
Molecular approaches to the control of proliferation and differentiation,
pp73-114, Eds GS Stein and JB Lian, Academic Press: San Diego.

Soussi T, Caron de Fromental C, Machali M, May P and Kress M (1987)
Cloning and characterisation of a cDNA clone from *Xenopus laevis* coding
for a protein homologous to human and murine p53, *Oncogene*, 1 71-78.

Spector DH, Varmus HE and Bishop (1978) Nucleotide sequences related
to the transforming gene of avian sarcoma virus are present in DNA of
uninfected vertebrates, *Proc. Natl. Acad. Sci. USA*, 75 4102-4106.

Sprengel R, Kaleta EF and Will H (1988) Isolation and characterisation of
a hepatitis B virus endemic in herons, *J. Virol.*, 62 3832-3839.

Stehelin D, Varmus HE, Bishop JM and Vogt PK (1976) DNA related to the
Transforming Gene(s) of Avian Sarcoma Viruses is Present in Norm. Avian
DNA, *Nature*, 260 170-173.

Stiles CD, Isberg RR, Pledger WJ, Antoniades HN and Scher C (1979) Control of the Balb/c-3T3 cell cycle by nutrients and serum factors: Analysis using platelet-derived growth factor and platelet poor plasma, J. Cell. Physiol., 99 395-406.

Stiles CD, Capone GT, Scher CD, Antoniades HN, van Wyk JJ and Pledger WJ (1979) Dual control of cell growth by somatomedins and platelet-derived growth factor, Proc. Natl. Acad. Sci. USA, 76 1279-1283.

Struhl K (1987) The DNA-binding domains of the *jun* oncoprotein and the yeast GCN4 transcriptional activator protein are functionally homologous, Cell, 50 841-848.

Su T-S, Lin L-H and Lui W-YP (1986) Expression of *c-myc* gene in human hepatoma, Biochem. Biophys. Res. Commun., 132 264-268.

Summers J, Smolec JM and Snyder R (1978) A virus similar to human hepatitis B virus associated with hepatitis and hepatoma in woodchucks, Proc. Natl. Acad. Sci. USA, 75 4533-4537.

Summers J (1988) The replication cycle of hepatitis B viruses, Cancer, 61

1957-1962.

Swanstrom R, Parker RC, Varmus HE and Bishop JM (1983) Transduction of a cellular oncogene - the genesis of Rous sarcoma virus, Proc. Natl. Acad. Sci. USA, 80 2519-2523.

Takamizawa A, Mori C, Fuke I, Manabe S, Marukami S, Fujita J, Onishi E, Andoh T, Yoshida I and Okayama H (1991) Structure and organisation of the hepatitis C virus genome isolated from human carriers, J. Virol., 65 1105-1113.

Takeya T and Hanafusa H (1983) Structure and sequence of the cellular gene homologous to the R6 / src gene and the mechanism for generating the transforming virus, Cell, 32 881-890.

Tang ZY (1985) Subclinical hepatocellular carcinoma - historical aspects and general considerations, In Subclinical hepatocellular carcinoma, Ed ZY Tang, Springer Verlag: Berlin.

Tarao K, Shimizu A, Ohkawa S, Harada M, Ito Y, Tamai S, Kuni Y, Okamata N, Inoue T and Kanisawa M (1992) Development of hepatocellular

carcinoma associated with increases in DNA synthesis in the surrounding cirrhosis, *Gastroenterology*, **103** 595-600.

Temin HM (1971) Stimulation by serum of multiplication of stationary chicken cells, *J. Cell. Physiol.*, **77** 161-170.

Thomas PS (1980) Hybridisation of denatured RNA and small DNA fragments transferred to nitrocellulose, *Proc. Natl. Acad. Sci. USA*, **77** 5201-5205.

Tiniakos D, Spandidos DA, Kakkanas A, Pintzas A, Pollice L and Tiniakos G (1989) Expression of *ras* and *myc* Oncogenes in Human Hepatocellular Carcinoma and Non-Neoplastic Liver Tissues, *Anticancer Res.*, **9** 715-722.

Tiollais P, Pourcel C and Dejean A (1985) The hepatitis B virus, *Nature*, **317** 489-495.

Torado GJ and Green H (1963) Quantitative studies on the growth of mouse embryo cells in culture and their development into established lines, *J. Cell. Biol.*, **17** 299-313.

Torado GJ, Lazar GK and Green H (1965) The initiation of cell division in a contact-inhibited mammalian cell line, *J. Cell. Comp. Physiol.*, 66 325-334.

Torelli G, Selleri L, Donelli A, Ferrari S, Emilia G, Venturelli D, Moretti L and Torelli U (1985) Activation of c-myb expression by phytohaemagglutinin stimulation in normal human T lymphocytes, *Mol. Cell. Biol.*, 47 5266-5269.

Treisman R (1992) The Serum Response Element: Structure and Function, In *Nuclear Processes and Oncogenes*, Eds PA Sharp and SK Carter, pp. 163-186, Academic Press: San Diego.

Tsao MS and Grisham JW (1987) Hepatocarcinomas, cholangiocarcinomas, and hepatoblastomas produced by chemically transformed cultured rat liver epithelial cells: a light and electron-microscopic analysis, *Am. J. Pathol.*, 127 168-181.

Twu JS and Schloemer RH (1987) Transcriptional *trans*-activating function of hepatitis B virus, *J. Virol.*, 61 3448-3453.

van Straaten F, Müller R, Curran T, van Beveran C and Verma IM (1983) Complete Nucleotide Sequence of a Human c-*onc* gene: Deduced Amino Acid Sequence of the Human c-*fos* Protein, *Proc. Natl. Acad. Sci. USA*, 80 3183-3187.

van Rensberg SJ, Cook-Mozaffari P, van Schalkwyk DJ, van der Watt JJ, Vincent TJ and Purchase IF (1985) Hepatocellular carcinoma and dietary aflatoxin in Mozambique and Transkei, Br. J. Cancer, 51 713-726.

van der Poel CL, Reesink HW, Lelie PN, Leentvaar-Kuypers A, Choo Q-L, Kuo G and Houghton M (1989) Anti hepatitis C antibodies and non-A, non-B post transfusion hepatitis in the Netherlands, Lancet, 2 297-298.

Vargas V, Castells L and Esteban JI (1990) High frequency of antibodies to the hepatitis C virus among patients with hepatocellular carcinoma, Ann. Intern. Med., 112 232-233.

Varmus HE (1982) Form and function of retroviral proviruses, Science, 216 812-821.

Vogelstein B and Gillespie D (1979) Preparative and Analytical Purification of DNA from Agarose, Proc. Natl. Acad. Sci. USA, 76 615-619.

Vogt PK, Bos TJ and Doolittle RF (1987) Homology between the DNA-binding domain of the GCN4 regulatory protein of yeast and the carboxy-terminal region of a protein coded for by the oncogene *jun*, Proc. Natl.

Acad. Sci. USA, 84 3316-3319.

Vogt PK and Bos TJ (1989) The oncogene *jun* and nuclear signalling, TIBS, 14 172-175.

Wahl GM, Stern M and Stark GR (1979) Efficient transfer of large DNA fragments from agarose gels to diazobenzyloxymethyl-paper and rapid hybridisation by using dextran sulphate, Proc. Natl. Acad. Sci. USA, 76 3683-3687.

Wain-Hobson S, Nussinov R and Brown RJ (1981) Preferential codon usage in genes, Cell, 13 355-364.

Wang H-P and Rugler CE (1991) Hepadnavirus integration: A role for topoisomerase I, In Viral Hepatitis and Liver Disease, Eds FB Hollinger, SM Lemon and H Margolis, pp 577-588, Williams and Wilkins: Baltimore.

Wang J, Chenivessa X, Henglein B and Bréchet C (1990) Hepatitis B virus integration in a cyclin A gene in a hepatocellular carcinoma, Nature, 343 555-557.

Wasylyk B, Wasylyk C, Flores P, Bague A, Leprince D and Stehelin D (1990) The *c-ets* protooncogenes encode transcription factors that cooperate with *c-fos* and *c-jun* for transcriptional activation, *Nature*, **346** 191-193.

Waterhouse J, Muir C and Powell J (1977) *Cancer incidence in Five Continents*, World Health Organisation, Lyon.

Watson JD, Hopkins NH, Roberts JW, Steitz JA and Weimer AM (1987) In *Molecular Biology of the Gene*, 4th edition, pp 1008-1057, Benjamin/Cummings: Menlo Park, California.

Watt RA, Shatzmann AR and Rosenberg M (1985) Expression and characterisation of the human *c-myc* DNA-binding protein, *Mol. Cell. Biol.*, **5** 448-456.

Weinberger C, Thompson C, Ong ES, Lebo R, Groul DJ and Evans RM (1986) The *c-erbA* gene encodes a thyroid hormone receptor, *Nature*, **324** 641-646.

Wharton W, Gillespie GY, Russell SW and Pledger WJ (1982) Mitogenic

activity elaborated by macrophage-like cell lines acts as competence factor(s) for BALB/c 3T3 cells, *J. Cell. Physiol.*, **110** 93-100.

Will H, Reiser W, Weimer T, Pfaff E, Büscher M, Sprengel R, Cattaneo R and Schaller H (1987) Replication strategy of human hepatitis B virus, *J. Virol.*, **61** 904-911.

Williams GT, Ablar AS and Lau LF (1991) Regulation of gene expression by serum growth factors, In *Molecular approaches to the control of proliferation and differentiation*, pp115-162, Eds GS Stein and JB Lian, Academic Press: San Diego.

Wollersheim M, Debelka U and Hofschneider P.-H (1988) A transactivating function encoded in the hepatitis B virus X-gene is conserved in the integrated state, *Oncogene*, **3** 545-554.

Wu JY, Zhou ZY, Judd A, Cartwright CA and Robinson WS (1990) The hepatitis B virus-encoded transcriptional trans-activator hbx appears to be a novel protein serine/threonine kinase, *Cell*, **63** 687-695.

Yang DY, Schirmacher P, Held W and Rogler CE (1991) Growth factors, Oncogenes, tumor suppressor genes, and carcinogenic mechanisms in the liver, In *Viral Hepatitis and Liver Disease, Proceedings of the 1990 International Symposium on Viral Hepatitis and Liver Disease: Contemporary Issues and Future Prospects*, Eds. FB Hollinger, SM Lemon and H Margolis, pp 547-556, Williams and Wilkins: Baltimore.

Yanisch-Perron C, Vieira J and Messing J (1985) Improved M13 phage cloning vectors and host strains: Nucleotide sequences of the M13mp18 and pUC19 vectors, *Gene*, 33 103-109.

Yaswen P, Göttsche M, Shank PR and Fausto N (1985) Expression of *c-Ki-ras*, *c-Ha-ras*, and *c-myc* in specific cell types during hepatocarcinogenesis, *Mol. Cell. Biol.*, 5 780-786.

Zakut-Houri R, Oren M, Bienz B, Lavie V, Hazum S and Givol D (1983) A single gene and a pseudogene for the cellular tumor antigen p53, *Nature*, 306 594-597.

Zaman SN, Johnson RD, Johnson PJ, Mella WM, Portmann BC and Williams R (1985) Risk factors in development of hepatocellular carcinoma in cirrhosis: Prospective study of 613 patients, *Lancet*, 1 1357-1360.


Zetterberg A and Engstrom W (1981) Mitogenic effect of alkaline pH on quiescent, serum starved cells, *Proc. Natl. Acad. Sci. USA*, 78 4334-4338.

Zetterberg A, Engstrom W and Larson O (1982) Growth activation of resting cells: Induction of balanced and imbalanced growth, *Ann. N.Y. Acad. Sci.*, 397 130-147.

Zhang X-K, Huang D-P, Chiu D-K and Chiu J-F (1987) The expression of oncogenes in human developing liver and hepatomas, *Biochem. Biophys.*

Res. Commun., 142 932-938.

Zieler M, Garcia P, Shaul Y, and Rutter W (1985) Sequence of hepatitis B virus DNA incorporated into the genome of human hepatoma cell line, J. Virol., 53 885-892.





Author: Arbuthnot Patrick Brian.

Name of thesis: Oncogene expression in hepatocellular carcinoma and dividing cells.

PUBLISHER:

University of the Witwatersrand, Johannesburg

©2015

LEGALNOTICES:

Copyright Notice: All materials on the University of the Witwatersrand, Johannesburg Library website are protected by South African copyright law and may not be distributed, transmitted, displayed or otherwise published in any format, without the prior written permission of the copyright owner.

Disclaimer and Terms of Use: Provided that you maintain all copyright and other notices contained therein, you may download material (one machine readable copy and one print copy per page) for your personal and/or educational non-commercial use only.

The University of the Witwatersrand, Johannesburg, is not responsible for any errors or omissions and excludes any and all liability for any errors in or omissions from the information on the Library website.