

REFERENCES

- Allen, D.M. 1974. "The relationship between variable selection and data augmentation and a method prediction", *Technometrics*, vol. 16, pp 125-127.
- Allison, P.D. 2005. *Fixed Effects Regression Methods for Longitudinal Data Using SAS*, SAS Institute Inc., Cary, NC, USA, 148 pages.
- Andrews, D.F. & Pregibon, D. 1978. 'Finding the outliers that matter', *Journal of the Royal Statistical Society: Series B (Methodological)*, vol. 40, no. 1, pp. 85-93.
- Belsley, D.A., Kuh, E. & Welsch, R.E. 1980. *Regression Diagnostics: Identifying Influential Data and Sources of Collinearity*, Wiley, New York, 292 pages.
- Brown, L.D., Cai, T.T. & DasGupta, A., 2001. 'Interval estimation for a binomial proportion', *Statistical Science*, vol 16, no. 2, pp. 101-133.
- Burnham, K.P. & Anderson, D.R., 2002. *Model Selection and Multinomial Inference: A Practical Information-Theoretic Approach*, Springer-Verlag, New York, 496 pages.
- Cook, R.D. 1977. 'Detection of influential observation in linear regression', *Technometrics*, vol. 19, no. 1, pp. 15-18.
- Cook, R.D. & Weisberg, S. 1980. 'Characterizations of an empirical influence function for detecting influential cases in regression', *Technometrics*, vol. 22, no. 4, pp. 495-508.

Cook, R.D. & Weisberg, S. 1982. *Residuals and Influence in Regression*, Chapman & Hall, New York, 230 pages.

Copt, S. and Victoria-Feser, M. 2006. ‘High-breakdown inference for linear mixed models’, *Journal of the American Statistical Association*, vol. 101, issue 473, pp. 292-300.

Crowder, M.J. 2001. ‘On repeated measures analysis with misspecified covariance structure’, *Journal of the Royal Statistical Society, Series B (Statistical Methodology)*, vol. 63, no. 1, pp. 55-62.

Crowder, M.J. & Hand, D.J. 1990. *Analysis of Repeated Measures*, Chapman and Hall, London, 257 pages.

Cullis, B.R., Smith, A.B. and Thompson, R. 2004. ‘Perspectives of ANOVA, REML and a general linear mixed model’. In N. Adams, M. Crowder, D.J. Hand, and D. Stephans, eds., *Methods and Models in Statistics*, Imperial College Press, London. pp. 53-94.

Davis, C.S. 2002. *Statistical Methods for the Analysis of Repeated Measurements*, Springer, New York, 415 pages.

Demidenko, E. 2004. *Mixed Models – Theory and Applications*, Wiley-Interscience, Hoboken, New Jersey, 704 pages.

Demidenko, E. and Stukel, T.A. 2005. ‘Influence analysis for linear mixed-effects models’, *Statistics in Medicine*, vol. 24, no. 6, pp. 893-909.

Duchateau, L. and Janssen, P. 1997. ‘An example-based tour in linear mixed models’.

In G. Verbeke and G. Molenberghs, eds., *Linear Mixed Models in Practice – A SAS-Oriented Approach*, Springer-Verlag, New York, pp. 11-61.

Duong, Q.P. 1984. ‘On the choice of the order of autoregressive models: a ranking and selection approach’, *Journal of Time Series Analysis*, vol 5, pp. 145-157.

Fitzmaurice, G.M., Laird, N.M. & Ware, J.H. 2004. *Applied Longitudinal Analysis*, Wiley-Interscience, Hoboken, New Jersey, 506 pages.

Gomez, E.V., Schaalje, G.B. and Fellingham, G.W. 2005. ‘Performance of the Kenward-Roger method when the covariance structure is selected using the AIC and BIC’, *Communications in Statistics – Simulation and Computation*, vol. 34, pp. 377-392.

Grady, J.J. and Helms, R.W. 1995. ‘Model selection techniques for the covariance matrix for incomplete longitudinal data’, *Statistics in Medicine*, vol. 14, no.13, pp. 1397-1416.

Hand, D.J. & Crowder, M.J. 1996. *Practical Longitudinal Data Analysis*, Chapman & Hall, London, 232 pages.

Haslett, J. and Haslett, S.J. 2007. ‘The three basic types of residuals for a linear model’, *International Statistical Review*, vol. 75, no. 1, pp. 1-24.

Hedeker, D. and Gibbons, R.D. 2006. *Longitudinal Data Analysis*, John Wiley & Sons Inc., Hoboken, New Jersey, 337 pages.

Hocking, R.R., 2005. *Methods and Applications of Linear Models*, Wiley, New York, 741 pages.

- Houseman, E.A., Ryan, L.M. and Coull, B.A. 2004. ‘Cholesky residuals for assessing normal errors in a linear model with correlated outcomes’, *Journal of the American Statistical Association*, vol. 99, no. 466, pp. 383-394.
- Jacqmin-Gadda, H., Sibillot, S., Proust, C., Molina, J.M. & Thiebaut, R. 2007. ‘Robustness of the linear mixed model to misspecified error distribution’, *Computational Statistics & Data Analysis*, vol. 51, no. 10, pp. 5142-5154.
- Jennrich, R.I. & Schluchter, M.D. 1986. ‘Unbalanced repeated-measures models with structured covariance matrices’, *Biometrics*, vol. 42, no. 4, pp. 805-820.
- Johnson, C.R. 1970. ‘Positive definite matrices’, *The American Mathematical Monthly*, vol. 77, no. 3, pp. 259-264.
- Jones, R.H., 1993. *Longitudinal Data with Serial Correlation: A State-Space Approach*, Chapman and Hall, London, 225 pages.
- Kirton, A. 2005. ‘The effect of nutrients on the integrated control of water hyacinth’, unpublished Honours report, University of the Witwatersrand, Johannesburg.
- Laird, N.M. and Ware, J.H. 1982. ‘Random-effects models for longitudinal data’, *Biometrics* vol. 38, pp. 963-974.
- Lange, N. and Laird, N.M. 1989. ‘The effect of covariance structure on variance estimation in balanced growth-curve models with random parameters’, *Journal of the American Statistical Association*, vol. 84, no. 405, pp. 241-247.
- Lee, Y. and Nelder, J.A. 2004. ‘Conditional and marginal models: another view’, *Statistical Science* vol. 19, no. 2, pp. 219-238.

Liang, K. and Zeger, S.L. 1986. 'Longitudinal data analysis using generalized linear models', *Biometrika* vol. 73, no. 1, pp. 13-22.

Lindsey, J.K. 1993. *Models for Repeated Measurements*, Clarendon Press, Oxford, 413 pages.

Lindstrom, M.J. and Bates, D.J. 1988. 'Newton-Raphson and EM algorithms for linear mixed-effects models for repeated-measures data', *Journal of the American Statistical Association*, vol. 83, no. 404, pp. 1014-1022.

Littell, R.C., Milliken, G.A., Stroup, W.W., and Wolfinger, R.D. 1996. *SAS System for Mixed Models*, SAS Institute Inc., Cary, NC, USA, 633 pages.

McQuarrie, A.D.R. and Tsai, C. 1998. *Regression and Time Series Model Selection*, World Scientific Publishing, Singapore, 455 pages.

Pan, J. and Fang, K. 2002. *Growth Curve Models and Statistical Diagnostics*, Springer-Verlag, New York, 387 pages.

Pinheiro, J.C., Liu, C. & Wu, Y.N. 2001. 'Efficient algorithms for robust estimation in linear mixed effects models using the multivariate *t* distribution', *Journal of Computational and Graphical Statistics*, vol. 10, no. 2, pp. 249-276.

Potthoff, R.F. & Roy, S.N. 1964. 'A generalized multivariate analysis of variance model useful especially for growth curve problems', *Biometrika*, vol. 51, no. 3/4, pp. 313-326.

Pourahmadi, M. 2000. 'Maximum likelihood estimation of generalised linear models for multivariate normal covariance matrix', *Biometrika*, vol. 87, no. 2, 425-435.

R Development Core Team 2007. *R: A Language and Environment for Statistical Computing*. R Foundation for Statistical Computing, Vienna, Austria. ISBN 3-900051-07-0, URL <http://www.R-project.org>.

Richardson, A.M. and Welsh, A.H. 1995. ‘Robust restricted maximum likelihood in mixed linear models’, *Biometrics*, vol. 51, no. 4, pp. 1429-1439.

SAS ver. 9.1. 2003. *Proc Mixed*, SAS Institute Inc., Cary, NY, USA.

Schabenberger, O. 2004. ‘Mixed model influence diagnostics’, *Proceedings of the Twenty-Nineth SAS® Users Group International Conference*, Cary, NC: SAS Institute Inc 9-12 May 2004.

Singer, J.D. & Willett, J.B. 2003. *Applied Longitudinal Data Analysis: Modeling Change and Event Occurrence*, Oxford University Press, Oxford., 644 pages.

Stewart, J., 1998. *Calculus: Concepts and Contexts*, Brooks/Cole Publishing Company, Pacific Grove, USA, 991 pages.

Swallow, W.H. and Searle, S.R. 1978. ‘Minimum variance quadratic unbiased estimation (MIVQUE) of variance components’, *Technometrics*, vol. 20, no. 3, pp. 265-272.

Taylor, J.M.G. and Law, N. 1998. ‘Does the covariance structure matter in longitudinal modelling for the prediction of future CD4 counts?’, *Statistics in Medicine*, vol. 17, issue 20, pp. 2381-2394.

Tüchler, R. and Frühwirth-Schnatter, S. 2006. Bayesian covariance selection in hierarchical linear mixed models. *Second Internal R user Conference UseR! 2006*. Vienna, Austria 15-17 June 2006.

Twisk, J.W.R. 2003. *Applied Longitudinal Data Analysis for Epidemiology: A Practical Guide*, Cambridge University Press, Cambridge, UK, 301 pages.

Ugrinowitsch, C., Fellingham, G.W. & Ricard, M.D. 2004. ‘Limitations of ordinary least squares models in analyzing repeated measures data’, *Medicine and Science in Sports and Exercise*, vol. 36, no. 12, pp. 2144-2148.

Verbeke, G. 1997. ‘Linear mixed models for longitudinal data’. In G. Verbeke and G. Molenberghs, eds., *Linear Mixed Models in Practice – A SAS-Oriented Approach*, Springer-Verlag, New York, pp. 63-153.

Verbeke, G. & Lesaffre, E. 1997. ‘The effect of misspecifying the random-effects distribution in linear mixed models for longitudinal data’, *Computational Statistics & Data Analysis*, vol. 23, no. 4, pp. 541-556.

Verbeke, G. & Molenberghs, G. 2000. *Linear Mixed Models for Longitudinal Data*, Springer, New York, 568 pages.

Verbyla, A.P. 1990. ‘A conditional derivation of residual maximum likelihood’, *Australian and New Zealand Journal of Statistics*, vol. 32, no. 2, pp. 227-230.

Verbyla, A.P. and Cullis, B.R. 1990. ‘Modelling in repeated measures experiments’, *Applied Statistics*, vol. 39, no. 3, pp. 341-356.

Vittinghoff, E., Glidden, D.V., Shiboski, S.C. & McCulloch, C.E. 2005. *Regression Methods in Biostatistics: Linear, Logistic, Survival, and Repeated Measures Models*, Springer, New York, 340 pages.

Weiss, R.E. 2005. *Modeling Longitudinal Data*, Springer, New York, 429 pages.

- Wilson, E.B. 1927. ‘Probable inference, the law of succession, and statistical inference’, *Journal of the American Statistical Association*, vol. 22, pp. 209-212.
- Wilson, J.R. 2002. ‘Modelling the dynamics and control of water hyacinth’, unpublished PhD thesis, Imperial College of Science, Technology and Medicine, Berkshire.
- Wolfinger, R. 1993. ‘Covariance structure selection in general mixed models’, *Communications in Statistics – Simulation and Computation*, vol. 22, no. 4, pp. 1079-1106.
- Wolfinger, R., Tobias, R. and Sall, J. 1994. ‘Computing Gaussian likelihoods and their derivatives for general linear mixed models’, *SIAM Journal on Scientific Computing*, vol. 15, no. 6, pp. 1294-1310.
- Zewotir, T. & Galpin, J.S. 2004. ‘The behaviour of normal plots under non-normality for mixed models’, *South African Statistical Journal*, vol. 38, no. 4, pp. 115-138.
- Zewotir, T. & Galpin, J.S. 2005. ‘Influence diagnostics for linear mixed models’, *Journal of Data Science*, vol. 3, no. 2, pp. 153-177.
- Zewotir, T. & Galpin, J.S. 2006. ‘Evaluation of linear mixed model case deletion diagnostic tools by Monte Carlo simulation’, *Communication in Statistics – Simulation and Computation*, vol. 35, no. 3, pp. 645-682.