

ESTIMATION OF SURFACE MOISTURE IN A COMPOSITE COAL STOCKPILE

Kyle Enslin



A dissertation submitted to the Faculty of Engineering and the Built Environment, University of the Witwatersrand, in fulfilment of the requirements for the degree of Master of Science in Engineering.

September 2018

Declaration

I, Kyle Enslin, know the meaning of plagiarism and declare that all of the work in the dissertation, save for that which is properly acknowledged, is my own. I confirm that the following amendments have been made to this dissertation in light of the examiners' reports.

Signature



Date

28/09/2018_____

T Examiner ▾	<input type="checkbox"/>
Page 69 2018/08/28 10:23:37 AM	1 Reply
Repeated word.	
↩ enslink ▾	
2018/09/05 04:35:35 PM	
"Points" deleted	
T Examiner ▾	<input type="checkbox"/>
Page 69 2018/08/28 10:28:14 AM	1 Reply
This sentence is still not quite correct. I suggest change it to: "The load-voltage calibration was done and found to be accurate." It MUST give $R^2 = 1$ since it is a linear relationship forced by the user to fit. To quote the R^2 value is nonsensical.	
↩ enslink ▾	
2018/09/05 04:37:41 PM	
Sentence changed as suggested	
T Examiner ▾	<input type="checkbox"/>
Page 70 2018/08/28 10:28:59 AM	1 Reply
"little" error. There is no such a thing as "no error" when working with electronic A-D converters.	
↩ enslink ▾	
2018/09/05 04:38:40 PM	
Changed to "little"	
T Examiner ▾	<input type="checkbox"/>
Page 106 2018/08/28 04:46:21 PM	1 Reply
observed	
↩ enslink ▾	
2018/09/05 04:39:44 PM	
Changed to "observed"	
T Examiner ▾	<input type="checkbox"/> <input type="checkbox"/>
Page 106 2018/08/28 04:47:51 PM	1 Reply
a surface moisture of below 6%	
↩ enslink ▾	<input type="checkbox"/>
2018/09/05 04:40:50 PM	
Sentence changed as suggested	