

- 173.
- MUELLER, J.O., SMITHIES, O. & IRWIN, M.R. (1962). Transferrin variation in Columbidae. Genetics, 47, 1385-1392.
- McALPINE, V., MILOJEVIC, S. & MONKHOUSE, F.C. (1971). Changes in electrophoretic patterns of euglobin fractions following activation of the fibrinolytic system by exercise. Can. J. Physiol. Pharmacol., 49, 672-677.
- McCARRELL, J.D. (1939). Lymphatic absorption from the nasopharynx. Am. J. Physiol., 126, 20-27.
- McCARRELL, J.D. (1940). The effects of hyperthermia on cervical lymph flow. Am. J. Physiol., 130, 34-42.
- McFARLANE, A.S. (1963). Metabolism of plasma proteins. In: "Mammalian Protein Metabolism." Edit. by Munro, H.N., vol. 1, pp. 297-341, Academic Press, New York.
- McMASTER, P.D. (1946). The pressure and interstitial resistance prevailing in the normal and edematous skin of animals and man. J. exp. Med., 84, 473.
- McMENAMY, R.H. & LEE, Y. (1967). Microheterogeneity in albumin: a contaminant. Arch. Biochem. Biophys., 122, 635-643.
- NARAYAN, K.A., NARAYAN, S. & KUMMEROW, F.A. (1964). A modified disc electrophoretic method for animal serum proteins. J. Chromatog., 16, 187-193.
- NELSON, A.W. & SWAN, H. (1969). Long-term catheterization of the thoracic duct in the dog. Arch. Surg., 98, 83-86.
- NENNSTIEL, H.J. & BECHT, T. (1957). Über das erbliche auftreten einer albumin-spaltung im elektrophoresediagramm. Klin. Wochschr., 35, 689.
- NEUPERT, J.R. & LAWRENCE, C. (1970). Protein release during aqueous withdrawal in rabbits. Invest. Ophthalmol., 9, 865-872.
- NIKOLAI, T.F. & SEAL, U.S. (1966). Chromosome linked familial decrease in thyroxine-binding globulin activity. J. Clin. Endo. Metab., 26, 835-841.
- NIX, J.T., MANN, F.C., BOLLMAN, J.L., GRINDLAY, J.H. & FLOCK, E.W. (1951). Alteration of protein constituents of lymph by specific injury to the liver. Am. J. Physiol., 164, 119-122.
- NOAKES, T.D. & CARTER, J.W. (1976). Biochemical parameters in athletes before and after having run 160 kilometers. S.A. Med. J., 50, 1562-1566.
- NOBLE, R.C., MABON, R.M. & McEWAN JENKINSON, D. (1976). The effects of exposure to warm environments on bovine plasma lipid composition. Res. Vet. Sci., 21, 90-93.
- NOPAJAROONSRI, C., LUK, S.C. & SIMON, G.T. (1974). The passage of intravenously injected colloidal carbon into lymph node parenchyma. Lab. Invest., 30, 533-538.

- NYLIN, G. (1947). The effect of heavy muscular work on the volume of circulating red corpuscle in man. Am. J. Physiol., 149, 180-184.
- NYMAN, M. (1959). Serum haptoglobin. Scand. J. Clin. Lab. Invest., 11, suppl. 39.
- ODELL, G.B. (1959). The dissociation of bilirubin from albumin and its clinical implications. J. Pediat., 55, 268-279.
- OHLSSON, K. (1971). Comparison of affinity of trypsin for two alpha-macroglobulin fractions and for alpha₁-antitrypsin in dog serum. Clin. Chim. Acta, 32, 215-220.
- O'KELLY, J.C. (1973). Plasma lipid changes in genetically different types of cattle during hyperthermia. Comp. Biochem. Physiol., 44A, 313-320.
- OLSZEWSKI, W., ENGESET, A., JAEGER, P.M., SOKOLOWSKI, J. & THEODORSEN, L. (1977). Flow and composition of leg lymph in normal men during venous stasis muscular activity and local hyperthermia. Acta Physiol. Scand., 99, 149-155.
- ORNSTEIN, L. (1964). Disc electrophoresis. I. Background and theory. Ann. N.Y. Acad. Sci., 121, 321-349.
- OSTERHOFF, D.R. (1968). Immunogenetical studies in South African cattle breeds. D.Sc. (Agric., Gen.) Thesis, Univ. Pretoria.
- OSTERHOFF, D.R., AZZIE, M.A.J. & OP'T HOF, J. (1974). Biochemical genetics and performance ability in horses. J. S.A. Vet. Ass., 45, 311-316.
- OUCHTERLONY, O. (1962). Diffusion-in-gel methods for immunological analysis. As quoted by Clausen, J., 1971.
- OUCHTERLONY, O. (1967). Immunodiffusion and immunoelectrophoresis. In: Handbook of experimental Immunology. pp. 655-706, Edit. by Weir, D.M.
- PALAY, S.L. & KARLIN, L.J. (1959a). An electron microscopic study of the intestinal villus. I. The fasting animal. J. biophys. biochem. Cytol., 5, 363-372.
- PALAY, S.L. & KARLIN, L.J. (1959b). An electron microscopic study of the intestinal villus. II. The pathway of fat absorption. J. biophys. biochem. Cytol., 5, 373-383.
- PAPP, M., ROHLICH, P., RUSZNYAK, I. & TÖRÖ, I. (1962). An electron microscopic study of the central lacteal in the intestinal villus of the cat. Z. Zellforsch. mikrosk. Anat., 57, 475.
- PAPPENHEIMER, J.R. & SOTO-RIVERA, A. (1948). Effective osmotic pressure of the plasma proteins and other quantities associated with the capillary circulation in the hindlimbs of cats and dogs. Am. J. Physiol., 152, 471-491.

- PAPPENHEIMER, J.R., HEISEY, S.R., JORDAN, E.F. & DOWNER, J. De C. (1962). Perfusion of the cerebral ventricular system in unanesthetized goats. Am. J. Physiol., 203, 763-774.
- PARKER, W.C. & BEARN, A.G. (1962). Studies on the transferins of adult serum, cord serum, and cerebrospinal fluid. J. Exp. Med., 115, 83-105.
- PEACOCK, A.C. & DINGMAN, C.W. (1968). Molecular weight estimation and separation of ribonucleic acid by electrophoresis in agarose-acrylamide composite gels. Biochem., 7, 668-674.
- PEDERSEN, K.O. (1945). Ultracentrifugal studies of serum and serum fractions. Almquist & Wiksell, Uppsala.
- PEDREIRA, L., ENGLE, R.L. & SILVER, R.T. (1962). Studies of the plasma proteins in pregnancy using starch gel zone electrophoresis. Clin. Chim. Acta, 7, 706-709.
- PENSINGER, R.R., REBER, E.F., ERSOY, E. & NORTON, H.W. (1959). A pooled human serum as a standard and the effects of freezing and thawing on the electrophoretic pattern of baby pig serum. Am. J. Vet. Res., 20, 180.
- PERLMAN, G.E., GLENN, W.W.L. & KAUFMAN, D. (1943). Changes in the electrophoretic pattern in lymph and serum in experimental burns. J. Clin. Invest., 22, 627-633.
- PETERS, T. (1970). Serum albumin. Advan. Clin. Chem., 13.
- PETERS, T. (1975). Serum albumin. In: The Plasma Proteins: Structure, function and genetic control. vol. 1, Edit. by Putnam, F.W., Academic Press, New York, San Francisco, London.
- PETERS, T. (1980). Albumin. Publ. Miles-Seravac.
- PETERS, T. & ANFINSEN, C.B. (1950). Production of radioactive serum albumin by liver slices. J. Biol. Chem., 182, 171-179.
- PHELPS, R.A. & PUTNAM, F.W. (1960). Chemical composition and molecular parameters of purified plasma proteins. In: The Plasma Proteins. vol. 1, p. 163, Edit. by Putnam, F.W., Academic Press.
- PICARD, J.J. & HEREMANS, J.F. (1963). Studies on alpha₂-macroglobulin. I. A method for the isolation of rabbit alpha₂-macroglobulin. Biochim. Biophys. Acta, 71, 554-561.
- PILON, R.N. & BITTAR, D.A. (1973). The effect of positive end-expiratory pressure on thoracic duct lymph flow during controlled ventilation in anaesthetized dogs. Anesthesiology, 39, 607-612.
- POLDERMAN, H., MCCARRELL, J.D. & BEECHER, H.K. (1943). Effect of anaesthesia on lymph flow (local porcaine, ether pentobarbital sodium). J. Pharmacol. Exp. Ther., 78, 400-406.

- POORTMANS, J. (1964). La protéinurie physiologique au repos et à l'effort. Ann. Soc. Roy. Sci. Med. Nat. Bruxelles, 17, 89-188.
- POORTMANS, J.R. (1971). Serum protein determination during short exhaustive physical activity. J. Appl. Physiol., 30, 190-192.
- PORTER, R.R. (1966). Separation of proteins and protein subunits. Br. med. Bull., 22, 164-167.
- POTTS, J.T., REISFELD, R.A., HIRSCH, P.F., WASTHED, A.B., VOELKEL, E.F. & MUNSON, P.L. (1967). Purification of porcine thyrocalcitonin. Proc. Nat. Acad. Sci., 58, 328-335.
- POULIK, M.D. (1958). Starch gel immunoelectrophoresis. Fed. Proc., 17, 530.
- POULSEN, H.L. (1973). Subcutaneous interstitial fluid albumin concentration in long-term diabetes mellitus. Scand. J. Clin. Lab. Invest., 32, 167-173.
- PRENTICE, C.R.M., HASSANEIN, A.A., McNICOL, G.P. & DOUGLAS, A.S. (1972). Studies on blood coagulation, fibrinolysis and platelet function following exercise in normal and splenectomized people. Brit. J. Haematol., 23, 541-552.
- PULLINGER, B.D. & FLOREY, H.W. (1935). Some observations on the structure and functions of lymphatics: their behavior in local oedema. Brit. J. exp. Path., 16, 49.
- PUTNAM, F.W. (1965). In: The Proteins, vol. 2., 2nd. ed., pp. 153-267, Edit. by Neurath, H., Academic Press, New York.
- PUTNAM, F.W. (1975). The Plasma Proteins. Structure, function and genetic control. 2nd. ed., Academic Press, New York, San Francisco, London.
- QUIN, J.W. & LASCELLES, A.K. (1975). Relationship between the recirculation of lymphocytes and protein concentration of lymph in sheep. Aust. J. exp. Biol. med. Sci., 53, 1-9.
- QUIN, J.W. & SHANNON, A.D. (1975). The effect of anaesthesia and surgery on lymph flow, protein and leucocyte concentration in lymph of the sheep. Lymphology, 8, 126-135.
- QUIN, J.W. & SHANNON, A.D. (1977). The influence of the lymph node on the protein concentration of the efferent lymph leaving the node. J. Physiol., 264, 307-321.
- QUIN, J.W., BEH, K.J. & LASCELLES, A.K. (1974). Origin of the various immunoglobulins in lymph from the popliteal lymph node of sheep before and after antigenic stimulation. Aust. J. exp. Biol. med. Sci., 52, 887-896.

- RADOLA, B.J. (1973). Isoelectric focusing in layers of granulated gels. Biochem. Biophys. Acta, 295, 421-428.
- RANKE, J. (1865). Tetatus. Eine physiologische Studie. pp. 69, 93, Leipzig.
- RAYMOND, S. & WEINTRAUB, L. (1959). Acrylamide gel as a supporting medium for zone electrophoresis. Science, 130, 711.
- REESE, T.S. & KARNOWSKY, M.J. (1967). Fine structural localization of a blood-brain barrier to exogenous peroxidase. J. cell. Biol., 34, 207-217.
- REEVE, E.B. & CHEN, P.Y. (1970). Regulation of interstitial albumin. In: Plasma Protein Metabolism, pp. 89-109, Edit. by Rothschild, M.A. & Waldman, T., Academic Press, New York.
- REICHEL, A. (1970). Comparative investigations of plasma and lymph in the frog. A qualitative approach to the blood-lymph transfer of proteins. Acta physiol. Acad. Sci. hung., 37, 1-18.
- REICHEL, A. (1971). Vergleichende untersuchung zwischen der migration von plasmaprotein-fraktionen in künstlichen molekularsiebenden gelen und ihrem transfer durch die blut-lymph-schranke. Pflügers Arch. (Europ. J. Physiol.), 323, 310-314.
- REICHEL, A. (1974). Permeationsvorgänge an der blut-gewebe-schranke. II. Vergleichende untersuchungen von blut und körperflüssigkeiten jenseits der blutgewebe-schranke. Z. inn. Med. (Leipzig), 29, 909-916.
- REICHEL, A., ROTHER, U., WERNER, J. & REICHEL, F. (1976). On the transport of various endogenous plasma proteins from blood to peripheral lymph in man. Lymphology, 9, 118-121.
- REIS, H.E. & WETTER, O. (1969). Über die isoelektrische trennung von serumalbuminen. Klin. Wchschr., 47, 426-430.
- REJNEK, J., BEDNARÍK, T. & KOCÍ, J. (1963). Microheterogeneity of albumin. Clin. Chim. Acta, 8, 116-126.
- RENKIN, E.M. (1970). Permeability and molecular size in "peripheral" and glomerular capillaries. In: Capillary Permeability, pp. 544-547, Edit. by Crone, C. & Lassen, N.A., Copenhagen.
- RESSLER, N. (1960a). Electrophoresis of serum protein antigens in an antibody-containing buffer. Clin. Chim. Acta, 5, 359-365.
- RESSLER, N. (1960b). Two-dimensional electrophoresis of protein antigens with an antibody containing buffer. Clin. Chim. Acta, 5, 795-800.

- RÖCKER, L., KIRSCH, K., WICKE, J. & STOBOY, H. (1976). Role of proteins in the regulation of plasma volume during heat stress and exercise. Israel J. Med. Sci., 12, 840-843.
- RODKEY, F.L. (1961). Binding of phenol red by human serum albumin. Arch. Biochem. Biophys., 94, 526-531.
- RODKEY, F.L. (1964). Binding of bromocresol green by human serum albumin. Arch. Biochem. Biophys., 108, 510-513.
- ROESER, H.P., LEE, G.R., NACHT, S. & CARTWRIGHT, G.E. (1970). The role of ceruloplasmin in iron metabolism. J. Clin. Invest., 49, 2408-2417.
- ROITT, I.M. (1971). Essential Immunology, 1st. ed., pp. 35-62, F.A. Davis Co., Philadelphia.
- ROSENOER, V.M., ORATZ, M. & ROTHCHILD, M.A. (1977). Albumin Structure, Functional Uses. Pergamon Press, Oxford.
- ROSENTHAL, F.D. & SOOTHILL, J.F. (1962). An immunochemical study of the proteins in cerebrospinal fluid. J. Neurol. Neurosurg. Psychiat., 25, 177-181.
- ROTBOL, L. (1970). Isoelectric focusing of human urinary proteins in polyacrylamide gel. Clin. Chim. Acta, 29, 101-105.
- RUSSEL, J.H. & GELLER, D.M. (1975). The structure of rat proalbumin. J. Biol. Chem., 250, 3409-3413.
- RUSZNYAK, I., FÖLDI, M. & SZABO, G. (1967). Lymphatics and Lymph Circulation, Physiology and Pathology, 2nd. ed., Edit. by Youlten, L., Pergamon Press, Oxford.
- RUSZNYAK, I., FÖLDI, M. & SZABO, G. (1969). Lymphologie. Physiologie und Pathologie der Lymphgefäße und des Lymphkreislaufes. Edit. by Fischer, G., Stuttgart.
- RUTILI, G. & ARFORS, K.E. (1977). Protein concentration in interstitial and lymphatic fluids from subcutaneous tissue. Acta Physiol. Scand., 99, 1-8.
- RYAN, M.T. & GIBBS, G. (1970). The effect of Ca^{++} on the binding of steroids to human serum albumin. Biochim. Biophys. Acta, 222, 206-209.
- SALLMAN, L. VON & MOORE, D.H. (1948). Electrophoretic patterns of concentrated aqueous humour of rabbit, cattle and horse. Arch. Ophthalm., 40, 279-284.
- SALTIN, B. (1964). Circulatory response to submaximal and maximal exercise after thermal dehydration. J. Appl. Physiol., 19, 1125-1132.

- SCHAD, H. & BRECHTELSBAUER, H. (1977a) Thoracic duct lymph in conscious dogs at rest and during changes of physical activity. Pflügers Arch., 367, 235-240.
- SCHAD, H. & BRECHTELSBAUER, H. (1977b). Thoracic duct lymph flow and composition in conscious dogs and the influence of anaesthesia and passive limb movement. Pflügers Arch., 371, 25-31.
- SCHEIDEGGER, J.J. (1955). Une micromethode de l'immuno-electrophorese. Intern. Arch. Allergy Appl. Immunol., 7, 103.
- SCHLAGETTER, K. & SCHWICK, G. (1961). Immunochemische untersuchungen der serumproteine von schwangeren. Z. Geburtsh. Gynäkol., 157, 225.
- SCHMUT, O. & ZIRM, M. (1974). Quantitative determination of different aqueous humour proteins. Albrecht v. Graefes Arch. klin. exp. Ophthalm., 190, 63-67.
- SCHMUT, O. & ZIRM, M. (1975). Determination of bovine aqueous humour proteins. Albrecht v. Graefes Arch. klin. exp. Ophthalm., 194, 61-63.
- SCHOEFL, G.I. (1970). Structure and permeability of venules in lymphoid tissue. 7th Int. Cong. Electron Microsc., 3, 589.
- SCHOLANDER, P.F., HARGEN, A.R. & MILLER, S.L. (1968). Negative pressure in the interstitial fluid of animals. Science, 161, 321.
- SCHÖNENBERGER, M., SCHMIDTBERGER, R. & SCHULTZE, H.E. (1958). Über das α_2 -makroglobulin. Z. Naturforschung, 13b, 761-772.
- SCHUBERT, M. (1964). Intercellular macromolecules containing polysaccharides. Biophys. J., suppl. 4, 119.
- SCHULTZE, H.E. & HEREMANS, J.F. (1966). Molecular Biology of Human Proteins with special reference to Plasma Proteins. Elsevier, Amsterdam, London, New York.
- SCHULTZE, G., KIRSCH, K. & RÖCKER, L. (1972). Distribution and circulation of extracellular fluid and protein during different status of hydration in the cat. Pflügers Arch., 337, 351-366.
- SCHUMACHER, S. (1896). Über die lymphdrüsen des Macacus rhesus. Arch. f. Mikr. Anat., 145, 48.
- SCHUMACHER, VON G. & SCHLUMBERGER, H.D. (1963). Über veränderungen der alpha2-globuline des serums. Dtsch. med. Wschr., 88, 645-646.

- SCHAD, H. & BRECHTELSBAUER, H. (1977a) Thoracic duct lymph in conscious dogs at rest and during changes of physical activity. Pflügers Arch., 367, 235-240.
- SCHAD, H. & BRECHTELSBAUER, H. (1977b). Thoracic duct lymph flow and composition in conscious dogs and the influence of anaesthesia and passive limb movement. Pflügers Arch., 371, 25-31.
- SCHLIDEGGER, J.J. (1955). Une micromethode de l'immuno-electrophorese. Intern. Arch. Allergy Appl. Immunol., 7, 103.
- SCHLAGETTER, K. & SCHWICK, G. (1961). Immunochemische untersuchungen der serumproteine von schwangeren. Z. Geburtsh. Gynäkol., 157, 225.
- SCHMUT, O. & ZIRM, M. (1974). Quantitative determination of different aqueous humour proteins. Albrecht v. Graefes Arch. klin. exp. Ophthalm., 190, 63-67.
- SCHMUT, O. & ZIRM, M. (1975). Determination of bovine aqueous humour proteins. Albrecht v. Graefes Arch. klin. exp. Ophthalm., 194, 61-63.
- SCHOEFL, G.I. (1970). Structure and permeability of venules in lymphoid tissue. 7th Int. Cong. Electron Microsc., 3, 589.
- SCHOLANDER, P.F., HARGEN, A.R. & MILLER, S.L. (1968). Negative pressure in the interstitial fluid of animals. Science, 161, 321.
- SCHÖNENBERGER, M., SCHMIDTBERGER, R. & SCHULTZE, H.E. (1958). Über das α_2 -makroglobulin. Z. Naturforschung, 13b, 761-772.
- SCHUBERT, M. (1964). Intercellular macromolecules containing polysaccharides. Biophys. J., suppl. 4, 119.
- SCHULTZE, H.E. & HEREMANS, J.F. (1966). Molecular Biology of Human Proteins with special reference to Plasma Proteins. Elsevier, Amsterdam, London, New York.
- SCHULTZE, G., KIRSCH, K. & RÖCKER, L. (1972). Distribution and circulation of extracellular fluid and protein during different status of hydration in the cat. Pflügers Arch., 337, 351-366.
- SCHUMACHER, S. (1896). Über die lymphdrüsen des Macacus rhesus. Arch. f. Mikr. Anat., 145, 48.
- SCHUMACHER, VON G. & SCHLUMBERGER, H.D. (1963). Über veränderungen der α_2 -globuline des serums. Dtsch. med. Wschr., 88, 645-646.

- SENAY, L.C. (1970). Movement of water, protein and crystalloids between vascular and extravascular compartments in heat-exposed men during dehydration and following limited relief of dehydration. J. Physiol., 210, 617-635.
- SENAY, L.C. (1972). Changes in plasma volume and protein content during exposures of working men acclimatization to heat: separation of the roles of cutaneous and skeletal muscle circulation. J. Physiol., 224, 61-81.
- SENAY, L.C. (1973). Body fluids and temperature responses of heat-exposed women before and after ovulation with and without rehydration. J. Physiol., 232, 209-219.
- SENAY, L.C. (1975). Plasma volumes and constituents of heat-exposed men before and after acclimatization. J. Appl. Physiol., 38, 570-575.
- SENAY, L.C. & CHRISTENSEN, M.L. (1965). Changes in blood plasma during progressive dehydration. J. Appl. Physiol., 20, 1136-1140.
- SENAY, L.C. & FORTNEY, S. (1975). Untrained females: effects of submaximal exercise and heat on body fluids. J. Appl. Physiol., 39, 643-647.
- SENAY, L.C., MITCHELL, D. & WYNDHAM, C.H. (1976). Acclimatization in a hot, humid environment: body fluid adjustments. J. Appl. Physiol., 40, 786-796.
- SHABO, A.L. & MAXWELL, D.S. (1968a). The morphology of the arachnoid villi. A light and electron microscopical study in the monkey. J. Neurosurg., 29, 451-463.
- SHABO, A.L. & MAXWELL, D.S. (1968b). Electron microscopical observations on the fate of particulate matter in the cerebrospinal fluid. J. Neurosurg., 29, 464-474.
- SHAFIROFF, B.G.P., DOUBILET, H., PREISS, A.L. & COTUI (1943). Effect of thoracic duct drainage and hemorrhage on blood and lymph. Surg. Gynec. Obstet., 76, 547-550.
- SHAPIRO, A.L., SCHARFF, M.D., MAIZEL, J.V. & UHR, J.W. (1966). Synthesis of excess light chains of gamma globulin by rabbit lymph node cells. Nature, 211, 243-245.
- SHIRLEY, H.H., WOLFRAM, C.G., WASSERMAN, K., & MAYERSON, H.S. (1957). Capillary permeability to macromolecules: stretched pore phenomenon. Am. J. Physiol., 190, 189-193.
- SIMIONESCU, N., SIMIONESCU, M. & PALADE, G.E. (1972). Permeability of intestinal capillaries. J. Cell. Biol., 53, 365-392.
- SINGER, S.J. & CAMPBELL, D.H. (1954). The influence of pH on antigen-antibody equilibria. J. Am. Chem. Soc., 76, 4052.

- SKUDE, G. & JEPPSSON, J.O. (1972). Thin layer electrofocusing followed by electrophoresis in antibody containing gel. Scand. J. Clin. Lab. Invest., 29, suppl. 124, 55-58.
- SMITH, R.O. (1949). Lymphatic contractility. A possible intrinsic mechanism of lymphatic vessels for the transport of lymph. J. exp. Med., 90, 497.
- SMITH, J.B. & MORRIS, B. (1970). The response of the popliteal lymph node of the sheep to swine influenza virus. Aust. J. exp. Biol. med. Sci., 48, 33-46.
- SMITHIES, O. (1955). Zone electrophoresis in starch gels: group variations in the serum proteins of normal human adults. Biochem. J., 61, 629-641.
- SOBER, H.A., GUTTER, F.J., WYCKOFF, M.M. & PETERSON, E.A. (1956). Chromatography of proteins. II. Fractionation of serum protein on anion-exchange cellulose. J. Am. Chem. Soc., 78, 756-763.
- SOGAMI, M. & FOSTER, J.F. (1962). Resolution of oligomeric and isomeric forms of plasma albumin by zone electrophoresis in polyacrylamide gel. J. Biol. Chem., 237, 2514-2521.
- SPENCER, E.M. & KING, T.P. (1971). Isoelectric heterogeneity of bovine plasma albumin. J. Biol. Chem., 246, 201-208.
- STABILINI, R., VERGANI, C., AGOSTONI, A. & AGOSTONI, R.P.V. (1968). Influence of age and sex on prealbumin levels. Clin. Chim. Acta, 20, 358-359.
- STEIN, H.J., ELIOT, J.W. & BADER, R.A. (1948). Physiological reactions to cold and their effects on the retention of acclimatization to heat. J. Appl. Physiol., 1, 575-585.
- STIMSON, W.H. & EUBANK-SCOTT, L. (1972). The isolation and partial characterisation of a new alpha-macroglobulin from human pregnancy serum. Febbs Letters, 23, 298-302.
- STJERNESCHANTZ, J., UUSITALO, R. & PALKAMA, A. (1973). The aqueous proteins of the rat in the normal eye and after aqueous withdrawal. Exp. Eye Res., 16, 215-221.
- STROMBERG, D.D. & WIEDERHIELM, C.A. (1970). Effects of oncotic gradients and enzymes on negative pressures in implanted capsules. Am. J. Physiol., 219, 928.
- STROMBERG, D.D. & WIEDERHIELM, C.A. (1976). Interstitial fluid oncotic pressures in rabbit subcutaneous tissue. Am. J. Physiol., 231, 888-891.

- STROMME, S.B., MAGGERT, J.E. & SCHOLANDER, P.F. (1969). Interstitial fluid pressure in terrestrial and semiterrestrial animals. J. Appl. Physiol., 27, 123.
- STUDD, J.W.W., BLAINEY, J.D. & BAYLEY, D.E. (1970). A study of serum protein changes in late pregnancy and identification of the pregnancy zone protein using antigen antibody crossed immunoelectrophoresis. J. Obst. Gynec. Brit. Comm., 77, 42-51.
- SUGARMAN, J., FRIEDMAN, M., BARRETT, E. & ADDIS, T. (1943). The distribution, flow, protein and urea content of renal lymph. Am. J. Physiol., 138, 108-112.
- SVENSSON, H. (1946). Electrophoresis by the moving boundary method. A theoretic and experimental study. Ark. Kemi. min. geol., 10, 1.
- SWEET, G.H. & ELVINS, J.W. (1976). Human bloodstains: Individualization by crossed electroimmunodiffusion. Science, 192, 1012-1014.
- SWINGLE, S.M. & TISELIUS, A. (1951). Tricalcium phosphate as an absorbant in the chromatography of proteins. Biochem. J., 48, 171-174.
- TAKASE, M. (1970). Studies on the protein content in the aqueous humour of the living rabbits. II. Protein content of normal rabbit aqueous humour in vivo. Acta Soc. ophthal. jap., 74, 25-30.
- TARVER, H. & REINHARDT, W.O. (1947). Methionine labeled with radioactive sulfur as an indicator of protein formation in the hepatectomized dogs. J. Biol. Chem., 167, 395-400.
- TAYLOR, A.E., GIBSON, W.H., GRANGER, H.J. & GUYTON, A.C. (1973). The interaction between intracapillary and tissue forces in the overall regulation of interstitial fluid volume. Lymphology, 6, 192-208.
- TIBES, U., HEMMER, B., SCHWEIGART, U., BÖNING, D. & FOTESCU, D. (1974). Exercise acidosis as cause of electrolyte changes in femoral venous blood of trained and untrained man. Pflügers Arch., 347, 145-158.
- TIBES, U., HABERKORN-BUTENDEICH, E. & HAMMERSEN, F. (1977). Effect of contraction on lymphatic, venous, and tissue electrolytes and metabolites in rabbit skeletal muscle. Pflügers Arch., 368, 195-202.
- TIBLIN, G., BERGENTZ, S.E., BJURE, J. & WILHEMSEN, L. (1966). Hematocrit, plasma protein, plasma volume and viscosity in early hypertensive disease. Am. Heart. J., 72, 165-176.

- TRIPATHI, B.J. & TRIPATHI, R.C. (1974). Vascular transcellular channels as a drainage pathway for cerebrospinal fluid. J. Physiol., 239, 195-206.
- TRITSCH, G.L., RATHKE, C.E., TRITSCH, N.E. & WEISS, C.M. (1961). Thyroxine binding by human serum albumin. J. Biol. Chem., 236, 3163-3167.
- TRONCOSO, M.U. (1942). The ultrascleral vascular plexus and its relations to the aqueous outflow. Am. J. Ophth., 25, 1153-1162.
- TRONCOSO, M.U. & CASTROVIEJO, R. (1936). Comparative anatomy of the angle of the anterior chamber in living and sectioned eyes of mammalia. Am. J. Ophth., 19, 371-384, 481-492, 583-592.
- TUCKER, E. (1975). Genetic markers in the plasma and red blood cells. In: The Blood of Sheep (Edit. by Blunt, M.H.), pp. 123-153. Berlin, Heidelberg, New York. Springer Verslag.
- UEHLINGER, A. & BÜHLMAN, A. (1961). Das verhalten des blutvolumens während kurzfristiger körperlicher Arbeit. Cardiologia, 38, 357-370.
- UNGER, R.H., EISENTRAUT, A.M. & MADISON, L.L. (1963). The effects of total starvation upon the levels of circulating glucagon and insulin in man. J. Clin. Invest., 42, 1031-1039.
- URIEL, J. (1966). Methode d'electrophorese dans des gels d'acrylamide-agarose. Bull. Soc. Chim. Bio., 48, 969-982.
- UUSITALO, R., STJERNESCHANTZ, J. & PALKAMA, A. (1974). Studies on parasympathetic control of the blood-aqueous barrier in the rabbit. An electron microscopic study. Exp. Eye Res., 19, 125-134.
- VAN BEAUMONT, W. (1972). Evaluation of hemoconcentration from hematocrit measurements. J. Appl. Physiol., 31, 712-713.
- VAN DEURS, R., RÖPKE, C. & WESTERGAARD, E. (1975). Permeability properties of the postcapillary high-endothelial venules in lymph nodes of the mouse. Lab. Invest., 32, 201-208.
- VIRELLA, G. & PARKHOUSE, R.M.E. (1971). Detection of monomeric IgM by acrylamide disc gel electrophoresis followed by agar gel immunodiffusion. Clin. Chim. Acta, 32, 427-431.
- VREIM, C.E. & STAUB, N.C. (1976). Protein composition of lung fluids in acute alloxan edema in dogs. Am. J. Physiol., 230, 376-379.

- VREIM, C.E., SNASHALL, P.D. & STAUB, N.C. (1976a). Protein composition of lung fluids in anesthetized dogs with acute cardiogenic edema. Am. J. Physiol., 231, 1466-1469.
- VREIM, C.E., SNASHALL, P.D., DEMLING, R.H. & STAUB, N.C. (1976b). Lung lymph and free interstitial fluid protein composition in sheep with edema. Am. J. Physiol., 230, 1650-1653.
- WALLEVIK, K. (1973). Isoelectric focusing of bovine serum albumin. Influence of binding of carrier ampholytes. Biochim. Biophys. Acta, 322, 75-87.
- WALSHE, S.L.H. & GILLES, H.M. (1962). Haematological and biochemical observations on a herd of gambian cattle. J. Comp. Path., 72, 439-449.
- WARREN, M.F. & DRINKER, C.K. (1942). The flow of lymph from the lungs of the dog. Am. J. Physiol., 136, 207-221.
- WASSERMAN, K. & MAYERSON, H.S. (1952). Dynamics of lymph and plasma protein exchange. Cardiologia, 21, 296-307.
- WATERMEYER, G.S., SOLOMON, L., DAYNES, G., SOSKOLNE, L.L. & BEIGHTON, P.H. (1977). The changing epidemiology of serum albumin levels in Southern Africa. S. Afr. Med. J., 51, 614-616.
- WATKINS, A.L. & FULTON, M.N. (1938). The effect of fluids given intraperitoneally, intravenously and by mouth on the volume of thoracic duct lymph in dogs. Am. J. Physiol., 122, 281-287.
- WEBB, R.L. (1933). Observations on the propulsion of lymph through the mesenteric lymphatic vessels of the living rat. Anat. Res., 57, 345.
- WEBSTER, D., BIGNELL, A.H.C. & ATTWOOD, E.C. (1974). An assessment of the suitability of Bromo-cresol green for the determination of serum albumin. Clin. Chim. Acta, 53, 101-108.
- WEINBERG, R.A., LOENING, U., WILLEMS, M. & PENMAN, S. (1967). Acrylamide gel electrophoresis of hela cell nucleolar RNA. Proc. Nat. Acad. Sci., 58, 1088-1095.
- WEISS, W.A. (1965). Normalwerte spezifischer serumproteine im kindes und erwachsenalter. Klin. Wschr., 43, 273.
- WELCH, K. & FRIEDMAN, V. (1960). The cerebrospinal fluid values. Brain, 83, 454-469.
- WENNESLAND, R., BROWN, E., HOPPER, J., SCOTT, K.G., HODGER, J.L., & BRADLEY, B. (1962). Experiences with the radiochromium method for determination of red cell volume. Scand. J. Clin. Lab. Invest., 14, 255-367.

- WEST, E.S., TODD, W.R., MASON, H.S. & BRUGGEN, J.T. van (1967). Textbook of Biochemistry. 4th Edit., Collier-Macmillan Ltd., London.
- WESTERGAARD, E. & BRIGHTMAN, M.W. (1973). Transport of proteins across normal cerebral arterioles. J. Comp. Neur., 152, 17-44.
- WHITE, J.C., FIELD, M.E. & DRINKER, C.K. (1933). On the protein content and normal flow of lymph from the foot of the dog. Am. J. Physiol., 103, 34-44.
- WHITE, A., HANDLER, P. & SMITH, E.L. (1968). Principles of Biochemistry, 4th ed., McGraw-Hill Book Co., New York, London.
- WHITEHEAD, J.S., KAY, E., LEW, J.Y. & SHANNON, L.M. (1971). A preparation column electrophoresis apparatus using Sephadex G-25. Anal. Biochem., 40, 287-291.
- WHITTOU, G.C. (1965). The effect of hyperthermia on the systemic and pulmonary circulation of the ox. (Bos taurus). Quart. J. Exp. Physiol., 50, 300-311.
- WIEDERHIELM, C.A. & WESTON, B.V. (1973). Microvascular, lymphatic and tissue pressure in the unanaesthetized mammal. Am. J. Physiol., 225, 992.
- WIEME, R.J. (1959). Studies on agar gel electrophoresis. Arcia Uitgaven N.V., Brussels; Elsevier, Amsterdam.
- WILDE, G.E. & KEKWICK, G.O. (1964). The arylesterases of human serum. Biochem. J., 91, 297-307.
- WILKIE, B.N. (1974). Review of bovine immunology for the veterinary practitioner. Can. Vet. Jour., 15, 243-248.
- WILLIAMS, A.R. (1973). The effect of bovine and human serum albumins on the mechanical properties of human erythrocyte membranes. Biochimica et Biophysica Acta, 307, 58-64.
- WILLIAMS, D.M., LEE, G.R. & CARTWRIGHT, G.E. (1974). Ferroxidase activity of rat ceruloplasmin. Am. J. Physiol., 227, 1094-1097.
- WINNE, D. (1965). Die capillarpermeabilität hochmolekularer substanzen. Arch. Ges. Physiol., 283, 119-136.
- WINTON, F.R. & BAYLISS, L.E. (1955). Human Physiology, p. 268, Little, Brown, Boston.
- WRAIGHT, E.P. (1974). Capillary permeability of protein as a factor in the control of plasma volume. J. Physiol., 237, 39-47.

- WYNDHAM, C.H., MORRISON, J.F. & WILLIAMS, C.G. (1965). Heat reactions of male and female Caucasians. J. Appl. Physiol., 20, 357-364.
- YANCAIZAWA, T. (1965). Protein fractions of aqueous humor. I. Normal and secondary aqueous humor of rabbits. Nippon Acta Radiol., 69, 2015.
- YOFFEY, J.M. & COURTICE, F.C. (1956). Lymphatics, Lymph and Lymphoid Tissue, 2nd ed., Edward Arnold Ltd., London.
- YOFFEY, J.M. & COURTICE, F.C. (1970). Lymphatics, Lymph and the Lymphomyeloid Complex, Academic Press, London, New York.
- YOUNG, R.W. & FULHORST, H.W. (1965). Recovery of S³⁵ radioactivity from protein-bearing polyacrylamide gel. Anal. Biochem., 11, 389-391.
- ZIMMERMAN, E.G. & NEJTEK, M.E. (1975). The hemoglobins and serum albumins of three species of wood rats. (Neotoma Say and Ord). Comp. Biochem. Physiol., 50B, 275-278.
- ZWEIFACH, B.W. & PRATHER, J.W. (1975). Micromanipulation of pressure in terminal lymphatics in the mesentery. Am. J. Physiol., 228, 1326-1335.

Author Coetzee N

Name of thesis A Comparative study of the proteins in the body fluids of animals 1981

PUBLISHER:

University of the Witwatersrand, Johannesburg

©2013

LEGAL NOTICES:

Copyright Notice: All materials on the University of the Witwatersrand, Johannesburg Library website are protected by South African copyright law and may not be distributed, transmitted, displayed, or otherwise published in any format, without the prior written permission of the copyright owner.

Disclaimer and Terms of Use: Provided that you maintain all copyright and other notices contained therein, you may download material (one machine readable copy and one print copy per page) for your personal and/or educational non-commercial use only.

The University of the Witwatersrand, Johannesburg, is not responsible for any errors or omissions and excludes any and all liability for any errors in or omissions from the information on the Library website.