

https://dspace.org/

# Non-compliance with chemotherapy in the oncology patient with a good prognosis

**Benjamin, Ruth Valerie Nona**

**2006-10-31T13:32:09Z**
http://hdl.handle.net/10539/1547

Downloaded from a DSpace repository. https://dspace.org/

TABLE OF CONTENTS


| | | Page |
|---|---|---|
| DECLARATION | | ii |
| DEDICATION | | iii |
| PUBLICATIONS AND PRESENTATIONS | | iv |
| ABSTRACT | | v |
| ACKNOWLEDGEMENTS | | vi |
| LIST OF TABLES | | vii |
| TABLE OF CONTENTS | | ix |

**VOLUME I**

| | | |
|---|---|---|
| 1.0 | INTRODUCTION | 1 |
| 1.2 | Description and definition of non compliance | 1 |
| 1.2 | Implications for research | 5 |
| 1.3 | The inability of doctors to consistently detect compliance | 7 |
| 1.4 | Financial implications | 9 |
| 2.0 | THE PERVASIVENESS OF NON COMPLIANCE IN MEDICAL FIELDS OTHER THAN ONCOLOGY | 11 |
| 2.1 | Hypertension | 11 |
| 2.2 | Stroke | 14 |
| 2.3 | Cardiac conditions | 14 |
| 2.3.1 | Heart failure | 15 |
| 2.3.2 | Cardiac rehabilitation | 15 |
| 2.3.3 | Heart transplant | 16 |
| 2.3.4 | Endocarditis | 16 |
| 2.3.5 | Hypercholesterolaemia | 16 |
| 2.4 | Respiratory conditions | 17 |
| 2.4.1 | Asthma | 18 |
| 2.5 | Diabetes | 19 |
| 2.6 | Antibiotics | 20 |
| 2.6.1 | Prophylactic antibiotic therapy | 21 |
| 2.7 | Haemodyalisis and renal transplant | 21 |
| 2.8 | Tuberculosis | 22 |
| 2.9 | HIV/AIDS | 25 |
| 2.9.1 | HIV in Women | 27 |
| 2.9.2 | HIV in Childhood and Adolescence | 27 |
| 2.10 | Genitourinary conditions | 28 |
| 2.11 | Opthalmic conditions | 29 |
| 2.12 | Neurological conditions | 29 |
| 2.13 | Psychiatric conditions | 30 |
| 2.14 | Dental and peridontal | 30 |
| 2.15 | Health practices | 31 |

| | | |
|---|---|---|
| 2.16 | Immunization | 32 |
| 2.17 | Malaria | 33 |
| 2.18 | Geriatric | 34 |
| 2.19 | Other conditions | 35 |
| 2.19.1 | Allergen | 36 |
| 2.19.2 | Hormone replacement therapy | 36 |
| 2.20 | General follow up and patient behavior | 37 |
| 2.21 | Medicines | 38 |
| 2.22 | Summary | 38 |
| | | |
| 3.0 | THE MANY DIFFERENT FORMS OF NON COMPLIANCE | 40 |
| 3.1 | Irregularities in taking medication | 40 |
| 3.2 | Non compliance with other forms of treatment | 43 |
| 3.2.1 | Haemodyalisis and Renal Transplant | 43 |
| 3.2.2 | Diabetes | 44 |
| 3.2.3 | Non Compliance with Immunization | 45 |
| 3.2.4 | Non Compliance with other medical conditions | 46 |
| 3.3 | Summary | 47 |
| | | |
| 4.0 | MEASUREMENT OF NON COMPLIANCE | 48 |
| 4.1 | Measurement methods used | 53 |
| 4.1.1 | The Medication Event Monitoring System (MEMS) | 54 |
| 4.2 | Summary | 57 |
| | | |
| 5.0 | PREDICTORS AND REASONS FOR NON COMPLIANCE | 58 |
| 5.1 | Personal beliefs and distortions | 58 |
| 5.1.1 | Distortions about Particular Groups of Medicines | 61 |
| 5.1.2 | The Diagnosis | 65 |
| 5.1.3 | Self (Mis)Perception of Success | 67 |
| 5.1.4 | The Health Belief Model | 68 |
| 5.2 | Doctor-patient communication | 70 |
| 5.3 | Psychiatric conditions | 72 |
| 5.3.1 | Depression | 74 |
| 5.4 | Personality factors | 75 |
| 5.5 | The death instinct | 77 |
| 5.6 | Locus of control | 78 |
| 5.7 | Age | 80 |
| 5.7.1 | Younger vs. Older patients | 80 |
| 5.7.2 | Childhood non-compliance | 81 |
| 5.7.3 | Adolescence | 83 |
| 5.7.4 | The elderley and compliance | 86 |
| 5.7.4.1 | Handling/opening of medication containers | 87 |
| 5.8 | Sex differences | 88 |
| 5.9 | Lack of sufficient knowledge | 90 |
| 5.9.1 | Educational level | 91 |
| 5.9.2 | Aculturation | 92 |

5.10 Illiteracy 92
5.11 Inconvenience and lack of effort 93
5.12 Side effects 94
5.12.1 The side effects of immunization 97
5.13 Dosage 98
5.14 Length of therapy 99
5.15 Avoidance 101
5.15.1 Forgetfulness 102
5.16 Support systems 103
5.17 Socioeconomic status 105
5.17.1 Transport 107
5.18 Fear of social stigma 108
5.19 Lack of medical facilities 109
5.20 Post traumatic stress 110
5.21 Summary 111

6.0 STRATEGIES TO COMBAT NON-COMPLIANCE 113
6.1 The urgent need for effective interventions 114
6.2 Acute vs. Long term compliance 115
6.3 Individualized intervention 116
6.4 Assessment of beliefs 122
6.4.1 The health belief model and locus of control 125
6.5 Education 127
6.5.1 Assess limitations of patients 132
6.6 Strengthening the belief in control or cure 133
6.7 Quality of life 133
6.8 Practical ways of improving compliance 134
6.8.1 Interactive and Non-Interactive Interventions 135
6.8.2 Monitoring and Supervision 136
6.8.3 Directly Observed Therapy(DOT) and Tuberculosis 137
6.8.4 The Role of Cues and Reminders in Medical Compliance 139
6.8.5 Appointment Scheduling 143
6.8.6 Uniting Clinics 143
6.8.7 Changes in Life Style 144
6.8.8 Reducing the Number of Doses 145
6.8.9 Devices 146
6.8.10 Financial Rewards as Reinforcers 147
6.8.11 Drug Packaging 148
6.9 Social and family support 148
6.10 Psychiatric and psychological interventions 150
6.10.1 Post traumatic stress and trauma debriefing 151
6.10.2 Cognitive behaviour therapy and other forms of behaviour therapy 153
6.11 Nurse-patient relationship 157
6.12 Pharmacist - patient relationship 159
6.13 Doctor-patient relationship 160
6.14 The judgemental nature of the term "compliance" 165

6.15 Patient as partner 166
6.16 Summary 173

7.0 ALTERNATE MEDICINE 175
7.1 Quackwatch 182
7.2 Various alternative treatments 184
7.2.1 Immune boosting treatments 184
7.2.2 Direct cancer treatments 185
7.2.3 Unsound devices 186
7.3 Propoganda 187
7.3.1 Derogatory statements on conventional treatment 187
7.3.2 The ploys used by alternative therapy to influence the cancer patient 190
7.4 Medical professionals in alternative medicine 190
7.5 How alternative treatment claims harm cancer patients 192
7.6 Vulnerability to quackery 193
7.7 Alternative and complimentary medicine in breast cancer 194
7.8 Traditional / indigenous medicine 200
7.8.1 Traditional medicine in Sub-Saharan Africa 202
7.8.2 Basic philosophy of traditional medicine 205
7.8.2.1 Reasons for illness in traditional medicine 206
7.8.3 The traditional healer 208
7.8.3.1 Different types of healer 210
7.8.3.2 Thwasa - the calling 211
7.9 Methods of treatment 212
7.10 Traditional healers as part of a team 217
7.11 Cancer treatments and traditional medicine 221
7.11.1 Breast cancer and traditional medicine 222
7.11.2 Traditional medicine and cancer of the cervex 225
7.11.3 Carcinoma of the penis 225
7.11.4 Treatment of some other malignant tumours 226
7.12 Traditional medicine: aids and other sexually related diseases 226
7.13 Traditional medicine and tuberculosis 230
7.14 The traditional healer and psychiatry 230
7.15 Summary 232

8.0 NON COMPLIANCE IN ONCOLOGY SCREENING AND TREATMENT 234
8.1 Cancer screening 234
8.1.1 Breast cancer 236
8.1.1.1 Breast Self Examination (BSE) 237
8.1.1.2 Mammography 238
8.1.1.3 Emotional and Psychological Factors 240
8.1.1.4 Breast Cancer in the Family 241
8.1.1.5 Follow up of Abnormal Results 243
8.1.1.6 Interventions for Breast Cancer Screening 244
8.1.1.6.1 Suggested Interventions 245

8.1.1.6.2 Practical Interventions 246
8.1.1.6.3 Educational and Informative Interventions 247
8.1.1.6.4 Psychological Ways of Improving Compliance: 249
8.1.1.7 Quality of the Physician-Patient Relationship 250
8.1.1.8 Input of Other Health Workers 251
8.1.2 Testicular cancer 252
8.1.3 Prostate cancer 254
8.1.4 Colorectal cancer 255
8.1.5 Pap smear 256
8.1.5.1 Compliance with further screening for an abnormal pap smear 258
8.1.6 Other cancer 260
8.1.7 Personal and circumstantial barries to compliance in the health professional 262
8.2 Non compliance in oncology treatment 264
8.2.1 The extent of the problem 265
8.2.1.1 Specific cancers 267
8.2.2 Forms of non compliance 269
8.2.2.1 Long term follow up 270
8.2.3 Predictors and reasons for non-compliance 271
8.2.3.1 Side effects 273
8.2.3.2 Psychological reasons for non compliance 274
8.2.3.3 Lag time before diagnosis 276
8.2.4 Childhood and adolescent cancer 279
8.2.5 The psychological aspects of cancer 286
8.2.5.1 Depression and anxiety in cancer 290
8.2.5.1.1 Depression and anxiety related to the symptoms of cancer 292
8.2.5.1.2 Cancer stage and anxiety and depression 296
8.2.5.1.2.1 Diagnosis 296
8.2.5.1.2.2 During stages of treatment 298
8.2.5.1.2.3 Post treatment studies 299
8.2.5.1.3 Depression and anxiety in children's and adolescent cancer 300
8.2.5.1.4 Depression and anxiety in breast cancer 301
8.2.5.1.5 The mastectomy 307
8.2.5.1.6 Depression and anxiety in vicarious experience of cancer 308
8.2.5 Interventions 309
8.2.5.1 Patient-Doctor Communication 309
8.2.5.2 Practical interventions 311
8.2.5.3 Psychiatric interventions 313
8.2.5.4 Psychological and psychotherapeutic interventions 314
8.2.5.4.1 Group psychotherapy 317
8.2.5.4.2 Meditation and music therapy 320
8.2.5.4.3 Empowerment techniques 321
8.2.6 Media impact 322
8.2.7 Summary 325
8.3 Hypothesis and purpose of study 326

**VOLUME II**


9.0 Methodology 328
9.1 Phase 1 328
9.1.1 Methods and materials 328
9.1.1.1 The subjects used 328
9.1.1.2 Procedure 331
9.1.2 The materials used 333
9.1.2.1 Subject information and consent form 333
9.1.2.2 The general information questionnaire 334
9.1.2.3 MCMI -II (Millon Clinical Multiaxial Inventory - II) 334
9.1.2.3.1 The modifier scales 337
9.1.2.3.2 Personality traits 338
9.1.2.3.3 Severe personality disturbance 342
9.1.2.3.4 Clinical syndromes 343
9.1.2.3.5 Severe clinical syndrome pathology 345
9.1.2.4 The Dysfunctional Attitudes Scale (DAS) (FORM A) 347
9.1.2.5 Beck Hopelessness Scale 349
9.1.2.6 The Social Readjustment Rating Scale (LIFE CHANGE STRESS INDEX) 350
9.1.2.7 Buss-durkee Aggression Scale (HOSTILITY INVENTORY. BDHI) 352
9.1.2.8 The Rotter Internal-external Locus of Control 355
9.1.3 Scoring of data 356
9.1.4 Statistical procedures 357
9.1.4.1 Explanation of stastical terms used in this study 357
9.1.4.2 The Kruskal Wallis median test 358
9.1.4.3 Statistical analysis 359
9.1.4.3.1 MCMI-II (Millon Clinical Multiaxial Inventory II) 359
9.1.4.3.2 The Dysfunctional Attitudes Scale 359
9.1.4.3.3 The Beck Hopelessness Scale 360
9.1.4.3.4 The Buss-Durkee Scale of Aggression 360
9.1.4.3.5 The Rotter Internal-External Locus of Control 360
9.1.5 Construction of a prediction model for the present study 361
9.1.5.1 Introduction 361
9.1.5.2 Construction of the Model 363
9.1.5.3 Theoretical Background 363
9.1.5.4 Model Fitting 365

10.0 Results of Phase 1 366
10.1 The general information questionnaire 366
10.2 The MCMI - II (Millon Clinical Multiaxial Inventory - II) 366
10.3 The dysfunctional attitudes scale 372
10.4 The Beck Hopelessness Scale 373
10.5 The Social Readjustment Raing Scale 373
10.6 The Buss-durkee Scale Of Aggression 374
10.7 The Rotter Internal-external Locus Of Control 375
10.8 Summary of Results 376

10.8.1 Results on the MCMI-11 376
10.8.2 Results on the Remaining Tests 377

11.0 Discussion of results 378
11.1 Discussion of results of the MCMI-11 378
11.1.1 Traits found to be significant at the 5% level 378
11.1.2 Traits found to be significant at the 10% level 397
11.1.3 Traits not found to significantly differentiate between the groups 402
11.1.4 Scales included in the discriminant analysis 411
11.1.4.1 The disciminant model: the interaction and combination of the schizotypal and the debasement scales 411
11.2 The dysfunctional attitudes scale 416
11.3 The Beck hopelessness scale 418
11.4 Life change stress index 420
11.5 The Buss-Durkee scale of aggression 421
11.6 The Rotter internal-external locus of control 424
11.7 Conclusion to phase 1 426
11.8 PTSD and the MCMI 428

12.0 PHASE 2 - A PILOT STUDY 451
12.1 Introduction 451
12.1.1 The revised definitions of PTSD making room for the concept of Medical Trauma and PTSD 455
12.1.2 PTSD and medical conditions 461
12.1.3 PTSD in cancer 465
12.1.3.1 PTSD in breast cancer 468
12.1.3.2 PTSD in bone marrow transplant 472
12.1.3.3 PTSD in paediatric cancer 473
12.1.3.4 Incidence of vicarious trauma in parents of children suffering from cancer 477
12.1.4 The avoidance symptom of PTSD 480
12.1.5 Avoidance in cancer patients 483
12.1.6 PTSD and non compliance 486
12.1.7 Treatment interventions for PTSD in cancer 490
12.1.8 Recognised treatments for PTSD 490
12.1.9 Post traumatic growth 496
12.1.10 Treatment to encourage post traumatic growth 499
12.1.11 Trauma debriefing 503
12.1.12 Trauma debriefing as a preventive intervention for non compliance with medical treatment 507
12.1.12.1 The Wits trauma intervention model 509
12.1.12.2 Traumatic Incident Reduction (TIR) 511
12.2 Hypothesis 514
12.3 The subjects used 514
12.4 Procedure 520
12.5 Materials 520

12.5.1 Instrument used as an intervention: a hybrid adaptation of the wits trauma intervention model 520
12.5.1.1 Telling the story 522
12.5.1.2 Normalizing the symptoms 523
12.5.1.3 Addresing self blame or survivor guilt 523
12.5.1.4 Promoting mastery 523
12.5.1.5 Facilitating the creation of meaning 524
12.6 Results 524
12.6.1 Compliance before and after the medical trauma debriefing intervention 525
12.6.2 Type of cancer and change in behaviour after the intervention 526
12.6.3 Specific aspects of trauma debriefing 529
12.7 Discussion 530
12.8 Limitations of the study 534
12.9 Conclusions 535
12.10 Suggestions for further interventions and research 539

APPENDICES 541

Appendix 1a Subject Information and Consent Form (Phase 1) 541
Appendix 1b Subject Information and Consent Form (Phase 2) 542
Appendix 2 THE GENERAL INFORMATION QUESTIONNAIRE 543
Appendix 3 THE MCMI - II (Millon Clinical Multiaxial Inventory - II) 547
Appendix 4 THE DYSFUNCTIONAL ATTITUDES SCALE 553
Appendix 5 THE BECK HOPELESSNESS SCALE 555
Appendix 6 THE SOCIAL READJUSTMENT RAING SCALE 557
Appendix 7 THE BUSS-DURKEE SCALE OF AGGRESSION 560
Appendix 8 THE ROTTER INTERNAL-EXTERNAL LOCUS OF CONTROL 564
Appendix 9 Format of the Psychotherapeutic Intervention used in Phase 2. A Hybrid Adaptation of the Wits Trauma Intervention Model 569
Appendix 10 Table 15: Types of Cancer and change in Behaviour after the Intervention 574
Appendix 11 Ethics Clearance Certificate 575

REFERENCES 576