

https://dspace.org/

# The geology of the bewaarkloof area : Pietersburg asbestos field

**Dreyer, Cornelius Johannes Burger**

**2015-01-20**
http://hdl.handle.net/10539/16609

Downloaded from a DSpace repository. https://dspace.org/

Fig. 21 Eastern and Western synoptic Pye diagrams of joints.

Fig. 22 Photo shows a typical fresh cross-fibre amosite band disposed at right angles to the bedding planes.

Fig. 23 Plots of fibre orientation. Diagrams indicate common orientation of the fibre. Further note fibre is orientated parallel to the P-Min. stress direction of the east-west folds.

Fig. 23a Synoptic Pye diagram of joints filled with asbestos.

Fig. 24 Example shows an amosite fibre band in the crest of an anticline and trough of a syncline. Note that the fibre is generally orientated parallel to the axial planes in the hinge of the folds. On the limbs there is a slight tendency for a splaying of the fibre.

Fig. 25 Example of a slip fibre band. Note surrounding fibre bands are relatively undisturbed.

Fig. 26 Photo indicates "angled" fibre disposed at an oblique angle to the bedding planes.

Fig. 27 Example shows "wavelike" behaviour of fibre. This band of fibre appears to have been pushed apart, with subsequent filling of the fracture with massive graphitic material.

Fig. 28 Photo shows rapid variation of fibre lengths. Note that the small displaced fibre portions can be pushed back to fit original positions.

Fig. 29 Photo shows a single fibre band that has been sheared and displaced.

Fig. 30 Specimen shows a fibre seam with no filling material in the shear planes present at base of the sample (normal scale).

Fig. 31 Specimen shows an "uneven" and "jagged" fibre band formed as the result of unequal growth.
Note "cross-cutting" relationship of the fibre.

Fig. 32 Example shows two asbestos cones. Note axes of the cones coincides with the orientation of the fibre.

84/...

Fig. 33 Example of an asbestos cone in section. The photo clearly indicates post fibre flattening and shearing to have deformed the asbestos band into this conical shape. The asbestos band appears to have acted in an incompetent manner with translation of the fibre parallel to the axial plane as the result of fracture cleavage development.

Fig. 34 Example shows a "waste cone" devoid of fibre. Note that the bedding planes have been upfolded into this cone shape.

Fig. 35 Photo shows tension joints filled with amosite asbestos. Note fibre is disposed at right angles to joint planes.

Fig. 36 Sketch indicates a joint fracture filled with amosite. It would appear that bedding plane differential movement was responsible for the effect on the joint, as the sketch indicates.

Fig. 37 Sketch shows general behaviour of tension joints filled with asbestos, siderite and black massive material.

Fig. 38 Example of a curved and bent fibre band, caused by post fibre bedding plane movement and shearing.

Fig. 39 Specimen shows three distinct bands of chert at the top of the photo and two seams of crocidolite asbestos. Note similar manner in which both the chert and fibre have been sheared and displaced.

Fig. 40 Example shows a dome-like structure of fibre produced by shear strain cleavage. Note wrenching of the fibre as a result of this shearing.

Fig. 41 Specimen shows a curved fibre seam. Note waste material in between the fibres.

85/...

## I. LIST OF REFERENCES


BUTTON, A. (1973) - A stratigraphic history of the Malmani Dolomite in the Eastern and North Eastern Transvaal.
Trans. Geol. Soc. S. Afr. Vol. 76 part 3, P229-247.

CAMPBELL, J.D. (1958) En echelon folding. Econ Geol. Vol.53, No. 4, P. 448-472.

CILLIERS, J.J. le R. (1961) - The nature and origin of the Griquatown Stage and the associated deposits of amphibole asbestos in the Northern Cape, with special reference to the Koegas-Prieska area.
D.Sc. thesis, Univ. Pretoria 168 pp.

CILLIERS, J.J. le R. and GENIS, J.H. (1964) - Crocidolite asbestos in the Cape Province. The Geology of some are deposits in Southern Africa. Vol.II, Geol. Surv. of S. Afr. p 543-570.

CLOOS, E. (1947) - Oolite deformation in the South Mountain Fold.
Bull. Geol. Soc. Amer., Vol. 58

CLIFFORD, T.N. (1957) The stratigraphy and structure of part of the Kintail district of Southern Ross-shire; its relation to the Northern Highlands.
Quart. Jour. Geol. Soc. 113, pp 57-85

DE SITTER, L.U. (1956) - Structural Geology.
McGraw-Hill Book Co. Inc., New York.

DE SITTER, L.U. (1964) - Structural Geology Second Edition, 551 Pages, McGraw, Hill Book Company - NY.

DU TOIT, A. L. (1945) - The origin of the amphibole asbestos deposits of South Africa.
Trans. Geol. Soc. S.Afr. Vol.48, pp 161-206

FOCKEMA, P.D. (1967) - Crocidolite and Associated Rocks of the Kuruman Area in the Northern Cape.
P.H.D. thesis, Univ. Witwatersrand, 189 pp.

FUNICANE, K.J. (1939) - The blue asbestos deposits of the Hammersley Ranges.
Geol. Surv. of N. Aust.

GRUNER, J.W. (1922) - The origin of sedimentary iron formations; the Biwabik Formation of the Mesabe Range.
Econ. Geol., 17 (b), pp 407-460

GENIS, J.H. (1961) - The genesis of the blue amphibole asbestos of the Union of South Africa.
D.Sc. thesis, Univ. Cape Town (unpublished)

GEVERS, T.W. (1947) - Geological report of certain farms carrying Crocidolite asbestos in the districts of Hay, Kuruman and Barkley West, Cape Province.
Unpublished report, 21 pages.


86/...

Hanekom H.T. (1966) - The crocidolite deposits of the Northern Cape Province.
Unpublished D.Sc. thesis, Univ, Pretoria.

Hall, A.L. (1918) - Asbestos in the Union of South Africa.
First Edition, Geol. Surv. of S. Afr., Mem 12, 152 Pages.

Hall, A.L. (1930) - Asbestos in the Union of South Africa
Second Edition, Geol. Surv. of S. Afr., Mem 12, 324 Pages.

Harrington, J.S. and Cilliers, J.J.le R.(1963).A possible origin of the primitive oils and amino acids isolated from amphibole asbestos and banded ironstone. Geochimica et Cosmo-chinicha Acta, Vol. 27, P.411-418.

Hodgson, A.A. - Fibrous Silicates. Lecture Series 1965, No. 4
Royal Institute of Chemistry.

James, H.J. (1966) - Paper 440 - W. - Chemistry of the iron-Rich Sedimentary Rocks.

Krumbein, W.C. and Garrels, R.M. (1952) - Origin and classification of chemical sediments in terms of pH and oxidation reduction potentials.
J. Geol., Vol. 60, pp 1 - 33.

La Berge, G.L. - Development of magnetite in iron-formations of the Lake Superior region.
Econ. Geol., Vol. 59, 1964, pp 1313-1342.

Lithos (1966) - Journal of the South African Society of Geology and Mining Students, Vol. XVII, Univ. of the Orange Free State, 30 pages.

Miles, K.R. (1942) - The blue asbestos bearing banded iron-stone formations of the Hammersley Ranges, Western Australia.
Bull. Geol. Surv., W. Aust. No. 100, Pt.1,pp 5 - 37.

Peacock, M.A. (1928) - The nature and origin of the amphibole asbestos of South Africa.
Amer. Min., Vol. 13, pp 241 - 284.

Ramsay, J.G. (1958) - Superimposed folding at Loch Monar, Inverness-shire and Ross-shire.
Quart. Jour. Geol. Soc., 113 (for 1957) pp 271-307.

Ramsay, J.G. (1962a) - The geometry of conjugate fold systems.
Inform. Circ. No. 6 Econ. Geol. Research Unit,Univ.of Witwatersrand, Johannesburg.

Ramsay, J.G. (1962b) - The geometry and mechanics of formation of "similar" type folds.
J. Geol. No. 3, Vol. 70.

87/...

Ramsay, J.G. (1963) - Structural investigation in the Barberton Mountain Land, Eastern Transvaal.
Inform. Circ. No. 14, Econ.Geol.Research Unit, Univ. of Witwatersrand, Johannesburg.

Schwellnus, J.S.I., Engelbrecht, L.N.J., Coertze, F.J., Russel, H.D., Malherbe, S.J., Van Rooyen, D.P., Cooke,R.(1962) The geology of the Olifants River area, Transvaal.
Geol. Surv. S. Afr. Expl. Shts 2429B(Chuniespoort) and 2430A (Wolkberg).

Taber, S. (1916A) - The genesis of asbestos and asbestiform minerals.
Bull. Amer. Inst. Min.Engrs. No. 119, pp 1973 - 1978.

Taber, S. (1916B) - The growth of crystals under external pressure.
Amer. J. Sci., Vol. 41, pp 532-556

Taber, S. (1917A) - The origin of chrysotile veins.
Econ. Geol., Vol. 12, pp 476-479

Taber, S. (1917B) - The genesis of asbestos and asbestiform minerals.
Trans. Amer. Inst.Min. Engrs., Vol. 57, pp 62-87.

Taber, S. (1924) - The origin of ins of fibrous minerals.
Econ. Geol., Vol. 19, pp 475-486.

Vermaas, F.H.S. (1952) - The amphibole asbestos of South Africa.
Trans. Geol. Soc. S. Afr., Vol. 55, pp 199-229.

Weiss, L.E. (1958) - Structural analyses of the Basement System at Turoka, Kenya.
Overseas Geol. and Min. Resources, Vol. 7.

---


EGNEP MINES
MALIPS DRIFT SECTION
SCALE 1:3600 (1" = 300')
500 0 500 1000 1500 ENG. FEET
HEIGHTS ABOVE MEAN SEA LEVEL
COORDINATES ON Lo 29° IN ENGLISH FEET
0 50 100 150 200 250
METRES
AIR PHOTOGRAPHY 1948/49
COMPILATION 1961/62
BUILDING
HUT
ROAD
TRACK
FOOTPATH
STREAM
OPEN WORKING
ADDIT
CONTOURS
FENCE
SECTIONS
STRIKE / DIP
LINEATION
PLUNGE
AXIAL PLANE
SLICKENSIDE
JOINT
SYNCLINE
ANTICLINE
FIBRE
SHALE
SILL
N
BOOT SECTION
LOT 245
KRANS SECTION
BEWAARKLOOF
MAGAZINE SECTION
KNEE BEND ANTIC
KEMPVILLE
LOT 246
DETAILED STRATIGRAPHY
MAXWELL KLOOF SECTION
(NORTHERN PORTION)
Scale 1:500
0 5 10 15 20 25
METRES
KRANS SECTION
(SOUTHERN PORTION)
HANGING WALL DIABASE SILL
120 - FIBRE SEAM
MARKER SHALE HORIZON
SILL FIBRE SEAM
TET FIBRE SEAM
MAIN AMOSITE HORIZON
SHORTS REEF
SHORTS REEF
SPORADIC AMOSITE FIBRE
DEVELOPMENT
MAIN AMOSITE SHORTS
HORIZON
SHORTS REEF
HANGING WALL SHORTS SEAM
MSA SHORTS FIBRE SEAM
HANGING WALL DIABASE SILL
MARKER SHALE HORIZON
MAIN BAND
WHITE CAPPY BAND
LONG BAND
LAVENDAR BAND
DOG TOOTH BAND
PRINSLOO BAND
MAIN CROCIDOLITE HORIZON

# THE GEOLOGY OF BEWAARKLOOF & SURROUNDING AREA




EGNEP MINES

MALIPS DRIFT SECTION

SCALE 1:3600 (1"=300')

**Author** Dreyer Cornelius Johannes Burger
**Name of thesis** The Geology Of The Bewaarkloof Area : Pietersburg Asbestos Field. 1974

***PUBLISHER:***
**University of the Witwatersrand, Johannesburg**
**©2013**

***LEGAL NOTICES:***

**Copyright Notice:** All materials on the University of the Witwatersrand, Johannesburg Library website are protected by South African copyright law and may not be distributed, transmitted, displayed, or otherwise published in any format, without the prior written permission of the copyright owner.

**Disclaimer and Terms of Use:** Provided that you maintain all copyright and other notices contained therein, you may download material (one machine readable copy and one print copy per page) for your personal and/or educational non-commercial use only.

The University of the Witwatersrand, Johannesburg, is not responsible for any errors or omissions and excludes any and all liability for any errors in or omissions from the information on the Library website.