

https://dspace.org/

The prediction of woody productivity in the savanna biome, South Africa

Shackleton, Charles Michael

2012-01-20
http://hdl.handle.net/10539/11143

Downloaded from a DSpace repository. https://dspace.org/

Bredenkamp, G.J., Theron, G.K. & van Vuuren, D.R. 1983. Ecological interpretation of plant communities by classification and ordination of quantitative soil characteristics. *Bothalia*, 14: 691-699.

Brown, J.R. & Archer, S. 1989. Woody plant invasion of grasslands: establishment of honey mesquite (*Prosopis glandulosa* var. *glandulosa*) on sites differing in herbaceous biomass and grazing history. *Oecol.*, 80: 19-26.

Brown, N.A. & Booysen, P. de V. 1967. Seed germination and seedling growth of two *Acacia* species under field conditions in grassveld. *S. Afr. J. Sci.*, 10: 659-666.

Brown, S., Gillespie, A.J.R. & Lugo, A.E. 1989. Biomass estimation methods for tropical forests with applications to forest inventory data. *For. Sci.*, 35: 881-902.

Bryant, J.P., Chapon, F.S. & Klein, D.R. 1983. Carbon/nutrient balance of boreal plants in relation to vertebrate herbivory. *Oikos*, 40: 357-368.

Bryant, J.P., Heitkonig, I, Kuropat, P. & Owen-Smith, N. 1991. Effects of severe defoliation on the long-term resistance to insect attack and on leaf chemistry in six woody species of the southern African savanna. *Am. Nat.*, 137: 50-63.

Burrows, G.E. 1990. The role of axillary meristems in coppice and epicormic bud initiation in *Araucaria cunninghamii*. *Bot. Gaz.*, 151: 293-301.

Bush, J.K. & van Auken, O.W. 1990. Growth and survival of *Prosopis glandulosa* seedlings associated with shade and herbaceous competition. *Bot. Gaz.*, 151: 234-239.

Campbell, A. 1980. The use of wild food plants and drought in Botswana. *J. Arid Env.* 11: 81-91.

Campbell, B.M. 1987. The use of wild fruits in Zimbabwe. *Econ. Bot.*, 41: 375-385.

Canadell, J., Lloret, F. & Lopez-Soria, L. 1991. Resprouting vigour of two mediterranean shrub species after experimental fire treatments. *Vegetatio*, 95: 119-126.

Cass, A., Savage, M.J. & Wallis, F.M. 1984. The effect of fire on soil and microclimate. In. Huntley, B.J. & Walker, B.H. (eds). *Ecology of tropical savannas*. Springer-Verlag, Heidleberg. pp 312-325.

Chidumayo, E.N. 1987. A survey of wood stocks for charcoal production in the miombo woodlands of Zambia. *For. Ecol. & Mgmt*, 20: 105-115.

Chidumayo, E.N. 1988. Estimating fuelwood production and yield in regrowth dry miombo woodland in Zambia. *For. Ecol. & Mgmt*, 24: 59-66.

Chidumayo, E.N. 1990. Above ground woody biomass structure and productivity in a Zambezian woodland. *For. Ecol. Mgmt.*, 36: 33-46.

Chidumayo, E.N. 1991. Woody biomass structure and utilisation for charcoal production in a Zambian miombo woodland. *Biores. Techn.*, 37: 43-52.

Chidumayo, E.N. 1992. Seedling ecology of two miombo woodland trees. *Vegetatio*, 103: 51-58.

Chidumayo, E.N. 1992. Effects of shoot mortality on the early development of *Afzelia quanzensis* seedlings. *J. Appl. Ecol.*, 29: 14-20.

Chidumayo, E.N. 1993. *Responses of miombo to harvesting: ecology and management.* SEI, Stockholm.

Chidumayo, E.N., Gambiza, J. & Grundy, I. 1996. Managing miombo woodlands. In. Campbell, B. (ed.). *Miombo in transition: woodlands and welfare in Africa.* CIFOR, Bogor. pp. 175-193.

Childes, S.L. 1984. *The population dynamics of some woody species in the Kalahari sands vegetation of Hwange National Park.* M.Sc dissertation, University of the Witwatersrand, Johannesburg.

Childes, S.L. & Walker, B.H. 1987. Ecology and dynamics of the woody vegetation on the Kalahari sands in Hwange National Park, Zimbabwe. *Vegetatio*, 72: 111-128.

Cleminson, T. 1993. *Quantification of the resource base and the impact of harvesting of coastal hardwood species by a rural community.* M.Sc dissertation, University of the Witwatersrand, Johannesburg.

Cole, M.M. 1986. *The savannas: biogeography and geobotany.* Academic Press, London.

Coley, P.D., Byant, J.P. & Chapin, F.S. 1985. Resource availability and plant herbivore defence. *Sci*, 230: 895-899.

Collins, N.M. 1977. Vegetation & litter production in southern Guinea savanna, Nigeria. *Oecol.*, 28: 163-175.

Condit, R., Hubbell, S.P. & Foster, R.B. 1995. Mortality rates of 205 neotropical tree and shrub species and the impact of a severe drought. *Ecol. Monogr.*, 65: 419-439.

Cooper, A. 1982. Litter fall and decomposition in tropical xeromorphic woodland and scrub. *Trop. Ecol.*, 23: 193-207.

Coughenour, M.B., Ellis, J.E., Popp, R.G. 1990. Morphometric relationships and developmental patterns of *Acacia tortilis* and *Acacia reficiens* in southern Turkana, Kenya. *Bull. Torrey Bot. Club*, 117: 8-17.

Cunningham, A.B. 1988. Collection of wild plant foods in Tembe Tonga society: a guide to Iron Age gathering activities? *Ann. Natal Mus.*, 29: 433-446.

Dajoz, R. 1977. *Introduction to ecology.* Hodder & Stoughton, London.

Dayton, B.F. 1978. Standing crops of dominant *Combretum* species at three browsing levels in the Kruger National Park. *Koedoe*, 21: 67-76.

Denevan, G. 1992. The pristine myth: the landscape of the Americas in 1492. *Ann. Assoc. Amr. Geogr.*, 82: 369-385.

Desmet, P.G., Shackleton, C.M. & Robinson, E.R. 1996. The population dynamics and life history attributes of a *Pterocarpus angolensis* DC. population in the Northern Province, South Africa. *S. Afr. J. Bot.*, 62: 160-166.

de Steven, D. 1994. Tropical tree seedling dynamics: recruitment patterns and their population consequences for three canopy species in Panama. *J. Trop. Ecol.*, 10: 369-383.

Deshmukh, I. 1992. Estimation of wood biomass in the Jubba Valley, southern Somalia, and its application to East African rangelands. *Afr. J. Ecol.*, 30: 127-136.

Dublin, H.T., Sinclaire, A.R.E. & McGlade, J. 1990. Elephants and fire as causes of multiple stable states in the Serengeti-Mara woodlands. *J. Anim. Ecol.*, 59: 1147-1164.

du Plessis, M.A. 1995. The effects of fuelwood removal on the diversity of some cavity-using birds and mammals in South Africa. *Biol. Conserv.*, 74: 77-82.

Dzerefos, C.M., Shackleton, C.M., Shackleton, S.E. & Mathabela, F.M. 1995. *Use of edible herbs and fruits in the Bushbuckridge region of the eastern Transvaal lowveld.* Unpubl. Rep., Wits Rural Facility, Acornhoek.

Eamus, D. & Jarvis, P.G. 1989. The direct effects of increase in the global atmospheric CO_2 concentration on natural and commercial temperature trees and forests. *Adv. Ecol. Res.*, 19: 1-55.

Ernst, W.H.O., Tolsma, D.J. & Decelle, J.E. 1989. Predation of seeds by *Acacia tortilis* by insects. *Oikos*, 54: 294-300.

Ernst, W.H.O & Tolsma, D.J. 1989. Mineral nutrients in some Botswana savanna types. In. Proctor, J. (ed.). *Mineral nutrients in tropical forest and savanna ecosystems.* Blackwell, London.

Fatubarin, A. 1985. Observations on the phenology of the woody plants and grasses in a savanna ecosystem in Nigeria. *Trop. Ecol.*, 26: 32-42.

Felfili, J.M. 1995. Growth, recruitment and mortality in the Gama gallery forest in central Brazil over a six-year period (1985-1991). *J. Trop. Ecol.* 11: 67-83.

Flueret, A. 1979. The role of wild foliage plants in the diet: a case study from Lushoto, Tanzania. *Ecol. Food Nut.*, 8: 87-93.

Fowler, N. 1986. The role of competition in plant communities in arid and semiarid regions. *Ann. Rev. Ecol. Sys.*, 17: 89-110.

Fraser, S.W., van Rooyen, T.H. & Verster, E. 1987. Soil-plant relationships in the central Kruger National Park. *Koedoe*, 30: 19-34.

Freidel, M.H., Nelson, D.J., Sparrow, A.D., Kinloch, J.E. & Maconochie, J.R. 1994. Flowering and fruiting of arid zone species of *Acacia* in central Australia. *J. Arid Environ.*, 27: 221-239.

Frost, P.G. 1996. The ecology of miombo woodlands. In. Campbell, B. (Ed.). *The miombo in transition:*

woodlands and welfare in Africa. CIFOR, Bogor. pp. 11- 57.

Frost, P.G., Medina, E., Solbrig, O.T., Swift, M.J. & Walker, B.H. 1986. Responses of savannas to stress and disturbance. *Biol. Intn*, 10.

Gage, I. 1995. *The effects of tree removal on the spatial distribution of soil nitrogen in savannas.* M.Sc. thesis, University of the Witwatersrand, Johannesburg.

Gandar, M.V. 1988. *The utilisation of trees and the impact on the environment: a study in Mahlabatini district, KwaZulu.* CSIR, Pretoria.

Gandar, M.V. 1994a. *An integration of prices, pricing criteria, and distribution networks for fuelwood in selected area of South Africa.* Dept Mineral & Energy Affairs, Pretoria.

Gandar, M.V. 1994b. *Status report on biomass resources, fuelwood demand and supply strategies in South Africa.* Dept of Mineral & Energy Affairs.

Gauch, H.G. 1982. *Multivariate analysis in community ecology.* CUP, New York.

Gertenbach, W.P.D. 1983. Landscapes of the Kruger National Park. *Koedoe*, 26: 9-121.

Gielink, M.I. 1991. Energy in southern and eastern subSaharan Africa. *J. Energy Res. Dev. S. Afr.*, 2: 3-11.

Glitzenstein, J.S., Platt, W.J. & Streng, D.R. 1995. Effects of fire regime and habitat on tree dynamics in north Florida longleaf pine savanna. *Ecol. Mongr.*, 65: 441-476.

Goldberg, D.E. & Barton, A.M. 1992. Patterns and consequences of interspecific competition in natural communities: a review of field experiments with plants. *Am. Nat.*, 139: 771-801.

Goodman, G.T. 1987. Biomass energy in developing countries: problems and challenges. *Ambio*, 16: 111-119.

Goodman, P.S. 1990. *Soil, vegetation and large herbivore relations in Mkuzi Game Reserve, Natal.* PhD thesis, University of the Witwatersrand, Johannesburg.

Gourlay, I.D. 1995. Growth ring characteristics of some African *Acacia* species. *J. Trop. Ecol.*, 11: 121-140.

Grossman, D. & Gandar, M.V. 1989. Land transformation in South Africa's savanna regions. *S. Afr. Geogr. J.*, 71: 38-45.

Grossman, D., Grunow, J.O. & Theron, G.K. 1980. Biomass cycles, accumulation rates and nutritional characteristics of grass layer plants in canopied and uncanopied subhabitats of *Burkea* savanna. *Proc. Grassl. Soc. sth Afr.*, 15: 157-166.

Grundy, I.M., Campbell, B.M., Balebereho, S., Cunliffe, R., Tafangenyasha, C., Fergusson, R. & Parry, D. 1993. Availability and use of trees in Mutanda resettlement area, Zimbabwe. *For. Ecol. Mgmt.*, 56: 243-266.

Grundy, I.M., Campbell, B.M. & Frost, P.G. 1994. Spatial pattern, regeneration and growth rates of *Brachystegia spiciformis* and *Julbernardia globifera*. *Vegetatio*, 115: 101-107.

Gutierrez, J.R. & Fuentes, E.R. 1979. Evidence for intraspecific competition in the *Acacia caven* (leguminosae) savanna of Chile. *Ecol. Plant.*, 14: 151-158.

Guy, P.R. 1981. Changes in the biomass and productivity of woodlands in the Sengwa wildlife research area, Zimbabwe. *J. Appl. Ecol.*, 18: 507-519.

Hara, T, Kimura, M. & Kikuzawa, K. 1991. Growth patterns of tree height and stem diameter in populations of *Abies beitchii*, *A. mariesii* and *Betula ermanii*. *J. Ecol.*, 79: 1085-1098.

Harrington, C.A. 1984. Factors influencing initial sprouting of red alder. *Can. J. For. Res.*, 14: 357-361.

Harrington, R.A., Fownes, J.H., Meinzer, B.C. & Scowcroft, P.G. 1995. Forest growth along a rainfall gradient in Hawaii: *Acacia koa* stand structure, productivity, foliar nutrients, and water- and nutrient-use efficiencies. *Oecol.*, 102: 277-284.

Hart, T.B. 1995. Seed, seedling and sub-canopy survival in monodominant and mixed forests of the Ituri Forest, Africa. *J. Trop. Ecol.*, 11: 443-459.

Hayashi, I. 1992. A preliminary report of an experiment on vegetation recovery of drought deciduous woodland in Kitui, Kenya. *Afr. J. Ecol.*, 30: 1-9.

Hodgkinson, K.C. & Oxley, R.E. 1990. Influence of fire and edaphic factors on germination of the arid zone shrubs *Acacia aneura*, *Cassia nemophilla*, and *Dodonaea viscosa*. *Australian Journal of Botany*, 38: 269-279.

Hoffman, M.T. 1989. A preliminary investigation of the phenology of subtropical thicket and karroid shrubland in the lower Sundays River Valley, SE Cape. *S. Afr. J. Bot.*, 55: 586-597.

Huang, S. 1990. Study on the effect of stump diameter and height on sprout regeneration in mangium (*Acacia mangium* Willd.). *For. Res.*, 3: 242-249.

Hughs, G. 1994. Natal Parks Board's plans fro ecotourism. In. *Ecotourism: a tool for rural reconstruction in South Africa*. Group for Environmental Monitoring, Johannesburg.

Huntley, B.J. 1982. Southern African savannas. In. Huntley, B.J. & Walker, B.H. (eds). *Ecology of tropical savannas*. Springer-Verlag, Heidleberg.

Jeffery, D.J., Holmes, P.M. & Rebelo, A.G. 1988. Effects of dry heat on seed germination in selected indigenous and alien legume species in South Africa. *S. Afr. J. Bot.*, 54: 28-34.

Jeltsch, J., Milton, S.J. Dean, W.R. & van Rooyen, N. 1996. Tree spacing and coexistence in semi-arid savannas. *J. Ecol.*, 84: 583-595.

Johansson, T. 1992a. Sprouting of 2- to 5-year-old birches (*Betula pubescens* Ehrh. and *Betula pendula* Roth) in relation to stump height and felling time. *For. Ecol. Mgmt.*, 53: 263-281.

Johansson, T. 1992b. Sprouting of 10- to 50-year-old *Betula pubescens* in relation to felling time. *For. Ecol. Mgmt.*, 53: 283-296.

John, D.M. 1973. Accumulation and decay of litter and net production of forest in tropical west Africa. *Oikos*, 24: 430-435.

Johnson, E.A., Miyanishi, K. & Kleb, H. 1994. The hazards of interpretation of static age structures as shown by stand reconstruction in a *Pinus contorta - Picea engelmannii* forest. *J. Ecol.*, 82: 923-931.

Jones, C.L., Smithers, N.L., Scholes, M.C. & Scholes, R.J. 1990. The effect of fire frequency on the organic components of a basaltic soil in the Kruger National Park. *S. Afr. J. Plant Soil*, 7: 236-238.

Kanowski, P. 1985. Densitometric analysis of a large number of wood samples. *J. Inst. Wood Sci.*, 10: 145-151.

Kellman, M. 1985. Nutrient retention by savanna ecosystems III: response to artificial loading. *L. Ecol.*, 73: 963-972.

Kelly, R.D. & Walker, B.H. 1976. The effects of different forms of land use on the ecology of a semi-arid region in south-eastern Rhodesia. *J. Ecol.*, 64: 553-576.

Kennan, T.S. 1972. The effects of fire in two vegetation types at Matopas, Rhodesia. *Proc. Tall Timbers Fire Ecology Conf.*, 11: 53-98.

Kgathi, D.L., Sekhwela, M.B., Tietema, T & Mpotokwane, M.A. 1994. Biomass in Botswana. In. Hall, D.O. & Mao, Y.S. (Eds). *Biomass energy and coal in Africa*. Zed Books & Afrepen, London.

Khan, M.L. & Tripathi, R.S. 1986. Tree regeneration in a disturbed sub-tropical wet hill forest of north-east India: effect of stump diameter and height on sprouting of four tree species. *For. Ecol. Mgmt.*, 17: 199-209.

Khan, M.L. & Tripathi, R.S. 1989. Survival and growth of transplanted nursery seedlings of three sub-tropical trees at burnt and unburnt sites in dense and sparse forest stands. *Trop. Ecol.*, 30: 20-30.

Khan, M.L., Rai, J.P.N. & Tripathi, R.S. 1986. Regeneration and survival of tree seedlings and sprouts in tropical deciduous and sub-tropical forests of Meghalaya, India. *For. Ecol. Mgmt.*, 14: 293-304.

Kigomo, B.N. 1994. The rates of diameter increment and age-diameter relationship of *Brachlaena huillensis* O. Hoffm in semi-deciduous forests of central Kenya. *Afr. J. Ecol.*, 32: 9-15.

Kirkpatrick, M. 1984. Demographic models based on size, not age, for organisms with indeterminate growth. *Ecol.*, 65: 1874-1884.

Knoop, W.T. & Walker, B.H. 1985. Interactions of woody and herbaceous vegetation in a southern African savanna. *J. Ecol.*, 73: 235-253.

Korning, J. & Balslev, H. 1994a. Growth and mortality of trees in Amazonian tropical rain forest in Ecuador. *J. Vege. Sci.*, 4: 77-86.

Korning, J. & Balslev, H. 1994b. Growth rates and mortality patterns of tropical lowland tree species and the relation to forest structure in Amazonian Ecuador. *J. Trop. Ecol.*, 10: 151-166.

Lambers, H. & Poorter, H. 1992. Inherent variation in growth rates between higher plants: a search for physiological causes and ecological consequences. *Adv. Ecol. Res.*, 23: 187-261.

Lang, G.E. & Knight, D.H. 1983. Tree growth, mortality, recruitment, and canopy gap formation during a 10-year period in a tropical moist forest. *Ecol.*, 64: 1075-1080.

Lea, R., Tierson, W.C., Bickelhaupt, D.H. & Leaf, A.L. 1980. Differential foliar responses of northern hardwoods to fertilization. *Plant & soil*, 54: 419-439.

Lieberman, D., Lieberman, M., Peralta, R. & Hartshorn, G. 1985. Mortality patterns and stand turnover rates in a wet tropical forest in Costa Rica. *J. Ecol.*, 73: 915-924.

Lilly, M.A. 1977. *An assessment of the dendrochronological potential of indigenous tree species in South Africa*. Dept of Geography, University of the Witwatersrand, Johannesburg.

Lubbe, W.A. 1990. Management of the coppice regeneration of *Ocotea bullata* (Lauraceae). *S. Afr. For. J.*, 154: 1-6.

Lubke, R.A. & Thatcher, F.M. (1983). Short term changes in the woody vegetation of Nylsvley. *S. Afr. J. Bot.*, 2: 85-97.

Madge, D.S. 1965. Leaf-fall and litter disappearance in a tropical forest. *Pedobiol.*, 5: 273-288.

Magill, A.H., Aber, J.D., Hendricks, J., Bowden, R.D., Melillo, J.M. & Steudler, P.A. 1997. Biogeochemical response of forest ecosystems to simulated chronic nitrogen deposition. *Ecol. Appl.*, 7: 402-415.

Malaisse, F., Freson, R., Goffinet, G. & Malaisse-Mousset, M. 1975. Litter fall and litter breakdown in Miombo. In. Golley, F.R. & Medina, E. (eds). *Tropical ecological systems: trends in ecological and aquatic research*. Springer-Verlag, Heidelberg. pp 137-152.

McDonald, J.E. & Powell, G.R. 1983. Relationships between stump sprouting and parent-tree diameter in sugar maple in the first year following clear-cutting. *Can. J. For. Res.*, 13: 390-394.

McGregor, J. 1994. Woodland pattern and structure in a peasant farming area of Zimbabwe: ecological determinants and present and past use. *For. Ecol. Mgmt.*, 63: 97-133.

McNaughton, S.J. & Wolf, L.L. 1979. *General ecology* (2nd ed.). Holt, Rinehart & Winston, New York.

McNulty, S.G. & Aber, J.D. 1993. Effects of chronic nitrogen additions on nitrogen cycling in a high-elevation spruce-fir stand. *Can. J. For. Res.*, 23: 1252-1263.

McPherson, G.R. 1993. Effects of herbivory and herb interference on oak establishment in a semi-arid temperate savanna. *J. Vege. Sci.*, 4: 687-692.

Melillo, J.M., McGuire, A.D., Kicklighter, D.W., Moore, B., Vorosmarty, C.J. & Schloss, A.L. 1993.

Global climate change and terrestrial net primary production. *Nat.*, 363: 234-240.

Menaut, J.C. & Cesar, J. 1979. Structure and primary productivity of Lamto savannas, Ivory Coast. *Ecol.*, 60: 1197-1210.

Menaut, J.C. & Cesar, J. 1982. The structure and dynamics of a West African savanna. In. Huntley, B.J. & Walker, B.H. (eds). *Ecology of tropical savannas*. Springer-Verlag, Heidleberg.

Mentis, M.T. & Tainton, N.M. 1984. The effect of fire on forage production and quality. In Booysen, P. de V. & Tainton, N.M. (eds). *The ecological effects of fire in South Africa ecosystems*. Springer-Verlag, Berlin. pp. 245-254.

Meredith, F. 1987. *The effect of soil and vegetation disturbance on the movement of selected nutrients in savanna soils*. M.Sc thesis, University of the Witwatersrand, Johannesburg.

Midgley, J.J. 1988. Mortality of Cape Proteaceae seedlings during their first summer. *S. Afr. For. J.*, 145: 9-12.

Midgley, J.J. & Watson, L. 1992. Nearest neighbour interactions amongst adult Proteaceae in the southern Cape. *S. Afr. J. Bot.*, 58: 207-208.

Miller, M.F. 1994. The fate of mature African *Acacia* pods and seeds during their passage from the tree to the soil. *J. Trop. Ecol.*, 10: 183-196.

Milton, K., Laca, E.A. & Demment, M.W. 1994. Successional patterns of mortality and growth of large trees in a Panamanian lowland forest. *J. Ecol.*, 82: 79-87.

Milton, S.J. 1987. Phenology of seven *Acacia* species in South Africa. *S. Afr. J. Wildl. Res.*, 17: 1-6.

Milton, S.J. 1988. The effects of pruning on shoot production and basal increment of *Acacia tortilis*. *S. Afr. J. Bot.*, 54: 109-117.

Moe, S.R., Wegge, P. & Kapela, E.B. 1990. The influence of man-made fires on large wild herbivores in Lake Burungi area in northern Tanzania. *Afr. J. Ecol.*, 28: 35-43.

Monasterio, M. & Sarmiento, G. 1976. Phenological strategies of plant species in the tropical savanna and semi-deciduous forest of the Venezuelan Llanos. *J. Biogeog.*, 3: 325-356.

Mooney, H.A. & Gulmon, S.L. 1983. The determinants of plant productivity - natural versus man-modified communities. In. Mooney, H.A. & Godron, M. (eds). *Disturbance and ecosystems: components of response*. Springer-Verlag, Berlin.

Morgan, R.K. 1991. The role of protective understory in the regeneration system of a heavily browsed woodland. *Vegetatio*, 92: 119-132.

Morris, J.W., Bezuidenhout, J.J. & Furniss, P.R. 1982. Litter decomposition. In. Huntley, B.J. & Walker, B.H. (eds). *Ecology of tropical savannas*. Springer-Verlag, Heidelberg. pp 535-553.

Mou, P., Fahey, T.J.& Hughes, J.W. 1993. Effects of soil disturbance on vegetation recovery and nutrient accumulation following whole-tree harvest of a northern hardwood ecosystem. *J. Appl. Ecol.*, 30: 661-675.

Mucunguzi, P. & Oryem-Origa, H. 1996. Effects of heat and fire on the germination of *Acacia sieberana* D.C. and *Acacia gerrardii* Benth. in Uganda. *J. Trop. Ecol.*, 12: 1-10.

Mudekwe, J. 1997. *Assessing the effect of tree size on the production of harvestable deadwood for fuelwood.* M.Sc. Dissertation, University of the Witwatersrand, Johannesburg. pp. 46.

Murali, K.S., Shankar, U., Shaanker, R.U., Ganeshaiah, K.N. & Bawa, K.S. 1996. Extraction of non-timber forest products in the forest of Biligiri Hills, India. 2. Impact of NTFP extraction on regeneration, population structure, and species composition. *Econ. Bot.*, 50: 252-269.

Murphy, P.G. & Lugo, A.E. 1986. Ecology of dry tropical forest. *Ann. Rev. Ecol. Sys.*, 17: 67-88.

Myneni, E.B. & Los, S.O. 1995. Potential gross primary productivity of terrestrial vegetation from 1982 - 1990. *Geophy. Res. Lett.*, 22: 2617-2620.

Nadelhoffer, K.J., Aber, J.A. & Melillo, J.M. 1985. Fine roots, net primary production, and soil nitrogen availability: a new hypothesis. *Ecol.*, 66: 1377-1390.

Nambiar, E.K.S. 1995. Relationships between water, nutrients and productivity in Australia forests: application to wood production and quality. *Plant & Soil*, 169: 427-435.

Nihlgard, B. 1972. Plant biomass, primary production and distribution of chemical elements in a beech and planted spruce forest in south Sweden. *Oikos*, 23: 69-81.

Novellie, P. 1989. Tree size as a factor influencing leaf emergence and leaf fall in *Acacia nigrescens* and *Combretum apiculatum* in the Kruger National Park. *Koedoe*, 32: 95-99.

Noy-Meir, I. 1973. Desert ecosystems: environment and producers. *Ann Rev. Ecol. Sys.*, 4: 25-51.

Nyathi, P. & Campbell, B.M. 1993. The acquisition and use of miombo litter by small-scale farmers in Masvingo, Zimbabwe. *Agrofor. Sys.*, 22: 43-48.

O'Brien, K.L. 1996. Tropical deforestation and climate change. *Prog. Phys. Geog.*, 20: 311-335.

O'Connor, T.G. 1995. *Acacia karroo* invasion of grassland: environmental and biotic effects influencing seedling emergence and establishment. *Oecol.*, 103: 214-223.

Ovington, J.D. 1963. Plant biomass and productivity of prairie, savanna, oakwood and maize field ecosystems in central Minnesota. *Ecol.*, 44: 52-63.

Pant, S.C. & Tiwari, S.C. 1992. Litter fall and litter decomposition in a montane oak forest of Garhwal Himalaya. *Trop. Ecol.*, 33: 103-109.

Parker, M.A. 1982. Association with mature plants protects seedlings from predation in an arid grassland shrub, *Gutierrezia microcephala*. *Oecol.*, 53: 276-280.

Parsons, D.A.B., Scholes, M.C., Scholes, R.J. & Levine, J.S. 1996. Biogenic NO emissions from savanna soils as a function of fire regime, soil type, soil nitrogen and water status. *J. Geophys. Res.*, 101: 683-688.

Pastor, J., Aber, J.D., McClaugherty, C.A. & Melillo, J.M. 1984. Aboveground production and N and P cycling along a nitrogen mineralisation gradient on Blackhawk Island, Wisconsin. *Ecol.*, 65: 256-268.

Paukkenen, K., Kauppi, A. & Ferm, A. 1992a. Origin, structure and shoot-formation ability of buds in cutting-origin stools of *Salix* `aquatica'. *Flora*, 186: 53-65.

Paukkenen, K., Kauppi, A. & Ferm, A. 1992b. Root and stump buds as structural faculties for reinvigoration in *Alnus incana* (L.) Moench. *Flora*, 187: 353-367.

Pellew, R.A.P. 1983a. The impacts of elephant, giraffe, and fire upon the *Acacia tortilis* woodlands of the Serengeti. *Afr. J. Ecol.*, 21: 41-74.

Pellew, R.A. 1983b. The giraffe and its food resource in the Serengeti. I. Composition, biomass and production of available browse. *Afr. J. Ecol.*, 21: 241-267.

Phillips, D.L. & MacMahon, J.A. 1981. Competition and spacing patterns in desert shrubs. *J. Ecol.*, 69: 97-115.

Phillips, O.L., Hall, P., Gentry, A.H., Sawyer, S.A. & Vasquez, R. 1994. Dynamics and species richness of a tropical rain forest. *Proc. Nat. Acad. Sci.*, 91: 2805-2809.

Pielou, E. C. 1962. The use of plant-to-neighbour distances for the detection of competition. *J. Ecol.*, 50: 357-367.

Pierce, S.M. & Cowling, R.M. 1984. Phenology of fynbos, renosterveld and subtropical thicket in the south eastern Cape. *S. Afr. J. Bot.*, 3: 1-16.

Pomeroy, D. & Service, M.W. 1986. *Tropical ecology*. Longman, Essex.

Portlock, C.C., Shea, S.R., Major, J.D., & Bell D.T. 1990. Stimulation of germination of *Acacia pulchella*: a laboratory basis for forest management options. *J. Appl. Ecol.* 27: 319-324.

Prins, H.H.T. 1988. Plant phenology patterns in Lake Manyara National Park, Tanzania. *J. Biogeogr.*, 15: 465-480.

Prins, H.H.T. & van der Jeugd, H.P. 1992. Growth rates of shrubs on different soils in Tanzania. *Afr. J. Ecol.*, 30: 309-315.

Raich, J.W. & Nadelhoffer, K.J. 1989. Belowground carbon allocation in forest ecosystems: global trends. *Ecol.*, 70: 1346-1354.

Rapp, M. 1983. Some problems of disturbance on the nutrient cycling in ecosystems. In. Mooney, H.A. & Godron, M. (Eds). *Disturbance and ecosystems: components of response*. Springer-Verlag, Berlin.

Raunkier, C. 1934. ***The life forms of plants and statistical plant geography.*** Oxford University press, Oxford.

Reid, R.S. & Ellis, J.E. 1995. Impacts of pastoralists on woodlands in south Turkana, Kenya: livestock-mediated tree recruitment. *Ecol. Appl.*, 5: 978-992.

Rutherford, M.C. 1978. Primary production ecology in southern Africa. In. Werger, M.J.A. (ed). ***Biogeography and ecology of southern Africa.*** Junk, The Hague. pp 623-659.

Rutherford, M.C. 1979. Above-ground biomass subdivisions in woody species of the savanna ecosystem project study area, Nylsvley. *S. Afr. Nat. Sci. Prog. Rep.*, 36, CSIR, Pretoria.

Rutherford, M.C. 1982. Woody plant biomass distribution in *Burkea africana* savannas. In. Huntley, B.J. & Walker, B.H. (eds). *Ecology of tropical savannas.* Springer-Verlag, Heidleberg.

Rutherford, M.C. 1983. Growth rates, biomass and distribution of selected woody plant roots in *Burkea africana - Ochna pulchra* savanna. *Vegetatio*, 52: 45-63.

Rutherford, M.C. 1984. Relative allocation and seasonal phasing of growth of woody plant components in a South African savanna. *Prog. Biometerol.*, 3: 200-221.

Rutherford, M.C. & Kelly, R.D. 1978. Woody plant basal area and stem increment in *Burkea africana-Ochna pulchra* woodland. *S. Afr. J. Sci.*, 74: 307-308.

Rutherford, M.C. & Panagos, M.D. 1982. Seasonal woody plant growth in a *Burkea africana - Ochna pulchra* savanna. *S. Afr. J. Bot.*, 1: 104-116.

Rutherford, M.C. & Westfall, R.H. 1986. Biomes of southern Africa - an objective classification. *Mem. Bot. Surv. sth. Afr.*, 54.

Sabiiti, E.N. & Wein, W.R. 1987. Fire and *Acacia* seeds: a hypothesis of colonisation success. *J. Ecol.*, 75: 937-946.

San Jose, J.J. & Farinas, M.R. 1983. Changes in tree density and species composition in a protected *Trachypogon* savanna, Venezuela. *Ecology*, 64: 447-453.

Sarmiento, G. 1983. Patterns of specific and phenological diversity in the grass community of the Venezulean tropical savanna. *J. Biogeogr.*, 10: 373-391.

Schacht, W.H., Long, J.N. & Malechek, J.C. 1988. Above-ground production in cleared and thinned stands of semiarid tropical woodland, Brazil. *For. Ecol. Mgmt.*, 23: 201-214.

Schacht, W.H., Long, J.N. & Gobena, A. 1992. Aboveground biomass accumulation in coppicing woodland, northeast Brazil. *For. Ecol. Mgmt.*, 55: 201-208.

Scholes, R.J. 1985. Drought related grass, tree and herbivore mortality in a southern African savanna. IN. Tothill, J.C. & Mott, J.J. (eds). *Ecology and management of the world's savannas.* Australian Academy of Science, Canberra. pp 350-353.

Scholes, R.J. 1987. ***Response of three semi-arid savannas on contrasting soils to the removal of the woody component.*** **PhD thesis, University of the Witwatersrand, Johannesburg.**

Scholes, R.J. 1990a. The influence of soil fertility on the ecology of southern African dry savannas. *J. Biogeogr.*, 17: 415-419.

Scholes, R.J. 1990b. The regrowth of *Colophospermum mopane* **following clearing.** *J. Grassl. Soc. sth. Afr.*, 7: 147-151.

Scholes, R.J. & Archer, S. 1997. Tree - grass interactions in savannas. *Ann. Rev. Ecol. Syst.* 28: 517-544.

Scholes, R.J. & Hall, D.O. 1996.The carbon budget of tropical savannas, woodlands and grasslands. In. Breymeyer, A.I., Hall, D.O., Melillo, J.M. & Argen, G.I. (Eds). *Global change: effects on coniferous forests and grasslands.* **Wiley.**

Scholes, R.J. & Scholes, M.C. 1997. Applications of biogeochemical modelling in southern Africa. *Progr. Phys. Geogr.*, 21: 102-112.

Scholes, R.J. & Walker, B.H. 1993. *An African savanna: synthesis of the Nylsvley study.* **Cambridge University press, Cambridge.**

Schrige, G.U. & Penderis, A.H. 1978. Fire in South African ecosystems: an annotated bibliography. *S. Afr. Nat. Sci. Prog. Rep.* 33. **CSIR, Pretoria.**

Scott, J.D. 1984. A historical review of research on fire in South Africa. In. Booysen, P. De V. & Tainton, N.M. (Eds). *Ecological effects of fire in South African ecosystems.* **Springer-Verlag, Heidelberg. pp. 54-65.**

Shackleton, C.M. 1993. Fuelwood harvesting and sustainable utilization in a communal grazing land and protected area of the eastern Transvaal lowveld. *Biological Conservation*, 63: 247-254.

Shackleton, C.M. 1994a. Sustainable veld management and its role on social forestry and energy planning. *Proc. Plant for Life conf. 28-29 Sept, Pretoria.* **ProGreen 1-24.**

Shackleton, C.M. 1994b Growing more trees for fuelwood in the Northern Transvaal or redistribution after sustainable harvesting. *Dev. sth Afr.*, 11: 587-598.

Shackleton, C.M. 1995. Not seeing the wood for the trees: the reality of the fuelwood supply situation in South Africa. *Afr. Wildl.*, 49: 29-30.

Shackleton, C.M. 1996. The potential stimulation of local rural economies by harvesting secondary products: a case study of the central Transvaal lowveld, South Africa. *Ambio*, 25: 33-38.

Shackleton, C.M., Dzerefos, C.M., Shackleton, S.E & Mathabela, F.R. in press. The use of and trade in indigenous edible fruits in the Bushbuckridge savanna region, South Africa. *Ecol. Food Nut.*

Shackleton, C.M., Griffin, N.J., Banks, D.I., Mavrandonis, J.M. & Shackleton, S.E. 1994. Community structure and species composition along a disturbance gradient in a communally managed South African

savanna. *Vegetatio*, 115: 157-167.

Shackleton, C.M. & Prins, F. 1992. Charcoal analysis and the "Principle of least effort - a conceptual model. *J. Archaeol. Sci.*, 19: 631-637.

Shackleton, S.E., Stadler, J.J., Jeenes, K.A., Pollard, S.P., & Gear, J.S.S. 1995a. *Adaptive strategies of the poor in arid and semi-arid lands: in search of sustainable livelihoods - a case study of the Bushbuckridge district, Eastern Transvaal, South Africa.* Wits Rural Facility, Klaserie.

Shackleton, S.E., Shackleton, C.M., Mathabela, F.R., Dzerefos, C.M., Shabangu, A. & Mdaka, S.B. 1995b. *Local names and uses of common trees in the Bushbuckridge region of the eastern Transvaal lowveld.* Wits Rural Facility, Acornhoek.

Sheil, D. & May, R.M. 1996. Mortality and recruitment rate evaluations in heterogenous tropical forests. *J. Ecol.*, 84: 91-100.

Singh, E.J. & Yadava, P.S. 1991. Aboveground biomass and net production in two oak species growing in the natural forest of Manipur, India. *Trop. Ecol.*, 32: 117-126.

Singh, S.P. Adhikari, B.S. & Zoebla, D.B. 1994. Biomass, productivity, leaf longevity, and forest structure in the central Himalaya. *Ecol. Monogr.*, 64: 401-421.

Skarpe, C. 1990. Structure of the woody vegetation in disturbed and undisturbed arid savanna, Botswana. *Vegetatio*, 87: 11-18.

Skarpe, C. 1992. Dynamics of savanna ecosystems *J. Veget. Sci.*, 3: 293-300.

Smit, G.N. 1994. *The influence of intensity of tree thinning on Mopani veld.* Ph.D. thesis, University of Pretoria, Pretoria.

Smit, G.N., Rethman, N.F. & Moore, A. 1996. Vegetative growth, reproduction, browse production and response to tree clearing of woody plants in African savanna. *Afr. J. Range For. Sci.*, 13: 78-88.

Smith, T.M. & Goodman, P. 1986. The role of competition on the structure and dynamics of *Acacia* spp. dynamics in southern Africa. *J. Ecol.*, 74: 1031-1044.

Smith, T.M. & Goodman, P.S. 1987. Successional dynamics of an *Acacia nilotica - Euclea divinorum* savanna in southern Africa. *J. Ecol.*, 74: 1031-1044.

Smith, T.M. & Grant. K. 1986. The role of competition in the spacing of trees in a *Burkea africana-Terminalia sericea* savanna. *Biotropica*, 18: 219-223.

Smith, T.M. & Walker, B.H. 1983. The role of competition in the spacing of savanna trees. *Proc. Grassl. Soc. sth Afr.*, 18: 159-164.

Sokal, R.R. & Rohlf, F.J. 1981. *Biometry: the principles and practice of statistics in biological research.* (2nd ed.). Freeman, New York.

Solbrig, O.T., Menaut, J.C, Mentis, M., Shugart, H.H., Stott, P. & Wigston, D. (eds). 1991. Savanna modelling for global change. *Biol. Intn.*, 24.

Spence, D.H. & Angus, A. 1971. African grassland management - burning and grazing in Murchison Falls National Parks, Uganda. *Sympos. Brit. Ecol. Soc.*, 11: 319-331.

Stahle, D.W., Cleaveland, M.K., Haynes, G.A., Klimowicz, J., Ngwenya, P. & Mushove, P. 1996. Preliminary tree-ring investigations of indigenous trees in Zimbabwe. In. Mushove, P.T., Shumba, E.M. & Matose, F. (Eds). *Sustainable management of indigenous forests in the dry tropics*. Proc. Intn. Conf., Kadoma, Zimbabwe, 28 May - 1 June. pp. 57-60.

Steinke, T.D. 1988. Vegetative and floral phenology of three mangroves in Mgeni Estuary. *S. Afr. J. Bot.*, 54: 97-102.

Strang, R.M. 1974. Some man-made changes in successional trends on the Rhodesian highveld. *J. Appl. Ecol.*, 11: 249-263.

Stuart-Hill G.C. & Tainton, N.M. 1988. Browse and herbage production in the eastern Cape in response to tree size and defoliation frequency. *J. Grassl. Soc. sth. Afr.*, 5: 42-47.

Sundriyal, R.C., Sharma, E., Rai, L.K. & Rai, S.C. 1994. Tree structure, regeneration and woody biomass removal in a sub-tropical forest of Mamlay watershed in the Sikkim Himalaya. *Vegetatio*, 113: 53-63.

Swaine, M.D., Lieberman, D. & Putz, F.E. 1987. The dynamics of tree populations in tropical forest: a review. *J. Trop. Ecol.*, 3: 359-367.

Sweet, R.J. & Mphinyane, W. 1986. Preliminary observations on the ability of goats to control post-burning regrowth in *Acacia nigrescens/Combretum apiculatum* savanna in Botswana. *J. Grassl. Soc. sth. Afr.*, 3: 79-84.

Taylor, F.W. & Moss, H. 1983. *The potential for commercial utilisation of veld products in Botswana: the resource and its commercial utilisation. Vol 1.* Government Printer, Gaborone.

Tchie, N. & Gakahu, G.C. 1989. Responses of important woody species of Kenya's rangeland to prescribed burning. *Afr. J. Ecol.*, 27: 119-128.

Teague, W.R. 1987. *Defoliation and browse production of* Acacia karroo *Hayne in the astern Cape, South Africa.* Ph.D. thesis, University of the Witwatersrand, Johannesburg.

Teague, W.R. & Smit, G.N. 1992. Relations between woody and herbaceous components and the effects of bush-clearing in southern African savannas. *J. Grassld. Soc. sth Afr.*, 9: 60-71.

Teague, W.R. & Walker, B.H. 1988. Growth patterns and annual growth cycle of *Acacia karroo* Hayne in relation to water stress. I. Leaf and shoot growth. *J. Grassl. Soc. sth. Afr.*, 5: 85-95.

Tietema, T. 1992. Possibilities for management of indigenous woodlands in southern Africa. *Proc. Symp. Ecol. & Managem. of Indigenous Forests in sth Afr.* Victoria Falls, Zimbabwe.

Tietema, T. 1993. Biomass determination of fuelwood trees and bushes of Botswana, southern Africa. *For. Ecol. Mgt.*, 60: 257-269.

Tinley, K.L. 1982. The influence of soil moisture balance on ecosystem patterns in southern Africa. In. Huntley, B.J. & Walker, B.H. (eds). *Ecology of tropical savannas*. Springer-Verlag, Heidelberg. pg 175-192.

Trapnell, C.G. 1959. Ecological results of woodland burning experiments in northern Rhodesia. *J. Ecol.* 47: 129-168.

Trollope, W.S. 1974. Role of fire in preventing bush encroachment in the eastern Cape. *Proc. Grassl. Soc. sth. Afr.*, 9: 67-92.

Trollope W.S. 1982. Ecological effects of fire in South African savannas. In. Huntley, B.J. & Walker, B.H. (Eds). *Ecology of tropical savannas*. Springer-Verlag, Heidleberg. pp 292-306.

Trollope, W.S. 1984. Fire in savanna. In. Booysen, P. de V. & Tainton, N.M. (eds). *Ecological effects of fire in South African ecosystems*. Springer-Verlag, Berlin. pp 199-218.

Trollope, W.S.W. & Tainton, N.M. 1986. Effect of fire intensity on the grass and bush components of the Eastern Cape thornveld. *J. Grassld Soc. sth. Afr.*, 3: 37-42.

Tschaplinski, T.J. & Blake, T.J. 1989. Photosynthetic reinvigoration of leaves following shoot decapitation and accelerated growth of coppice shoots. *Physiol. Plant.*, 75: 157-165.

Turner, I.M. 1991. Effects of shade and fertiliser addition on the seedlings of two tropical woody pioneer species. *Trop. Ecol.*, 32: 24-29.

Tybirk, K. 1993. Pollination, breeding system and seed abortion in some African *Acacias*. *Bot. J. Linn. Soc.*, 112: 107-137.

Vanclay, J.K. 1991. Aggregating tree species to develop diameter increment equations for tropical rainforests. *For. Ecol. Mgmt.* 42: 143-168.

Van Daalen, J.C., Vogel, J.C., Malan, F.S. & Fuls, A. 1992. Dating of *Pterocarpus angolensis* trees. *S. Adr. For. J.*, 162: 1-7.

van Rooyen, N., Theron, G.K. & Grobbelaar, N. 1986a. The vegetation of the Roodeplaat Dam Nature Reserve. IV. Phenology and climate. *S. Afr. J. Bot.*, 52: 159-166.

van Rooyen, N., Theron, G.K. & Grobbelaar, N. 1986b. The vegetation of the Roodeplaat Dam Nature Reserve. III. Phenological observations. *S. Afr. J. Bot.*, 52: 153-158.

van Rooyen, N., van Rensburg, D.J., Theron, G.K., & Bothma, J. du P. 1984. A preliminary report on the dynamics of the vegetation of the Kalahari Gemsbok National Park. *Koedoe*, 27, 83-102.

van Vegtan, J.A. 1983. Thornbush invasion in a savanna ecosystem in eastern Botswana. *Vegetatio*, 56: 3-7.

van Wyk, P. 1971. Veld burning in Kruger National Park, an interim report of some aspects of research. *Proc. Ann. Tall Timbers Fire Ecol. Conf.*, 11: 9-31.

Whigham, D.F., Towle, P.Z., Cano, E.C., Neill, J.O. & Ley, E. 1990. The effect of annual variation in precipitation on growth and litter production in a tropical dry forest in the Yucatan of Mexico. *Trop. Ecol.*, 31: 23-34.

White, F. 1980. *The vegetation of Africa. Natural Resources Research XX.* UNESCO, Paris.

Whittaker, R.H. 1975. *Communities & ecosystems.* (2nd ed.). Macmillan, New York.

Wilson, F. 1991. A land out of balance. In. Ramphele, R. & McDowell, C. (eds). *Restoring the land: environment and change in post-apartheid South Africa.* Panos, London. pp 27-28.

Witkowski, E.T.F. & O'Connor, T.G. 1996. Topo-edaphic, floristic and physiognomic gradients of woody plants in a semi-arid African savanna woodland. *Vegetatio*, 124: 9-23.

Wyant, J.G. & Reid, R.S. 1992. Determining the age of *Acacia tortilis* with ring counts for South Turkana, Kenya: a preliminary report. *Afr. J. Ecol.*, 30: 176-180.

Zacharias, P.J.K., Tainton, N.M. & Oberholster, C. 1988. The effect of fire on germination in five common veld grasses. *J. Grassld Soc. S. Afr.*, 5: 229-230.

Zietsman, P.C., van Wyk, A.E. & Botha, F.C. 1989. Vegetative and reproductive phenology of *Ziziphus mucronata* subsp. *mucronata* (Rhamnaceae). *S. Afr. J. Bot.*, 55: 564-573.

Zinyama, L.M., Matiza, T. & Campbell, D.J. 1990. The use of wild foods during periods of food shortage in rural Zimbabwe. *Ecol. Food Nut.*, 24: 251-265.