

https://dspace.org/

# Diversity and Conservation of Ultramafic Flora in Swaziland

**McCallum, Donald Alexander**

**2007-02-21T12:18:22Z**
http://hdl.handle.net/10539/2056

Downloaded from a DSpace repository. https://dspace.org/

## *Appendix 2*

List of plants collected in modified Whittaker plots (1 = present)

| | Forbes R 1 (A) | Forbes R 2 (B) | Forbes R 3 (C) | Forbes R 4 (D) | Forbes R 5 (E) | Forbes R 6 (F) | Motjane 1 (G) | Motjane 2 (H) | Motjane 3 (I) | Malolotja 1 (J) | Malolotja 2 (K) | Malolotja 3 (L) | Malolotja 4 (M) | Malolotja 5 (N) | Malolotja 6 (O) | Malolotja 7 (P) | Malolotja 8 (Q) |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| *Acacia ataxacantha* DC. | | | | | | | | | | | | | 1 | | | 1 | |
| *Acalypha angustata* Sond. var. *glabra* Sond. | | | 1 | 1 | 1 | | | | | | | | | | | | |
| *Acalypha peduncularis* E. Mey. ex Meisn. | | | | | | 1 | | | 1 | | | | | | | | |
| *Acalypha punctata* Meisn. var. *punctata* | | | | | | | | | | 1 | | | | | | | |
| *Acalypha schinzii* Pax | | | 1 | | 1 | | | | | | | | | | | | 1 |
| *Acalypha wilmsii* Pax ex Prain & Hutch. | | | 1 | | | | | | | | | | | | | | |
| *Acanthospermum glabratum* * (DC.) Wild | | | | | | | | | | 1 | | | | | | | |
| *Adenanthellum osmitoides* (Harv.) B. Nord. | 1 | 1 | | 1 | 1 | 1 | | | | | | | | | | | |
| *Aeschynomene rehmannii* Schinz var. *rehmannii* | | | 1 | 1 | | | | | | | | | | 1 | | 1 | |
| *Agapanthus inapertus* P. Beauv. ssp. *intermedius* Leighton | | | | | | 1 | | | | | | | | | 1 | | 1 |
| *Agrostis montevidensis* * Spreng. ex Nees | | | | | | | 1 | | | | | | | | | | |
| *Alectra capensis* Thunb. | | | | | | | | | | | | | | 1 | | 1 | |
| *Alectra sessiliflora* (Vatke) O. Kuntze var. *sessilifolia* | | 1 | | | | | | 1 | | | | | 1 | | | | |
| *Alepidea amatymbica* Eckl. & Zeyh. var. *amatymbica* | | | | | | | | | | | | 1 | | 1 | | | 1 |
| *Alepidea longifolia* E. Mey. var. *angusta* Dummer | | | | | 1 | 1 | | | | | | | | | | | |
| *Aloe boylei* Baker | | | | | | | | | | | | | 1 | | | | |
| *Aloe chortolirioides* Berger var. *chortolirioides* | | 1 | | | | | | | | | | | | | | | |
| *Aloe minima* Baker | | 1 | | | | 1 | | | | | | | | | | | |
| *Alysicarpus rugosus* (Willd.) DC. ssp. *perennirufus* J. Leonard | | | 1 | | | | | | | | | | | | | | |
| *Alysicarpus vaginalis* (L.) DC. var. *vaginalis* | | | | | | | | | | | | | | | | | 1 |
| *Andropogon eucomus* Nees | | | | | | 1 | 1 | | 1 | | | | | | | | |
| *Andropogon schirensis* A. Rich. | | | | | | | | | | | | | | | | | 1 |
| *Annona senegalensis* Pers. ssp. *senegalensis* | | | 1 | | | | | | | | | | | | | | |
| *Anthospermum herbaceum* L.f. | | 1 | | | 1 | 1 | | | | | | | | | | | |
| *Anthospermum rigidum* Eckl. & Zeyh. ssp. *pumilum* (Sond.) Puff | | | | | 1 | | | 1 | 1 | | | | | | | | |
| *Apodytes dimidiata* E. Mey. ex Arn. ssp. *dimidata* | | | | | | | | | | | | | | | | 1 | |
| *Argyrolobium pseudotuberosum* T.J. Edwards | | | | | | | | | | | | | | | | | 1 |
| *Argyrolobium robustum* T.J. Edwards | | 1 | | | | 1 | | | | | | | 1 | | | | 1 |
| *Argyrolobium* sp. | | 1 | | | | | | | | | | | | | | | |
| *Argyrolobium tomentosum* (Andr.) Druce | | | | | | | | | | | | | 1 | | | | |
| *Argyrolobium transvaalense* Schinz | | | | | | | | | | | | | 1 | | | | |
| *Aristea woodii* N.E. Br. | 1 | 1 | | | | | | | | | | 1 | | | | | |
| *Aristida aequiglumis* Hack. | | | | | 1 | | | | | | | | | | | | |
| *Aristida bipartita* (Nees) Trin. & Rupr. | | | | | | | 1 | | | | | | | | | | |
| *Aristida junciformis* Trin. & Rupr. ssp. *junciformis* | | | | | | | 1 | | 1 | | | | | | | | |
| *Aristida transvaalensis* Henr. | | | | | | 1 | | | | | | | | | | | 1 |
| *Arundinella nepalensis* Trin. | | | | | | | 1 | | | | | | | | | | |

| | A | B | C | D | E | F | G | H | I | J | K | L | M | N | O | P | Q |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| *Asclepias cultriformis* Harv. Ex Schltr. | | | | | | | 1 | | | | | | | | | | |
| *Asparagus africanus* Lam. | | 1 | | | | | | | | | | | | | | 1 | |
| *Asparagus setaceus* (Kunth) Jessop | | | | | | 1 | | | | | | | 1 | | | | 1 |
| *Aster bakeranus* Burtt Davy ex C.A. Sm. | | | | | | | | | | | | | 1 | | | | |
| *Aster harveyanus* Kuntze | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | | | | 1 | | | | 1 | |
| *Athrixia phylicoides* DC. | 1 | | 1 | | | 1 | | | | | | | 1 | | | | 1 |
| *Barleria ovata* E. Mey. ex Nees | | | | | | | | | | | | | | | | 1 | |
| *Basananthe sandersonii* (Harv.) De Wilde | | | | | | | | | | | 1 | 1 | | 1 | | | |
| *Bauhinia galpinii* N.E. Br. | | | | | | | | | | | | | 1 | | | | |
| *Berkheya echinacea* (Harv.) O. Hoffm. ex Burtt Davy ssp. *echinacea* | 1 | | | | | 1 | | | | | 1 | 1 | | | | | |
| *Berkheya insignis* (Harv.) Thell. | | | | | | 1 | | | | | | | 1 | | | | 1 |
| *Berkheya montana* Wood & Evans | | | | | | | | | | | | | 1 | | | | |
| *Berkheya nivea* N.E. Br. | | | | | | | | | | | | | | 1 | | | |
| *Berkheya rhapontica* (DC.) Hutch & Burtt Davy ssp. *platyptera* (Harv.) Roessler | | | | | | | | | | | | 1 | | | | | 1 |
| *Berkheya setifera* DC. | 1 | 1 | 1 | 1 | 1 | 1 | | 1 | 1 | 1 | | | | | | | 1 |
| *Berkheya zeyheri* (Sond. & Harv.) Oliv. & Hiern. ssp. *zeyheri* | 1 | | | | | | | | | | | | | | | | |
| *Berkheya rehmannii* Thell. var. *rogersiana* Thell. | | | | | | | | | | | | | | | 1 | 1 | |
| *Bewsia biflora* (Hack.) Gooss. | | | | | | | | | | | | 1 | | | | | 1 |
| *Bidens pilosa* * L. | | | | | | 1 | | | | | | | | | | | |
| *Blechnum tabulare* (Thunb.) Kuhn | 1 | | | | | | | | | | | | | | | | |
| *Boophane disticha* (L.f.)Herb. | 1 | | | | | | | | | | | | | | | | |
| *Brachiaria brizantha* (A.Rich.) Stapf | | | | | | | | | | 1 | | | | 1 | | | |
| *Brunsvigia radulosa* Herb. | | | | 1 | | 1 | | | | | | | | | | | |
| *Buchnera dura* Benth. | | | | 1 | | | | | | | | | | | | | |
| *Buddleja salviifolia* (L.) Lam. | 1 | | | | | | | | | | | | | | | | |
| Bulb 1 (Watsonia) | | | | | 1 | | | | | | | | | | 1 | | 1 |
| Bulb 2 (tall narrow leaf) | | | | | | | | | | | | 1 | | | | | |
| Bulb 3 (eucomis) | | | | | | | | | | | | | | | | 1 | |
| *Bulbostylis boeckeleriana* (Schweinf.) Beetle | | | 1 | | | | 1 | | | | | | | | | | |
| *Bulbostylis burchellii* (Ficalho & Hiern) C.B. Clarke | | | | | | | 1 | | 1 | | | | | | | | |
| *Bulbostylis oritrephes* (Ridley) C.B. Clarke ssp. *australis* B.L. Burtt | | 1 | | | | | | | | | | | | | | | |
| *Bulbostylis schoenoides* (Kunth) C.B. Clarke | 1 | | 1 | | 1 | 1 | | | | | 1 | 1 | | 1 | 1 | 1 | 1 |
| *Burchellia bubalina* (L.f.) Sims | | | | | | | | | | | | | | 1 | | | |
| *Canthium inerme* (L.f.) Kuntze | | | | | | | | | | 1 | | | | | | | |
| *Centella glabrata* L. var. *natalensis* Adamson | | 1 | 1 | | 1 | | | | | | | | | | | | |
| *Cephalanthus natalensis* Oliv. | | | | | | | | | | | 1 | | | | | | |
| *Cephalaria oblongifolia* (O. Kuntze) Szabo | | | | | | | | | | | | 1 | | | | | 1 |
| *Cephalaria pungens* Szabo | | | | | 1 | | | | | | | | | | 1 | 1 | |
| *Chaetacanthus* aff. *glandulosa* | | | 1 | | 1 | | | | | | | 1 | | | | | 1 |
| *Chaetacanthus burchellii* Nees | | | | 1 | | | 1 | | | | | | | | | | |
| *Chaetacanthus costatus* Nees | | 1 | | | | | | | | | | | | | 1 | | |
| *Chaetacanthus setiger* (Pers.) Lindl. | | | | | | | | | | | | | 1 | | | | |
| *Chaetacanthus* sp. | 1 | | 1 | | | 1 | | | | | | | | | | | |

| | A | B | C | D | E | F | G | H | I | J | K | L | M | N | O | P | Q |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| *Chaetacanthus* sp. nov. | | | | | | | | | | | | | 1 | | | | |
| *Chamaecrista comosa* E. Mey. var. *capricornia* (Steyaert) Lock | | | | | | | | 1 | | | | | | | | | |
| *Chamaecrista mimosoides* (L.) Greene | | | | | | | | | | | 1 | 1 | | 1 | | | |
| *Cheilanthes hirta* Sw. var. hirta | 1 | | | | | 1 | | | | | | | 1 | | | | |
| *Cheilanthes viridis* (Forssk.) Sw. var. *viridis* | | 1 | | | 1 | 1 | | | | | 1 | 1 | 1 | 1 | | | 1 |
| *Chironia purpurascens* (E. Mey.) Benth. & Hook. f. ssp. *purpurascens* | | | | | | | | | | | | | | | | | 1 |
| *Chlorophytum cooperi* Baker | | | 1 | | | | | | | | | | | | | | 1 |
| *Chlorophytum fasciculatum* (Baker) Kativu | 1 | | | | | | 1 | | | | | | | | | | |
| *Chlorophytum galpinii* (Baker) Kativu var. *galpinii* | | | | | 1 | | | | | | | | | | | | |
| *Chlorophytum krookianum* Zahlbr. | | | | | | | | | | | | | 1 | | | | |
| *Cissampelos torulosa* E. Mey. Ex Harv. | | | | | | | | | | | | | 1 | | | | |
| *Clutia monticola* S. Moore | 1 | 1 | | 1 | 1 | 1 | | 0 | | | | 1 | | 1 | | | |
| *Clutia virgata* Pax & K. Hoffm. | 1 | 1 | | | | | | | | | | | | | | | 1 |
| *Combretum zeyheri* Sond. | | | | | | | | | | | | | 1 | | | | |
| *Commelina africana* L. var. *africana* | | | | 1 | | 1 | | | | | 1 | | | | | 1 | |
| *Conostomium natalense* (Hochst.) Brem. var. *glabrum* Brem. | | | 1 | | | | | | | | | | | | | 1 | |
| *Convolvulus natalensis* Bernh. var. *transvaalensis* (Schltr.) A. Meeuse | | | | | | | 1 | | | | | | | | 1 | | |
| *Conyza albida* * Spreng. | | | | | | | 1 | | | | | | | | | | |
| *Conyza bonariensis* * (L.) Cronquist | | | | | 1 | | | | 1 | | | | | | | | |
| *Conyza podocephala* DC. | | | | | | | | 1 | | | | | | | | | |
| *Corycium nigrescens* Sond. | 1 | | 1 | | | | | | | | | | | | | | |
| *Cosmos bipinnatus* Cav. | | | | | | | 1 | | | | | | | | | | |
| *Crabbea acaulis* N.E. Br. | | 1 | | | 1 | | 1 | | 1 | | | | | | | | |
| *Crabbea nana* Nees | | | | | | 1 | | | | | | | 1 | 1 | 1 | | 1 |
| *Crassula alba* Forssk. var. *parvisepala* (Schonland) Tolken | | 1 | 1 | | | | | | | | | | | | | | |
| *Crassula vaginata* Eckl. & Zeyh. ssp. *vaginata* | | | | 1 | | | | | | | 1 | | | | | | |
| *Crepis hypochoeridea* (DC.) Thell. | | 1 | | 1 | | 1 | | | | | | | | | | | |
| *Crossandra greenstockii* S. Moore | | | | | | | | | | | | | 1 | | | | |
| *Cryptolepis oblongifolia* (Meisn.) Schltr. | | | | | | | | | | | | | | 1 | | | |
| *Ctenium concinnum* Nees | 1 | | 1 | | | | | | | | 1 | | | 1 | | | |
| *Cucumis zeyheri* Sond. | | | | | | 1 | | | | | | | | | | | |
| *Cussonia paniculata* Eckl. & Zeyh. ssp. *sinuata* (Reynecke & Kok) De Winter | | | | | | | | | | | | | 1 | | | | |
| *Cyanotis speciosa* (L.f.) Hassk. | | | 1 | | | | | | | | | | | | | | |
| *Cymbopogon excavatus* (Hochst.) Stapf ex Burtt Davy | | 1 | 1 | | | 1 | 1 | | | | | | 1 | | | 1 | 1 |
| *Cymbopogon plurinodis* (Stapf) Stapf ex Burtt Davy | | | | | | | | 1 | | | | | | | | | |
| *Cynodon dactylon* (L.) Pers. | | | | | | | 1 | 1 | 1 | | | | | | | | |
| *Cyperus leptocladus* Kunth | | | | | | | 1 | | | | | | | | | | |
| *Cyperus obtusiflorus* Vahl var. *flavissimus* Boeck. | | | | | | | | | | | | | | | | | 1 |
| *Cyphia bolusii* Phill. | | | | | 1 | | | | 1 | | | | | | | | |
| *Cyphia elata* Harv. var. *gerrardii* (Harv.) E.Wimm. forma *decurrens* E.Wimm. | | | | | | | | | | | | 1 | 1 | | | | 1 |
| *Desmodium gangeticum* (L.) DC. | | | | | | | | | | 1 | | | | | | | |

| | A | B | C | D | E | F | G | H | I | J | K | L | M | N | O | P | Q |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| *Dicoma anomala* Sond. | | 1 | 1 | 1 | | | | | | | 1 | | | 1 | 1 | | |
| *Dicoma zeyheri* Sond.ssp. *zeyheri* | | 1 | 1 | | 1 | 1 | | | | | 1 | | 1 | | 1 | 1 | 1 |
| *Dierama* | | | | | | | | | | | | | 1 | | | | 1 |
| *Digitaria diagonalis* (Nees) Stapf var. *diagonalis* | | | | | | 1 | | 1 | | | | | 1 | | | | 1 |
| *Digitaria ternata* (A. Rich.) Stapf | | | | | | | 1 | 1 | 1 | | | | | | | | |
| *Digitaria tricholaenoides* Stapf | | | | | | | | | | | 1 | | | | | | |
| *Diheteropogon amplectens* (Nees) Clayton | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| *Dioscorea rupicola* Kunth. | | | | | | | | | | | | | 1 | | | | |
| *Diospyros galpinii* (Hiern) De Winter | | | | | | | | | | | 1 | 1 | | | | | |
| *Diospyros lycioides* Desf. ssp. *guerkei* (Kuntze) De Winter | | | | | | | | | | | | | | | | | 1 |
| *Diospyros whyteana* (Hiern) F. White | | 1 | | | | | | | | 1 | | | 1 | | | 1 | 1 |
| *Dissotis canescens* (E. Mey. ex Grah.) Hook. f. | | | | | | | | | | | | | | | 1 | | |
| *Dombeya burgessiae* Gerr. Ex Harv. | | | | | | | | | | | | | 1 | | | | |
| *Drosera burkeana* Planch. | | | | | | | | | | | | 1 | | | | | |
| *Dryopteris athamantica* (Kunze) Kunze | 1 | | | | | | | | | | | | | | | | |
| *Eragrostis capensis* (Thunb.) Trin. | | 1 | 1 | | 1 | 1 | | 1 | 1 | | | | | | | | |
| *Eragrostis curvula* (Schrad.) Nees | | | | | 1 | 1 | 1 | 1 | 1 | | | | | | | | |
| *Eragrostis plana* Nees | | 1 | | | | 1 | | | | | 1 | | | | | | |
| *Eragrostis racemosa* (Thunb.) Steud. | 1 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | 1 | | | 1 | 1 | 1 | |
| *Eragrostis sclerantha* Nees ssp. *sclerantha* | | 1 | | | | | | | | | | | | | | | |
| *Erica drakensbergensis* Guthrie & Bolus | | | | | | | | | | | 1 | 1 | | 1 | | | 1 |
| *Eriosema burkei* Benth. | | | | 1 | | | | | | | | | | | | | |
| *Eriosema ellipticifolium* Schinz | | | 1 | | | | | | | | | 1 | | | | | |
| *Eriosema simulans* C.H. Stirton | | | | | | | | 1 | | | | | | | | | |
| *Eriosema transvaalense* C.H. Stirton | 1 | | | | | | | | | | | | | | | | |
| *Eriospermum ornithogaloides* Baker | | 1 | | | | 1 | | | | | | | | | | | |
| *Euclea natalensis* A. DC. ssp. *natalensis* | | | | | | | | | | | | | 1 | | | | |
| *Eulalia villosa* (Thunb.) Nees | 1 | | | | | | | 1 | | | | 1 | | 1 | | 1 | 1 |
| *Eulophia clavicornis* Lindl. var. *clavicornis* | | | 1 | | | | | | | | | | | | | | |
| *Euphorbia gueinzii* Boiss. | | 1 | | | | 1 | | | | | | | | | 1 | 1 | |
| *Euryops laxus* (Harv.) Burtt Davy | 1 | | 1 | 1 | | | | | | | | | | | | | |
| *Evolvulus alsinoides* (L.) L. var. *linifolius* (L.) Bak. | | | | | | | | | | | | | | | | 1 | |
| *Fimbristylis complanata* (Retz.) Link | | | | | | | 1 | | | | | | | | | | |
| *Fimbristylis dichotoma* (L.) Vahl | | | | | | | | 1 | 1 | | | | | | | | |
| *Galopina aspera* (Eckl. & Zeyh.) Walp. | | 1 | | | | | | | | | | 1 | 1 | | | | |
| *Gazania krebsiana* Less. ssp. *serrulata* (DC.) Roessler | | | | | | | 1 | | | | | | | | | | |
| *Geigeria aspera* Harv. var. *aspera* | | | | | | | | | | | | | | | 1 | | |
| *Geigeria burkei* Harv. ssp. *burkei* var. *burkei* | | | | | | | | | | | | | | | 1 | 1 | |
| *Gerbera ambigua* (Cass.) Sch. Bip. | | 1 | | | | 1 | | | 1 | | | | | | | | 1 |
| *Gerbera jamesonii* Adlam | | | | | | | | | | | 1 | | | | | | |
| *Gerbera piloselloides* (L.) Cass. | | | 1 | | | 1 | | 1 | | | | | | | 1 | | |
| *Gerbera viridifolia* (DC.) Sch. Bip. ssp. *viridifolia* | | | | | | | | | | | 1 | | | | | | |
| *Gladiolus crassifolius* Baker | | | | | | | | | | | | | 1 | | | | |

| | A | B | C | D | E | F | G | H | I | J | K | L | M | N | O | P | Q |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| *Gladiolus ferrugineus* Goldblatt & Manning | | | 1 | | | | | | | | | | | | | | |
| *Gladiolus* sp. | 1 | | | | | | | | | | | | | | | | |
| *Gnidia kraussiana* Meisn. var. *kraussiana* | | 1 | | | 1 | | | | | | 1 | | | 1 | | | |
| *Gnidia rubescens* Peterson | | | | 1 | 1 | | | 1 | | | | | 1 | | 1 | | |
| *Gnidia splendens* Meisn. | | | | 1 | | | | | | | | | | | | | |
| *Gnidia woodii* C.H. Wright | 1 | | | 1 | | | | | | | | | | | | | |
| Grass 1 (*Setaria*?) | | 1 | | | | | | | | | | | | | | | |
| Grass 10 (broad creep glab) | | | | | 1 | | | | | | | | | | 1 | | |
| Grass 11 (narrow) | | | | | | 1 | | | | | | | | | | | |
| Grass 12 (broad leaf, conical head) | | | | | | | 1 | | | | | | | 1 | 1 | 1 | |
| Grass 13 (*Paspalum* look, narrow lvs 0 | 1 | | | | | | | | | | | | | | | | |
| Grass 14 (broad leaf) | 1 | | | | | | | | | | | | | | | | |
| Grass 15 | | 1 | | | | | | | | | | | | | | | |
| Grass 16 (dry grass) | | | | | | | | 1 | | | | | | | | | |
| Grass 17 (glabrous broad) | | | | | | | | 1 | | | | | | | | | |
| Grass 18 | | | | | | | | 1 | 1 | | | | | | | | |
| Grass 19 (*Aristida* tall) | | | | | | | | | | 1 | | | | | | | |
| Grass 2 (*Digitaria*-like) | | 1 | | | | | | | | | | | | | | | |
| Grass 20 (*Aristida* short) | | | | | | | | | | 1 | | | | | | | |
| Grass 21 (whorls of 4+) | | | | | | | | | | | 1 | | | | | | |
| Grass 22 (*Aristida*) | | | | | | | | | | | | 1 | | | | | |
| Grass 23 (*Aristida*) | | | | | | | | | | | | | 1 | | | | |
| Grass 24 (*Aristida*) | | | | | | | | | | | | | | 1 | | | |
| Grass 25 (crinkled leaves) | | | | | | | | | | | | | | | 1 | | |
| Grass 26 (fine) | | | | | | | | | | | | | | | | 1 | |
| Grass 27 (leaves patent) | | | | | | | | | | | | | | | | | 1 |
| Grass 28 (scaley) | | | | | | | | | | | | | | | | | 1 |
| Grass 3 (broad,short leaves) | | | 1 | | | | | | | | | | | | | | |
| Grass 4 (*Digitaria* type) | 1 | | | | | | | | | | | | | | | | |
| Grass 5 (narrow leaf) | 1 | | | | | | | | | | | | | | | | |
| Grass 6 (tough paired) | | | | 1 | | | | | | | | | | | | | |
| Grass 7 (*Eragrostis* hairy) | | | | | | 1 | | | | | | | | | | | |
| Grass 8 (broad leaf) | | | | | 1 | | | | | | | | | | | | |
| Grass 9 | | | | | 1 | | | | | | | | | | | | |
| *Gymnosporia senegalensis* (Lam.) Loes. | | | | | | | | | | | | | | | 1 | 1 | |
| *Haplocarpha scaposa* Harv. | | 1 | | | | 1 | | 1 | | | | 1 | | | | | 1 |
| *Helichrysum adenocarpum* DC. ssp. *adenocarpum* | | | 1 | | 1 | | | | | | | | | | | | |
| *Helichrysum appendiculatum* (L.f.) Less. | | | | 1 | | | | | | | | | | | | | |
| *Helichrysum argyrolepis* MacOwen | 1 | | | | 1 | 1 | | 1 | | | | | | | | | |
| *Helichrysum caespititium* (DC.) Harv. | | 1 | | | 1 | | | | | | | | | | | | |
| *Helichrysum chrysargyrum* Moeser | | | | | | 1 | | | | | | | | | | | |
| *Helichrysum melanacme* DC. | | | | | | | | 1 | | | | | | | | | |
| *Helichrysum milleri* Hilliard | | | | | | | | | | | | | 1 | | | | |

| | A | B | C | D | E | F | G | H | I | J | K | L | M | N | O | P | Q |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| *Helichrysum mixtum* (Kuntze) Moeser var. *mixtum* | | | | | | | | | | | 1 | 1 | | | | | |
| *Helichrysum nudifolium* (L.) Less. | 1 | | 1 | | | 1 | | 1 | 1 | | 1 | | 1 | | 1 | 1 | |
| *Helichrysum nudifolium* (pink) (L.) Less. | | | | | | | | | | | | 1 | | | | | 1 |
| *Helichrysum petraeum* Hilliard | | | | | | | | | | | 1 | | | | | | |
| *Helichrysum pilosellum* (L.f.) Less. | 1 | 1 | 1 | 1 | 1 | 1 | | | | | 1 | 1 | | 1 | | | 1 |
| *Helichrysum platypterum* DC. | | 1 | 1 | 1 | | | | | | | | | 1 | 1 | | | 1 |
| *Helichrysum polycladum* Klatt | | | | | | | | 1 | | | | 1 | | | | | |
| *Helichrysum rugulosum* Less. | | | | | | | | 1 | | | | | | | | | |
| *Helichrysum splendidum* (Thunb.) Less. | | 1 | | | 1 | 1 | | | | | | | | | | | |
| *Helichrysum truncatum* Burtt Davy | 1 | | 1 | 1 | | 1 | | 1 | 1 | | | | 1 | | | | 1 |
| *Hemizygia modesta* Codd | | | | 1 | | 1 | | 1 | | | 1 | | | 1 | | | |
| Herb 1 | | 1 | | | | | | | | | | | | | | | |
| Herb 10 (undulate margins) | | | | 1 | | | | | | | | | | | | | |
| Herb 11 (toothed glabrous) | | | | 1 | | | | | | | | | | | | | |
| Herb 12 (creeping oval) | | | | 1 | | | | | | | | | | | | | |
| Herb 13 (rosette) | | | | 1 | | | | | | | | | | | | | |
| Herb 14 (asclepiad) | | | | 1 | | | | | | | | | | | | | |
| Herb 15 (long, slight succ) | | | | | 1 | | | | | | | | | | | | |
| Herb 16 (asclepiad 2) | | | | | 1 | | | | | | | | | | | | |
| Herb 17 (euphorbia) | | | | | 1 | | | | | | | | | | | | |
| Herb 18 (hairy, rigid leaves) | | | | | 1 | | | | | | | | | | | | |
| Herb 19 (small white flws) | | | | | 1 | | | | | | | | | | | | |
| Herb 2 (oval adpressed) | | 1 | | | | | | | | | | | | | | | |
| Herb 20 (opposite,stems hairy) | | | | | | 1 | | | | | | | | | | | |
| Herb 21 (pale green rosette) | | | | | | 1 | | | | | | | | | | | |
| Herb 22 (asclepiad *Schizoglossum*?) | | | | | | 1 | | | | | | | | | | | |
| Herb 23 (convolvulaceae?) | | | | | | | | 1 | | | | | | | | | |
| Herb 24 (leaves hairy, opposite) | | | | | | | | | | 1 | | | | | | | |
| Herb 25 | | | | | | | | | | 1 | | | | | | | |
| Herb 26 (hairy, alternate, buds ginger) | | | | | | | | | | 1 | | | | | | | |
| Herb 27 (sterculate hairs below) | | | | | | | | | | 1 | | | | | | | |
| Herb 28 (comp) | | | | | | | | | | 1 | | | | | | | |
| Herb 29 (*Phyllanthus*) | | | | | | | | | | | 1 | | | | | | |
| Herb 3 (dry hair stems, auriculate) | 1 | | | | | | | | | | | | | | | | |
| Herb 30 (*Crassula*) | | | | | | | | | | | | 1 | | | | | |
| Herb 31 (decussate rock hugger) | | | | | | | | | | | 1 | | | | | | |
| Herb 32 (graceful groundcover) | | | | | | | | | | | | 1 | | | | | |
| Herb 33 (oxalis flat) | | | | | | | | | | | | 1 | | | | | |
| Herb 34 (narrow leaf) | | | | | | | | | | | | 1 | | | | | |
| Herb 35 (slender trifololate) | | | | | | | | | | | | | 1 | | | | |
| Herb 36 (white toothed) | | | | | | | | | | | | | 1 | | | | |
| Herb 37 (multicalyx) | | | | | | | | | | | | | 1 | | | | |
| Herb 38 (sebea-like) | | | | | | | | | | | | | 1 | | | | |

| | A | B | C | D | E | F | G | H | I | J | K | L | M | N | O | P | Q |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Herb 39 (convolvulus-like) | | | | | | | | | | | | | 1 | | | | |
| Herb 4 (dry *Acalypha*?) | 1 | | | | | | | | | | | | | | | | |
| Herb 40 (alternate, hairy) | | | | | | | | | | | | | | 1 | | | |
| Herb 41 (*Oxygonium*?) | | | | | | | | | | | | | | 1 | | | |
| Herb 42 (*Crassula*) | | | | | | | | | | | | | | 1 | | | 1 |
| Herb 43 (asclepiad 4) | | | | | | | | | | | | | | 1 | | | |
| Herb 44 (*Ocimum*?) | | | | | | | | | | | | | | | 1 | 1 | |
| Herb 45 (*Ocimum* 2?) | | | | | | | | | | | | | | | 1 | | |
| Herb 46 (*Geigeria*) | | | | | | | | | | | | | | | | 1 | |
| Herb 47 (*Chlorophytum* fleshy roots) | | | | | | | | | | | | | | | | | 1 |
| Herb 5 (slender, pale green rambling) | 1 | | | | | | | | | | | | | | | | |
| Herb 6 (oxalis) | 1 | | | | | | | | | | | | | | | | |
| Herb 7 (*Oxygonium* sp.) | | 1 | | | | | | | | | | | | | | | |
| Herb 8 (brown,hairy,spotty) | | | | 1 | | | | | | | | | | | | | |
| Herb 9 (spreading, maroon above) | | | | 1 | | | | | | | | | | | | | |
| *Hermannia antonii* Verdoorn | | 1 | | | | 1 | | | | | | | | | | | |
| *Hermannia montana* N.E. Br. | | | | | | | | | | | | | | 1 | 1 | 1 | |
| *Hermannia umbratica* Verdoorn | | | | | | | | | | 1 | | | | | | | |
| *Heteromorpha arborescens* (Thunb.) Cham. & Schlechtd. var. *abyssinica* (A. Rich.) H. Wolff | | | | | | | | | | | | | 1 | | | | |
| *Heteropogon contortus* (L.) Roem & Schult. | | | | | | | | 1 | | | | | | | | | |
| *Hibiscus aethiopicus* L. var. *ovatus* Harv. | | | | | 1 | 1 | | | 1 | | | | 1 | | | | 1 |
| *Hibiscus trionum* L. | | | | | | | | | | | | | 1 | | | | |
| *Hyparrhenia hirta* (L.) Stapf | | | 1 | | | 1 | 1 | 1 | 1 | | 1 | | | | | | |
| *Hypericum aethiopicum* Thunb. ssp. *sonderi* (Bred.) N.K.B. Robson | 1 | | | 1 | | | | | | | | | | 1 | | | 1 |
| *Hypericum lalandii* Choisy | | 1 | | 1 | 1 | | 1 | | | | | | | | | | |
| *Hyperthelia dissoluta* (Nees ex Steud.) Clayton | | | | | | | | | | 1 | | | | | | | |
| *Hypochaeris radicata* * L. | | | | | 1 | | | 1 | 1 | | | | | | | | |
| *Hypoxis* sp. | | | | | | | | | | | 1 | | | | | | |
| *Indigofera crebra* N.E. Br. | | | 1 | | | 1 | | | | | | | 1 | | 1 | | |
| *Indigofera hilaris* Eckl. & Zeyh. | | | | | | 1 | | | | | | | 1 | | 1 | 1 | |
| *Indigofera lupatana* Bak. F. | | | | | | | | | | 1 | | | | | | | |
| *Indigofera oxytropis* Benth. Ex Harv. | | | | | | | | | | | | | 1 | | | | |
| *Indigofera swaziensis* Bolus var. *swaziensis* | | | | 1 | | | | | | | | | 1 | | | | |
| *Inezia integrifolia* (Klatt) E. Phillips | 1 | 1 | | | | 1 | | | | | 1 | 1 | | 1 | | | 1 |
| *Ipomoea crassipes* Hook. | 1 | | | | | | | | | | | | | | | | |
| *Jamesbrittenia grandiflora* (Galpin) Hilliard | | | | | | | | | | | | | 1 | | | | 1 |
| *Justicia anagalloides* (Nees) T. Anderson | | | 1 | | | | | 1 | 1 | | | | | 1 | | | |
| *Justicia betonica* L. | | | | | | | | | | | | 1 | 1 | | 1 | 1 | 1 |
| *Knowltonia transvaalensis* Szyszyl. var. *transvaalensis* | | | | | | | | | | | | | 1 | | | | |
| *Kohautia amatymbica* Eckl. & Zeyh. | 1 | 1 | 1 | | 1 | | | | | | | | | 1 | 1 | 1 | 1 |
| *Kohautia caespitosa* Schnizl. ssp. *brachyloba* (Sond.) D. Mantell | | | 1 | 1 | | | | | | | | | | | | | |
| *Kohautia virgata* (Willd.) Brem. | | | | | 1 | | | 1 | 1 | | | 1 | | | | | |
| *Kyllinga alba* Nees | | | | | | | | 1 | | | | | | | | | |

| | A | B | C | D | E | F | G | H | I | J | K | L | M | N | O | P | Q |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| *Lactuca inermis* Forssk. | | | | | | | | 1 | 1 | | | | | | | | |
| *Laggera crispata* Hepper & Wood | | | | | | | | | | 1 | | | | | | | |
| *Lantana camara* * L. | | | | | | | | | | 1 | | | | | | | |
| *Ledebouria apertiflora* (Baker) Jessop | | | | | | | | | | | | | | | | | 1 |
| *Ledebouria revoluta* (L.f.) Jessop | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | | | | 1 | | | 1 | |
| Legume 1 (*Indigofera*) | | | | 1 | | | | | | | | | | | | | |
| Legume 10 (*Rhynchosia*) | | | | | | | | | | | | | | 1 | | | |
| Legume 11 (unifoliate) | | | | | | | | | | | | | | 1 | | | |
| Legume 12 (tuberous roots) | | | | | | | | | | | | | | | | | 1 |
| Legume 13 (hairy large leaf) | | | | | | | | | | | | | | | | | 1 |
| Legume 14 (Indigofera) | | | | | | | | | | | | | | | | | 1 |
| Legume 2 (coarse) | | | | | | | | | | | 1 | | | | | | |
| Legume 3 (Indigofera) | | | | | | | | | | | 1 | | | | | | |
| Legume 4 (unifoliate) | | | | | | | | | | | 1 | | | | | | |
| Legume 5 (Indigofera) | | | | | | | | | | | 1 | | | | | | |
| Legume 6 (crinkly leaf) | | | | | | | | | | | 1 | | | | | | |
| Legume 7 (green, tuber) | | | | | | | | | | | | 1 | | | | | |
| Legume 8 (leathery, sturdy tap) | | | | | | | | | | | | 1 | | | | | |
| Legume 9 (unifoliate) | | | | | | | | | | | 1 | | 1 | | | | |
| *Leonotis ocymifolia* (Burm. f.) Iwarsson var. *ocymifolia* | | | | | | | | | | | | | 1 | | | | |
| *Linum thunbergii* Eckl. & Zeyh. | | | | | | | | | | | | 1 | | | | | |
| *Lithospermum afromontanum* Weim. | | | | | | | | | | | | | 1 | | | | 1 |
| *Lobelia erinus* L. | | | | 1 | | 1 | 1 | | | | | | | | | | |
| *Lobelia flaccida* (Presl) A. DC. ssp. *flaccida* | 1 | | | | 1 | | 1 | 1 | 1 | | | | | | | | |
| *Lopholaena segmentata* (Oliv.) S. Moore | | | | | | | | | | | | 1 | | | | | |
| *Lotononis carinata* (E. Mey.) Benth. | 1 | | | | | | | | | | | | | | | | |
| *Lotononis eriantha* Benth. | | 1 | | | 1 | 1 | | | | 1 | | | | 1 | 1 | | |
| *Lotononis pulchra* D [ mer | 1 | | | | | | | | | | | | | | | | |
| *Loudetia simplex* (Nees) C.E. Hubb | 1 | | 1 | | | | | 1 | 1 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| *Maytenus senegalensis* (Lam.) Exell | | | | | | | | | | 1 | | | 1 | | | | 1 |
| *Melinis nerviglumis* (Franch.) Zizka | | 1 | | | | 1 | 1 | 1 | | | | | | | | | |
| *Melinis repens* (Willd.) Zizka ssp. *repens* | | | | | | | | | | 1 | | | 1 | | | | |
| *Microchloa caffra* Nees | | | | 1 | | | 1 | | | | | | | | | | |
| *Monocymbium ceresiiforme* (Nees.) Stapf | 1 | | 1 | | | | | 1 | 1 | | 1 | 1 | | 1 | 1 | | 1 |
| *Monopsis decipiens* (Sond.) Thulin | | 1 | | | | | 1 | 1 | 1 | | | 1 | | | | | 1 |
| *Moraea spathulata* (L.f.) Klatt | | | | 1 | | | | | | | | | | | | | |
| *Morella brevifolia* (E. Mey. ex DC.) Killick | | | 1 | | 1 | | | | | | | | | | | | |
| *Mukia maderaspatana* (L.) M.J. Roem. | | | | | | | | | | | | | 1 | | | | 1 |
| *Nidorella anomala* Steetz | | | | | 1 | | 1 | | | | | | | | | | |
| *Nidorella auriculata* DC. | | | | | | | | | | | | | | | | | 1 |
| *Ochna serrulata* (Hochst.) Walp. | | | | | | | | | | | | | | | | | 1 |
| *Ocimum motjaneanum* McCallum | | 1 | | | 1 | | | 1 | 1 | | | | | | | | |
| *Ocimum obovatum* E. Mey. ex Benth. ssp. *crystosinum* | | | | | | | | | | | | | | 1 | | | |

| | A | B | C | D | E | F | G | H | I | J | K | L | M | N | O | P | Q |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| *Ocimum obovatum* E. Mey. ex Benth. ssp. *obovatum* var. *obovatum* | 1 | 1 | | | | | | | 1 | | | | | 1 | 1 | 1 | |
| *Ophioglossum reticulatum* L. | | | | 1 | | | | | | | | | | | | | 1 |
| *Osteospermum grandidentatum* DC. | | | | | | | | | | | | 1 | 1 | 1 | | 1 | 1 |
| *Otiophora cupheoides* N.E. Br. | | | | | | | | | 1 | | 1 | | | | | | |
| *Oxalis davyana* Knuth | | | | | | | | | | | | | 1 | | | | |
| *Oxalis obliquifolia* Steud. ex A. Rich. | 1 | 1 | | 1 | 1 | 1 | 1 | 1 | 1 | | | 1 | | | | | 1 |
| *Oxygonum dregeanum* Meisn. ssp. *lanceolatum* Germishuizen | | | | | | | | | | | 1 | 1 | | | | | |
| *Pachycarpus transvaalensis* (Schltr.) N.E. Br. | | | | | | | | | | | | | | | | | 1 |
| *Pachystigma latifolium* Sond. | | | | | | | | | | | | | | 1 | 1 | 1 | |
| *Pachystigma pygmaea* | 1 | | 1 | 1 | | 1 | | | | | | | | | | | |
| *Panicum natalense* Hochst. | 1 | 1 | 1 | | 1 | 1 | | | | | 1 | 1 | | 1 | 1 | 1 | 1 |
| *Parinari capensis* Harv. ssp. *capensis* | | | 1 | 1 | | | | | | | | | | | | | |
| *Paspalum dilatatum* * Poir. | | | | | | | 1 | 1 | 1 | | | | | | | | |
| *Paspalum scrobiculatum* L. | | 1 | | 1 | 1 | 1 | 1 | 1 | | | | | | | | | |
| *Pavetta edentula* Sond. | | | | | | | | | | | | | | | 1 | 1 | |
| *Pearsonia aristata* (Schinz) Dummer | | 1 | 1 | 1 | | 1 | | | | | | | | | | | |
| *Pearsonia sessilifolia* (Harv.) Dummer ssp. *sessilifolia* | 1 | | | | | | | | | | 1 | | 1 | | | | 1 |
| *Pearsonia sessilifolia* (Harv.) Dummer ssp. *marginata* (Schinz)Polhill | | | | | | | | | | 1 | | 1 | | 1 | 1 | 1 | |
| *Pelargonium alchemilloides* (L.) L'Herit. | | | | | | | | | | | | | 1 | | | | |
| *Pelargonium luridum* (Andr.) Sweet | | 1 | | | 1 | 1 | | | 1 | | | | | | | | |
| *Pellaea calomelanos* (Sw.) Link var. *calomelanos* | | 1 | | | | 1 | | | | | 1 | | | | | 1 | |
| *Pentanisia angustifolia* (Hochst.) Hochst. | | | | 1 | | | | | | | 1 | | | | | | 1 |
| *Pentanisia prunelloides* (Klotzsch ex Eckl. & Zeyh.) Walp. ssp. *prunelloides* | 1 | | | | | | | | | | | | | | | | |
| *Pentanisia prunelloides* (Klotzsch ex Eckl. & Zeyh.) Walp. ssp. *latifolia* (Hochst.) Verdc. | 1 | | 1 | 1 | | | | | | | 1 | 1 | | 1 | | | |
| *Peucedanum magalismontanum* Sond. | | | | | | 1 | | | | | | | | | | | |
| *Phyllanthus myrtaceus* Sond. | | | 1 | 1 | 1 | 1 | | 1 | | | | | | 1 | | | |
| *Phyllanthus niruri* | | | | | | | | | | | | | 1 | | | | |
| *Pimpinella transvaalensis* H. Wolff | | | | | | | | | | | | | 1 | | | | |
| *Plantago virginica* L. | | | | | | | | | | 1 | | | | | | | |
| *Plectranthus amboinicus* (Lour.) Spreng. | | | | 1 | | | | | | | | | | | | | |
| *Pogonarthra squarrosa* (Roem. & Schult.) Pilg. | | 1 | | | | | | | | 1 | | | | | | | |
| *Polygala leendertziae* Burtt Davy | | | | | | | | | | | | | 1 | | | | |
| *Polygala nodiflora* Chod. | | | | | | | | | | | | | 1 | 1 | 1 | 1 | 1 |
| *Polygala transvaalensis* Chod. var. *transvaalensis* | 1 | 1 | 1 | 1 | 1 | 1 | | 1 | 1 | | 1 | | | | | | |
| *Polygala wilmsii* Chod. | 1 | | | | | 1 | | | | | | 1 | 1 | | | | 1 |
| *Protea caffra* Meisn. | | | | | | | | | | | | 1 | | | | | 1 |
| *Protea parvula* Beard | | | 1 | 1 | | | | | | | | | | | | | |
| *Protea simplex* Phill. | 1 | | | | | 1 | | | | | | | | | | | |
| *Psammotropha myriantha* Sond. | | | 1 | 1 | | | | | | | 1 | | | | | | |
| *Pseudognaphalium oligandrum* (DC.) Hilliard & B.L. Burtt | | | | | | 1 | | | | | | | | | | | |
| *Psidium guajava* * L. | | | | | | | | | | 1 | | | | | | | |
| *Psychotria capensis* (Eckl.) Vatke ssp. *capensis* var. *capensis* | | | | 1 | | | | | | | | | 1 | 1 | | | |

| | A | B | C | D | E | F | G | H | I | J | K | L | M | N | O | P | Q |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| *Pteridium aquilinum* (L.) Kuhn | | | 1 | | | | | | | | | | 1 | | | | |
| *Pterocelastrus echinatus* N.E. Br. | | | | | | | | | | | 1 | | | | | | |
| *Pygmaeothamnus chamaedendrum* (Kuntze) Robyns var. *chamaedendrum* | | | | | 1 | 1 | | 1 | | | | | | | | | |
| *Raphionacme galpinii* Schltr. | | | | 1 | 1 | 1 | | 1 | | | | | | | 1 | 1 | |
| *Raphionacme hirsuta* (E. Mey.) R.A. Dyer ex E. Phillips | | 1 | | | | | | | | | | | | | | | |
| *Rhoicissus tridentata* (L.f.) Wild. & R.B. Drumm. ssp. *cuneifolia* (Eckl. & Zeyh.) Urton | | | | | | | | | | | | | 1 | | | | |
| *Rhus dentata* Thunb. | | | | | | | | | | | | | 1 | | | 1 | |
| *Rhus pondoensis* Schonland | 1 | | | | | | | | | | | | | | 1 | 1 | |
| *Rhus pyroides* Burch. var. *gracilis* (Engl.) Burtt Davy | | | | | | | | | | | | | 1 | | | | |
| *Rhus pyroides* Burch. var. *pyroides* | 1 | | | | | 1 | | | | | | | | | | | 1 |
| *Rhus transvaalensis* Engl. | | | | | | | | | | | | | 1 | | | | |
| *Rhus tumulicola* S. Moore var. *meeusiana* forma *meeusiana* | | | | | | | | | | | | | | 1 | | | |
| *Rhus tumulicola* S. Moore var. *tumulicola* | | | | | | | | | | | | | | 1 | | | |
| *Rhynchosia monophylla* Schltr. | 1 | 1 | 1 | | 1 | 1 | | | 1 | | | | | | | | |
| *Rhynchosia sordida* (E. Mey.) Schinz | | | | | | | | | | 1 | | | | 1 | | 1 | |
| *Rhynchosia totta* (Thunb.) DC. var. *totta* | | 1 | 1 | 1 | 1 | | | 1 | | | | 1 | 1 | 1 | 1 | 1 | 1 |
| *Rhynchosia woodii* Schinz | | | | | | | | | | | | | | | | 1 | |
| *Richardia brasiliensis* * Gomes | | 1 | | | | | | | | 1 | | | | | | | |
| *Riocreuxia burchellii* K. Schum. | | | | | | | | | | | | | 1 | | | | |
| *Rotheca hirsuta* (Hochst.)R.Fern. | 1 | 1 | | 1 | | | | | | | 1 | 1 | 1 | 1 | 1 | | 1 |
| *Rubus fruticosus* L. | 1 | | | | | | | | | | | | | | | | |
| *Ruellia cordata* Thunb. Taxon B | | | | | | | | | | | | | 1 | | 1 | | |
| *Ruellia stenophylla* C.B. Clarke | 1 | | | | | | | | | | | | | | | 1 | |
| *Rumex acetosella* L. ssp. *angiocarpus* (Murb.) Murb. | | | | | 1 | | | | | | | | | | | | |
| *Scabiosa columbaria* L. | | | 1 | 1 | 1 | | | 1 | | | | | 1 | | | 1 | |
| *Schistostephium heptalobum* (DC.) Oliv. & Hiern | | | | | | | | | | | | | 1 | | | | |
| *Schistostephium rotundifolium* (DC.) Fenzl ex Harv. | | | | | | | | | | | | | 1 | | | | |
| *Schizachyrium sanguineum* (Retz.) Alston | | | | | | 1 | | | | | | | | | | | 1 |
| *Schizaea pectinata* (L.) Sw. | | | | 1 | | | | | | | | | | | | | |
| *Schizoglossum bidens* E. Mey. ssp. *pachyglossum* (Schltr.) Kupicha | | | | | | | | | | | | | | 1 | | | |
| *Schoenoxiphium lehmannii* (Nees) Steud. | | | | | | | | | | | | | 1 | | | | 1 |
| *Scleria woodii* C.B. Clarke | | | 1 | | | | | | | | | | | | | | |
| *Sebaea bojeri* Griseb. | 1 | | | | | | | | | | | | | | | | |
| *Sebaea filiformis* Schinz | | | | 1 | | | | | | | | | | | | | |
| *Sebaea leiostyla* Gilg | | | | | | | | 1 | | | | | 1 | | | | |
| *Sebaea rehmannii* Schinz | | | | | | | | | | | | 1 | | | | | |
| Sedge 1 | | | | 1 | | | | | | | | | | | | | |
| Sedge 2 | | | | | | 1 | | | | | | | | | | | |
| Sedge 3 | | | | | | | | | | 1 | | | | | | | |
| Sedge 4 | | | | | | | | | | | | | | | | | 1 |
| *Senecio coronatus* (Thunb.) Harv. | | | 1 | | | | | | | | | | | | 1 | | |
| *Senecio erubescens* Aiton complex | | | 1 | | | 1 | | | | | | | | | | | |

| | A | B | C | D | E | F | G | H | I | J | K | L | M | N | O | P | Q |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| *Senecio glaberrimus* DC. | 1 | | 1 | | | | | | | | | | | | | | 1 |
| *Senecio inaequidens* DC. | | 1 | 1 | | | 1 | | | | | | | | | | | |
| *Senecio laevigatus* Thunb. var. *integrifolius* Harv. | | | | | 1 | | | | | | | | | | | | |
| *Senecio lydenburgensis* Hutch. & Burtt Davy | | | | | | | | | | | | | | | | | 1 |
| *Senecio oxyriifolius* DC. | | | | 1 | | | | | | | | | 1 | | | | |
| *Senecio rhyncholaenus* DC. | | 1 | | | | | | | | | | | | | | | |
| *Senecio scitus* Hutch. & Burtt Davy | | | | | | | | | | | | | | | 1 | 1 | |
| *Setaria sphacelata* (Schumach.) Moss var. *torta* (Stapf) Clayton | | | | | | | 1 | | | | | | | | | | |
| *Setaria sphacelata* (Schumach.) Moss var. *sericea* (Stapf) Clayton | | | | | | | | | | | 1 | | 1 | | | | |
| *Setaria sphacelata* (Schumach.) Moss var. *sphacelata* | 1 | | | | | | | | | | | | | | | 1 | |
| Shrub 1 | | | | 1 | | | | | | | | | | | | | |
| Shrub 2 (fruit like *Terminalia*) | | | | | | | | | | 1 | | | | | | | |
| Shrub 3 | | | | | | | | | | | 1 | | | | | | |
| Shrub 4 (large woody caudex) | | | | | | | | | | | | | | | | | 1 |
| *Smilax anceps* Willd. | | | | | | | | | | | 1 | | 1 | | | 1 | |
| *Solanum aculeatissimum* Jacq. | | 1 | | | | 1 | | | | | | | | | | | |
| *Sonchus integrifolius* Harv. var. *integrifolius* | | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | 1 | | | | | |
| *Spermacoce natalensis* Hochst. | 1 | | | | 1 | 1 | | | 1 | | | | | | 1 | | |
| *Sphedamnocarpus pruriens* (Juss.) Szyszyl. ssp. *pruriens* | | | | | | | | | | 1 | | | | | | | |
| *Sporobolus africanus* (Poir.) Robyns & Tournay | | | | | | 1 | | | 1 | | | | | | | | |
| *Sporobolus fimbriatus* (Trin.) Nees | | 1 | | | | | | | | | | | | | | | |
| *Sporobolus pyramidalis* Beauv. | | | | | 1 | | | | | | | | | | | | |
| *Stachys natalensis* Hochst. var. *natalensis* | | | | | | | | | | | 1 | 1 | | 1 | | 1 | 1 |
| *Stachys nigricans* Benth. | | | | | | | | | | | | 1 | 1 | | | | |
| *Stoebe vulgaris* Levyns | | | 1 | | 1 | | 1 | | | | | | | | | | |
| *Striga bilabiata* (Thunb.) Kuntze | | | | | | | | | | | | | | | 1 | | |
| *Striga elegans* Benth. | | 1 | 1 | | | | | | | | | | | 1 | 1 | | |
| *Stylochiton natalensis* Schott | | | | | | | | | | | | | | | | | 1 |
| *Stylosanthes fruticosa* (Retz.) Alston | | | | | | | | | | 1 | | | | | | | |
| *Syncolostemon comptonii* Codd | | | | | | | | | | | | | 1 | | | | 1 |
| *Tephrosia macropoda* (E. Mey.) Harv. var. *macropoda* | 1 | | | | | | | | | | | | | 1 | | | |
| *Tephrosia semiglabra* Sond. | | | | | | | | 1 | | | | | | | | | |
| *Tetraselago longituba* (Rolfe) Hilliard & B.L. Burtt | | | | | | | | | | | | | | | | | 1 |
| *Tetraselago wilmsii* (Rolfe) Hilliard & B.L. Burtt | 1 | | 1 | | | | | | | | 1 | | | | | | 1 |
| *Themeda triandra* Forssk. | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| *Thesium asterias* A.W. Hill | 1 | | | | | | | | | | | | | | | | |
| *Thesium deceptum* N.E. Br. | | | | | | | | | | | 1 | | | | | | 1 |
| *Thesium goetzeanum* Engl. | | | | | | | | | | | | | 1 | | | | |
| *Thesium gracile* A.W, Hill | 1 | | 1 | | | | | | | | | | | | | | |
| *Thesium gracilentum* N.E. Br. | | 1 | | | | | | | | | | | | | | | |
| *Thesium utile* A.W. Hill | 1 | | | | | | | | | | | | | | | | |
| *Thunbergia atriplicifolia* E. Mey. ex Nees | | | | | | | | | | | | | | | 1 | 1 | 1 |
| *Trachypogon spicatus* (L.f.) Kuntze | | | | | | 1 | | | | | | | | | | | |

| | A | B | C | D | E | F | G | H | I | J | K | L | M | N | O | P | Q |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| *Tragia rupestris* Sond. | | | | | | 1 | | | | | | | 1 | | | | |
| *Trimeria grandifolia* (Hochst.) Warb. | | | | | | | | | | | | | 1 | | | | |
| *Tristachya leucothrix* Nees | | | | 1 | | 1 | 1 | | | | | | | | | | |
| *Tulbaghia acutiloba* Harv. | | 1 | | | | | 1 | | | | | | | | | | |
| *Turbinia oblongata* (E. Mey ex Choisy) A. Meeuse | | | | | 1 | | | | | | | | | | | | |
| *Vernonia capensis* (Houtt.) Druce | | | | | | | | | | | 1 | | | | | | |
| *Vernonia galpinii* Klatt | | 1 | | | | 1 | | | | | | | | | | | |
| *Vernonia hirsuta* (DC.) Sch. Bip. var. hirsuta | | 1 | 1 | | | | | | | | | | | 1 | | | |
| *Vernonia natalensis* Sch. Bip. ex Walp. | 1 | | 1 | | | | | | | | | | | | 1 | | 1 |
| *Vernonia oligocephala* (DC.) Sch. Bip. ex Walp. | | 1 | | 1 | | 1 | | | 1 | | | | | | | 1 | 1 |
| *Vernonia schlechteri* O. Hoffm. | | | | | | | | | | | | | | 1 | | | |
| *Vernonia sutherlandii* Harv. | | | | | | | | | | | | | | | | | 1 |
| *Vernonia tigna* Klatt | | | | | | | | | | | | | 1 | | | | |
| *Wahlenbergia epacridea* Sond. | | | | | 1 | | | | | | | | | | | | |
| *Wahlenbergia huttonii* (Sond.) Thulin | 1 | 1 | 1 | | 1 | | | | | | | | | 1 | 1 | 1 | 1 |
| *Wahlenbergia squamifolia* V. Brehm. | | 1 | | | | | | | | | 1 | | | | | | |
| *Wahlenbergia undulata* (L.f.) A. DC. var. undulata | | | | | | | 1 | 1 | 1 | | | | | | | | |
| *Waltheria indica* L. | | | | | | | | | | 1 | | | | | 1 | | |
| *Watsonia densiflora* Baker | 1 | | | | | | | | | | | 1 | | | | | |
| *Xerophyta retinervis* Baker | | | | | | | | | | | 1 | | | 1 | 1 | | |
| *Xerophyta villosa* (Baker) Smith & Ayensu | | | | | | | | | | | | | | | 1 | 1 | |
| *Xysmalobium acerateoides* (Schltr.) N.E. Br. | | | | | | | | | | | | 1 | | | | | |
| *Zehneria scabra* (L.f.) Sond. ssp. *scabra* | | | | | | | | 1 | | | | | | | | | |
| *Ziziphus mucronata* Willd. ssp. *mucronata* | | | | | | | | | | | | | 1 | | | | |
| *Zornia capensis* Pers. | | 1 | | | | | | 1 | 1 | 1 | | | | | | | |