

https://dspace.org/

The biostratigraphy of the Permian and the Triassic. Part 5: A review of the classification and distribution of Permo-Triassic tetrapods

1977
Bernard Price Institute for Palaeontological Research
http://hdl.handle.net/10539/16240
None

Downloaded from a DSpace repository. https://dspace.org/

Palaeont. afr., **21**, 15–44 (1978)

THE BIOSTRATIGRAPHY OF THE PERMIAN AND THE TRIASSIC

PART 5. A REVIEW OF THE CLASSIFICATION AND DISTRIBUTION OF PERMO-TRIASSIC TETRAPODS

by

J. M. Anderson* and A. R. I. Cruickshank

**Botanical Research Institute, P. B. X101, Pretoria 0001.*

ABSTRACT

A tabulated synthesis of the classification, with geographic and stratigraphic ranges, of the Permo-Triassic tetrapod genera (amphibians, reptiles and mammals) is presented. 657 named genera placed in 161 families are in current use. The degree of stability of these genera and the extent to which they represent a reasonable sample of the preserved remains is considered. A correlation chart of the 148 known faunas has been prepared, on the basis of which a composite zonation scheme is proposed (17 Permian and 20 Triassic zones). The concept of tetrapod "Empires" is introduced. Six successive lowland "Empires" and five concurrent aquatic "Empires" (or provinces) are recognised, recorded and briefly discussed.

CONTENTS

Page

INTRODUCTION 15
CORRELATION AND ZONATION (Chart 2) 15
CLASSIFICATION AND DISTRIBUTION (Chart 3) 16
DIVERSITY AND STABILITY (Chart 5) 16
EMPIRES AND PROVINCES (Chart 6) 17
ACKNOWLEDGEMENTS 19
REFERENCES 19

INTRODUCTION

The present review forms the introduction to a more extensive work on the distribution and ecology of the Permo-Triassic tetrapod vertebrates, which is in the course of preparation (Anderson, Cruickshank, Keyser and Smith, in prep.). These works are designed as part of an on-going series of contributions on the "Biostratigraphy of the Permian and the Triassic" (Anderson and Anderson, 1970; Anderson, 1973, 1977; Anderson and Schwyzer, 1978). It is envisaged that from this series will emerge an integrated synthesis of plant and animal life, and their setting, during the Pangaeic phase of earth history.

CORRELATION AND ZONATION (Notes on Charts 2.1 and 2.2)

a. Charts 2.1 and 2.2 present a correlation scheme of the known tetrapod faunas from the productive zones, members and formations of the Permo-Triassic and lowermost Jurassic.

b. A total of 148 such faunas from 12 regions (continents or sub-continents) and 50 sub-regions (discrete basins, grabens or other sub-divisions of regions) are included.

c. A few very inadequately known faunas are not included in these charts. These are:

Arctic Canada	Cameron Island: Heiberg Form.	U. Trias.	Galt. and Cluver, 1976, p. 150
Siberia	Tunguska Basin: U. Angara Series	L. Perm.	Welles and Estes, 1969, p. 27
Japan		L. Trias.	Young, 1959, p. 77
Maranhao Basin	N. E. South America	L. Perm.	Huene, 1956, p. 64
SWAs	South West Asia	M: Trias	Romer, 1966, p. 371
EInd	East India	M. Trias.	Romer, 1966, p. 371

d. The shading scheme denoting amphibians, reptiles and marine reptiles is introduced to provide a ready visual impression of the distribution of the three broad categories of tetrapods.

e. The Standard Stages and Sub-stages and the absolute ages follow those adopted in Anderson (1973).

f. The correlations, which are based on all lines

of evidence, follow with minor changes from Anderson and Anderson (1970) and Anderson (1973, 1977). Detailed explanation of these correlations is outside the scope of the present work. Only a few tetrapod faunas can be correlated directly, on the basis of associated ammonite assemblages, with the standard biostratigraphic scheme. Such cases are restricted to the L. Triassic amphibian faunas (e.g. in Madagascar and Spitzbergen), and the M. Triassic marine reptile faunas (e.g. in Israel and Switzerland).

g. Chart 2.2, set at a scale of 1 mm = 1 million years to coincide exactly with that followed throughout Chart 3, is a scaled down version of Chart 2.1 (set at a scale of 2,5 mm = 1 million years). This reduced version of the faunal correlations has been designed such that the stratigraphic ranges of the tetrapod genera (Chart 3) can be readily related to the stratigraphic distribution of the faunas.

h. Composite tetrapod zonation schemes for the Permian and Triassic, based primarily on the four most complete and best-known sequences, Texas, Central Europe, Russian Platform and Karoo Basin, are introduced for cross-reference with Charts 3 and 6. Seventeen such zones are recognised in the Permian and 20 in the Triassic.

CLASSIFICATION AND DISTRIBUTION (Notes on Charts 3.1 to 3.13)

a. These charts present the classification to generic level, with geographic and stratigraphic distribution, of the known Permo-Triassic tetrapods.

b. The classification is based on the latest authoritative works. In a number of orders and sub-orders more or less contemporary revisions or syntheses are to hand in which quite widely divergent schemes of classification have been proposed. It has been a general policy in such instances to follow the simpler scheme.

c. An impression of current research activity and the dispersed nature of the published data can be gained from the fact that 149 references (mostly from the last decade) have been directly relevant to and necessary for the compilation. These references are all cited on the charts, the principal works being listed first with those providing additional data included chronologically and in brackets beneath.

d. The geographic distribution of each genus is noted according to region and sub-region following the abbreviations as used in Chart 2.1. The stratigraphic range is recorded by zone:

WEu (C18,19) — horizons occur in zones 18 & 19
WEu (SW9.10) — horizon overlaps zones 9 & 10

e. Where we have been unable to establish the precise geographic origin of a genus, a space has been left. A dotted line indicates the generalised stratigraphic occurrence.

f. The region or sub-region for genera deriving from those few faunas (text-table above) not plotted on the correlation chart is included in square brackets.

g. A question mark preceding a taxon indicates that its position in the classification is uncertain; one preceding a region or sub-region or zone indicates that that particular occurrence is uncertain.

DIVERSITY AND STABILITY (Notes on Charts 5.1 and 5.2).

These charts are designed to stimulate consideration of the following two related questions concerning the genera of Permo-Triassic tetrapods in current use:

a. Is the present tally of 657 genera a reasonably comprehensive sample of the preserved and potentially recoverable material?

b. To what extent has taxonomic stability been achieved?

Chart 5.2. includes a histogram showing the number of genera (including junior synonyms and *nomina dubia*) established each year for the southern African Permo-Triassic. Component histograms illustrate the contributions of individual research workers. A total of 468 genera have been decribed to date, of which only 168 are retained. Approximately two-thirds of all genera have been reduced to synonym status, regarded as *nomina dubia*, or are otherwise invalid. The critical revisions which have led to these dramatic reductions have all appeared in the last decade, e.g.:

Boonstra, 1969	—	Dinocephalia
Sigogneau, 1970	—	Gorgonopsia
Hopson and Kitching, 1972	—	Cynodontia
Keyser, 1972, 1973b, c, 1975, 1978	—	Permian Dicynodontia
Galton and Cluver, 1976	—	Prosauropoda

Two clear phases in the history of tetrapod research in southern Africa can be recognised. The first, starting in 1844, was characterised by an ever increasing flow of newly described genera with very little attempt at critical review. This period was overwhelmingly dominated by Broom who, during a period of exactly half a century, from 1900 to 1950, instituted over 200 genera. The second phase, starting in 1969, is in contrast characterised by works aimed principally at critical revision with very few new genera being described.


The period of fruitful revisions is by no means over. The earlier generation of revisionists, e.g. Boonstra (1969) and Sigogneau (1970), although effecting considerable reductions, were nevertheless probably too conservative in their approach. The Dinocephalia and Gorgonopsia merit further review in our opinion.

Some 15 000 specimens, mostly skulls, have been collected to date and it seems likely that few new forms of generic rank will come to light. With continued research the eventual tally of genera for southern Africa is likely to be less than the current figure of 168.

Chart 5.1 includes a series of histograms showing the number of genera (excluding synonyms and *nomina dubia*) established each year for the world Permo-Triassic and for each of the sub-continental regions.

The history of description of Permo-Triassic tetrapod genera covers a period of 157 years, from 1821 to the present. Aside from the peaks in the late 1870s, early 1910s and the late 1930s, a gradual increase in activity occurred from the start of the period through to the early 1960s, with a steady and rapid decline thereafter. The decline over the last decade surely does not reflect a decline in research activity, as was the case, through the intervention of the world wars, for the two earlier slumps this century. On the contrary, the intensity of research work and the number of researchers must be at least as high or higher now than ever before.

An attempt has been made, with only partial success, to verify this opinion. A histogram (below) showing the number of published Permo-Triassic tetrapod papers (all aspects of tetrapod research) per year was compiled. The data for this was fairly readily extracted from the two standard bibliographic works on vertebrate palaeontology (Camp *et al.*, 1940–42; 1949–73: Charles and Ostrom, 1973–76). Unfortunately the transfer of responsibility for the compilation of these bibliographies occurred just midway through the critical period (the last decade) with which we are here concerned. The disruption would appear to have affected the comprehensiveness of the lists of references cited.



As already noted for South Africa, research work on Permo-Triassic tetrapods, in a global context, has moved significantly towards taxonomic revisions and reductions and away from the descriptions of isolated material leading to the proliferation of new taxa. It is becoming increasingly evident, with each new critical review of the orders and sub-orders, and as the synonymy lists grow, that many genera are of a more cosmopolitan nature than was previously suspected. As collections accrue from the less-well-known regions (e.g. | NAf, Mal, Ind, Aus, Ant) there is good reason to suspect that the majority of the genera unearthed will be already known from elsewhere.

We are inclined to the view, from the overall evidence, that the current tally of 657 genera comprises a reasonably complete sample of the recoverable material. More than likely, future taxonomic reductions will outnumber new additions. We would hazard the estimate, assuming that the theoretical concept of the genus remains much as it is today, that the generic count of Permo-Triassic tetrapods might stabilise at around 500.

EMPIRES AND PROVINCES (Notes on Chart 6)

A number of authors, e.g. Romer (1966, 1972, 1973, 1975), Anderson and Anderson (1970), Olson (1971), Milner and Panchen (1973), Cox (1973) and Kalandadze (1974), have recently contributed syntheses of distribution patterns of Permo-Triassic tetrapods. All emphasise the close relationships between certain faunas of now widely separated regions. The concept of a unified Pangaea enabling extensive intercontinental migrations to take place has become generally accepted. However, in view of the incompleteness of the fossil record and the imprecise nature of the correlations so far possible, no clear delineation of faunal provinces has emerged from the above works.

Romer (1966, 1972, 1973, 1975) recognised six clearly marked phases of evolutionary development in the Permo-Triassic tetrapods. These he equated loosely with the Lower, Middle and Upper Permian and Triassic. The relevant assemblages were referred to as belonging to the "A", "B" and "C" groups or faunas. Olson (1971) referred to Romer's groupings as faunal complexes and elaborated on his own earlier concept of the "chronofauna" (Olson, 1952). This concept unites faunas of a "similar character or cast" which "maintain a strong" though varying and evolving "structural consistency" through time and space. A chronofauna may maintain its identity over several million years but, considering the examples discussed (the "Permo-Carboniferous" and slightly younger "Caseid" chronofaunas of the United States) achieve a relatively limited geographic spread.

The data as presented in Chart 3 corroborates, with minor changes, Romer's six "faunal complexes" and prompts the suggestion that these may

be equated with more globally recognised versions of Olson's chronofaunas. In the Permo-Triassic tetrapod faunas three broad ecologically and geographically distinct types of community are evident, i.e. aquatic, lowland and upland. Only minor intermixing occurs between them. The lowland faunas are by far the most prevalent, the aquatic faunas are less frequent and the upland faunas decidedly rare. The only known examples of the last are the Norian and Rhaetian fissure fillings of England and Wales.

It is in the lowland plains faunas that the six Permo-Triassic evolutionary pulses can be discerned. Each pulse is characterised by the appearance, diversification and spread of more advanced tetrapod communities which displaced the preceding faunas. The information as it presently exists is such that no obvious delineation of provinces or kingdoms within the successive lowland faunal complexes can be made. Rather, as with Olson's chronofaunas, each complex maintains a structural and taxonomic integrity throughout its geographic and stratigraphic extent. The component faunas vary through space and display evolutionary tendencies, but with no major dislocation to their essential unity. In their general nature the lowland complexes may be seen as analogous to the successive dominant empires shaping the course of human civilisation. It is therefore proposed that these complexes be referred to as "Empires".

Concurrent with the lowland empires occur aquatic tetrapod faunas of a wholly different cast. In the Permian such faunas are rare and are intimately associated with continental seas of limited extent and relatively short duration. They conform to the status of extant faunal provinces. In the Lower and Middle Triassic, aquatic tetrapod faunas of the inundated continental margins attain a geographic and stratigraphic spread more or less equivalent in scale to the contemporaneous lowland faunas and, as such, achieve empire status. No aquatic empires or provinces of post-Karnian Upper Triassic age are known.

The lowland empires are named after the dominant ubiquitous herbivorous families present; the aquatic empires (and provinces), being essentially devoid of tetrapod herbivores, are named after the dominant carnivorous families. The geographic extent of the empires (and provinces) is plotted on Chart 6.1 and the characteristic families, with zonal distribution, are listed on Chart 6.2.

There follows brief discussion of the six successive lowland empires and of the concurrent aquatic empires and provinces. Fuller discussion and integration with the tectonic, physiographic, climatic and floristic history of Pangaea is reserved for the work in preparation (Anderson *et al.*, in prep.).

1. *Lower Permian, Edaphosaurid Empire.* The Edaphosaurid Empire which continues through from the Upper Carboniferous appears to have been restricted to the equatorial belt of Euramerica. The tetrapod faunas were composed more or less evenly of amphibians and reptiles. Most of the amphibians were semi-aquatic, "living and feeding mostly in water but able to move about on land". The larger reptiles, primarily pelycosaurs such as the predaceous *Ophiacodon* and *Dimetrodon* and the herbivorous *Edaphosaurus* were terrestrial or semi-terrestrial, "living mainly on land but feeding primarily in water". The smaller reptiles, e.g. the captorhinomorphs and smaller pelycosaurs, were purely terrestrial (Olson, 1971, pp. 645–647).

The only known tetrapod beyond the equatorial belt was *Mesosaurus*, a small aquatic piscivore inhabiting the Karoo/Parana Sea of Gondwanaland.

2. *Middle Permian, Tapinocephalid Empire.* By the Middle Permian the first fully terrestrial communities, now strongly dominated by reptiles (primarily the therapsids or paramammals) had evolved. Coinciding with the northward drift of Pangaea through some 30 degrees of latitude, the plains communities are seen to have extended their range far beyond the equatorial belt. It is apparent, however, that colonisation into Asia and Eastern Gondwanaland was prevented, probably by mountain ranges and seas of the Uralian and Cape geosynclines respectively.

Within the general area occupied by the Tapinocephalid Empire occurred the Protorosaurid Aquatic Province of the Zechstein Sea.

3. *Upper Permian, Dicynodontid Empire.* By the Upper Permian, with the retreat of the Uralian and Cape geosynclinal seas (and indeed by the end of the Permian, through general uplift of Pangaea, of virtually all continental and marginal seas) general colonisation throughout Pangaea was achieved. The plains communities are still dominated by the therapsids, as they are till late in the Triassic, but by different groups thereof.

Again, as in the two earlier stages in the Permian, a single aquatic community of restricted geographic and temporal extent is known, i.e. that of the Tangasaurid Province of the Malagasy/Kenya Seaway.

4. *Lower Triassic, Lystrosaurid Empire.* The global extinctions seen in all walks of plant and marine animal life late in the Permian were paralleled in the tetrapod faunas. The relatively diverse therapsid faunas of the late Permian were decimated and replaced in the Lower Triassic by a very improverished plains community, dominated throughout their known range by the single herbivorous dicynodont genus *Lystrosaurus*.

During the Lower Triassic global marine transgressions occurred, flooding many of the low-lying littoral plains. The estuaries and swamps of this new habitat were inhabited by aquatic amphibian communities making up the extensive Trematosaurid/Rhytidosteid Empire of Eastern Gondwanaland and the East Greenland/Spitsbergen region.

5. *Middle Triassic, Kannemeyeriid/Diademodontid Empire.* The Middle Triassic witnessed renewed diversification amongst the therapsids (dicynodonts and cynodonts), and the flowering of the thecodonts (the forerunners of the dinosaurs) and the rhynchosaurs.

The widespread marine transgressions of the Lower Triassic continued, with different focus, in the Middle Triassic. The shores of the Tethys (including the epicontinental Muschelkalk Sea) and of western and arctic North America were flooded. In these regions arose the new and diverse classes of marine reptiles of the Nothosaurid/Mixosaurid Empire.

6. *Upper Triassic, Plateosaurid/Melanorosaurid Empire.* The changes which occurred approximately halfway through the Upper Triassic were as dramatic as any within the history of the tetrapods. Within a brief spell of time the dinosaurs virtually displaced the paramammals. The plains communities were now dominated by herds of massive plateosaurid and melanorosaurid dinosaurs. It is also during this phase of evolution that the earliest very small mammals made their appearance. These dramatic developments are associated with regressions, and widespread development of semi-desert and desert conditions.

No distinctive aquatic communities are known from this stage.

ACKNOWLEDGEMENTS

We are grateful to M. Wells, M. A. Raath, A. W. Keyser, Heidi M. Anderson and Leigh van Valen for critical comment, and to Enid Cruickshank for typing the various drafts of the MS.

REFERENCES

a. Included here are those references directly used in compiling the classification/distribution table.

ANDERSON, H. M. and ANDERSON, J. M. (1970). A preliminary review of the biostratigraphy of the uppermost Permian, Triassic and lowermost Jurassic of Gondwanaland. *Palaeont. afr.*, **13** (suppl.), 1–22.

APPLEBY, R. M., CHARIG, A. J., COX, C. B., KERMACK, K. A. and TARLO, L. B. H. (1967). Reptilia, 695–731. *In:* Harland, W. B. *et al.*, Eds, *The fossil record: A symposium with documentation.* London, Geological Society of London.

BAIRD, D. (1964). The aistopod amphibians surveyed. *Breviora,* **206**, 1–17.

BARBERENA, M. C. (1977) (pers. comm.). Dept. Paleontologia e Estratigrafia, Instituto de Geosciencias (UFRGS), Gen Vitorina, 255, Porto Alegre 90.000 -R.S. Brazil.

BERMAN, D. S. (1970). Vertebrate fossils from the Lueders Formation, Lower Permian of north-central Texas. *Univ. Calif. Publ. Geol. Sci.*, **86**, 1–39.

BONAPARTE, J. F. (1972). Annotated list of the South American Triassic tetrapods, 665–681. *In:* Haughton, S. H., Ed., *Second Gondwana Symposium, proceedings and papers, South Africa, 1970.*

———— (1975a). The family Ornithosuchidae (Archosauria: Thecodontia), 485–502. *In:* Colloque international C.N.R.S. No. 218, Paris, June 1973. *Problèmes actuels de paléontologie-evolution des vertébrés.*

———— (1975b). Sobre la presencia del laberinthodonte *Pelorocephalus* en la formacion de Ischigualasto y su significado estratigrafico (Brachyopoidea-Chigutisauridae), 537–544. *In: Actas L Congreso Argentino de paleontologia y bioestratigrafia, Vol. 1,* Tucuman 1975.

———— (1976). *Pisanosaurus mertii* Casamiquela and the origin of the Ornithischia. *J. Paleont.*, **50**(5), 808–820.

BOND, G. (1973). The palaeontology of Rhodesia. *Bull. geol. Surv. Rhod.*, **70**, 1–121.

BOONSTRA, L. D. (1969). The fauna of the *Tapinocephalus* zone (Beaufort beds of the Karoo). *Ann. S. Afr. Mus.*, **56**(1), 1–73.

BROTZEN, F. (1957). Stratigraphical studies on the Triassic vertebrate fossils from Wadi Raman, Israel. *Arkiv. för Minet. och Geol.*, **2**(9), 191–217.

BUCHAN, S. H., CHALLINOR, A., HARLAND, W. B. and PARKER, J. R. (1965). The Triassic stratigraphy of Svalbard. *Skr. norsk. Polarinst.*, **135**, 1–92.

CARROLL, R. L. (1964). The relationships of the rhachitomous amphibian *Parioxys. Am. Mus. Novitates,* **2167**, 1–11.

———— (1975). Permo-Triassic "lizards" from the Karroo. *Palaeont. afr.*, **18**, 71–87.

———— (1976a). *Noteosuchus* — the oldest known rhynchosaur. *Ann. S. Afr. Mus.*, **72**(3), 37–57.

———— (1976b). *Galesphyrus capensis,* a younginid eosuchian from the *Cistecephalus* zone of South Africa. *Ann. S. Afr. Mus.*, **72**(4), 59–68.

———— (1976c). Eosuchians and the origin of archosaurs, 58–79. *In:* Churcher, C. S., Ed., *Athlonessays on palaeontology in honour of Loris Shano Russell.* Roy. Ont. Mus. Life Sci. Misc. Publ.

———— (1977). The origin of lizards, 359–396. *In:* Andrews, S. M., Miles, R. S., Walker, A. D., Eds., *Problems in vertebrate evolution.* Linnean Society Symposium Series no. 4.

———— (1978). Permo-Triassic "Lizards" from the Karoo. Part II. A gliding reptile from the Upper Permian of Madagascar. *Palaeont. afr.*, **21**, 139–155.

———— and GASKILL, PAMELA (1971). A captorhinomorph reptile from the Lower Permian of Europe. *J. Paleont.*, **45**(3), 450–463.

———— and GALTON, P. M. (1977). "Modern" lizard from the Upper Triassic of China. *Nature, Lond.,* **266**(5599), 252–255.

CHARIG, A. and CROMPTON, A. W. (1974). The alleged synonymy of *Lycorhinus* and *Heterodontosaurus. Ann. S. Afr. Mus.*, **64**, 167–189.

CHASE, J. N. (1965). *Neldasaurus wrightae,* a new rhachitomous labyrinthodont from the Texas Lower Permian. *Bull. Mus. comp. Zool. Harv.*, **133**, 155–225.

CHATTERJEE, S. (1969). Rhynchosaurs in time and space. *Proc. geol. Soc.*, **1658**, 203–208.

———— (1978) (in press). *Malerisuchus* gen. nov. and the classification of the Proterosuchia.

———— and ROY-CHOWDHURY, T. (1974). Triassic Gondwana vertebrates from India. *Ind. J. Earth Sci.*, **1**(1) , 96–112.

CHERNIN, S. (1977). A new brachyopid, *Batrachosuchus concordi,* sp. nov. from the upper Luangwa Valley, Zambia with a redescription of *Batrachosuchus browni* Broom, 1903. *Palaeont. afr.*, **20**, 87–109.

———— (1978) (In prep.). The South African fossil amphibian fauna and its palaeoecology.

———— and COSGRIFF, J. W. (1975). Further consideration of the capitosaurids from the Upper Luangwa Valley, Zambia. *Palaeont. afr.*, **18**, 143–148.

CLARK, J. and CARROLL, R. L. (1973). Romeriid reptiles from the Lower Permian. *Bull. Mus. comp. Zool. Harv.*, **144**(5), 353–407.

CLUVER, M. A. 1977. Aspects of dicynodont classification. *In:* Cruickshank, A.R.I., Ed., *Karoo Symposium* (June 1977), unpublished proceedings, B.P.I. Pal., Johannesburg.

COLBERT, E. H. and COSGRIFF, J. W. (1974). Labyrinthodont amphibians from Antarctica. *Am. Mus. Novitates,* **2552**, 1–30.

——— and KITCHING, J. W. (1975). The Triassic reptile Procolophon in Antarctica. *Am. Mus. Novitates,* **2566**, 1–23.

COSGRIFF, J. W. (1974). Lower Triassic Temnospondyli of Tasmania. *Geol. Soc. Am. Sp. Pap.,* **149**, 1–134.

CROMPTON, A. W. (1974). The dentitions and relationships of the southern African Triassic mammals *Erythrotherium parringtoni* and *Megazostrodon rudnerae. Bull. Br. Mus. nat. Hist.* (Geol.), **24**(7), 399–437.

CRUICKSHANK, A. R. I. (1978a) The pes of *Erythrosuchus africanus* Broom. *Zool. J. Linn. Soc.,* **62**, 161–177.

——— (1978b) (notes). Bernard Price Institute for Palaeontological Research, Witwatersrand University, Johannesburg, South Africa.

DALY, ELEANOR (1969). A new procolophonoid reptile from the Lower Permian of Oklahoma. *J. Paleont.,* **43**(3), 676–687.

DE MAR, R. (1968). The Permian labyrinthodont amphibian *Dissorophus multicinctus,* and adaptations and phylogeny of the family Dissorophidae. *J. Paleont.,* **42**(5), 1210–1242.

DRYSDALL, A. R. and KITCHING, J. W. (1963). A re-examination of the Karroo succession and fossil localities of part of the Upper Luangwa Valley. *Mem. geol. Surv. N. Rhod.,* **1**, 1–62.

DUTUIT, J. M. (1972). Un nouveau genre de Stegocephale du Trias superieur marocain: *Almasaurus habbazi. Bull. Mus. Nat. d'Hist. Nat.,* 3rd series, **72**, 73–81.

GALTON, P. M. (1972). Classification and evolution of ornithopod dinosaurs. *Nature,* Lond., **239**, 464–466.

——— and CLUVER, M. (1976). *Anchisaurus capensis* (Broom) and a revision of the Anchisauridae (Reptilia, Saurischia). *Ann. S. Afr. Mus.,* **69**(6), 121–159.

GOW, C. E. (1972). The osteology and relationships of the Millerettidae (Reptilia: Cotylosauria). *J. Zool., Lond.,* **167**, 219–264.

——— (1975a). A new heterodontosaurid from the Red Beds of South Africa showing clear evidence of tooth replacement. *Zool. J. Linn. Soc.,* **57**, 335–339.

——— (1975b). The morphology and relationships of *Youngina capensis* Broom and *Prolacerta broomi* Parrington. *Palaeont. afr.,* **18**, 89–131.

——— (1977). New procolophonids from the Triassic *Cynognathus* zone of South Africa. *Ann. S. Afr. Mus.,* **72**(6), 109–124.

——— and RAATH, M. A. (1977). Fossil vertebrate studies in Rhodesia: sphenodontid remains from the Upper Trias of Rhodesia. *Palaeont. afr.,* **20**, 121–122.

GREGORY, J. T., PEABODY, F. E. and PRICE, L. I. (1956). Revision of the Gymnarthridae American Permian Microsaurs. *Peabody Mus. nat. Hist. Bull.,* **10**, 1–77.

HALSTEAD, L. B. (1959). A new Middle Triassic reptile fauna from fissures in the Middle Devonian limestones of Poland. *Proc. geol. Soc. Lond.* **1568**, 63–64.

——— (1962). Ancient animals of the upland. *New. Scient.,* **15**, 32–34.

——— and STEWART, A. D. (1970). Middle Triassic reptiles from southern Tunisia. *Proc. geol. Soc. Lond.,* **1662**, 19–25.

HARRIS, J. M. and CARROLL, R. L. (1977). *Kenyasaurus,* a new eosuchian reptile from the early Triassic of Kenya. *J. Paleont.,* **51**(1), 139–149.

HOPSON, J. A. (1975). On the generic separation of the ornithischian dinosaurs *Lycorhinus* and *Heterodontosaurus* from the Stormberg Series (Upper Triassic) of South Africa. *S. Afr. J. Sci.,* **71**, 302–305.

——— and KITCHING, J. W. (1972). A revised classification of cynodonts (Reptilia; Therapsida). *Palaeont. afr.,* **14**, 71–85.

HOTTON, N. (1959). *Acroplous vorax,* a new and unusual labyrinthodont amphibian from the Kansas Permian. *J. Paleont.,* **33**(1), 161–178.

HOWIE, A. (1972a). On a Queensland labyrinthodont, 51–64. *In:* Joysey, K. A. and Kemp, T. S., Eds., *Studies in vertebrate evolution.* Oliver and Boyd, Edinburgh.

——— (1972b). Triassic Amphibians and reptiles of Australia in relation to Gondwanaland. *Aust. Nat. Hist.,* **17**(8), 279–283.

IVACHNENKO, M. F. (1973). New cisuralian cotylosaurs. *Paleont. Jour.,* **7**(2), 247–249.

——— (1974). New data on the early Triassic procolophonids of the U.S.S.R. *Paleont. Jour.,* **8**(3), 346–351.

——— (1975). Early Triassic procolophonoid genera of Cisuralia. *Paleont. Jour.,* **9**(1), 86–91.

KALANDADZE, N. N. *et al.* (1968). Catalogue of Permian and Triassic tetrapods of the U.S.S.R. (in Russian). Acad. Nauk. U.S.S.R., 72–91.

KEYSER, A. W. (1972). A re-evaluation of the systematics and morphology of certain anomodont Therapsida. *Palaeont. afr.,* **14**, 15–16.

——— (1973a). A new Triassic vertebrate fauna from South West Africa. *Palaeont. afr.,* **16**, 1–15.

——— (1973b). A re-evaluation of the genus *Tropidostoma* Seeley. *Palaeont. afr.,* **16**, 25–35.

——— (1973c). A preliminary study of the type area of the *Cistecephalus* Zone of the Beaufort Series, and a revision of the anomodont family Cistecephalidae. *Mem. geol. Surv. Un. S. Afr.,* **62**, 1–71.

——— (1975). A re-evaluation of the cranial morphology and systematics of some tuskless anomodontia. *Mem. geol. Surv. Un. S. Afr.,* **67**, 1–110.

——— (1978) (notes). Geological Survey, Pretoria, South Africa.

——— and CRUICKSHANK, A. R. I. (1978) (in press). Origin and classification of Triassic dicynodonts. *Trans. geol. Soc. S. Afr.*

——— and SMITH, R. M. H. (1978) (in press). Vertebrate biozonation of the Beaufort Group in the western part of the Karoo Basin. *Bull. geol. Surv. Div. Un. S. Afr.*

KITCHING, J. W. (1977). The distribution of the Karroo vertebrate fauna. *Mem. B.P.I. Pal., Wits. Univ.,* **1**, 1–131.

——— (1978). Review of stratigraphical distribution and occurrence of South African fossil Amphibia. *Palaeont. afr.,* **21**,

KREBS, B. (1969). *Ctenosauriscus koeneni* (v Huene), die Pseudosuchia und die Buntsandstein-Reptilien. *Eclogae. geol. Helv.,* **62**(2), 697–714.

——— (1976). Part 13. Thecodontia.: Pseudosuchia, 40–120. *In:* Kuhn, O., Ed., *Encyclopedia of Paleoherpetology.* Gustav. Fischer Verlag, Stuttgart.

KUHN, O. (1969a). Part 6. Cotylosauria, 1–89. *In:* Kuhn, O., Ed., *Encyclopedia of Paleoherpetology.* Gustav. Fischer Verlag, Stuttgart.

——— (1969b). Part 9. Proganosauria, Bolosauria, Placodontia, Araeoscelidia, Trilophosauria, Weigeltisauria, Millerosauria, Rhynchocephalia, Protorosauria, 1–74. *In:* Kuhn, O., Ed., *Encyclopedia of Paleoherpetology.* Gustav. Fischer Verlag, Stuttgart.

——— (1972). Part 5 (B2). Seymourida, u.s.w., 20–69. *In:* Kuhn, O., Ed., *Encyclopedia of Paleoherpetology.* Gustav. Fischer Verlag, Stuttgart.

KUHN-SCHNYDER, E. (1974). Die Triasfauna der Tessiner Kalkalpen. *Neujahrsblatt,* **176**, 1–119.

KUTTY, T. S. (1972). Permian reptilian fauna from India. *Nature,* Lond., **237**, 462–463.

LANGSTON, W. (1953). Permian amphibians from New Mexico. *Univ. Calif. Publ. Geol. Sci.,* **29**(7), 349–416.

——— (1963). Fossil vertebrates and the late Paleozoic red beds of Prince Edward Island. *Bull. nat. Mus. Can.,* **187**, 1–36.

——— (1965). *Oedaleops campi* (Reptilia, Pelycosauria), a new genus and species from the Lower Permian of New Mexico, and the family Eothyrididae. *Bull. Tex. Mem. Mus.,* **9**, 5–47.

LEHMAN, J. P. (1971). Nouveaux vertébrés fossiles du Trias de la série de Zarzaitine. *Ann. Paleont. (Vert.),* **57**(1), 1–25.

LEWIS, G. E. and VAUGHN, P. P. (1965). Early Permian vertebrates from the Cutler Formation of the Placerville area, Colorado. *Geol. Surv. Prof. Pap.* **503–c**, 1–50.

McLACHLAN, I. R. and ANDERSON, A. (1973). A review of the evidence for marine conditions in southern Africa during Dwyka times. *Palaeont. afr.,* **15**, 37–64.

MENDREZ, C. H. (1974a). Étude du crâne d'un jeune specimen de *Moschorhinus kitchingi* Broom 1920 *(?Tigrisuchus simus*

Owen, 1876), Therocephalia, Pristerosauria, Moschorhinidae d'Afrique australe. (Remarques sur les Moschorhinidae et les Whaitsiidae). *Ann. S. Afr. Mus.*, **64**, 71–115.

———— (1974b). A new specimen of *Promoschorhynchus platyrhinus* Brink 1954 (Moschorhinidae) from the *Daptocephalus* zone (Upper Permian) of South Africa. *Palaeont. afr.*, **17**, 69–85.

MERRIAM, J. C. (1908). Triassic Ichthyosauria with special reference to the American forms. *Mem. Univ. California*, **1(1)**, 1–196.

MILLS, J. R. E. (1971). The dentition of *Morganucodon*, 29–63. *In:* Kermack, D. M., and Kermack, K. A., Eds., *Early Mammals*. Linnean Soc. of London.

MLYNARSKI, M. (1976). Part 7. Testudines, 1–130. *In:* Kuhn, O., Ed., *Encyclopedia of Paleoherpetology*. Gustav. Fischer Verlag, Stuttgart.

OLSON, E. C. (1941). The family Trematopsidae. *J. Geol.*, **49(2)**, 149–176.

———— (1952). Fauna of the Vale and Choza: 6. *Diplocaulus*. *Fieldiana: Geol.*, **10(14)**, 147–166.

———— (1955). Fauna of the Vale and Choza: 10. *Trimerorhachis:* Including a revision of pre-Vale species. *Fieldiana: Geol.*, **10**, 225–274.

———— (1956). Fauna of the Vale and Choza: 12. A new trematopsid amphibian from the Vale Formation. *Fieldiana: Geol.*, **10**, 313–334.

———— (1957). Catalogue of localities of Permian and Triassic terrestrial vertebrates of the territories of the U.S.S.R. *J. Geol.*, **65(2)**, 196–226.

———— (1958). Fauna of the Vale and Choza: 14. Summary, review and integration of the geology and the faunas. *Fieldiana: Geol.* **10**, 397–448.

———— (1962). Late Permian terrestrial vertebrates, U.S.A. and U.S.S.R. *Trans. Am. Phil. Soc.*, **52(2)**, 1–224.

———— (1965a). *Zatrachys serratus* Cope (Amphibia: Labyrinthodontia) from McClain County, Oklahoma. *Okla. Geol. Notes*, **25(4)**, 91–97.

———— (1965b). New Permian vertebrates from the Chickasha Formation in Oklahoma. *Okla. Geol. Surv. Circ.*, **70**, 1–70.

———— (1967). Early Permian vertebrates of Oklahoma. *Okla. Geol. Survey, Circ.*, **74**, 1–111.

———— (1968). The family Caseidae. *Fieldiana: Geol.*, **17**, 225–349.

———— (1970). New and little known genera and species of vertebrates from the Lower Permian of Oklahoma. *Fieldiana: Geol.*, **18**, 359–434.

———— (1972). *Diplocaulus parvus* n.sp. (Amphibia: Nectridea) from the Chickasha Formation (Permian: Guadalupian) of Oklahoma. *J. Paleont.*, **46(5)**, 656–659.

———— (1974). On the source of Therapsids. *Ann. S. Afr. Mus.*, **64**, 27–46.

———— and VAUGHN, P. P. (1970). The changes of terrestrial vertebrates and climates during the Permian of North America. *Forma et Functio*, **3**, 113–137.

PANCHEN, A. L. (1970). Part 5A. Anthracosauria, 1–84. *In:* Kuhn, O., Ed., *Encyclopedia of Paleoherpetology*. Gustav. Fischer Verlag, Stuttgart.

PARRINGTON, F. R. (1974). A new genus of gorgonopsid from East Africa. *Ann. S. Afr. Mus.*, **64**, 47–52.

PATON, R. L. (1974a). Capitosauroid labyrinthodonts from the Trias of England. *Paleontology*, **17(2)**, 253–289.

———— (1974b). Lower Permian pelycosaurs from the English Midlands. *Palaeontology*, **17(3)**, 541–552.

PERSSON, P. O. (1963). A revision of the classification of the Plesiosauria with a synopsis of the stratigraphical and geographical distribution of the group. *Acta. Univ. Lund.*, **59**, 1–60.

PEYER, B. and KUHN-SCHNYDER, E. (1955). Placodontia, 459–486. *In:* Piveteau, J., Ed., *Traité de Paléontologie*, Tome V., Masson et Cie, Paris.

RAATH, M. A. (1969). A new coelurosaurian dinosaur from the Forest Sandstone of Rhodesia. *Arnoldia, Rhod.*, **4(28)**, 1–25.

ROMER, A. S. (1935). Early history of Texas redbeds vertebrates. *Bull. geol. Soc. Am.*, **46**, 1597–1658.

———— (1944). The Permian Cotylosaur *Diadectes tenuitectis*. *Am. J. Sci.*, **242**, 139–144.

———— (1947). Review of the Labyrinthodontia. *Bull. Mus. Comp. Zool. Harv.*, **99(1)**, 1–368.

———— (1952). Fossil vertebrates of the Tri-State area. Art. 2. Late Pennsylvanian and early Permian vertebrates of the Pittsburgh-West Virginia region. *Ann. Carnegie Mus.*, **33**, 47–112.

———— (1966). *Vertebrate paleontology* (3rd edition). Univ. Chicago Press, Chicago and London, 1–468.

———— (1972). The Chanares (Argentina) Triassic reptile fauna XVI. Thecodont classification. *Breviora*, **395**, 1–24.

———— and PRICE, L. I. (1940). Review of the Pelycosauria. *Geol. soc. Am. Sp. Pap.*, **28**, 1–538.

———— and WITTER, R. V. (1942). *Edops*, a primitive rhachitomous amphibian from the Texas red beds. *J. Geol.*, **50(8)**, 925–960.

SIGOGNEAU, D. (1970). Révision systématique des gorgonopsiens sud-africains. *Cah. Paléont. C.N.R.S.*, 1–416.

———— and TCHUDINOV, P. K. (1972). Reflections on some Russian eotheriodonts (Reptilia, Synapsida, Therapsida). *Palaeovertebrata*, **5**, 79–109.

SIMPSON, G. G. (1971). Concluding remarks: Mesozoic mammals revisited, 181–198. *In:* Kermack, D. M. and Kermack, K. A., Eds., *Early mammals*. Linnean Soc. of London.

STEEL, R. (1969). Part 15. Ornithischia, 1–83. *In:* Kuhn, O., Ed., *Encyclopedia of Paleoherpetology*. Gustav. Fischer Verlag, Stuttgart.

———— (1970). Part 14. Saurischia, 1–87. *In:* Kuhn, O., Ed., *Encyclopedia of Paleoherpetology*. Gustav. Fischer Verlag, Stuttgart.

———— (1973). Part 16. Crocodylia, 1–116. *In:* Kuhn, O., Ed., *Encyclopedia of Paleoherpetology*. Gustav. Fischer Verlag, Stuttgart.

SUN, A. L. (1973). Permo-Triassic dicynodonts from Turfan, Sinkiang. *Mem. Inst. Vert. Pal. Acad. Sin.*, **10**, 53–68.

TAQUET, P. (1969). Première découverte en Afrique d'un reptile captorhinomorphe (cotylosaurien). *C. R. Acad. Sci. Paris*, **268**, 779–781.

TATARINOV, L. P. (1972). Part 5(B3). Seymoriamorphen aus der fauna der U.S.S.R., 70–80. *In:* Kuhn, O., Ed., *Encyclopedia of Paleoherpetology*. Gustav. Fischer Verlag, Stuttgart.

———— (1974a). Theriodonts of U.S.S.R. (in Russian). Nauca, Moscow, 1–250.

———— (1974b). Discovery of a bolosaur in the lower Permian of the U.S.S.R. *Paleont. Jour.*, **8(2)**, 250–252.

VAN DEN HEEVER, J. A. (1977). A preliminary report on the taxonomy of the primitive Therocephalia. *In:* Cruickshank, A. R. I., Ed., *Karoo symposium* (June 1977), unpublished proceedings, B.P.I., Palaeontology, Johannesburg.

VAN HEERDEN, J. W. A. (1978). (In prep.) On the Melanorosauridae. National Museum Bloemfontein.

VAUGHN, P. P. (1955). The Permian reptile *Araeoscelis* restudied. *Bull. Mus.* comp. Zool. Harv., **113(5)**, 305–467.

———— (1962). Vertebrates from the Holgaito Tongue of the Cutler Formation, Permian of San Juan County, Utah. *J. Paleont.*, **36(3)**, 529–539.

———— (1963). The age and locality of the Late Paleozoic vertebrates from El Cobre Canyon, Rio Arriba County, New Mexico. *J. paleont.*, **37(1)**, 283–286.

———— (1964). Vertebrates from the Organ Rock Shale of the Cutler Group, Permian, of Monument Valley and vicinity, Utah and Arizona. *J. paleont.*, **38(3)**, 567–583.

———— (1965). Frog-like vertebrae from the Lower Permian of southeastern Utah. *Los Angeles County Mus., Contrib. in Sci.*, **87**, 1–18.

———— (1966a). *Seymouria* from the Lower Permian of Southeastern Utah, and possible sexual dimorphism in that genus. *J. paleont.*, **40(3)**, 603–612.

———— (1966b). Comparison of the Early Permian vertebrate faunas of the Four Corners region and north-central Texas. *Los Angeles County Mus., Contrib. in Sci.*, **105**, 1–13.

———— (1969). Further evidence of close relationship of the trematopsid and dissarophid labyrinthodont amphibians with a description of a new genus and new species. *Bull. S. Calif. Acad. Sci.*, **68**(3), 121–130.

VON HUENE, F. (1950). Die theriodontier des ostafrikanischen Ruhuhu-gebietes in der Tübinger sammlung. *Neues. Jb. Geol. Paläont.*, **92**(1), 47–136.

———— (1956). *Paläontologie und phylogenie der niederen tetrapoden.* Jena: Fischer, 1–716.

WATSON, D. M. S. (1954). On *Bolosaurus* and the origin and classification of reptiles. *Bull. Mus. comp. Zool. Harv.*, **111**(9), 299–449.

WELLES, S. P. and COSGRIFF, J. (1965). A revision of the labyrinthodont family Capitosauridae, and a description of *Parotosaurus peabodyi*, n.sp. from the Wupatki Member of the Moenkopi Formation of northern Arizona. *Univ. Calif. Public. Geol. Sci.*, **54**, 1–148.

———— and ESTES, R. (1969). *Hadrokkosaurus bradyi* from the upper Moenkopi Formation of Arizona. With a review of the brachyopid labyrinthodonts. *Univ. Calif. Publ. Geol. Sci.*, **84**, 1–56.

WESTPHAL, F. (1976). Part 13. Thecodontia: Phytosauria, 99–120. *In:* Kuhn, O., Ed., *Encyclopedia of Paleoherpetology.* Gustav. Fischer Verlag, Stuttgart.

WILD, R. (1974). Die Triasfauna der Tessiner Kalkalpen. xxiii. *Tanystropheus longobardicus* (Bassani). *Schweizerische Paläontologische Abhandlungen*, **95**, 1–162.

YOUNG, C. C. (1958). On the new Pachypleurosauroidea from Keichow, South-West China. *Vert. Palas.*, **2**(2, 3), 72–81.

———— (1959). On a new Nothosauria from the Lower Triassic beds of Kwangsi. *Vert. Palas.*, **3**(2), 74–78.

———— (1960). New localities of sauropterygians in China. *Vert. Palas.*, **4**(2), 82–85.

———— (1965a). On the new nothosaurs from Hupeh and Kweichou, China. *Vert. Palas.*, **9**(4), 337–356.

———— (1965b). On a revised determination of a fossil reptile from Jenhui, Kweichou with note on a new ichthyosaur probably from China. *Vert. Palas.*, **9**(4), 372–375.

———— (1966). On the first discovery of capitosaurid from Sinkiang. *Vert. Palas.*, **10**(1), 61–62.

———— (1973a). On a new pseudosuchian from Turfan, Sinkiang. *Mem. Inst. Vert. Pal. Acad. Sin.*, **10**, 15–37.

———— (1973b). On the occurrence of *Vjushkovia* in Sinkiang. *Mem. Inst. Vert. Pal. Acad. Sin.*, **10**, 38–52.

b. Additional General References

ANDERSON, J. M. (1973). The biostratigraphy of the Permian and Triassic: Part 2. A preliminary review of the distribution of Permian and Triassic strata in time and space. *Palaeont. afr.*, **16**, 59–83, Charts 23–35.

———— (1977). The biostratigraphy of the Permian and Triassic: Part 3. A review of Gondwana Permian palynology with particular reference to the northern Karoo Basin, South Africa. *Mem. Bot. Surv. S. Afr.*, **41**, 1–67.

———— and SCHWYZER, R. U. (1977). The biostratigraphy of the Permian and Triassic: Part 4. Palaeomagnetic evidence for large scale intra-Gondwana plate movements during the Carboniferous to Jurassic. *Trans. geol. Soc. S. Afr.*, **80**, 211–234.

BRIDEN, J. C., SMITH, A. G. and SALLOMY, J. T. (1970). The geomagnetic field in Permo-Triassic time. *Geophys. J. R. astr. Soc.*, **23**, 101–117.

CAMP, C. L. *et al.* (1940–1942). Geological Society of America Special Papers Nos 27 and 42. Bibliography of Fossil Vertebrates 1928–1938.

———— (1949–1973). Geological Society of America Memoirs Nos. 37; 57; 84; 92; 117; 134; 141. Bibliography of Fossil Vertebrates 1939–1972.

CHARLES, R. and OSTROM, J. (Eds). (1973–1976). Bibliography of Vertebrate Palaeontology. Volumes 1(1)–3(3). Geosystems, London and the Society of Vertebrate Palaeontology.

COLBERT, E. H. (1973). Continental drift and the distribution of fossil reptiles, 395–412. *In:* Tarling, D. H. and Runcorn, S. K., Eds., *Implications of continental drift to the earth sciences, Vol. 1.* Academic Press, London and New York.

COX, C. B. (1973). Triassic tetrapods, 213–224. *In:* Hallam, A., Ed., *Atlas of palaeobiogeography.* Elsevier Scientific Publishing Company, Amsterdam.

IRVING, E. (1977). Drift of the major continental blocks since the Devonian. *Nature Lond.*, **270**, 304–309.

KALANDADZE, N. N. (1974). Intercontinental connections of tetrapod faunas in the Triassic period. *Paleont. Jour.*, **8**(3), 352–362.

MILNER, A. R. and PANCHEN, A. L. (1973). Geographical variations in the tetrapod faunas of the Upper Carboniferous and Lower Permian, 353–368. *In:* Tarling, D. H. and Runcorn, S. K., Eds., *Implications of continental drift to the earth sciences. Vol. 1.* Academic Press, London and New York.

OLSON, E. C. (1952). The evolution of a Permian vertebrate chronofauna. *Evolution*, **6**, 181–196.

———— (1971). *Vertebrate paleozoology.* Wiley-Interscience, New York. 1–839.

ROMER, A. S. (1972). Tetrapod vertebrates and Gondwanaland, 111–124. *In:* Haughton, S. H., Ed., *Second Gondwana Symposium, South Africa, 1970.* C.S.I.R., Pretoria.

———— (1973). Permian reptiles, 159–168. *In:* Hallam, A., Ed., *Atlas of palaeobiogeography.* Elsevier Scientific Publishing Company, Amsterdam.

———— (1975). Intercontinental correlations of Triassic Gondwana vertebrate faunas, 469–473. *In:* Campbell, K. S. W., Ed., *Gondwana Geology* (Papers presented at the Third Gondwana Symposium, Canberra, Australia, 1973). Australian National University Press, Canberra.

SCHMIDT, P. W. and McELHINNY, M. W. (in press). Palaeolatitude variations in Gondwanaland through the Phanerozoic as deduced from palaeomagnetism.

CHART 1. PERMO-TRIASSIC TETRAPODS. GEOGRAPHIC OCCURRENCE.



Regions and Sub-regions included on Chart 2

1	California & Nevada	Ca	USA	United States of America
2	Arizona (Colorado Plateau)	Ar		
3	Utah	U		
4	Wyoming	W		
5	Colorado	C		
6	New Mexico	N		
7	Texas (N. Central)	T		
8	Oklahoma	O		
9	Kansas	K		
10	Pennsylvania	P		
11	Atlantic coast	At		
12	Scotland	Sc	WEu	Western Europe
13	England	E		
14	Central Europe (Germany etc)	C		
15	S. Switzerland (& N. Italy)	Sw		
16	Morocco	M	NAf	North Africa
17	Algeria (& N. Niger)	A		
18	Tunisia	T		
19	Israel	I		
20	E. Greenland	G	Arc	Arctic
21	Spitsbergen	S		
22	Russian Platform	P	EEu	Eastern Europe
23	Kweichow	K	SEAs	South Eastern Asia
24	Yunnan	Y		
25	Shansi	Sh		
26	Sinkiang	Si		
27	El Tranquilo Basin	E	SAm	South America
28	Puesto Viejo Basin	Pu		
29	Cacheuta Basin	C		
30	Ischigualasto/Villa Union Basin	I		
31	Parana Basin	Pa		
32	South West Africa (composite)	S	SAf	Southern Africa
33	South Africa (Karoo Basin)	K		
34	S. Rhodesia (Zambezi Valley)	Z		
35	Zambia (Luangwa Valley)	L		
36	Tanzania (Ruhuhu Valley)	R		
37	Tanzania/Kenya (Tanga Basin)	T		
38	Malagasy (Southern)	S	Mal	Malagasy
39	Malagasy (Northern)	N		
40	Himalayas (Kashmir & Salt Range)	H	Ind	India
41	Satpura region	Sa		
42	Pranhita-Godavari Valley	P		
43	Son Valley	So		
44	Damodar Valley	D		
45	N. Perth Basin	P	Aus	Australia
46	N. W. Canning Basin	C		
47	Bowen Basin	B		
48	Sydney Basin	S		
49	Tasmania	T		
50	Beardmore glacier	B	Ant	Antarctica




Sub-regions not included on Chart 2 (see text)

a) Arctic Canada (Cameron Island)
b) Siberia (Tunguska Basin)
c) Japan
d) E Ind — position unsure
e) SWAs — position unsure
f) Maranhao Basin

CHART 2.2 PERMO-TRIASSIC TETRAPODS CORRELATION of FAUNAS

reptiles (+mammals)
marine reptiles
amphibians
mixed (in proportion)

1mm. = 1 m.yrs.



1	California + Nevada	USA	Ca
2	Arizona (Colorado Plateau)		Ar
3	Utah		U
4	Wyoming		W
5	Colorado		C
6	New Mexico		N
7	Texas (N. Central)		T
8	Oklahoma		O
9	Kansas		K
10	Pennsylvania (& W. Virginia & Ohio)		P
11	Atlantic coast		At
12	Scotland	WEu	Sc
13	England		E
14	Central (Germany, France etc.)		C
15	S. Switzerland (+ N. Italy)		Sw
16	Morocco	NAf	M
17	Algeria (+ N. Niger)		A
18	Tunisia		T
19	Israel		I
20	E. Greenland	Arc	G
21	Spitsbergen		S
22	Russian Platform	EEu	P
23	Kweichow	SEAs	K
24	Yunnan		Y
25	Shansi		Sh
26	Sinkiang		Si
27	El Tranquilo Basin	SAm	E
28	Puesto Viejo Basin		Pu
29	Cacheuta Basin		C
30	Ischigualasto/ Villa Union Basin		I
31	Parana Basin		Pa
32	South West Africa (composite)	SAf	S
33	South Africa (Karoo Basin)		K
34	S. Rhodesia (Zambezi Valley)		Z
35	Zambia (Luangwa Valley)		L
36	Tanzania (Ruhuhu Valley)		R
37	Tanzania (Tanga Basin)		T
38	Malagasy (southern)	Mal	S
39	Malagasy (northern)		N
40	Himalayas (Kashmir + Salt Range)	Ind	H
41	Satpura region		Sa
42	Pranhita-Godavari Valley		P
43	Son Valley		So
44	Damodar Valley		D
45	N. Perth Basin	Aus	P
46	NW. Canning Basin		C
47	Bowen Basin		B
48	Sydney Basin		S
49	Tasmania		T
50	Beardmore glacier	Ant	B

CHART 2.1

PERMO-TRIASSIC TETRAPODS CORRELATION of FAUNAS

UNITED STATES of AMERICA (USA) · WESTERN EUROPE (WEu) · NORTH AFRICA (NAf) · ARCTIC (Arc) · EASTERN EUROPE - (EEu) · SOUTH EASTERN ASIA (SEAs) · SOUTH AMERICA (SAm) · SOUTHERN AFRICA (SAf) · MALAGASY (Mal) · INDIA (Ind) · AUSTRALIA (Aus) · ANTARCTICA (Ant)

| | | |

CHART 3.1 PERMO-TRIASSIC TETRAPODS. CLASSIFICATION AND DISTRIBUTION

(Includes 657 named and 22 unnamed genera)

CLASS
SUBCLASS
INFRACLASS
ORDER
SUBORDER
INFRAORDER
SUPERFAMILY
AMPHIBIA — FAMILY
LABYRINTHODONTIA — SUBFAMILY
TEMNOSPONDYLI — GENUS
RHACHITOMI

	EDOPOIDEA		
Romer & Wit. 42	EDOPIDAE		
Langst. 53		Edops	USA (T1,2; N2)
	COCHLEOSAURIDAE		
Olson 55		Chenoprosopus	USA (N3);
		(unnamed)	USA (T2,3)
	TRIMERORHACHOIDEA		
	TRIMERORHACHIDAE		
		Acroplous	USA (K2)
		Neldasaurus	USA (T2,3)
Olson 55,62,65b		Trimerorhachis	USA (T3-10; N3; O8)
Hotton 59		Isodectes	USA (T8)
Chase 65		Slaughenhopia	USA (T11)
Welles & Estes 69		Nannospondylus	USA (O11,12)
		Chalcosaurus	EEu (P14)
	DVINOSAURIDAE		
		Dvinosaurus	EEu (P14,17)
	ERYOPOIDEA		
	ERYOPIDAE		
		Actinodon	WEu (C1)
Romer 66		Chelyderpeton	WEu (C1)
(Romer 35,47,52)		?Haplosaurus	WEu (C1)
(Langst. 53,63)		Onchiodon	WEu (C1)
(Olson 58,67)		Osteophorus	WEu (C1)
(Vaughn 62,64)		Sclerocephalus	WEu (C1)
(Lewis & Vaughn 65)		Eryops	USA (T1-10; U1,2,4,5; C3; N3; O4,5,8; P1–3; At4,8)
(Berm. 70)			
		(unnamed)	USA (T10)
	DISSOROPHIDAE		
		Platyhystrix	USA (U1,2; C3; N2,3)
		Tersomius	USA (T1/2,3,5; O10)
		Aspidosaurus	USA (T2-5,8; N3)
		Conjunctio	USA (T4; N3)
De Mar 68		Broiliellus	USA (T3,4,6,8)
(Olson 70)		Brevidorsum	USA (T1/2)
		Dissorophus	USA (T3,8)
		Longiscitula	USA (T8)
		Alegeinosaurus	USA (T8)
		Cacops	USA (T9,10)
		Fayella	USA (O11,12)
		Zygosaurus	EEu (P14)
	TREMATOPSIDAE		
		Ecolsonia	USA (N3)
Vaughn 69		Acheloma	USA (T3,5,8)
(Olson 41,56)		Trematops	USA (T8; O8)
		Trematopsis	USA (T9)
	PARIOXYIDAE		
Carr. 64		Parioxys	USA (T3,5)
	ZATRACHEIDAE		
Langst. 53		Acanthostoma	WEu (C1)
Olson 65a		Dasyceps	WEu (C1)
(Romer 35,47)		Zatrachys	USA (T2,4,5,8; N3; O4,5)
	ARCHEGOSAURIDAE		
		Archegosaurus	WEu (C1); ?Ind (H6)
		Platyops	EEu (P13,14)
Romer 66		Prionosuchus	SAm [Maranhao B]
(Romer 47)	MELANOSAURIDAE		
(v. Huene 56)		Melanosaurus	EEu (P13,14)
(Olson 57,62)		?Tryphosuchus	EEu (P14)
		Jugosuchus	EEu (P17)
	?INTASUCHIDAE		
		Intasuchus	EEu (P8)
		Syndiodosuchus	EEu (P8)
	TREMATOSAUROIDEA		
	TREMATOSAURIDAE		
		Gonioglyptus	Ind (D1; H2)
		Trematosuchus	EEu (P2); SAf (K5)
		Trematosaurus	Mal (N2); EEu (P5)
Romer 66		Lyrosaurus	Mal (N2)
(Buch. et al 65)		Ifasaurus	Mal (N2)
(Welles & Estes 69)		Wantzosaurus	Mal (N2)
(And. & And. 70)		Aphaneramma	Mal (N2); Arc (S3); ?EEu (P5); ?USA (Ar5)
(Chatt. & R.Ch. 74)		Stosschiosaurus	Arc (G12)
(Kitch. 78)		Lyrocephalus	Arc (P3)
		Platystega	Arc (S3)
		Tertrema	Arc (S3)
		Inflectosaurus	EEu (P5)
		Microposaurus	SAf (K5)
		?Laidleria	SAf (K5)
	RHYTIDOSTEOIDEA		
	RHYTIDOSTEIDAE		
		Rhytidosteus	SAf (K1)
Cosg. 74		Derwentia	Aus (T3)
		Deltasaurus	Aus (T3; P3; C3; B5)
		Peltostega	Arc (S3)

CHART 3.2 PERMO-TRIASSIC TETRAPODS. CLASSIFICATION AND DISTRIBUTION

CLASS
SUBCLASS
INFRACLASS
ORDER
SUBORDER
INFRAORDER
SUPERFAMILY
FAMILY
SUBFAMILY
GENUS

AMPHIBIA			
	LABYRINTHODONTIA		
		TEMNOSPONDYLI	
			STEREOSPONDYLI
			RHINESUCHOIDEA
			RHINESUCHIDAE
				Rhinesuchus	SAf (K15–17); SAm (P16)
Romer 66				Rhineceps	SAf (R16)
(Romer 47)			LYDEKKERINIDAE		
(Cosg. 74)				Lydekkerina	SAf (K1)
(Barb. 77)				Chomatobatrachus	Aus (T3)
(Chern. 78)			URANOCENTRODONTIDAE		
(Kitch. 78)				Laccosaurus	SAf (K17)
				Uranocentrodon	SAf (K1)
				?Sclerothorax	WEu (C4)
			BRACHYOPOIDEA		
			BRACHYOPIDAE		
				Austrobrachyops	Ant (B1)
				Bothriceps	Aus (S17)
Welles & Estes 69				Blinasaurus	Aus (C3; T3; S5)
Chern. 77				Batrachosuchus	SAf (K5); EEu (P5); SAf (L6)
(Colb. & Cosg. 74)				Brachyops	Ind (P1); Aus (B5)
				Hadrokkosaurus	USA (Ar10)
				Notobrachyops	Aus (S9)
			CHIGUTISAURIDAE		
Bonap. 75b				Pelorocephalus	SAm (C14, I 16)
			CAPITOSAUROIDEA		
			BENTHOSUCHIDAE		
				Gondwanosaurus	Ind (17)
				Pachygonia	Ind (D1)
Welles & Cosg. 65				Benthosuchus	EEu (P4); ?Mal (N2)
(Romer 47)				Parabenthosuchus	EEu (P4)
(Young 66)				Thoosuchus	EEu (P4)
(Welles & Estes 69)			CAPITOSAURIDAE		
(And. & And. 70)				Kestrosaurus	SAf (K1)
(Lehm. 71)				Parotosaurus	EEu (P4,5); WEu (C4,5); USA (Ar5); NAf (A5);
(Howie 72b)					SEAs (Sh5; Si5); SAf (K5; L6; R7)
(Chatt. & R.Ch. 74)					Ind (Sa6; P7); Aus (B5; S5,9)
(Paton 74a)				Paracyclotosaurus	Aus (S9)
(Chern. & Cosg. 75)				Cyclotosaurus	WEu (E10; C15,16,18,19); USA (Ar 10)
			MASTODONSAURIDAE		
				Mastodonsaurus	WEu (C5,6,11,12; E10); EEu (P12); ?Aus (9)
				Promastodonsaurus	SAm (I 16)
			METOPOSAUROIDEA		
Romer 66			METOPOSAURIDAE		
(And. & And. 70)				Metoposaurus	USA (Ar17,18; W16; T/N16,17; At18,19)
(Chatt. & R.Ch. 74)					WEu (C15,16); Ind (P17; So17)
	PLAGIOSAURIA				
			PELTOBATRACHIDAE		
				Peltobatrachus	SAf (R16)
Romer 66			PLAGIOSAURIDAE		
(And. & And. 70)				Plagiosuchus	WEu (C11)
(Parr. 74)				Plagiosternum	WEu (C11); Arc (S11)
				Plagiosaurus	WEu (C16,18,19)
				Gerrhothorax	WEu (C20)
	INCERTAE SEDIS				
				Lysipterygium	Ind (H4)
				Tungussogyrinus	[Siberia]
				Enosuchus	EEu (P14)
(Romer 47)				Indobrachyops	Ind (D1)
(Welles & Estes 69)				Tupilakosaurus	Arc (G2); EEu (P4)
Dutuit 72)				Boreosaurus	Arc (S3)
(Howie 72a)				Plagiorophus	EEu (P4)
(Kitch. 78)				Rewana	Aus (B5)
				Almasaurus	NAf (M18)
				Micropholis	SAf (K1)
				Limnoiketes	SAf (K1)




CHART 3.3 PERMO-TRIASSIC TETRAPODS. CLASSIFICATION AND DISTRIBUTION

CLASS / SUBCLASS / INFRACLASS / ORDER / SUBORDER / INFRAORDER / SUPERFAMILY / FAMILY / SUBFAMILY / GENUS		
AMPHIBIA		
LABYRINTHODONTIA		
BATRACHOSAURIA		
ANTHRACOSAURIA		
	EOGYRINIDAE	
	Memonomenos	WEu (C1)
Panch. 70	Neopteroplax?	USA (T1)
(Berm. 70)	ARCHERIIDAE	
	Archeria	USA (T2-7; O4.5,?8 ?N3; ?K2)
SEYMOURIAMORPHA		
	SEYMOURIIDAE	
	Seymouria	USA (T3,4,5,8; U4.5; At4.8)
	(unnamed)	USA (C3)
	Rhinosaurus	EEu (P14)
	?Gnorhimosuchus	EEu (P)
	KOTLASSIIDAE	
	?Nyctiboetus	EEu (P14)
	Kotlassia	EEu (P17)
	Buzulukia	EEu (P17)
	Bystrowiana	EEu (P17)
	DISCOSAURISCIDAE	
Romer 66	Discosauriscus	WEu (C1); EEu (P)
(Romer 35,44)	Letovertebron	WEu (C1)
(Langst. 53,63)	Melanerpeton	WEu (C1)
(Olson 58,67)	?Lusor	WEu (C1)
(Vaughn 62,64,66a)	CHRONIOSUCHIDAE	
(Lewis & Vaughn 65)	Chroniosuchus	EEu (P17)
(Berm. 70)	?NYCTEROLETERIDAE	
(Kuhn 72)	Nycteroleter	EEu (P14)
(Tatar. 72)	?WAGGONERIIDAE	
(Ivach. 73)	Waggoneria	USA (T9,10)
	?Helodectes	USA (T)
	?LANTHANOSUCHIDAE	
	Lanthanosuchus	EEu (P14)
	TSEAJAIIDAE	
	Tseajaia	USA (U4,5)
	DIADECTIDAE	
	Phanerosaurus	WEu (C1)
	Diasparactus	USA (N3)
	Diadectes	USA (T1-9; U1.2,4.5; C3; N3; O4.5,6,8; At4.8)
	Belebey	EEu (P13)
LEPOSPONDYLI		
NECTRIDEA		
	UROCORDYLIDAE	
	Crossotelos	USA (T7,8; O4.5,8)
	KERATERPETONTIDAE	
	Diploceraspis	USA (P1-3)
	Diplocaulus	USA (T2,4,5,7-10; U12 N3; O4-9,11,12)
	Peronedon	USA (O10)
AISTOPODA		
	PHLEGETHONTIIDAE	
	Phlegethontia	USA (T7; U1.2; O8)
MICROSAURIA		
Romer 66	MOLGOPHIDAE	
(Romer 35,52)	Megamolgophis	USA (P1-3)
(Olson 52,58,65b,67,70,72)	LYSOROPHIDAE	
(Langst. 53)	Lysorophus	USA (T7-10; O4.5,10; P1-3)
(Greg. et al 56)		
(Baird 64)	MICROBRACHIDAE	
(Vaughn 66b)	?Paramicrobrachis	WEu (C1)
(Berm. 70)	GYMNARTHRIDAE	
(Olson & Vaughn 70)	Pariotichus	USA (T3)
	Pantylus	USA (T3,6,8; N3)
	Cardiocephalus	USA (T5,8; O8)
	Euryodus	USA (T8; O8)
	Goniocara	USA (T8)
	Goniorhynchus	USA (O10)
	Cymatorhiza	USA (O11,12)
	TUDITANIDAE	
	?Ostodolepis	USA (T8)
LISSAMPHIBIA		
SALIENTIA		
PROANURA		
	TRIADOBATRACHIDAE	
Romer 66	Triadobatrachus	Mal ( )
INCERTAE SEDIS		
	INCERTAE SEDIS	
Romer 66	Broilisaurus	WEu (C1)
	Palaeosiren	WEu (C1)
	LASALIDAE	
Vaughn 65	Lasalia	USA (U1.2)




CHART 3.4 PERMO-TRIASSIC TETRAPODS. CLASSIFICATION AND DISTRIBUTION

CLASS
SUBCLASS
INFRACLASS
ORDER
SUBORDER
INFRAORDER
SUPERFAMILY
FAMILY
SUBFAMILY
GENUS

REPTILIA
ANAPSIDA
COTYLOSAURIA
INCERTAE SEDIS

		LIMNOSCELIDAE	
Carr. & Gask. 71		Limnosceloides	USA (N3; P2.3)
(Kuhn 69a)		Limnoscelis	USA (N3)
		Limnoscelops	USA (C3)
	CAPTORHINOMORPHA		
		ROMERIIDAE	
		Protorothyris	USA (T2; P1.2)
		Romeria	USA (T2,3)
		Protocaptorhinus	USA (T3,5)
		(undescribed)	USA (T3)
		Pleuristion	USA (O4.5)
		CAPTORHINIDAE	
		(unnamed)	USA (T5/6)
		(unnamed)	USA (T6)
		Captorhinus	USA (T8,?7; O8)
		Labidosaurus	USA (T8,O8)
		Captorhinoides	USA (T9)
		Labidosaurikos	USA (T9,10; O9)
		Captorhinikos	USA (T9,10; O10)
Carr. & Gask. 71		Kahneria	USA (T11,12)
Clark & Carr. 73		Rothioniscus	USA (T11,12)
Carr. 77		Rothia	USA (O11,12)
(Langst. 53)		Moradisaurus	NAf (A14)
(Wats. 54)		Gecatogomphius	EEu (P14)
(Vaughn 55,63)		INCERTAE SEDIS	
(Olson 58,62,65b,67,70)		Petrobates	WEu (C1)
(Kuhn 69a)		Sphenosaurus	WEu (C1)
(Daly 69)		Chamasaurus	USA (N3)
(Taq. 69)		Puercosaurus	USA (N3)
(Berm. 70)		(UNDESIGNATED)	
(Gow 72)		Batroptes	WEu (C1)
(Tatar. 74b)		ARAEOSCELIDAE	
(Kitch. 77)		Kadaliosaurus	WEu (C1)
		Araeoscelis	USA (T4,5,8)
		?Dictybolos	USA (O4,5)
		BOLOSAURIDAE	
		Bolosaurus	USA (T4,5); EEu (P1)
		ACLEISTORHINIDAE	
		Acleistorhinus	USA (O8)
		EUNOTOSAURIDAE	
		Eunotosaurus	SAf (K15)
		MILLERETTIDAE	
		?Broomia	SAf (K15)
		?Elliotsmithia	SAf (K15)
		Milleretta	SAf (K17)
		Millerosaurus	SAf (K17)
		Milleropsis	SAf (K17)
	PROCOLOPHONIA		
	PROCOLOPHONOIDEA		
		NYCTIPHRURETIDAE	
		Nyctiphruretes	EEu (P14)
		PROCOLOPHONIDAE	
		(unnamed)	Ind (P16)
		Owenetta	SAf (K17)
		Spondylolestes	SAf (K17)
		Estherrophagus	EEu (P17)
		Procolophon	SAf (K1); Ant (B1)
		Barasaurus	Mal (S1)
		Santaisaurus	SEAs (Si1)
		Phaanthosaurus	EEu (P4)
		Tichvinskia	EEu (P4)
		Burtensia	EEu (P4)
		Contritosaurus	EEu (P4)
		Koiloskiosaurus	WEu (C4)
Romer 66		Anomoiodon	WEu (C4,5)
Kuhn 69a		Orenburgia	EEu (P4,5,6)
(v. Huene 50)		Coelodontognathus	EEu (P5)
(Olson 57, 62)		Kapes	EEu (P5)
(Drys. & Kitch. 63)		Macrophon	EEu (P5)
(Krebs 69)		Vitalia	EEu (P5)
(And. & And. 70)		Sclerosaurus	WEu (C5)
(Bonap. 72)		Thelegnathus	SAf (K5)
(Kutty 72)		Neoprocolophon	SEAs (Sh5)
(Ivach. 73,74,75)		Paoteodon	SEAs (Sh5)
(Colb. & Kitch. 75)		Candelaria	SAm (Pa16)
(Gow 77)		Leptopleuron	WEu (Sc17)
(Kitch. 77)		Hypsognathus	USA (At19)
		Sphodrosaurus	USA (At19)
	PAREIASAUROIDEA		
		RHIPAEOSAURIDAE	
		Leptoropha	EEu (P14)
		Parabradysaurus	EEu (P14)
		Rhipaeosaurus	EEu (P14)
		PAREIASAURIDAE	
		Bradysaurus	SAf (K15)
		Embrithosaurus	SAf (K15)
		Parasaurus	WEu (C15)
		Pareiasaurus	SAf (K16,17; L16; R16); EEu (P17)
		Anthodon	SAf (K16; R16); EEu (P17)
		Scutosaurus	EEu (P17)
		Shihtienfenia	SEAs (Sh17)
		Elginia	WEu (Sc17)
Rom. 66	MESOSAURIA		
(Appl. et al 67)		MESOSAURIDAE	
(McL. & And. 73)		Mesosaurus	SAf (K7,S7); SAm (P7)
	CHELONIA		
	PROGANOCHELYDIA		
		PROGANOCHELYIDAE	
Romer 66		Proganochelys	WEu (C18)
(Mlyn. 76)		Proterochersis	WEu (C18)
(v. Huene 56)		Triassochelys	WEu (C19)
		?Saurischiocomes	WEu (C19)





CHART 3.5 PERMO-TRIASSIC TETRAPODS. CLASSIFICATION AND DISTRIBUTION



CLASS
SUBCLASS
INFRACLASS
ORDER
SUBORDER
INFRAORDER
SUPERFAMILY
FAMILY
SUBFAMILY
GENUS

REPTILIA
LEPIDOSAURIA
EOSUCHIA
YOUNGINIIDAE
Galesphyrus — SAf (K16)
Heleosaurus — SAf (K16)
Youngina — SAf (K17)
TANGASAURIDAE
Hovasaurus — Mal (S17)
Carr. 76b, c, 78; Harr. & Carr. 77
Tangasaurus — Mal (S17); SAf (T17)
?Kenyasaurus — SAf (T17)
UNDESIGNATED
Coelurosauravus — Mal (S17)
Daedalosaurus — Mal (S17)
THALATTOSAURIA
THALATTOSAURIDAE
Romer 66; (Kuhn 69b); (K. Schn. 74)
Askeptosaurus — WEu (Sw9.10)
Nectosaurus — USA (Ca?14)
Thalattosaurus — USA (Ca14)
WEIGELTISAURIA
WEIGELTISAURIDAE
Weigeltisaurus — WEu (C15)
PROTOROSAURIA
PROTOROSAURIDAE
Protorosaurus — WEu (C15)
Romer 66; Kuhn 69b; (And. & And. 70)
?Trentinosaurus — WEu (C15)
?Adelosaurus — WEu (E15)
TRACHELOSAURIDAE
Trachelosaurus — WEu (C4)
TRILOPHOSAURIA
TRILOPHOSAURIDAE
Doniceps — EEu (P)
?Anisodontosaurus — USA (Ar10)
Gomphiosaurus — USA ( )
Trilophosaurus — USA (T16)
Tricuspisaurus — WEu (E18)
Variodens — WEu (E18)
RHYNCHOCEPHALIA
SPHENODONTIA
SPHENODONTIDAE
Schargengia — EEu (P5)
Palacrodon — SAf (K5)
Glevosaurus — WEu (E18)
Brachyrhinodon — WEu (Sc17)
Polysphenodon — WEu (C)
?Pachystropheus — WEu (C20)
(aff. Glevosaurus) — SAf (Z20.1)
RHYNCHOSAURIA
Appl. et al 67; Chatt. 69; And. & And. 70; (Romer 66); (Kuhn 69b); (Carr. 76a); (Gow & Raath 77)
RHYNCHOSAURIDAE
MESOSUCHINAE
Noteosuchus — SAf (K1)
Mesosuchus — SAf (K5)
Howesia — SAf (K5)
RHYNCHOSAURINAE
Stenaulorhynchus — SAf (R7)
Rhynchosaurus — WEu (E10)
HYPERODAPEDONTINAE
Scaphonyx — SAm (I 16)
Hyperodapedon — WEu (Sc17)
Paradapedon — Ind (P17)
CLARAZISAURIA
CLARAZIIDAE
Clarazia — WEu (Sw9.10)
Heschelería — WEu (Sw9.10)
SQUAMATA
LACERTILIA
EOLACERTILIA
PALIGUANIDAE
Saurosternon — SAf (K17)
Palaeagama — SAf (K17)
Carr. 75,77; Carr. & Galt. 77; (And. & And. 70); (Kitch. 77)
Paliguana — SAf (K1)
KUEHNEOSAURIDAE
Kuehneosaurus — WEu (E18)
Kuehneosuchus — WEu (E18)
Icarosaurus — USA (At18)
INCERTAE SEDIS
FULENGIIDAE
Fulengia — SEAs (Y20)
PARATHECODONTIA
PROLACERTIDAE
Gow 75b; (Wild 74); (K. Schn. 74); (And. & And. 70)
Prolacerta — SAf (K1); ?Ant (B1)
Macrocnemus — WEu (Sw9.10)
TANYSTROPHEIDAE
Tanystropheus — WEu (Sw9.10; C5-7,10-12); Naf (I 8)
INCERTAE SEDIS
GALEOPSIDAE
Cruick. 78b; (Kitch. 77)
Galeops — SAf (K15)
Galechirus — SAf (K16)
INCERTAE SEDIS
Romer 66; Kuhn 69b; (Olson 62); (Krebs 69); (And. & And. 70)
Aenigmasaurus — SAf (K1)
Mesenosaurus — EEu (P14)
Eifelosaurus — WEu (C5)
Gwynnedosaurus — USA (At18)

CHART 3.6 PERMO-TRIASSIC TETRAPODS. CLASSIFICATION AND DISTRIBUTION

CLASS
SUBCLASS
INFRACLASS
ORDER
SUBORDER
INFRAORDER
SUPERFAMILY
FAMILY
SUBFAMILY
GENUS

REPTILIA			
ARCHOSAURIA			
	THECODONTIA		
		PROTEROSUCHIA	
			PROTEROSUCHIDAE
			Archosaurus	EEu (P17)
			Proterosuchus	SAf (K1); SEAs (Si1); Ind (D1)
			?Chasmatosuchus	EEu (P4)
			ERYTHROSUCHIDAE
			Erythrosuchus	SAf (K5); SEAs (Sh5; Si5); EEu(P5); Ind (P6)
Cruick. 78a,b			Shansisuchus	SEAs (Sh5)
(Young 73a,b)			EUPARKERIIDAE
(Chatt. 78)			Euparkeria	SAf (K5)
			Turfanosuchus	SEAs (Si5)
			PROTEROCHAMPSIDAE
			Chanaresuchus	SAm (I 12)
			Gualosuchus	SAm (I 12)
			Cerritosaurus	SAm (Pa16)
			Proterochampsa	SAm (I 16)
		PARASUCHIA (PHYTOSAURIA)	
			PHYTOSAURIDAE
			(incertae sedis)	WEu (C15,16); NAf (M18); Ind (P17; So17)
			Paleorhinus	WEu (C16); USA (W16; T16)
			Mystriosuchus	WEu (C18)
And. & And. 70			Angistorhinus	USA (W16, T16)
Westph. 76			Rutiodon	WEu (C20); USA (At18,19; Ar ; T/N)
			Belodon	WEu (C18)
			Nicrosaurus	WEu (C18); USA (At18; Ar ; T)
			Parasuchus	Ind (P17)
			?Pachysuchus	SEAs (Y20)
		AETOSAURIA	
			AETOSAURIDAE
			Typothorax	USA (Ar17,18; T/N16,18)
Krebs. 76			Desmatosuchus	USA (Ar17; T/N17)
(Lehm. 71)			Stegomus	USA (At18,19)
(Romer 72)			Aetosauroides	SAm (I 16)
(Chatt. & R.Ch. 74)			Neoaetosauroides	SAm (I 20)
			Aetosaurus	WEu (C18)
			Stagonolepis	WEu (Sc17)
			(incertae sedis)	Ind (P17, So17); NAf (A18)
		?PSEUDOSUCHIA	
			PRESTOSUCHIDAE
			(unnamed)	Ind (P6)
			Pallisteria	SAf (R7)
			Mandasuchus	SAf (R7)
Romer 72			Stagonosuchus	SAf (R7)
(Chatt. & R.Ch. 74)			Ticinosuchus	WEu (Sw9,10)
(Krebs 76)			Luperosuchus	SAm (I 12)
(Cruick. 78b)			Cuyosuchus	SAm (C14)
			Prestosuchus	SAm (Pa16)
			Rauisuchus	SAm (Pa16)
			Hoplitosaurus	SAm (Pa16)
			Saurosuchus	SAm (I 16)
			ORNITHOSUCHIDAE
			Gracilisuchus	SAm (I 12)
Bonap. 75a			Venaticosuchus	SAm (I 16)
			Riojasuchus	SAm (I 20)
			Ornithosuchus	WEu (Sc17)
			SCLEROMOCHLIDAE
			Scleromochlus	WEu (Sc17)
Krebs 76			ERPETOSUCHIDAE
			Erpetosuchus	WEu (Sc17)
			INCERTAE SEDIS
			Teleocrater	SAf (R7)
			?Parringtonia	SAf (R7)
			?Lagerpeton	SAm (I 12)
			Lagosuchus	SAm (I 12)
			Lewisuchus	SAm (I 12)
			Hesperosuchus	USA (Ar17)
			Triassolestes	SAm (I 16)
			Saltoposuchus	WEu (C18)
Romer 72			Malerisuchus	Ind (P17)
(Chatt. & R.Ch. 74)			Strigosuchus	SEAs (Y20)
(Cruick. 78b)			Dibothrosuchus	SEAs (Y20)
			Dyoplax	WEu (C)
		?INCERTAE SEDIS	
			Ctenosauriscus	WEu (C4)
			Seemannia	WEu (C5)
			Crenelosaurus	WEu (C5)
			Hypselorhachis	SAf (R7)
			Arizonasaurus	USA (Ar10)
			Ocoyuntaia	SAm (C14)
			Typothorax	SAm (C14)
			Spondylosoma	SAm (Pa16)
	CROCODYLIA		
		PROTOSUCHIA	
			PROTOSUCHIDAE
			Protosuchus	USA (Ar10)
			Stegomosuchus	USA (At19)
			Erythrochampsa	SAf (K20)
			Orthosuchus	SAf (K20)
			Notochampsa	SAf (K1)
Romer 72			?Platyognathus	SEAs (Y20)
(Steel 73)			?Microchampsa	SEAs (Y20)
			SPHENOSUCHIDAE
			Hemiprotosuchus	SAm (I 20)
			Sphenosuchus	SAf (K20)
			?Pedeticosaurus	SAf (K1)
		?INCERTAE SEDIS	
			Pseudohesperosuchus	SAm (I 20)





CHART 3.7 PERMO-TRIASSIC TETRAPODS. CLASSIFICATION AND DISTRIBUTION

CLASS
SUBCLASS
INFRACLASS
ORDER
SUBORDER
INFRAORDER
SUPERFAMILY
REPTILIA — FAMILY
ARCHOSAURIA — SUBFAMILY
SAURISCHIA — GENUS



Steel 70 (Raath 69)	PROCOMPSOGNATHIDAE		
		Halticosuchus	WEu (C18)
		Procompsognathus	WEu (C18)
	PODOKESAURIDAE		
		Avipes	WEu (C12)
		Velocipes	WEu (C)
		Dolichosuchus	WEu (C18)
		Saltopus	WEu (Sc17)
		Spinosuchus	USA (T)
		Coelophysis	USA (Ar18; At19)
		Lukousaurus	SEAs (Y20)
		Syntarsus	SAf (Z20.1)
	CARNOSAURIA		
	POPOSAURIDAE		
		Poposaurus	USA (W16)
	SAUROPODOMORPHA		
	PROSAUROPODA		
	ANCHISAURIDAE		
		Efraasia	WEu (C18)
		Anchisaurus	USA (At19); SAf (K1)
Galt. & Cluv. 76		Thecodontosaurus	WEu (E20.1)
(And. & And. 70)		(indet.)	SAf (K20)
(Steel 70)		?(unnamed)	Ind (P20)
(Lehm. 71)	PLATEOSAURIDAE		
(Bonap. 72)		Plateosaurus	WEu (C18,19,20); ?SAm (E20)
(Bond 73)		Ammosaurus	USA (At19)
(Chatt. & R.Ch. 74)		Lufengosaurus	SEAs (Y20)
(v. Heerd. 78)		Euskelesaurus	SAf (K20)
		Massospondylus	SAf (K20.1; Z20.1)
		Aristosaurus	SAf (K1)
		(incertae sedis)	NAf (M18; A18); Ind (P20)
	MELANOROSAURIDAE		
		Melanorosaurus	SAf (K20)
v. Heerd. 78		Riojasaurus	SAm (I 20)
(Steel 70)		Roccosaurus	SAf (K20)
(Bonap. 72)		?Sinosaurus	SEAs (Y20)
		?Avalonianus	WEu (E20)
	INCERTAE SEDIS		
		Arctosaurus	[Arctic Canada]
(Bonap. 72)		Ischisaurus	SAm (I 16)
(Galt. & Cluv. 76)		Herrerasaurus	SAm (I 16)
	ORNITHISCHIA		
	ORNITHOPODA		
	FABROSAURIDAE		
		Fabrosaurus	SAf (K20)
Galt. 72	HETERODONTOSAURIDAE		
(Steel 69)		Pisanosaurus	SAm (I 16)
(Char. & Cromp. 74)		Lycorhinus	SAf (K20)
(Gow 75a)		Abrictosaurus	SAf (K20)
(Hops. 75)		Lanasaurus	SAf (K20)
(Bonap. 76)		Tatisaurus	SEAs (Y20)
		Geranosaurus	SAf (K1)
		Heterodontosaurus	SAf (K1)

CHART 3.8 PERMO-TRIASSIC TETRAPODS. CLASSIFICATION AND DISTRIBUTION

CLASS
SUBCLASS
INFRACLASS
ORDER
SUBORDER
INFRAORDER
SUPERFAMILY
FAMILY
SUBFAMILY
GENUS

REPTILIA			
SAUROPTERYGIA			
NOTHOSAURIA			
	NOTHOSAURIDAE		
		?Nothosauravus	WEu (C15)
		Metanothosaurus	SEAs [Japan 5]
		Kwangsisaurus	SEAs (K5)
		?Sanchiosaurus	SEAs (K6,7)
		Keichousaurus	SEAs (K6,7)
		?Nanchangosaurus	SEAs (K6,7)
		Chinchenia	SEAs (K10,11)
Romer 66		Nothosaurus	WEu (C6,7,10-12,14); NAf (I 7,8; ?T8)
Appl. et al. 67		Proneusticosaurus	WEu (C6,7)
(v. Huene 56)		Deirosaurus	WEu ( )
(Brotz. 57)		Ceresiosaurus	WEu (Sw9,10)
(Young 58,59,60,65a)		Paranothosaurus	WEu (Sw9,10)
(Hals. & Stew. 70)		Lariosaurus	WEu (C12)
(K. Schn. 74)		?Parthanosaurus	WEu (C12)
		Pontopus	WEu ( )
		Micronothosaurus	[SWAs]
	PACHYPLEUROSAURIDAE		
		Neusticosaurus	WEu (C12)
		Pachypleurosaurus	WEu (Sw9,10)
	SIMOSAURIDAE		
		?Elmosaurus	WEu ( )
		Simosaurus	WEu (C10-12)
		?Corosaurus	USA (W)
PLESIOSAURIA			
?PISTOSAUROIDEA			
	PISTOSAURIDAE		
		Pistosaurus	WEu (C10,11)
Romer 66	CYMATOSAURIDAE		
(v. Huene 56)		Cymatosaurus	WEu (C6,7)
(Perss. 63)		?Rhaeticonia	WEu (C12)
(Appl. et al 67)		?Sulmosaurus	WEu (C14)
PLESIOSAUROIDEA			
	PLESIOSAURIDAE		
		Plesiosaurus	WEu (C10,11, ,20)
PLACODONTOMORPHA			
PLACODONTIA			
	HELVETICOSAURIDAE		
		Helveticosaurus	WEu (Sw9,10)
	PLACODONTIDAE		
Romer 66		Placodus	WEu (C6,7,10,11); NAf (I 7)
(Pey & K. Schn. 55)		Paraplacodus	WEu (Sw9,10)
(Brotz. 57)	PLACOCHELYIDAE		
(Appl. et al 67)		Saurosphargis	WEu (C6,7)
(Kuhn 69b)		Psephosaurus	WEu (C12); NAf (I 7,8)
(Hals. & Stew. 70)		Cyamodus	WEu (C10,11; Sw9,10)
(K. Schn. 74)		(undesignated)	NAf (T8)
		Placochelys	WEu (C)
		Psephoderma	WEu (C20)
	HENODONTIDAE		
		Henodus	WEu (C14)
ICHTHYOPTERYGIA			
ICHTHYOSAURIA			
	MIXOSAURIDAE		
		Mixosaurus	USA (Ca11); Arc (S5); WEu (C6,7; Sw9,10); SEAs (K6,7); [EInd; SWAs]
	OMPHALOSAURIDAE		
Romer 66		Grippia	Arc (S5)
(Merr. 08)		Omphalosaurus	USA (Ca11); Arc (S5); WEu ( )
(Buch. et al 65)	SHASTASAURIDAE		
(Young 65b)		?Chonespondylus	USA (Ca11)
(Appl. et al 67)		Cymbospondylus	USA (Ca11); WEu ( ); [EInd]
(K. Schn 74)		Pessosaurus	Arc (S13); WEu ( )
		Shastasaurus	USA (Ca14); Arc (S13); WEu ( )
		Toretocnemus	USA (Ca14); WEu ( )
		Merriamia	USA (Ca14); ?WEu ( )




CHART 3.9 PERMO-TRIASSIC TETRAPODS. CLASSIFICATION AND DISTRIBUTION

CLASS
SUBCLASS
INFRACLASS
ORDER
SUBORDER
INFRAORDER
SUPERFAMILY
FAMILY
SUBFAMILY
GENUS

REPTILIA
SYNAPSIDA
PELYCOSAURIA
OPHIACODONTIA

		OPHIACODONTIDAE	
		Ophiacodon	USA (T3-7; U1,2,4,5; C3; N2,3; O4.5,6; K3; At8); WEu (E1)
		Varanosaurus	USA (T5,6,8)
		Basicranion	USA ( )
		EOTHYRIDIDAE	
		Baldwinosaurus	USA (N3; P1.2)
		Stereophallodon	USA (T1)
		Oedaleops	USA (N3)
		Bayloria	USA (T)
		Eothyris	USA (T5)
		?Tetraceratops	USA (T8)
	SPHENACODONTIA		
		VARANOPSIDAE	
		Aerosaurus	USA (N3)
		Scoliomus	USA (N3)
		Varanops	USA (T8,9)
		Varanodon	USA (O11,12)
		SPHENACODONTIDAE	
		HAPTODONTINAE	
Romer & Price 40		Haptodus	WEu (C1; E1)
Romer 66		Cutleria	USA (C3)
(Romer 52)		SECODONTOSAURINAE	
(Langst. 53,63,65)		Secodontosaurus	USA (T4,5,8)
(Olson 58,62,65b,67)		SPHENACODONTINAE	
(Vaughn 62,63,64,66b)		Neosaurus	WEu (C1)
(Lewis & Vaughn 65)		Sphenacodon	USA (U4.5; N2,3)
(Berm. 70)			WEu (E1)
(Olson & Vaughn 70)		Dimetrodon	USA (T2-5, 7-11; U4.5; N3; P1-3; O4.5,6-9)
(Paton 74b)			
		Ctenospondylus	USA (T5; U4.5)
		Bathygnathus	USA (At8)
		INCERTAE SEDIS	
		?Thrausmosaurus	USA (O8)
	EDAPHOSAURIA		
		NITOSAURIDAE	
		Mycterosaurus	USA (T6; O8; At8)
		Nitosaurus	USA (N3)
		?Glaucosaurus	USA (T6)
		?Colobomycter	USA (O8)
		?Delorhynchus	USA (O8)
		LUPEOSAURIDAE	
		Lupeosaurus	USA (T2,4,5)
		EDAPHOSAURIDAE	
		Edaphosaurus	USA (T3-8; U1.2; N2,3 O4.5; K6; P1-3) WEu (C1)
		?(gen. nov.)	USA (T9)
		CASEIDAE	
		?Trichasaurus	USA (T8; At8)
		Casea	USA (T8-10)
		Caseoides	USA (T11)
Olson 68		Phreatophasma	EEu (P13)
		Caseopsis	USA (T11,12)
		Cotylorhynchus	USA (T11; O10,11,12)
		Angelosaurus	USA (T11,12; O11,12)
		Ennatosaurus	EEu (P14)

CHART 3.10 PERMO-TRIASSIC TETRAPODS. CLASSIFICATION AND DISTRIBUTION

CLASS
SUBCLASS
INFRACLASS
ORDER
SUBORDER
INFRAORDER
SUPERFAMILY
FAMILY
REPTILIA — SUBFAMILY
SYNAPSIDA — GENUS
THERAPSIDA
PHTHINOSUCHIA

	PHTHINOSUCHIDAE	
	Gorgodon	USA (T11)
	Knoxosaurus	USA (T11)
	Steppesaurus	USA (T12)
Romer 66	Ivantosaurus	EEu (P13)
(Olson 62,74)	Eotitanosuchus	EEu (P13)
(Boonst. 69)	Biarmosaurus	EEu (P13)
(Sigog. & Tchud. 72)	Biarmosuchus	EEu (P13)
(Tatar. 74a)	Phreatosuchus	EEu (P13)
	Phreatosaurus	EEu (P14)
	Phthinosaurus	EEu (P14)
	Phthinosuchus	EEu (P14)
ANOMODONTIA		
DINOCEPHALIA		
	DRIVERIIDAE	
	Driveria	USA (T11)
	MASTERSONIIDAE	
	Mastersonia	USA (T11)
Olson 62	TAPPENOSAURIDAE	
	Tappenosaurus	USA (T11)
	BRITHOPODIDAE	
	Eosyodon	USA (T11)
	Archaeosyodon	EEu (P13)
	Chthomatopus	EEu (P13)
	Brithopus	EEu (P14)
	Notosyodon	EEu (P14)
	Syodon	EEu (P14)
	Titanophoneus	EEu (P14)
	ANTEOSAURIDAE	
	Admetophoneus	EEu (P14)
	Deuterosaurus	EEu (P14)
	Doliosauriscus	EEu (P14)
	Anteosaurus	SAf (K15)
	Paranteosaurus	SAf (K15)
	TITANOSUCHIDAE	
	Jonkeria	SAf (K15)
	Titanosuchus	SAf (K15)
	TAPINOCEPHALIDAE	
	STRUTHIOCEPHALINAE	
	Struthiocephalus	SAf (K15)
	Struthiocephaloides	SAf (K15)
Boonst. 69	Struthionops	SAf (K15)
(Kalan. et al 68)	Taurocephalus	SAf (K15)
	MOSCHOPINAE	
	Avenentia	SAf (K15)
	Criocephalus	SAf (K15; Z15)
	Delphinognathus	SAf (K15)
	Moschops	SAf (K15); EEu (P14)
	RIEBEECKOSAURINAE	
	Riebeeckosaurus	SAf (K15)
	TAPINOCEPHALINAE	
	Keratocephalus	SAf (K15)
	Mormosaurus	SAf (K15)
	Phocosaurus	SAf (K15)
	Tapinocephalus	SAf (K15)
	STYRACEPHALIDAE	
	Styracephalus	SAf (K15)
	ESTEMMENOSUCHIDAE	
	Anoplosuchus	EEu (P13)
	Estemmenosuchus	EEu (P13)
	Molybdopygus	EEu (P14)





CHART 3.11 PERMO-TRIASSIC TETRAPODS. CLASSIFICATION AND DISTRIBUTION

CLASS
SUBCLASS
INFRACLASS
ORDER
SUBORDER
INFRAORDER
SUPERFAMILY
REPTILIA — FAMILY
SYNAPSIDA — SUBFAMILY
THERAPSIDA — GENUS



	ANOMODONTIA		
	VENYUKOVIAMORPHA		
		VENYUKOVIIDAE	
Romer 66 (Olson 62)		?Dimacrodon	USA (T11)
		Otsheria	EEu (P13)
		Venyukovia	EEu (P14)
	ENDOTHIODONTIA		
		ENDOTHIODONTIDAE	
		Endothiodon	SAf (K16; L16; R16; Z16); SAm (Pa16); Ind (P16)
	DICYNODONTIA		
		PRISTERODONTIDAE	
		Emydops	SAf (K16; L16)
		Pristerodon	SAf (K16; L16)
		Tropidostoma	SAf (K16)
		Brachyuraniscus	SAf (K16)
		Palemydops	SAf (K17)
Keys 72,73b,c,75,78 Keys. & Smith 78 (v. Huene 50) (Drysd. & Kitch. 63) (Kutty 72) (Bond 73) (Barb. 77) (Cluv. 77) (Kitch. 77) (Cruick. 78b)		DICYNODONTIDAE	
		Diictodon	SAf (K15-17; L16); SEAs (Si17)
		Dicynodon	SAf (K16,17; L16)
		Kingoria	SAf (K16,17)
		Kombuisia	SAf (K5)
		Daptocephalus	SAf (K17; R17)
		Dinanomodon	SAf (K17)
		Odontocyclops	SAf (L16)
		CISTECEPHALIDAE	
		Cistecephalus	SAf (K16; L16); ?Ind (P16)
		Kawingasaurus	SAf (R16)
		AULACEPHALODONTIDAE	
		Aulacephalodon	SAf (K16; L16)
		Pelanomodon	SAf (K17; R17)
		CRYPTODONTIDAE	
		Oudenodon	SAf (K16,17; L16)
		Rhachiocephalus	SAf (K16; L16; R16)
		Propelanomodon	SAf (K17)
Keys. 78 (Olson 57) (Sun 73)		INCERTAE SEDIS	
		Gordonia	WEu (Sc17)
		Geikia	WEu (Sc17)
		(incertae sedis)	SEAs (Si17); EEu (P17)
		MYOSAURIDAE	
		Myosaurus	SAf (K1)
		LYSTROSAURIDAE	
		Lystrosaurus	SAf (K1); Ind (D1); Ant (B1); SEAs (Si1); EEu (P1)
		KANNEMEYERIIDAE	
		KANNEMEYERIINAE	
		Kannemeyeria	SAf (K5; L6; R7); SAm (Pu5); Ind (P6); EEu (P6)
		Rhadiodromus	EEu (P6)
		INCERTAE SEDIS	
		Sanguasaurus	SAf (L6)
		Wadiasaurus	Ind (P6)
Keys. & Cruick. 78		DINODONTOSAURINAE	
		Sinokannemeyeria	SEAs (Sh5)
		Shansiodon	SEAs (Sh5); SAm (C5); SAf (R7)
		Rhinodicynodon	EEu (P6)
		Dolichuranus	SAf (S6; L6)
		Dinodontosaurus	SAm (I 16; Pa16)
		STAHLECKERIINAE	
		Stahleckeria	SAm (Pa16);
		Ischigualastia	SAm (Pa16)
		Placerias	USA (W16; Ar17)
		JACKELERIINAE	
		Jackeleria	SAm (I 17)
		INCERTAE SEDIS	
		Elephantosaurus	EEu (P12)

CHART 3.12 PERMO-TRIASSIC TETRAPODS. CLASSIFICATION AND DISTRIBUTION

CLASS
SUBCLASS
INFRACLASS
ORDER
SUBORDER
INFRAORDER
REPTILIA — SUPERFAMILY
SYNAPSIDA — FAMILY
THERAPSIDA — SUBFAMILY
THERIODONTIA — GENUS
GORGONOPSIA

C | PERMIAN (L: Ass, Sak, Art; M: Gua, Cap; U: Dzh, Ali) | TRIASSIC (L: Gri, Die, Smi, Spa; M: Ani, Lad; U: Kar, Nor, Rha) | J

GORGONOPSIDAE
GORGONOPSINAE
- Watongia — USA (O12)
- Broomisaurus — SAf (K15)
- Galesuchus — SAf (K15)
- Eoarctops — SAf (K15)
- Gorgonops — SAf (K15,16; R16)
- Aelurosaurus — SAf (K15-17; R16or17)
- Arctognathus — SAf (K15-17; R16or17)
- Aloposaurus — SAf (K16,17)
- Scylacops — SAf (K16; R16; L16)
- Scylacognathus — SAf (K15-17)
- Arctops — SAf (K16,17)
- Aelurognathus — SAf (K16; R16; L16)
- Lycaenops — SAf (K16,17; R16or17)
- Paragalerhinus — SAf (K17) (Sigog. 70)
- Cerdorhinus — SAf (K16) (Olson 74)
- Cyonosaurus — SAf (K16,17) (Kitch. 77)
- Leontocephalus — SAf (K17; R17)

RUBIDGEINAE
- Sycosaurus — SAf (K17; R17)
- Prorubidgea — SAf (K16,17; R16or17)
- Clelandina — SAf (K16,17)
- Gorgognathus — SAf (R16,17)
- Dinogorgon — SAf (K16,17; R16or17)
- Rubidgea — SAf (K16,17)
- Broomicephalus — SAf (K17)

ICTIDORHINIDAE
- Hipposaurus — SAf (K15)
- Ictidorhinus — SAf (K17)
- Lycaenodon — SAf (K16)
- Lemurosaurus — SAf (K16)
- Rubidgina — SAf (K16,17)

BURNETIIDAE (Tatar. 74a)
- Proburnetia — EEu (P17)

INOSTRANCEVIIDAE
- Inostrancevia — EEu (P17) (Romer 66)
- Pravoslavlevia — EEu (P17) (Tatar. 74a)
- Sauroctonus — EEu (P17)

THEROCEPHALIA
PRISTEROGNATHIDAE
- Porosteognathus — EEu (P14)
- Pristerognathus — SAf (K15)

EUCHAMBERSIIDAE
- Euchambersia — SAf (K16)

MOSCHORHINIDAE
- Annatherapsidus — EEu (P17)
- Cthonasaurus — EEu (P17)
- Moschorhinus — SAf (K17,1) (Bond 73)

WHAITSIIDAE
- Whaitsia — SAf (K17; R17)
- Moschowhaitsia — EEu (P17)

INCERTAE SEDIS
- (incertae sedis) — SAf (Z15,16; L16) (Kitch. 77)
- Urumchia — SEAs (Si17) (v. Huene 50)
- Hexacynodon — EEu (P17) (Drysd. & Kitch. 63)
- Scylacosaurus — EEu (P17)

SCALOPOSAURIA (Keys 73a,78)
ICTIDOSUCHOIDEA (Mendr. 74a,b)
- Icticephalus — SAf (K15) (Tatar. 74a)
- Ictidosuchoides — SAf (K16) (v.d. Heev. 77)
- Silphoictidoides — SAf (R16or17)
- Ictidosuchops — SAf (K17)
- Oliviera — SAf (K1)

SCALOPOSAURIDAE
- Tetracynodon — SAf (K16,17)
- Scaloposaurus — SAf (K1)
- Scalopognathus — EEu (P4)

BAURIAMORPHA
BAURIIDAE
- Bauria — SAf (K5)
- Sesamodon — SAf (K5)
- Herpetogale — SAf (S6)
- Dongusaurus — EEu (P6)
- Nothogomphodon — EEu (P6)

CHART 3.13 PERMO-TRIASSIC TETRAPODS. CLASSIFICATION AND DISTRIBUTION




CHART 4.1 PERMO-TRIASSIC TETRAPODS. GENERIC AUTHORS
(Includes all and only those genera listed in Chart 3)

EDOPIDAE	
Edops	Romer & Witter 42
COCHLEOSAURIDAE	
Chenoprosopus	Mehl 13
TRIMERORHACHIDAE	
Acroplous	Hotton 59
Neldasaurus	Chase 65
Trimerorhachis	Cope 1878
Isodectes	Cope 1878
Slaughenhopia	Olson 62
Nannospondylus	Olson 65
Chalcosauras	Meyer 1866
DVINOSAURIDAE	
Dvinosaurus	Amalitzky 24
ERYOPIDAE	
Actinodon	Gaudry 1867
Chelyderpeton	?
Haptosaurus	?
Onchiodon	Geinitz 1861
Osteophorus	Meyer 1860
Sclerocephalus	Goldfuss 1847
Eryops	Cope 1878
DISSOROPHIDAE	
Platyhystrix	Williston II
Tersomius	Case 10
Aspidosaurus	Broili 04
Conjunctio	Carrol 64
Broiliellus	Williston 14
Brevidorsum	Carrol 64
Dissorophus	Cope 1895
Longiscitula	De Mar 66
Alegeinosaurus	Case 11
Cacops	Williston 10
Fayella	Olson 65
Zygosaurus	Eichwald 1848
TREMATOPSIDAE	
Ecolsonia	Vaughn 69
Acheloma	Cope 1882
Trematops	Williston 09
Trematopsis	Olson 56
PARIOXYIDAE	
Parioxys	Cope 1878
ZATRACHEIDAE	
Acanthostoma	Credner 1883
Dasyceps	Huxley 1859
Zatrachys	Cope 1878
ARCHEGOSAURIDAE	
Archegosaurus	Goldfuss 1847
Platyops	Trautsch. 1844
Prionosuchus	Price 48
MELANOSAURIDAE	
Melanosaurus	Meyer 1860
Tryphosuchus	Konzhukova 55
Jugosuchus	Riabinin 62
INTASUCHIDAE	
Intasuchus	Konzhukova 55
Syndiodosuchus	Konzhukova 55
TREMATOSAURIDAE	
Gonioglyptus	Huxley 1865
Trematosuchus	Watson 19
Trematosaurus	Braun 1842
Lyrosaurus	Lehman 66
Ifasaurus	Lehman 66
Wantzosaurus	Lehman 55
Aphaneramma	Sm. Woodw. 04
Stosschiosaurus	Save-Sodeb. 35
Lyrocephalus	Wiman 15
Platystega	Wiman 15
Tertrema	Wiman 15
Inflectosaurus	Shishkin 60
Microposaurus	Haughton 25
Laidleria	Kitching 57
RHYTIDOSTEIDAE	
Rhytidosteus	Owen 1884
Derwentia	Cosgriff 74
Deltasaurus	Cosgriff 65
Peltostega	Wiman 16
RHINESUCHIDAE	
Rhinesuchus	Broom 08
Rhineceps	Watson 62
LYDEKKERINIDAE	
Lydekkerina	Broom 15
Chomatobatrachus	Cosgriff 74
URANOCENTRODONTIDAE	
Laccosaurus	Watson 19
Uranocentrodon	v. Hoepen 17
Sclerothorax	v. Huene 13
BRACHYOPIDAE	
Austrobrachyops	Colb. & Cosg.74
Bothriceps	Huxley 1859
Blinasaurus	Cosgriff 69
Batrachosuchus	Broom 03
Brachyops	Owen 1855
Hadrokkosaurus	Welles 57
Notobrachyops	Cosgriff 67
CHIGUTISAURIDAE	
Pelorocephalus	Cabrera 44
BENTHOSUCHIDAE	
Gondwanosaurus	Lydekker 1855
Pachygonia	Huxley 1865
Benthosuchus	Efremov 37
Parabenthosuchus	Otschev 58
Thoosuchus	Efremov 40
CAPITOSAURIDAE	
Kestrosaurus	Haughton 25
Parotosaurus	Jaekel 22
Paracyclotosaurus	Watson 58
Cyclotosaurus	Fraas 1889
MASTODONSAURIDAE	
Mastodonsaurus	Meyer 1844
Promastodonsaurus	Bonaparte 63
METOPOSAURIDAE	
Metoposaurus	Lydekker 1890
PELTOBATRACHIDAE	
Peltobatrachus	Panchen 53
PLAGIOSAURIDAE	
Plagiosuchus	v. Huene 22
Plagiosternum	Fraas 1896
Plagiosaurus	Jaekel 13
Gerrhothorax	Nilsson 34
INCERTAE SEDIS	
Lysipterygium	Branson 35
Tungussogyrinus	Efremov 39
Enosuchus	Konzhukova 55
Indobrachyops	v. Huene & Sahni 58
Tupilakosaurus	Nielsen 54
Boreosaurus	Nilsson 43
Plagiorophus	Konzhukova 55
Rewana	Howie 72
Almasaurus	Dutuit 72
Limnoiketes	Parrington 48
Micropholis	Huxley 1859
EOGYRINIDAE	
Memonomenos	Steen 38
Neopteroplax	Romer 63
ARCHERIIDAE	
Archeria	Case 15
SEYMOURIIDAE	
Seymouria	Broili 04
Rhinosaurus	Fischer 47
Gnorhimosuchus	Efremov 51
KOTLASSIIDAE	
Nyctiboetus	Tchudinov 55
Kotlassia	Amalitzky 21
Buzulukia	Vjuschkov 57
Bystrowiana	Vjuschkov 57
DISCOSAURISCIDAE	
Discosauriscus	Kuhn 33
Letovertebron	Spinar 52
Melanerpeton	Fritsch 1878
Lusor	Steen 38
CHRONIOSUCHIDAE	
Chroniosuchus	Vjuschkov 57
NYCTEROLETERIDAE	
Nycteroleter	Efremov 38
WAGGONERIIDAE	
Waggoneria	Olson 51
Helodectes	Cope 1880
LANTHANOSUCHIDAE	
Lanthanosuchus	Efremov 46
TSEAJAIIDAE	
Tseajaia	Vaughn 64
DIADECTIDAE	
Phanerosaurus	Meyer 1860
Diasparactus	Case 10
Diadectes	Cope 1878
Belebey	Ivachnenko 73
UROCORDYLIDAE	
Crossotelos	Case 03
KERATERPETONTIDAE	
Diploceraspis	Romer 52
Diplocaulus	Cope 1877
Peranedon	Olson 70
PHLEGETHONTIIDAE	
Phlegethontia	Cope 1871
MOLGOPHIDAE	
Megamolgophis	Romer 52
LYSOROPHIDAE	
Lysorophus	Cope 1877
MICROBRACHIDAE	
Paramicrobrachis	Kuhn 59
GYMNARTHRIDAE	
Pariotrichus	Cope 1878
Pantylus	Cope 1881
Cardiocephalus	Broili 04
Euryodus	Olson 39
Goniocara	
Goniorhynchus	Olson 70
Cymatorhiza	Olson & Bargh. 62
TUDITANIDAE	
Ostodolepis	Williston 13
TRIADOBATRACHIDAE	
Triadobatrachus	Kuhn 62
INCERTAE SEDIS	
Broilisaurus	Kuhn 38
Palaeosiren	Geinitz 1864
LASALIDAE	
Lasalia	Vaughn 65
LIMNOSCELIDAE	
Limnosceloides	Romer 52
Limnoscelis	Williston 11
Limnoscelops	Lewis & Vaughn 65
ROMERIIDAE	
Protorothyris	Price 37
Romeria	Price 37
Protocaptorhinus	Clark & Carroll 73
Pleuristion	Case 02
CAPTORHINIDAE	
Captorhinus	Cope 1896
Labidosaurus	Cope 1896
Captorhinoides	Olson 51
Labidosaurikos	Stovall 50
Captorhinikos	Olson 54
Kahneria	Olson 62
Rothioniscus	Kuhn 62
Rothia	Olson & Beerb. 53
Moradisaurus	Taquet 69
Gecatogomphius	Vjusch. & Tchud. 56
INCERTAE SEDIS	
Petrobates	Credner 1890
Sphenosaurus	Meyer 1847
Chamasaurus	Williston 15
Puercosaurus	Williston 16
Batroptes	Carroll & Gask. 71
ARAEOSCELIDAE	
Kadaliosaurus	Credner 1889
Araeoscelis	Williston 10
Dictybolos	Olson 70
BOLOSAURIDAE	
Bolosaurus	Cope 1878
ACLEISTORHINIDAE	
Acleistorhinus	Daly 69
EUNOTOSAURIDAE	
Eunotosaurus	Seeley 1892
MILLERETTIDAE	
Broomia	Watson 14
Elliotsmithia	Broom 37
Milleretta	Broom 48
Millerosaurus	Broom 44
Milleropsis	Gow 72
NYCTIPHRURETIDAE	
Nyctiphruretes	Efremov 38
PROCOLOPHONIDAE	
Owenetta	Broom 39
Spondylolestes	Broom 37
Estherrophagus	Novojilov 48
Procolophon	Owen 1876
Barasaurus	Piveteau 55
Santaisaurus	Koh 40
Phaanthosaurus	Tchud. & Vjusch. 56
Tichvinskia	Tchud. & Vjusch. 56
Burtensia	Ivachnenko 75
Contritosaurus	Ivachnenko 74
Koiloskiosaurus	v. Huene 11
Anomoiodon	v. Huene 39
Orenburgia	Ivachnenko 75
Coelodontognathus	Otschev 67
Kapes	Ivachnenko 75
Macrophon	Ivachnenko 75
Vitalia	Ivachnenko 73
Sclerosaurus	Meyer 1857
Thelegnathus	Broom 05
Neoprocolophon	Young 57
Paoteodon	Chow & Sun 60
Candelaria	Price 47
Leptopleuron	Owen 1851
Hypsognathus	Gilmore 28
Sphodrosaurus	Colbert 60
RHIPAEOSAURIDAE	
Leptoropha	Tchudinov 55
Parabradysaurus	Efremov 54
Rhipaeosaurus	Efremov 40
PAREIASAURIDAE	
Bradysaurus	Watson 14
Embrithosaurus	Watson 14
Parasaurus	Meyer 1857
Pareiasaurus	Owen 1876
Anthodon	Owen 1876
Scutosaurus	Hartm.-Weinb. 30
Shihtienfenia	Young & Yeh 63
Elginia	Newton 1892
MESOSAURIDAE	
Mesosaurus	Gervais 1864
PROGANOCHELYIDAE	
Proganochelys	Baur 1887
Proterochersis	Fraas 13
Triassochelys	Jaekel 18
Saurischiocomes	Kuhn 40
YOUNGINIDAE	
Galesphyrus	Broom 15
Heleosaurus	Broom 07
Youngina	Broom 14
TANGASAURIDAE	
Hovasaurus	Piveteau 26
Tangasaurus	Haughton 24
Kenyasaurus	Harris & Carroll 77
UNDESIGNATED	
Coelurosauravus	Piveteau 26
Daedalosaurus	Carroll 78

CHART 4.2 PERMO-TRIASSIC TETRAPODS. GENERIC AUTHORS

THALATTOSAURIDAE	
Askeptosaurus	Nopcsa 25
Nectosaurus	Merriam 05
Thalattosaurus	Merriam 04
WEIGELTISAURIDAE	
Weigeltisaurus	Kuhn 39
PROTOROSAURIDAE	
Protorosaurus	Meyer 1830
Trentinosaurus	v. Huene 56
Adelosaurus	Watson 14
TRACHELOSAURIDAE	
Trachelosaurus	Broili 18
TRILOPHOSAURIDAE	
Doniceps	Otscher & Rykov 68
Anisodontosaurus	Welles 47
Gomphiosaurus	
Trilophosaurus	Case 28
Tricuspisaurus	Robinson 57
Variodens	Robinson 57
SPHENODONTIDAE	
Schargengia	v. Huene 40
Palacrodon	Broom 06
Glevosaurus	Swinton 39
Brachyrhinodon	v. Huene 10
Polysphenodon	Jackel 11
Pachystropheus	v. Huene 35
(aff. Glevosaurus)	
RHYNCHOSAURIDAE	
Noteosuchus	Broom 25
Mesosuchus	Watson 12
Howesia	Broom 05
Stenaulorhynchus	Haughton 32
Rhynchosaurus	Owen 1842
Scaphonyx	Woodward 08
Hyperodapedon	Huxley 1859
Paradapedon	v. Huene 38
CLARAZIIDAE	
Clarazia	Peyer 36
Hescheleria	Peyer 36
PALIGUANIDAE	
Saurosternon	Huxley 1868
Palaeagama	Broom 26
Paliguana	Broom 03
KUEHNEOSAURIDAE	
Kuehneosaurus	Robinson 62
Kuehneosuchus	Robinson 67
Icarosaurus	Colbert 70
FULENGIDAE	
Fulengia	Carroll & Galton 77
PROLACERTIDAE	
Prolacerta	Parrington 35
Macrocnemus	Nopcsa 31
TANYSTROPHEIDAE	
Tanystropheus	Meyer 1847
GALEOPSIDAE	
Galeops	Broom 12
Galechirus	Broom 07
INCERTAE SEDIS	
Aenigmasaurus	Parrington 53
Mesenosaurus	Efremov 38
Eifelosaurus	Jaekel 04
Gwynnedosaurus	Bock 45
PROTEROSUCHIDAE	
Archosaurus	Tatarinov 60
Proterosuchus	Broom 03
Chasmatosuchus	v. Huene 40
ERYTHROSUCHIDAE	
Erythrosuchus	Broom 05
Shansisuchus	Young 64
EUPARKERIIDAE	
Euparkeria	Broom 13
Turfanosuchus	Young 73
PROTEROCHAMPSIDAE	
Chanaresuchus	Romer 71
Gualosuchus	Romer 71
Cerritosaurus	Price 46
Proterochampsa	Reig 59
PHYTOSAURIDAE	
Paleorhinus	Williston 04
Mystriosuchus	Fraas 1896
Angistorhinus	Mehl 13
Rutiodon	Emmans 1856
Belodon	Meyer 1844
Nicrosaurus	Fraas 1866
Parasuchus	Lydekker 1885
Pachysuchus	Young 51
AETOSAURIDAE	
Typothorax	Cope 1875
Desmatosuchus	Case 20
Stegomus	Marsh 1896
Aetosauroides	Casamiquela 60
Neoaetosauroides	Bonaparte 69
Aetosaurus	Fraas 1877
Stagonolepis	Agassiz 1884
PRESTOSUCHIDAE	
Pallisteria	Charig 67
Mandasuchus	Charig 56
Stagonosuchus	v. Huene 38
Ticinosuchus	Krebs 65
Luperosuchus	Romer 71
Cuyosuchus	Reig 61
Prestosuchus	v. Huene 42
Rauisuchus	v. Huene 42
Hoplitosaurus	v. Huene 42
Saurosuchus	Reig 59
ORNITHOSUCHIDAE	
Gracilisuchus	Romer 72
Venaticosuchus	Bonaparte 71
Riojasuchus	Bonaparte 69
Ornithosuchus	Newton 1894
SCLEROMOCHLIDAE	
Scleromochlus	Woodward 07
ERPETOSUCHIDAE	
Erpetosuchus	Newton 1894
INCERTAE SEDIS	
Teleocrater	Charig 67
Parringtonia	v. Huene 39
Lagerpeton	Romer 71
Lagosuchus	Romer 71
Lewisuchus	Romer 72
Hesperosuchus	Colbert 52
Triassolestes	Reig 63
Saltoposuchus	v. Huene 21
Malerisuchus	Chatterjee 78
Dibothrosuchus	Simmons 65
Dyoplax	Fraas 1867
INCERTAE SEDIS	
Seemannia	v. Huene 58
Ctenosauriscus	
Crenelosaurus	Ortlam 67
Hypselorhachis	Charig 67
Arizonasaurus	Welles 47
Ocoyuntaia	Rusconi 47
Typothorax	Cope 1875
Spondylosoma	v. Huene 42
PROTOSUCHIDAE	
Protosuchus	Brown 34
Stegomosuchus	v. Huene
Erythrochampsa	Haughton 24
Orthosuchus	Nash 68
Notochampsa	Broom 04
Platyognathus	Young 44
Microchampsa	Young 51
SPHENOSUCHIDAE	
Hemiprotosuchus	Bonaparte 67
Sphenosuchus	Haughton 15
Pedeticosaurus	V. Hoepen 15
INCERTAE SEDIS	
Pseudohesperosuchus	Bonaparte 67
PROCOMPSOGNATHIDAE	
Halticosuchus	v. Huene 08
Procompsognathus	Fraas 13
PODOKESAURIDAE	
Avipes	v. Huene 32
Velocipes	v. Huene 32
Dolichosuchus	v. Huene 32
Saltopus	v. Huene 10
Spinosuchus	v. Huene 32
Coelophysis	Cope 1889
Lukousaurus	Young 48
Syntarsus	Raath 69
POPOSAURIDAE	
Poposaurus	Mehl 15
ANCHISAURIDAE	
Efraasia	Galton 73
Anchisaurus	Marsh 1885
Thecodontosaurus	Riley & Stutch. 1836
PLATEOSAURIDAE	
Plateosaurus	Meyer 1937
Ammosaurus	Marsh 1891
Lufengosaurus	Young 41
Euskelesaurus	Huxley 1866
Massospondylus	Owen 1854
Aristosaurus	v. Hoepen 20
MELANOROSAURIDAE	
Melanorosaurus	Haughton 24
Riojasaurus	Bonaparte 67
Roccosaurus	v. Heerden 78
?Sinosaurus	Young 48
?Avalonianus	Kuhn 61
INCERTAE SEDIS	
Arctosaurus	Adams 1875
Ischisaurus	Reig 63
Herrerasaurus	Reig 63
FABROSAURIDAE	
Fabrosaurus	Ginsburg 64
HETERODONTOSAURIDAE	
Pisanosaurus	Casamiquela 67
Lycorhinus	Haughton 24
Abrictosaurus	Hopson 75
Lanasaurus	Gow 75
Tatisaurus	Simmons 65
Geranosaurus	Broom 11
Heterodontosaurus	Crompt. & Charig 62
NOTHOSAURIDAE	
Nothosauravus	Kuhn 60
Metanothosaurus	Yabe & Shikama 48
Kwangsisaurus	Young 59
Sanchiosaurus	Young 65
Keichousaurus	Young 58
Nanchangosaurus	Wang 59
Chinchenia	Young 65
Nothosaurus	Munster 1834
Proneusticosaurus	Volz 02
Deirosaurus	?
Ceresiosaurus	Peyer 31
Paranothosaurus	Peyer 30
Lariosaurus	Curioni 1847
Parthanosaurus	Skuphos 1893
Pontopus	
Micronothosaurus	Haas 63
PACHYPLEUROSAURIDAE	
Neusticosaurus	Seeley 1882
Pachypleurosaurus	Broili 27
SIMOSAURIDAE	
Elmosaurus	v. Huene 57
Simosaurus	Meyer 1842
Corosaurus	Case 36
PISTOSAURIDAE	
Pistosaurus	Meyer 1839
CYMATOSAURIDAE	
Cymatosaurus	Fritsch 1894
Rhaeticonia	Broili 27
Sulmosaurus	Linck 56
PLESIOSAURIDAE	
Plesiosaurus	Conybeare 1821
HELVETICOSAURIDAE	
Helveticosaurus	Peyer 43.
PLACODONTIDAE	
Placodus	Agassiz 1833
Paraplacodus	Peyer 31
PLACOCHELYIDAE	
Saurosphargis	Volz 03
Psephosaurus	Fraas 1896
Cyamodus	Meyer 1863
Placochelys	Jaekel 02
Psephoderma	Meyer 1858
HENODONTIDAE	
Henodus	Huene 36
MIXOSAURIDAE	
Mixosaurus	Baur 1887
OMPHALOSAURIDAE	
Grippia	Wiman 28
Omphalosaurus	Merriam 06
SHASTASAURIDAE	
Chonespondylus	
Cymbospondylus	Leidy 1868
Pessosaurus	Wiman
Shastasaurus	Merriam 1595
Toretocnemus	Merriam 03
Merriamia	Boulenger 04
OPHIACODONTIDAE	
Ophiacodon	Marsh 1878
Varanosaurus	Romer 37
Basicranion	?
EOTHYRIDIDAE	
Baldwinosaurus	Romer & Price 40
Stereophallodon	Romer 37
Oedaleops	Langston 65
Bayloria	Olson 41
Eothyris	Romer 37
Tetraceratops	Matthew 08
VARANOPSIDAE	
Aetosaurus	Romer 37
Scoliomus	Willist. & Case 13
Varanops	Williston 14
Varanodon	Olson 65
SPHENACODONTIDAE	
Haptodus	Gaudry 1886
Cutleria	Lewis & Vaughn. 65
Secodontosaurus	Romer 36
Neosaurus	Napcsa 23
Sphenacodon	Marsh 1878
Dimetrodon	Cope 1878
Ctenospondylus	Romer 36
Bathygnathus	Leidy 1854
Thrausmosaurus	?
NITOSAURIDAE	
Mycterosaurus	Williston 15
Nitosaurus	Romer 37
Glaucosaurus	Williston 15
Colobomycter	Vaughn 60
Delorhynchus	?
LUPEOSAURIDAE	
Lupeosaurus	Romer 37
EDAPHOSAURIDAE	
Edaphosaurus	Cope 1882
CASEIDAE	
Trichasaurus	Williston 13
Casea	Williston 10
Caseoides	Olson & Beerb. 53
Phreatophasma	Efremov 54
Caseopsis	Olson 62
Cotylorhynchus	Stovall 37
Angelosaurus	Olson & Beerb. 53
Ennatosaurus	Efremov 56

CHART 4.3 PERMO-TRIASSIC TETRAPODS. GENERIC AUTHORS

PHTHINOSUCHIDAE
- Gorgodon — Olson 62
- Knoxosaurus — Olson 62
- Steppesaurus — Olson & Beerb. 53
- Ivantosaurus — Tchudinov 72
- Eotitanosuchus — Tchudinov 60
- Biarmosaurus — Tchudinov 64
- Biarmosuchus — Tchudinov 60
- Phreatosuchus — Efremov 54
- Phreatosaurus — Efremov 54
- Phthinosaurus — Efremov 38
- Phthinosuchus — Efremov 54

DRIVERIIDAE
- Driveria — Olson 62

MASTERSONIIDAE
- Mastersonia — Olson 62

TAPPENOSAURIDAE
- Tappenosaurus — Olson & Beerb. 53

BRITHOPODIDAE
- Eosyodon — Olson 62
- Archaeosyodon — Tchudinov 60
- Chthomatopus — Tchudinov 64
- Brithopus — Kutorga 1838
- Notosyodon — Tchudinov 68
- Syodon — Kutorga 1838
- Titanophoneus — Efremov 38

ANTEOSAURIDAE
- Admetophoneus — Efremov 54
- Deuterosaurus — Eichwald 1861
- Doliosauriscus — Kuhn 63
- Anteosaurus — Watson 21
- Paranteosaurus — Boonstra 54

TITANOSUCHIDAE
- Jonkeria — v. Hoepen 16
- Titanosuchus — Owen 1876

TAPINOCEPHALIDAE
- Struthiocephalus — Haughton 15
- Struthiocephaloides — Boonstra 52
- Struthionops — Boonstra 52
- Taurocephalus — Broom 28
- Avenentia — Boonstra 52
- Criocephalus — Broom 28
- Delphinognathus — Seeley 1892
- Moschops — Broom 11
- Riebeekosaurus — Boonstra 52
- Keratocephalus — v. Huene 31
- Mormosaurus — Watson 14
- Phacosaurus — Seeley 1888
- Tapinocephalus — Owen 1876

STYRACEPHALIDAE
- Styracephalus — Haughton 29

ESTEMMENOSUCHIDAE
- Anoplosuchus — Tchudinov 68
- Estemmenosuchus — Tchudinov 60
- Molybdopygus — Tchudinov 64

VENYUKOVIIDAE
- Dimacrodon — Olson & Beerb. 55
- Otsheria — Tchudinov 60
- Venyukovia — Amalitzky 22

ENDOTHIODONTIDAE
- Endothiodon — Owen 1876

PRISTERODONTIDAE
- Emydops — Broom 12
- Pristerodon — Huxley 1868
- Tropidostema — Seeley 1889
- Brachyuraniscus — Broili & Schrod. 35
- Palemydops — Broom 21

DICYNODONTIDAE
- Diictodon — Broom 13
- Dicynodon — Owen 1844
- Kingoria — Cox 59
- Kombuisia — Hotton 74
- Daptocephalus — v. Hoepen 34
- Dinanomodon — Broom 38
- Odontocyclops

CISTECEPHALIDAE
- Cistecephalus — Owen 1876
- Kawingasaurus — Cox 72

AULACEPHALODONTIDAE
- Aulacephalodon — Seeley 1898
- Pelanomodon — Broom 38

CRYPTODONTIDAE
- Oudenodon — Owen 1860
- Rhachiocephalus — Seeley 1898
- Propelanomodon — Toerien 55

INCERTAE SEDIS
- Gordonia — Newton 1892
- Geikia — Newton 1892

MYOSAURIDAE
- Myosaurus — Haughton 17

LYSTROSAURIDAE
- Lystrosaurus — Cope 1870

KANNEMEYERIIDAE
- Kannemeyeria — Seeley 08
- Rhadiodromus — Efremov 51
- Sanguasaurus — Cox 69
- Wadiasaurus — R. Chowd. 70
- Sinokannemeyeria — Young 37
- Shansiodon — Yeh 59
- Rhinodicynodon — Kalandadze 70
- Dolichuranus — Keyser 73
- Dinodontosaurus — Romer 43
- Stahleckeria — v. Huene 35
- Ischigualastia — Cox 62
- Placerias — Lucas 04
- Jackeleria — Bonaparte 71
- Elephantosaurus — Vjuschkov 68

GORGONOPSIDAE
- Watongia — Olson 74
- Broomisaurus — Joleaud 20
- Galesuchus — Haughton 15
- Eoarctops — Haughton 29
- Gorgonops — Owen 1876
- Aelurosaurus — Owen 1881
- Arctognathus — Broom 11
- Aloposaurus — Broom 10
- Scylacops — Broom 13
- Scylacognathus — Broom 13
- Arctops — Watson 14
- Aelurognathus — Haughton 24
- Lycaenops — Broom 25
- Paragalerhinus — Sigogneau 70
- Cerdorhinus — Broom 36
- Cyonosaurus — Olson 37
- Leontocephalus — Broom 40
- Sycosaurus — Haughton 24
- Prorubidgea — Broom 40
- Clelandina — Broom 48
- Gorgognathus — Haughton 15
- Dinogorgon — Broom 36
- Rubidgea — Broom 38
- Broomicephalus — Brink & Kitch. 53

ICTIDORHINIDAE
- Hipposaurus — Haughton 29
- Ictidorhinus — Broom 13
- Lycaenodon — Broom 25
- Lemurosaurus — Broom 49
- Rubidgina — Broom 42

BURNETIIDAE
- Proburnetia — Tatarinov 68

INOSTRANCEVIIDAE
- Inostrancevia — Amalitzky 22
- Pravoslavlevia — Vjuschkov 53
- Sauroctonus — Bystrow 55

PRISTEROGNATHIDAE
- Porosteognathus — Vjuschkov 52
- Pristerognathus — Seeley 1895

EUCHAMBERSIIDAE
- Euchambersia — Broom 31

MOSCHORHINIDAE
- Annatherapsidus — Kuhn 63
- Cthonasaurus — Vjuschkov 55
- Moschorhinus — Broom 20

WHAITSIIDAE
- Whaitsia — Haughton 18
- Moschowhaitsia — Tatarinov 63

INCERTAE SEDIS
- Urumchia — Young 52
- Hexacynodon — Tatarinov 74
- Scylacosaurus — Tatarinov 68

ICTIDOSUCHIDAE
- Icticephalus — Broom 15
- Ictidosuchoides — Broom 15
- Silphoictidoides — v. Huene 50
- Ictidosuchops — Broom 38
- Oliviera — Brink 65

SCALOPOSAURIDAE
- Tetracynodon — Broom & Robins. 48
- Scaloposaurus — Owen 1876
- Scalopognathus — Tatarinov 74

BAURIIDAE
- Bauria — Broom 09
- Sesamodon — Broom 05
- Herpetogale — Keyser 78
- Dongusaurus — Vjuschkov 68
- Nothogomphodon — Tatarinov 74

PROCYNOSUCHIDAE
- Procynosuchus — Broom 37
- Parathrinaxodon — Parrington 36
- Dvinia — Amalitzky 22
- Nanocynodon — Tatarinov 68

GALESAURIDAE
- Cynosaurus — Schmidt 27
- Galesaurus — Owen 1859
- Thrinaxodon — Seeley 1894
- Platycraniellus — v. Hoepen 17
- Tribolodon — Seeley 1894

CYNOGNATHIDAE
- Cynognathus — Seeley 1895

CHINIQUODONTIDAE
- Aleodon — Crompton 55
- Probelesodon — Romer 69
- Probainognathus — Romer 70
- Chiniquodon — v. Huene 36
- Belesodon — v. Huene 36

TRITHELEDONTIDAE
- Tritheledon — Broom 12
- Pachygenelus — Watson 13

DIADEMODONTIDAE
- Diademodon — Seeley 1894
- Ordosiodon — Young 61
- Trirachodon — Seeley 1894
- Sinognathus — Young 59
- Cricodon — Crompton 55
- Pascualgnathus — Bonaparte 66
- Andescynodon — Bonaparte 67
- Luangwa — Brink 63
- Scalenodon — Crompton 55
- Antecosuchus — Tatarinov 73
- Massetognathus — Romer 67
- Colbertosaurus — Minoprio 57
- Traversodon — v. Huene 36
- Gomphodontosuchus — v. Huene 28
- Exaeretodon — Colbert 43
- Ischignathus — Bonaparte 63
- Scalenodontoides — Crompt. & Ellenb. 57

TRITYLODONTIDAE
- Bienotherium — Young 40
- Lufengia — Chow & Hu 59
- Tritylodon — Owen 1884
- Oligokyphus — Hennig 22

INCERTAE SEDIS
- Dromatherium — Emmons 1857
- Microconodon — Osborn 1886
- Tricuspes — v. Huene 33

HARAMIYIDAE
- Haramiya — Simpson 47

MORGANUCODONTIDAE
- Megazostrodon — Crompt. & Jenk. 68
- Erythrotherium — Crompton 64
- Sinoconodon — Patters. & Olson 61
- Eozostrodon — Parrington 41

KUHNEOTHERIIDAE
- Kuhneotherium — Kermack et al 68

CHART 5.1 PERMO-TRIASSIC TETRAPODS. No. of GENERA INTRODUCED PER YEAR

Chronological histograms for the World Permo-Triassic.

Considers only those named genera in current use (ie. those incl. in Charts 3+4)
Synonyms + nomena dubia are excluded.
Those few genera for which we have not established the authors + dates are excluded.
The component regional histograms consider only those genera introduced for the region.

(1 mm. = 1 genus)





CHART 5.2 PERMO-TRIASSIC TETRAPODS. No. of GENERA INTRODUCED PER YEAR.

Chronological histograms for Southern African (SAf) Permo-Triassic.

Considers all genera established on the basis of southern African material. Junior synonyms + nomena dubia are included.

(1 mm. = 1 genus)



	all authors combined →	468
	individual authors ↓	
1	Owen	26
2	Huxley	4
3	Gervais	1
4	Cope	1
5	Seeley	22
6	Lydekker	2
7	Gurich	1
8	Broom	209
9	Broom + Haught.	2
10	Broom + Robins.	8
11	Broom + George	3
12	Watson	17
13	van Hoepen	19
14	Haughton	39
15	Haught. + Boonstr.	5
16	Haught. + Brink	1
17	Joleaud	1
18	von Huene	8
19	Schmidt	1
20	Broili + Schroder	7
21	Boonstra	26
22	Parrington	4
23	Olson + Broom	2
24	Olson	2
25	Byrne	1
24	Kuhn	1
27	Camp, Tayl., Wells	1
28	Brink	9
29	Brink + Kitching	11
30	Janensch	1
31	Toerien	4
32	Crompton	5
33	Crompt. + Ellenb.	1
34	Crompt. + Charig	1
35	Charig	4
36	Attridge	1
37	Kitching	1
38	Cox	1
39	Panchen	1
40	Ginsberg	2
41	Fourie	1
42	Cruickshank	2
43	Raath	1
44	Cluver	2
45	Sigogneau	1
46	Mendrez	2
47	Gow	2
48	Keyser	6
49	Barry	1
50	Hotton	1
51	Hopson	1
52	Harris + Carrol	1
53	van Heerden	1

CHART 6.1 PERMO-TRIASSIC TETRAPODS. EMPIRES & PROVINCES

(a) Pangaea reconstruction after Briden *et al.*, '70. No attempt is made to show possible significant internal plate movements (see Irving '78, And. & Schwyz. '78).

(b) Equator approximated from Irving '78, And. & Schwyz. '78, Schm. & McE. '78.




CHART 6.2 PERMO-TRIASSIC TETRAPODS. EMPIRES & PROVINCES
(Regional and zonal distribution of characteristic families)

The regional and zonal distribution of those cosmopolitan families particularly unique to each empire (or province) is plotted. Families which are common, but restricted to a particular region or occur commonly also in preceding or succeeding empires are not noted.

Terrestrial empires		USA	WEu	Naf	Arc	EEu	SEAs	SAm	SAf	Mal	Ind	Aus	Ant
1) EDAPHOSAURID EMPIRE (L. Perm, Zones 1–10)													
RHACHITOMI	ERYOPIDAE	1–10	1										
"	ZATRACHEIDAE	2–8	1										
SEYMOURIAMORPHA	SEYMOURIIDAE	3–8				✓							
"	DISCOSAURISCIDAE		1			✓							
"	DIADECTIDAE	1–9	1										
CAPTORHINOMORPHA	ARAEOSCELIDAE	4–8	1										
PELYCOSAURIA	OPHIACODONTIDAE	1–8	1										
"	SPHENACODONTIDAE	1–9	1										
"	EDAPHOSAURIDAE	1–9	1										
2) TAPINOCEPHALID EMPIRE (M. Perm, Zones 11–15)													
PELYCOSAURIA	CASEIDAE	11,12				13,14							
PHTHINOSUCHIA	PHTHINOSUCHIDAE	11,12				13,14							
DINOCEPHALIA	TAPINOCEPHALIDAE					14			15				
"	(8 families)	11				13,14			15				
VENYUKOVIAMORPHA	VENYUKOVIIDAE	11				13,14							
THEROCEPHALIA	PRISTEROGNATHIDAE					14			15				
3) ENDOTHIODONTID/DICYNODONTID EMPIRE (U. Perm, Zones 16,17)													
ENDOTHIODONTIA	ENDOTHIODONTIDAE							16	16		16		
DICYNODONTIA	DICYNODONTIDAE						17		16,17				
"	(5 families)		17			17	17		16,17		16		
GORGONOPSIA	(4 families)					17			16,17				
THEROCEPHALIA	(4 families)					17	17		16,17				
CYNODONTIA	PROCYNOSUCHIDAE					17			16,17				
4) LYSTROSAURID EMPIRE (L. Trias, Zone 1)													
PROTEROSUCHIA	PROTEROSUCHIDAE						1		1		1		
DICYNODONTIA	LYSTROSAURIDAE					1	1		1		1		1
5) KANNEMEYERIID/DIADEMODONTID EMPIRE (M. Trias, Zones 5–17)													
RHYNCHOSAURIA	RHYNCHOSAURIDAE		10,17					16	5,7		17		
PROTEROSUCHIA	ERYTHROSUCHIDAE					5	5		5		6		
PSEUDOSUCHIA	PRESTOSUCHIDAE		9,10					12–16	7				
DICYNODONTIA	KANNEMEYERIIDAE	16,17				6,12	5	5–16	5–7		6		
BAURIAMORPHA	BAURIIDAE					6			5,6				
CYNODONTIA	CYNOGNATHOIDEA					5		5–16	5–7				
"	DIADEMODONTIDAE					6	5	5–16	5–7		6		
6) PLATEOSAURID/MELANOROSAURID EMPIRE (U. Trias, Zones 18–20; L. Jur, Zone 1)													
CROCODYLIA	(2 families)	19					20	20	20,1				
PROSAUROPODA	ANCHISAURIDAE	19	18–1						20,1		20		
"	PLATEOSAURIDAE	19	18–20	18			20	20	20,1		20		
"	MELANOROSAURIDAE		20				20	20	20				
CYNODONTIA	TRITYLODONTIDAE	20	20,1				20	20	20,1				
MAMMALIA	MORGANUCODONTIDAE		20,1				20		20				
Aquatic empires (or provinces)													
1) MESOSAURID PROVINCE (L. Perm, Zone 6)													
MESOSAURIA	MESOSAURIDAE							6	6				
2) PROTOROSAURID PROVINCE (M. Perm, Zone 15)													
PROTOROSAURIA	PROTOROSAURIDAE		15										
3) TANGASAURID PROVINCE (U. Perm, Zone 17)													
EOSUCHIA	TANGASAURIDAE								17	17			
4) TREMATOSAURID/RHYTIDOSTEID EMPIRE (L. Trias, Zones 2,3)													
RHACHITOMI	TREMATOSAURIDAE				2,3					2	2		
"	RHYTIDOSTEIDAE				3							3	
5) NOTHOSAURID/MIXOSAURID EMPIRE (M. Trias, Zones 5–14)													
NOTHOSAURIA	NOTHOSAURIDAE		6–15	7,8			5–11						
PLACODONTIA	(4 families)		6–14	7,8									
ICHTHYOSAURIA	MIXOSAURIDAE	11	6–10		5		6,7						
"	(2 families)	11–14	?		5–13								