

https://dspace.org/

Pain assessment and management in the critically ill unconscious patient in the adult intensive care units

Ofori, Bridget Senanu

2010-06-25T11:02:25Z
http://hdl.handle.net/10539/8218

Downloaded from a DSpace repository. https://dspace.org/

REFERENCES

Abdella, F. C., Levine, E., 1994. Preparing Nursing Research for the 21st Century: Evolution, Methodologies and Challenges. New York: Springer.

Acello, B. 2000. Meeting JCAHO Standards for Pain Control. Nursing Times, vol.30, pp. 52-54.

Agency for Health Care Policy and Research (AHCPR). 1992. Acute Pain Management: Operative or Medical Procedures and Trauma. Clinical Guidelines. Rockville md: Agency for Health Care Policy Research, publication 92-0032.

Ahlers, S.J.G.M., Van Gulik, L., Van der Veen, A.M., et al. 2008. Comparison of Different Pain Scoring Systems in Critically ill Patients in a General ICU. Critical Care 12, R15. Retrieved from http://ccforum.com/content/12/1/R15 in August, 2008.

Aissoaoui, Y. Zeggwagh, A., Zekraoui, A., et al. 2005. Validation of a Behavioural Pain Scale in Critically ill, Sedated, and Mechanically Ventilated Patients. Anesth. Analg, vol. 1011, pp.1470-6.

Aitken, L.M., Marshall, P.A., Elliott, R., et al. 2008. Critical Care Nurses' Decision Making: Sedation Assessment and Management in lntensive Care. Journal of Clin Nurs, pp 1365-2702.

Allock, N., 1996. The use of different research methodologies to evaluate the effectiveness of programmes to improve the care of patients in post operative pain. Journal of Advanced Nursing, vol.23, no.1, pp. 32-8.

Alpen, M.A., Titler, M.G. 1994. Pain Management in the Critically Ill: What Do We Know and How Can We Improve? Clinical issues In Critical Care Nursing, vol. 5, no. 2, pp. 159-167.

Amato, M. 1998. Effects of a Protective Ventilation Strategy on Mortality in the Acute Respiratory Distress Syndrome. New Eng J Med, vol. 338, pp. 347-354.

American Pain Society (APS). 2003. Principles of Analgesic Use in the Treatment of Acute Pain and Cancer Pain. (5th Ed) Glenview, IL: Author. www.ampainsoc.org/pub/principles.htm. (assessed June, 2008)

Aslan, E. E., Badir, A. Selimen., 2003. How Do lntensive Care Nurses Assess Patients' Pain? Nursing in Critical Care, vol. 8, no. 2, pp. 62-67.

Australian Health Workforce Advisory Committee (AHWAC). 2002. The Critical Care Nurse Workforce in Australia 2001-2011, AHWAC Report 2002.2 North Sydney: NSW Health. www.health.nsw.gov.au/amwac/reports.htm/ (assessed April, 2008.)

Bair, N., Bobek, M.B., Hoffmom-Hogg L., et al. 2000. Introduction of Sedative, Analgesic and Neuromuscular Blocking Agent Guidelines in Medical ICU. Physician and Nurse Adherence. Crit Care Med 28: 707-713. ED fast-track patients. Journal of Emergency Nursing, vol. 47, pp. 327-334.

Bauman, M.H., Sahn, S.A. 1990. Medical Management and Theory of Bronchopleural Fistulas in the Mechanically Ventilated Patient. Chest, vol. 97, no.3, pp. 721-728.

Blank, F.S., Mader, T.M., Wolfe, J., et al. 2001. Adequacy of Pain Assessment and Pain Relief and Correlation of Patient Satisfaction in 68 ED Fast-Track Patients. Journal of Emergency Nursing, vol. 27, no. 4, pp 327-334.

Blenkharn, A., Faughnan, S., Morgan A. 2002. Developing a Pain Assessment Tool for Use by Nurses in an Adult Intensive Care Unit. Intensive and Critical Care Nursing, vol 18, pp. 332- 341.

Brett, F. 2001. Pain Tool Audit in Coronary Care. Nursing Times, vol. 97, pp. 38-39.

Brockopp, D.Y., Brockopp, G., Warden, S., et al. 1998. Barriers to change. A pain management project. International Journal of Nursing Studies, vol. 35, pp. 226-232.

Briggs, M. Dean, K., 1998. A qualitative analysis of nursing documentation of post operative pain management. Journal of Clinical Nursing, Vol. 7, no. 2, pp. 115-163.

Brink, H., Van der Walt, C., Rensburg, G., 2006. Fundamentals of Research Methodology for Health Care Professionals. 2nd ed. Cape Town : Juta & Co. Ltd.

Bookbinder M., Coyle N., Kiss M., Brown, M., et al. 1996. Implementing Nation Standards for Cancer Pain Management: Programme model and evaluation. Journal of Pain Management, vol. 12, pp. 334-347.

Buerhaus, P., Straiger, D., Auerbach, D., et al., 2000. Policy Responses to an Aging Registered Nurse Workforce. Nursing Economics, vol.18, no. 6, pp. 278-284.

Bushnell, M.C. 1997. Perception of Pain in the Persistent Vegetative State. Eur J Pain, vol. 1, pp. 165-167.

Burns, N., Grove, S. 2001. The Practice of Nursing Research: Conduct, Critique and Utilization. Fourth Edition, USA, WB Saunders.

Buster, S., Jarman, B., Bosonquet, N., et al. 1999. National Survey of Hospital Patients. British Medical, vol. 309, no. 6968, pp.1542-1546.

Camp, L. 1988. A Comparison of Nurses' Recorded Assessments of Pain with Perceptions of Pain as described by Cancer Patients. Cancer Nursing, vol 11, no. 4, pp. 237-243.

Carr, E.C.J. 1997. Evaluating the use of a Pain Assessment Tool and Care Plan: A Pilot Study. Journal of Advanced Nursing, vol. 26, pp. 10763-1079.

Carter, B. 1998. Children and their experiences of pain. In B Carter (Ed), Perspectives on Pain. Mapping the Territory, pp 206-230.

Carroll, K.C., Atkins, P.J., Herold, G.R., et al. 1999. Pain assessment and management in critically postoperative and trauma patients: a multiple study. American Journal of Critical Care, vol. 8, no. 2, pp. 105-117.

Cheever, F.H. 1999. Reducing the Effects of Acute Pain in the Critically Ill Patient. Dimensions of Critical Care Nursing, vol. 18, pp. 14-23.

Choiniere, M., Melzack, R., Girard, N., et al. 1990. Comparisons between Patients and Nurses' Assessment of Pain and Medication Efficacy in Severe Burn Injuries. Pain, vol. 40, pp.143-153.

Clarke, E.D., French, B., Bilodeau, M.L., et al. 1996. Pain management, knowledge, attitudes and clinical practice: the impact of nurses' characteristics and education. Journal of Pain and Symptom Management, vol. 11, no.1, pp. 18-31.

Cohen, F.L. 1980. Post Surgical Pain Relief: Patients Status and Nurses Medication Choices, vol. 9, pp. 265-274.

Comacho, A., Dimsdale, J.E. 2000. Platelets and Psychiatry. Lessons Learned from Old and New Studies. Psychomatic Medicine, vol. 621, pp. 326-336.

Coyne, P., Pasero, C., 1998. Assessing and Treating the Pain of Pancreatitis. American Journal of Nursing, vol. 98, no.11, pp. 14-16.

Coyne, M., Reiert, B., Cater, K., et al. 1999. Nurses' knowledge of Pain Assessment, Pharmacologic and Non-pharmacologic interventions. Clinical Journal of Nursing Research, vol. 81, pp. 153-165.

Dalton, J.A. 1989. Nurses' perception of their Pain Assessment Skills, Pain Management Practices, and Attitudes toward Pain. Oncology Nursing Forum, vol. 16, pp. 225-231.

Dasta, J., Fuhrman, T., McCandces, C. 1994. Patterns of Prescribing and Administering Drugs for Agitation and Pain in Patients in a Surgical Intensive Care Unit. Crit Care Med, vol. 22, no.6, pp. 74-80.

Desbians, N., Broste, S., Wu, A,. et al. 1996. Pain and Satisfaction with Pain Control in Seriously Ill Hospitalized Adults: findings from the SUPPORT research investigations. Critical Care Medicine, vol. 24, no.12, pp. 1958-1961.

Department of Health. 2001. National Service Framework for Older People. DOH, London. Journal of Clinical Nursing, vol. 21, no.5, pp. 19-21.

Department of Health. 2002. National Health Service Cancer Plan: A Plan for Investment, A Plan for Reform. DOH, London. Journal of Clinical Nursing, vol 21, no. 5, pp. 19-21.

Dracup, K., Bryan-Brown, C.W. 1995. Pain in the ICU: fact or fiction (editorial). American Journal of Critical Care, vol. 4, no.5, pp. 337-339.

Duane, T.M., Riblet, J.L., Golay, D., et al. 2002. Protocol Driven Ventilator Management in a Trauma lntensive Care Unit. Population Archives of Surgery, vol. 137, no. 11, pp. 1223-1227.

Elliott, D., Aitken, L., Chaboyer, W., 2006. Australian College of Critical Care Nursing (ACCCN), Principles and Practice of Critical, pp. 162-164.

Erdek, M. A. & Pronovost, P. J. 2004. Improving Assessment and Treatment of Pain in the critically ill: lnternational Journal for Quality in Health Care, vol.16, no 1, pp. 59-64.

Foster, R. L. 2001. Nursing Judgment: The Key to Pain Assessment in Critically ill Children. Journal of the Society of Paediatric Nurses, vol.6, no.2, pp. 90-96.

Fowler, S.B. 1997. Impaired Verbal Communication during short term Oral Intubation. Nursing Diagnosis the Journal of Nursing Language and Classification, vol. 8, no. 3, pp. 93-98.

Fox, V., Gould, D., Davies, N., et al. 1999. Patients' Experiences of Having an Underwater Seal Drain: A Replication Study. J Clin Nurs, vol. 8, pp. 684-692.

Freire, A.X., Atessa, B., Cawley, P., et al. 2002. Characteristics Associated with Analgesia Ordering in ICU and Relationships with Outcome. Crit Care Med, vol. 30, pp. 2468-2472.

Froese, A.B. 1997. High- Frequency Oscillatory Ventilation for Adult Respiratory Distress Syndrome: Let's get it Right this Time! Crit Care Med, vol. 25, pp. 906-908.

Gelinas, C., Fillion, L., Puntillo, K.A., et al. (2006). Validation of the Critical –Care Pain Observation Tool in Adult Patients. American Journal of Critical Care, vol. 15, no.4, pp. 420-427.

Gelinas, C., Fortier, M., Viens, C., et al. 2004. Pain Assessment and Management in Critically ill lntubated Patients: A Retrospective Study. Am J of Critical Care, vol. 13, pp. 126-136.

Guptil, W. 1999. Cancer Pain Assessment and Management; A Survey: Journal of Back and Musculoskeletal Rehabilitation, vol. 12, pp. 89-99.

Guru, V., Dubinsky, I. 2000. The Patient versus Caregiver Perception of Acute Pain in the Emergency Department. Journal of Emergency Medicine vol.18, pp. 7-12.

Gordon, D. B., Dahl, J. D., Miaskowski, C., et al. 2005. American Pain Society Recommendation for lmproving the Quality of Acute and Cancer Pain Management. Archives of internal Medicine, vol.165, pp. 1574-1580.

Hamill-Ruth, R.J., Marohn, L. 1999. Evaluation of Pain in Critically ill Patients. Crit Care Clin, vol.15, pp. 35-54.

Happ, M.B. 2001. Communication and Socialization (1). An exploratory study and explanation for nurse-patient communication in an ITU. Intensive and Critical Care Nursing, vol.10, no.2, pp. 93-104.

Henderson, V. 1966. The Nature of Nursing; A Definition and its Implications, Practice, Research and Education. Macmillan Company, New York.

Hickling, K.G. 2001. Best Compliance during a Decremental but not incremental, Positive End-Expiratory Pressure Trail is related to Open-lung Positive End-Expiratory Pressure: A Mathematical Model of Acute Respiratory Distress Syndrome Lungs. Am. J. Crit Care Med, vol. 163, pp. 69-78.

Holden, R.J. 1991. Responsibility and Autonomous Nursing Practice. Journal of Advanced Nursing, vol. 16, pp. 398-403.

Hunt, K., 1995. Perception of patients' pain: a study assessing nurse attitudes. Nursing Standard, vol. 10, no.4, pp. 32-35.

International Council of Nurses. 1992. Classification for Nursing Practice. lnt Nurse Rev. pp.1109-112. The lnternational Classification for Nursing Practice.

Idvall, E. 2004. Quality of Care in Postoperative Pain Management: What is Realistic in Clinical Practice? Journal of Nursing Management, vol. 12, pp. 162-166.

Jacobi, J., Fraser, G.L., Coursins, D.B., et al. 2002. Clinical practice guidelines for sustained use of sedatives and analgesics in the critically ill adult. Crit Care Med, vol. 30, pp. 119-141.

Joint Commission on Accreditation of Healthcare Organization. 2004. Comprehensive accreditations Manual for hospitals. Oakbrook Terrace, IL: The Official Handbook. Joint Commission Resources. 2004: NPSG-3-NPSG-4.

Kress, J.P., Pohlman, A.S., O'Connor, M.F., et al. 2000. Daily lnterruption of Sedative lnfusion in critically ill Patients Undergoing Mechanical Ventilation. N. Engl J Med, vol. 342, pp. 1471-1477.

Kwekkeboom, K. L., Herr, K. 2001. Assessment of Pain in the Critically ill Patient. Crit Care Nurs Clin North Am, vol.13, pp. 181-194.

Lang, J.B. jr. 1999. Pain. A Prelude. Crit Care Clin, vol.15, pp. 1-16.

Leo. R.J. 2008. Clinical Manual of Pain Management in Psychiatry. pp 52. American Psychiatric Publishing.

Libreri, F. 1995. An acute Pain Service: A Quality Assurance Survey of Nurses and Doctors. Journal of Advanced Nursing, vol.12, pp. 33-38.

Liu, L.L., Gropper, M.A. 2003. Postoperative Analgesia and Sedation in the Adult lntensive Care Unit: A Guide to Drug Selection. Drug, vol. 63, no.8, pp.755-767.

Maggiore, S.M., Jonson, B., Richard, J.C., et al. 2001. Alveoli Derecruitment at Decremental Positive End-expiratory Pressure Levels in Acute Lung Injury: Comparison with the Lower lnflection Point, Oxygenation, and Compliance. Am J Respir Crit Care Med, vol. 164, pp. 795-801.

Mathew, P.J., Mathew, J.L. 2003. Assessment and Management of Pain in Infants. Postgraduate Medical Journal. Health and Medical Complete , vol. 79, pp. 433-443.

Martin, A., Hinds, C., Felix, M. 1999. Documentation Practices In Long Term Care. Journal of Clinical Nursing, vol. 8, pp. 345-352

McCaffery, M. 1968./ Nursing Practice Theories Related to Cognition, Bodily Pain and Man–Environment Interactions. Los Angeles: University of California at Los Angeles Students Library.

McCaffery, M., Pasero, C.N. 2000. When Patients Cannot Report Pain. American Journal of Nursing, vol. 101, pp. 69-70.

McDonald, D.D. 1999. Post Operative Pain After Hospital Discharge. Clinical Nursing Research, vol 8, no. 4, pp. 355-367.

McFetridge, J.A., Yarandi, H.N. 1997. Cardiovascular Function during Cognitive Stress in Men Before and After Coronary Artery Bypass Grafts. Nursing Research, vol. 46, pp. 188-194.

McKinley, S., Nagy, S., Stein-Purbury., et al. 2002. Vulnerability and Security in Seriously ill Patients in lntensive Care. Intensive and Critical Care Nursing, vol. 18, pp. 27-36.

Mehta, S., Meade, M.O., Hynes, P., et al. 2007. A Multicenter Survey of Ontario lntensive Care Unit Nurses Regarding the Use of Sedatives and Analgesics for Adults Receiving Mechanical Ventilation. Journal of Critical Care, vol. 22, pp. 191-196.

Melzack, R., Wall, P. 1965. Pain Mechanism, A new theory. Science, vol. 150, pp. 971-979.

Merkel, S. 2002. Pain Assessment in Infants and Young Children: The Finger Span Scale. The American Journal of Nursing. Vol. 1022, no.11, pp.55-56.

Merkel, S.I., Shayevitz, J.R., Voepel-Lewis, T., et al. 1997. The FLACC: A Behavioural Scale for Scoring Postoperative Pain in Young Children. Paediatric Nursing, vol. 23, pp. 293-297.

Miaskowski, C., Clearty, J., Burney, R., et al. 2005. Guidelines For the Management of Cancer Pain in Adults and Children (Clinical Practice Guidelines Series, No 3). Glenville. IL, American Pain Society, pp 4.

Monsethal, C. 2005. Palliative Care in the Surgical ICU. Surg Clin N. AM, vol. 85, pp. 303-313.

Mueller, X.M., Tinguely, F., Tevaearai, H.T., et al. 2000. Impact of Duration of Chest Tube Drainage on Pain after Surgery. Euro J Cardiothoracic Surg, vol 18, pp. 570-574.

Mularski, R.A., 2004, Pain Management in the Intensive Care Unit (End-of-Life Care) Crit Care Clin, vol.30, pp. 381-401.

National Health and Medical Research Council. 1999. Acute Pain Management: Scientific Evidence. Commonwealth of Australia, Canberra. www7.healthgov.au/nhmrc/ assessed August, 2008.

National Center for Complementary and Alternative Medicine.2008. Non-pharmacological Pain Management Therapies for Adults. http://nccam.nih.gov. Assessed Oct 2008.

Odhner, M., Wegman, D., Freeland, N., et al. (2003). Assessing Pain Control in Nonverbal Critically Ill Adults. Dimensions of Critical Care Nursing, vol. 22, no.6, pp. 260-267.

Pasero, C., McCaffery, M. 2002. Pain in the Critically ill. The American Journal of Nursing, vol.102, no1, pp. 59-60.

Pasero, C., McCaffery, M. 2005. No Self –Report Means No Pain- Intensity Rating. The American Journal of Nursing, vol. 105, no.10, pp. 50-55.

Payen, J.F., Bru, O., Bosson, J.L., et al. 2001. Assessing pain in Critically Ill Sedated Patients by Using a Behavioural Pain Scale. Crit care med, vol. 29, pp. 2258-2263.

Pierce L., Viejo, A. 2002. Traditional and Non-traditional Modes of Mechanical Ventilation. Crit. Care Nurs, vol. 22, no.4, pp.56-60.

Polit, D., Beck, C. 2004. The essentials of Nursing Research. 7th ed. Philadelphia: Lippincott Williams & Wilkins.

Polit, D.F., Hungler, B.P. 1997. Nursing Research: Principles and Methods. Philadelphia Pa: Lippincott.

Pooler-Lunse, C., Price, P. 1992. Pain and the critically ill. Canadian Nurse, vol. 88, no.7, pp. 22-25.

Prescott, P. A., Soeken K.L. 1989. The Potential Uses of Pilot Work. Nursing Research, vol.30, no.1, pp. 60-62.

Puntillo, K.A. 1990a. Pain Experiences of Intensive Care Unit Patients. Heart and Lung vol. 19, pp.526-533.

Puntillo, K.A. 1990b. Dimension of Procedural Pain and its Analgesic Management in Critical Ill surgical Patients. American Journal of Critical Care, vol.3, no.7, pp. 116-122.

Puntillo, K. A. 1994. Dimensions of Procedural Pain and its Analgesic Management in Critically Ill Surgical Patients. American Journal of Critical Care, vol. 3, no. 2, pp. 116-112.

Puntillo, K.A. 2007. Sedation in the ICU, Pain in the ICU: How to Measure and treat it. 2007. Programme and Abstract of the Society of Critical Care Medicine. 36th Critical Care Congress; Feb 17-21, 2007; Orlando, Florida.

Puntillo, K.A, Miaskowski, C., Kehrle, K., et al. 1997. Relationship between Behavioural and Physiological Indicators of Pain. Critical care patients self-reports of pain and opioid administration. Critical Care Medicine, vol. 25, pp. 1159-1166.

Puntillo, K.A., Jacob, E. 1999. A Survey of Nursing Practice in Assessment and Management of Pain in Children. Paediatric Nursing, vol. 25, no.3, pp. 278-286.

Puntillo, K., White, C., Bonham Morris, A., et al. 2001. Patients' perception and responses to procedural pain: results from the Thunder Project ll. AM J Crit Care, vol.10, no.4, pp. 238-51.

Puntillo, K., Morris, A.B., Thompson, C.L., et al. 2004. Pain Behaviours Observed During Six Common Procedures: Results from the Thunder Project 11. Crit Care Med, vol. 32, pp. 421-427.

Puntillo, K.A., Weiss, S.J. 1994. Pain: as mediators and associated morbidity in critically ill cardiovascular surgical patients. Nursing Research, vol. 43, no.1, pp.31-36.

Rees, J., Davies, H., Birchall, C. et al., 2000. Psychological Effects of Source Isolation Nursing (2) Patient Satisfaction. Nursing Standard, vol. 14, no. 29, pp. 32-36.

Robinson, B.R., Mueller, E.W., Henson, K., et al. 2008. An Analgesia-Delirium-Sedation Protocol for Critically ill Trauma Patients Reduces Ventilator Days and Hospital Length of Stay. Journal of Trauma, vol. 65, no.3, pp. 517-526.

Rutledge, D. R. & Donaldson, N.E., 1998. Pain assessment and documentation. Part 1-Overview and publication in adults. Online Journal of Clinical Innovations, Special Populations of Adults. The online Journal of Clinical Innovations, vol.1, no.6, pp 1-29.

Schmollgruber, S. 2002. Professional Support Needs of Culturally Diverse Families Of Critically Ill Adult Patients. Unpublished Thesis, University of the Witwatersrand.

Scott, M., Fishman, M. D. 2004. Pain Question and Answer, Fifth Vital Sign. www.painfoundation.org/page.asp?file=QandA/ fifth .vital sign. Assessed June 2008.

Scott, l. E. 1994. Effectiveness of Documented Assessment of Postoperative Pain. British Journal of Nursing. Vol. 3, no.10, pp. 494-501.

Seers, K. 1987. Perception of Pain. Nursing Times, vol. 83, pp. 37-39.

Shannon, K., Bucknall, T. 2003. Pain Assessment in Critical Care: What have we learnt from research. Intensive Crit Care Nurs, vol. 19, pp. 154-162.

Silva, M.C. 1981. Selection of a Theoretical Framework. In S.D. Krampitz & N Pavlouch (Eds.), Readings for nursing research (pp.49-53). St. Louis: au. Mosby.

Slonim, A. D. 2004. Managing Pain in the critically ill: A Measure of Quality Critical Connection, vol., 3 pp. 1.

The South African Nursing Council. 1984. Regulations Relating to the Practice of Persons who are Registered or Enrolled under the Nursing Act, 1978 (act 50 of 1978: Nursing Act [as amended]) Chapter 2 (The Scope of Practice of Registered Nurses). http://www.sanc.co.za/regulat/Reg-scp.htm. assessed June, 2006.

Solomon, P. 2000. The clinical Utility of Pain Behaviour Measures. Phys Rehabil Med, vol 12, pp. 193-211.

Stanik-Hutt JA. 1998 Pain management in the critically ill. Critical Care Nurse, vol. 18, no.5, pp. 85-88.

Stanik-Hutt, J., Soeken, K., Belcher, A., et al. 2001. Pain Experiences of Traumatically injured Patients in a Critical Care Setting. Am J Crit Care, vol. 10, pp. 252-259.

Starck, P.L., Sherwood, A.D., Adam-McNeil, J., et al. 2001. Identifying and Addressing Medical Errors in Pain Mis-management. The Joint Commission Journal of Quality Improvement, vol. 27, no.4, pp. 191-199.

Stein-Parbury, J., McKinley, S., 2000. Patients' experiences of being in an Intensive Care Unit; a select literature review. American Journal of Critical Care, vol. 991, pp.20-27.

Struebert, H., Carpenter, D. 1999. Pain Management in The Elderly: Pain in The Nursing Home. Clinics in Geriatric Medicine, vol. 17, pp. 575-594.

Tanabe, P., Buschman, M.B. 2000. Emergency nurses' knowledge of pain management principles. Journal of Emergency Nursing, vol.26, pp. 299-305.

Terai, T., Yukioka, H., Asada, A. 1998. Pain Evaluation in the lntensive Care Unit: Observer-reported Faces Scale Compared with Self-reported Visual analog scale. Anesth Pain Med, vol. 23, pp. 147-151.

Tittle, M., McMillan, S.C. 1994. Pain and Pain Related Side Effects in an ICU and on a Surgical Unit: Nurses' management. AMJ critical care, vol. 3, pp.25-30.

Turner, J. S., Briggs, S.J., Springhorn, H.E., et al. 1990. Patients Recollection of Intensive Care Unit Experience. Crit. Care Med, vol.18, pp.966-968.

United Kingdom Central Council for Nursing. 1997. The Nursing and Health Visiting Contribution to the Continuing Care of Older People. http//www.nmc-k org/nmc/main publications/continuingcareolderpeople.pdf (assessed Jan 2004).

Van Ort 1981. Research Design: Pilot Study. In S.D. Krampitz and N. Pavlovich (Eds), Readings for Nursing Research (pp. 49-53). St. Louis: C.V. Mosby.

Voigt, L., Paice, J.A., Pouliot, J. 1995. Standardized Pain Flow sheet: impact on Patient Reported Pain Experiences after Cardiovascular Surgery. AMJ Crit Care, vol. 4, pp.308-313.

Walsh, M., Ford, P. 1992. Nursing Rituals Research and Rational Actions. Butterworth Heinemann: Oxford.

Waltz, C.F. & Bausell, R.B. 1981 Nursing Research: Design, Statistics & Computer Analysis. Philadelphia: F.A. Davis.

Watt-Watson, J. 1987. Nurses' Knowledge of Pain Issues: A Survey. Journal of Pain and Symptom Management, vol 2, pp. 207-211.

Watt-Watson, J., Stevens, B., Garfinkel, P., et al. 2001. Relationship Between Nurses' Pain Knowledge and Pain Management Outcomes for their Postoperative Cardiac Patients. J Adv Nurs, vol.36 no.5, pp. 35-545.

Whipple, J.K., Lewis. K.S., Quebbeman, E.J., et al. 1995. Analysis of Pain Management in Critically Ill Patients. Pharmacotherapy vol.15, pp. 592-599

.

White, J.M., 1999. Effects of Relaxing Music on Cardiac Autonomic Balance and Anxiety after Acute Myocardial Infarction. AMJ of Crit Care, vol 8, pp. 220-230.

Williams, P., Canar, J., Kubiak, M.A., et al. 1999. Changing attitudes about schizophrenia. Schizophrenia Bulletin, vol. 25, pp. 447-456

Winslow, F.H. 1998. Critical Care Extra. Effective Pain Management. American Journal of Nursing, vol. 98, no.7, pp.1601-1611.

Woodrow, P. 2006. Intensive Care Nursing (2nd edition) Jane Roe Clinical Scenarios. Chapter 7 (Pain Management).

Young, J., Siffleet, J., Nikoletti, S., et al. 2006. Use of Behavioural Pain Scale to Assess Pain in Ventilated, Unconscious and or Sedated Patients. Intensive and Critical Care Nursing, vol. 22, pp. 32-39.

Zeller, J., M., McCain, N.L., Swanson, B. 1996. Psychoneuroimmunology: an Emerging Framework for Nursing Research. Journal of Advanced Nursing, vol. 23, pp 657-664