

REFERENCES

- Akiyama, J. (1973). Exophily in *Anopheles gambiae* species B in Sudan. *Transactions of the Royal Society of Tropical Medicine and Hygiene*, **73**: 440.
- Akogbeto, M. (1995). Entomological study on the malaria transmission in coastal and lagoon areas: the case of a village built on a brackish lake. *Annales de la Soci  t   Belge de M  decine Tropicale*, **75**:219-227.
- Akogbeto, M. (2000). Lagoonal and coastal malaria at Cotonou: entomological findings. *Sante*. **10**: 267-75.
- Akogbeto, M. and Yakoubou, S. (1999). Resistance of malaria vectors to pyrethroids used for impregnated bednets in Benin, West Africa. *Bulletin de la Soci  t   Pathologie Exotique*, **92**: 123-130.
- Akood, M.A. (1980). The use of serology and of tests for drug and insecticide resistance in studying problems of malaria control in Sudan. *PhD Thesis, University of London*.
- Aldridge, W.N. (1953). Serum esterases. 1. Two types of esterase (A and B) hydrolysing p-nitrophenyl acetate, propionate and butyrate, and a method for their determination. *Biochemical Journal*, **53**:110-117.
- Alnwick, D. (2000). Roll Back Malaria – what are the prospects? *Bulletin of the World Health Organization*, **78**: 1377.
- Alonso, P.L. (2006). Malaria: deploying a candidate vaccine (RTS, S/AS02A) for an old scourge of human kind. *International Microbiology*, **9**: 83-93.
- Amenesheva, B. and Service, M.W. (1996). Resting habits of *Anopheles arabiensis* in the Awash River valley of Ethiopia. *Annals of Tropical Medicine and Parasitology*, **90**(5): 515-521.

- Amenesheva, B. and Service, M.W. (1997). Blood-feeding behaviour of *Anopheles arabiensis* Patton (Diptera: Culicidae) in central Ethiopia. *Journal of African Zoology*, **111**: 235-245.
- Awolola, T.S., Brooke, B.D., Hunt, R.H. and Coetzee, M. (2002). Resistance of the malaria vectors *Anopheles gambiae* s.s. to pyrethroid insecticides in south-western Nigeria. *Annals of Tropical Medicine and Parasitology*, **96**:849-852.
- Beeman, R.W. (1982). Recent advance in the mode of action of insecticides. *Annual Review of Entomology*, **27**: 253-281.
- Beier, J.C. (1998). Malaria parasite development in mosquitoes. *Annual Review of Entomology*, **43**: 519-543.
- Beier, J.C., Perkins, P.V., Wirtz, R.A., Koros, J., Diggins, D., Gargan II, T.P. and Koech, D.K. (1988). Blood meal identification by direct Enzyme-Linked Immunosorbent Assay (ELISA), tested on *Anopheles* (Diptera: Culicidae) in Kenya. *Journal of Medical Entomology*, **25**: 9-16.
- BNHP, (1989). The Annual Report of the Blue Nile Health Project.
- Boakye, D.A., Tang, J., Truc, P., Merriweather, A. and Unasch, T.R. (1999). Identification of blood meals in haematophagous Diptera by cytochrome B heteroduplex analysis. *Medical and Veterinary Entomology*, **13**: 282-287.
- Boreham, P.F.L. (1975). Some applications of blood meal identifications in relation to epidemiology of vector-borne tropical diseases. *Journal of Tropical Medicine and Hygiene*, **78**: 83-91.
- Bosman, A., Kassankogno, Y. and Kondrachine, A.V. (1999). Implementation of malaria control. *Parassitologia*, **41**: 391-393.
- Brewer, J.J. (1970). *An introduction in enzyme techniques*. Academic Press. New York.

- Brogdon, W.G. and McAllister J.C. (1998). Insecticide resistance and vector control. *Emerging Infectious Diseases*, **4**: 605-613.
- Brooke, B.D., Kloke, G., Hunt, R.H., Koekemoer, L.L, Temu, E.A., Taylor, M.E., Small, G., Hemingway, J. and Coetzee, M. (2001). Bioassay and biochemical analysis of insecticide resistance in southern African *Anopheles funestus* (Diptera: Culicidae). *Bulletin of Entomological Research*, **91**: 265-272.
- Brown, A.W.A. (1986). Insecticide resistance in mosquitoes: a pragmatic view. *Journal of the American Mosquito Control Association*, **2**: 123-140.
- Brown, T. and Brogdon, W.G. (1987). Improved detection of insecticide resistance through conventional and molecular techniques. *Annual Review of Entomology*, **32**: 145-162.
- Bruce-Chwatt, L.J. (1985). *Essential Malariology*, 2nd ed. John Wiley and Sons, Inc., New York.
- Bryan, J.H., Di Deco, M.A., Petrarca, V. and Coluzzi, M. (1982). Inversion polymorphism and incipient speciation in *Anopheles gambiae* s.s.tr. in the Gambia, West Africa. *Genetica*, **59**: 167-176.
- Busvine, J.R. (1954). Houseflies resistant to a group of chlorinated hydrocarbon insecticides. *Nature*: **174**:783-785.
- Casimiro, S., Coleman, M., Hemingway, J. and Sharp, B. (2006). Insecticide Resistance in *Anopheles arabiensis* and *Anopheles gambiae* from Mozambique. *Journal of Medical Entomology*, **34**: 276-282.
- Casimiro, S., Coleman, M., Mohloai, P., Hemingway, J. and Sharp, B. (2006). Insecticide Resistance in *Anopheles funestus* (Diptera: Culicidae) from Mozambique. *Journal of Medical Entomology* , **43**: 267-275.

- Chandre, F., Darrier, F., Manga, L., Akogbeto, M., Faye, O., Mouchet, J. and Guillet, P. (1999a). Status of pyrethroid resistance in *Anopheles gambiae sensu lato*. *Bulletin of the World Health Organization*, **77**: 230-234.
- Chandre, F., Darrier, F., Duchon, S., Finot, L., Manguin, S., Carnevale, P. and Guillet, P. (2000). Modifications of pyrethroid effects associated with *kdr* mutation in *Anopheles gambiae*. *Medical and Veterinary Entomology*, **14**:81-8.
- Chandre, F., Darrier, F., Manguin, S., Brengues, C., Carnevale, P. and Guillet, P. (1999b). Pyrethroid cross resistance spectrum among populations of *Anopheles gambiae* s.s from Cote d'Ivoire. *Journal of American Mosquito Control Association*, **15**: 53-59.
- Charalambous, M., Townson, H., Harbach, R.E. and Mukways, L.G. (1999). Electrophoretic and DNA identification of *Anopheles bwambae* and *A. gambiae* (Diptera: Culicidae) in Western Uganda. *Bulletin of Entomological Research*, **89**: 111-117.
- Charlwood, J.D. and Edoh, D. (1996). Polymerase chain re-action used to describe larval habitat use by *Anopheles gambiae* complex (Diptera: Culicidae) in the environs of Ifakara, Tanzania. *Journal of Medical Entomology*, **22**: 202-204.
- Claudianos, C., Russell, R.J. and Oakeshott, J.G. (1999). The same amino acid substitution in orthologous esterases confers organophosphate resistance on the house fly and blowfly. *Insect Biochemistry and Molecular Biology*, **29**: 675-686.
- Coetzee, M. (2004). Distribution of the African malaria vectors of the *Anopheles gambiae* complex. *American Journal of Tropical Medicine and Hygiene*, **70**: 103-104.

- Coetzee, M., Craig, M. and Sauer, D. (2000). Distribution of African malaria mosquitoes belonging to the *Anopheles gambiae* complex. *Parasitology Today*, **16**:74-77.
- Coetzee, M., Hunt, R.H. and Braack, L.E.O. (1993). Enzyme variation at the Aspartate Aminotransferase locus in members of the *Anopheles gambiae* complex (Diptera: Culicidae). *Journal of Medical Entomology*, **30**: 303-308.
- Coetzee, M., Van Wyk, P., Booman, M. Koekemoer, L.L. and Hunt, R.H. (2006). Insecticide resistance in malaria vector mosquitoes in a gold mining town in Ghana and implications for malaria control. *Bulletin de la Societe de Pathologie Exotique*, **5**: 400-403.
- Collins, F.H., Mendez, M.A., Razmussen, M.O., Mehafeey, P.C., Besansky, N.J. and Finnerty, V. (1987). A ribosomal RNA gene probe differentiates member species of *Anopheles gambiae* complex. *American Journal of Tropical Medicine and Hygiene*, **37**: 37-41.
- Collins, F.H. and Paskewitz, S.M. (1995). Malaria: current and future prospects for control. *Annual Review of Entomology*, **40**: 195-219.
- Collins, F.H., Kamau, L., Ranson, H.A. and Vulule, J.M. (2000). Molecular entomology and prospects for malaria control. *Bulletin of the World Health Organization*, **78**: 1412-1423.
- Coluzzi, M. (1964). Morphological divergences in the *Anopheles gambiae* complex. *Rivista di Malariologia*, **43**: 197-232.
- Coluzzi, M. (1970). Sibling species in the *Anopheles gambiae* complex and their importance in malariology. *Miscellaneous Publications of the Entomological Society of America*, **7**: 63-77.

- Coluzzi, M. (1984). Heterogeneities of the malaria vectorial system in tropical Africa and their significance in malaria prevention and control. *Bulletin of the World Health Organization*, **62** (Supplement): 107-113.
- Coluzzi, M. and Kitzmiller, J.B. (1975). Anopheline Mosquitoes. *Handbook of Genetics*, volume **3**. Edited by RC King, Plenum Publishing Corporation, New York, New York, pp: 285-309.
- Coluzzi, M., Petrarca, V. and Di Deco, M.A. (1985). Chromosomal inversion intergradation and incipient speciation in *Anopheles gambiae*. *Bollettino di Zoologia*, **52**: 45-63.
- Coluzzi, M. and Sabatini, A. (1967). Cytogenetic observations on species A and B of the *Anopheles gambiae* complex. *Parassitologia*, **9**: 73-88.
- Coluzzi, M. and Sabatini, A. (1968). Cytogenetic observations on species C of the *Anopheles gambiae* complex. *Parassitologia*, **10**: 155-165.
- Coluzzi, M. and Sabatini, A. (1969). Cytogenetic observations on the saltwater species *Anopheles merus* and *Anopheles melas* of the *Anopheles gambiae* complex. *Parassitologia*, **11**: 177-187.
- Coluzzi, M., Sabatini, A., della-Torre, A., Di Deco, M.A. and Petrarca, V. (2002). A polytene chromosome analysis of the *Anopheles gambiae* species complex. *Science*, **298**: 1415-1418.
- Coluzzi, M., Sabatini, A., Petrarca, V. and Di Deco, M.A. (1979). Chromosomal differentiation and adaptation to human environments in the *Anopheles gambiae* complex. *Transaction of the Royal Society of Tropical Medicine and Hygiene*, **73**: 483-497.
- Cornel, A.J., Coetzee, M., Van Rensburg, A.J., Koekemoer, L.L., Hunt, R.H. and Collins, F.H. (1997). Ribosomal DNA-Polymerase Chain Reaction assay

- discriminates between *Anopheles quadriannulatus* and *An. merus* (Diptera: Culicidae). *Journal of Medical Entomology*, **34**: 573-577.
- Costantini, C., Sagnon, N.F., Della Torre, A. and Coluzzi, M. (1999). Mosquito behavioural aspects of vector-human interactions in the *Anopheles gambiae* complex, *Parassitologia*, **42**: 209-217.
- Cui, F., Raymond, M. and Qiao, C. (2006). Insecticide resistance in vector mosquitoes in China. *Pest Management Science*, **62**: 1013-1022.
- Curtis, C. F. (2002). Restoration of malaria control in the Madagascar Highlands by DDT Spraying. *American Journal of Tropical Medicine and Hygiene*, **6**: 1.
- Curtis, C.F., Miller, J, E., Hodjati, M, F., Kolaczinski, J.H. and Kasumba, I. (1998). Can anything be done to maintain the effectiveness of pyrethroid-impregnated bednets against malaria vectors? *Philosophical Transactions: Biological Sciences*, **353**: 1769-1775.
- Curtis, C.F. and Mnzava, A.E.P. (2000). Comparison of house spraying and insecticide treated nets for malaria control. *Bulletin of the World Health Organization*, **78**: 1389-1400.
- Das, P.K. and Amalraj, D.D. (1997). Biological control of malaria vectors. *Indian Journal for Medical Research*, **106**:174-197.
- Davidson, G. (1964a). *Anopheles gambiae*, a complex of species. *Bulletin of the World Health Organization*, **31**: 625-634.
- Davidson, G. (1964b). The five mating types in the *Anopheles gambiae* complex. *Revista di Malariologia*, **43**: 167-183.
- Davidson, G. and Hunt, R.H. (1973). The crossing and chromosome characteristics of a new 6th species in the *Anopheles gambiae* complex. *Parassitologia*, **15**: 121-128.

- Davidson, G., Paterson, H.E., Coluzzi, M., Mason, G.F. and Micks, D.W. (1967). The *Anopheles gambiae* complex. In: *Genetics of Insect Vectors of Disease*. (editions J W Wright and R. pal). Elsevier Publication and Company, Amsterdam. pp, 211-250.
- della-Torre, A., Fanello, C., Akogbeto, M., Dossou-yoyo, J., Favia, G., Petrarca, V. and Coluzzi, M. (2001). Molecular evidence of incipient speciation within *Anopheles gambiae* s. s. in West Africa. *Insect Molecular Biology*, **10**: 9-18.
- De Meillon, B. (1936). The control of malaria in South Africa by measures directed against the adult mosquitoes in habitations. *Quarterly Bulletin of Health of the Organization of the League of Nations*, **5**: 134-137.
- Devonshire, A.L., Field, L.M. and Williams, M.S. (1992). Molecular biology of insecticide resistance. In: *Insect molecular science*. Crampton, J. M. and Egglesten, P. [eds]. Academic Press, London, pp, 173-183.
- Diabaté, A., Baldet, T., Chandre, C., Dabire, K., Roch, K., Pierre, Guiguemde, T. R., Simard, F., Guillet, P., Hemingway, J. and Hougard, J.M. (2003). KDR mutation, a genetic marker to assess events of introgression between the Molecular M and S forms of *Anopheles gambiae* (Diptera: Culicidae) in the tropical Savannah area of West Africa. *Journal of Medical Entomology*, **40**: 195-198.
- Diabaté, A., Baldet, T., Chandre, F., Guiguemde, R.T., Brengues, C., Guillet, P., Hemingway, J. and Hougard, J.M. (2002). First report of the *kdr* mutation in *Anopheles gambiae* M form from Burkina Faso, West Africa. *Parassitologia*, **44**:157-158.
- Diabaté, A., Baldet, T., Chandre, F., Dabire, K.R., Simard, F., Ouedraogo, J.B., Guillet, P. and Hougard, J.M. (2004). First report of *kdr* mutation in *Anopheles arabiensis* from Burkina Faso, West Africa. *Journal of the American Mosquito Control Association*, **20**, 195-196.

- Ding, Y., Ortelli, F., Rossiter, L.C., Hemingway, J. and Ranson, H. (2003). The *Anopheles gambiae* glutathione S-transferase supergene family: annotation, phylogeny and expression profiles. *BMC Genomics*, **4**: 35.
- Dong, K. (1997). A single amino acid change in the para sodium channel protein is associated with knockdown resistance (*kdr*) to pyrethroid insecticides in German cockroach. *Insect Biochemistry and Molecular Biology*, **27**: 93-100.
- Du, W., Awolola, T.S., Howell, P., Koekemoer, L.L., Brooke, B.D., Benedict, M.Q., Coetzee, M. and Zheng, L. (2005). Independent mutations in the *Rdl* locus confer dieldrin resistance to *Anopheles gambiae* and *An. arabiensis*. *Insect Molecular Biology*, **14**: 179-183.
- Dukeen, M.Y.H. and Omer, S.M. (1986). Ecology of the malaria vector *Anopheles arabiensis* Patton (Diptera: Culicidae) by the Nile in northern Sudan. *Bulletin of Entomological Research*, **76**: 451-467.
- El Gaddal, A.A. (1985). The Blue Nile Project: a comprehensive approach to prevention and control of water-associated diseases in irrigated schemes of the Sudan. *Journal of Tropical Medicine and Hygiene*, **88**: 47-56.
- El Gaddal, A.A., Haridi, A.M., Hassan, F.T. and Hussein, H. (1985). Malaria in the Gezira Managil Irrigated Scheme of the Sudan. *Journal of Tropical Medicine and Hygiene*, **88**:153-159.
- El Sayed, B.B., Arnot, D.E., Mukhtar, M.M., Baraka, O.Z., Dafalla, A.A., Elnaiem, D.A. and Nugud, A.D. (2000). A study of the urban malaria transmission problem in Khartoum. *Acta Tropica*, **75**: 163-171.
- Elisa, N., Mouchet, J., Rivière, F., Meunier, J.Y. and Yao, K. (1993). Resistance of *Anopheles gambiae* s. s. to pyrethroids in Cote d'Ivoire. *Annales de la Societe Belge de Medecine Tropicale*, **73**: 291-294.

- Elliott, M., Janes, N.F. and Potter, C. (1978). The future of pyrethroids in insect control. *Annual Review of Entomology*, **23**: 443-469.
- Enayati, A.A., Ranson, H. and Hemingway, J. (2005). Insect glutathione transferases and insecticide resistance. *Insect Molecular Biology*, **14**: 3-8.
- Etang, J., Manga, L., Chandre, F., Guillet, P., Fondjo, E., Mimpfoundi, R., Toto, J. and Fontenille, D. (2003). Insecticide resistance status of *Anopheles gambiae* s. l. (Diptera : Culicidae) in the Republic of Cameroon. *Journal of Medical Entomology*, **40**: 491-497.
- Favia, G. della Torre, A., Bagayoko, M., Lanfrancotti, A., Sagnon, N'F. Toure, Y.T. and Coluzzi, M. (1997). Molecular identification of sympatric chromosomal forms of *An. gambiae* and further evidence of their reproductive isolation. *Insect Molecular Biology*, **6**:377-338.
- Favia, G., and Louis, C. (1999). Molecular identification of chromosomal forms of *Anopheles gambiae sensu stricto*. *Parassitologia*, **41**: 155-118.
- Favia, G., Lanfrancotti, A., Spanos, L., Siden-Kiamos, I. and Louis, C. (2001). Molecular characterization of ribosomal DNA polymorphisms discriminating among chromosomal forms of *Anopheles gambiae* s.s. *Insect Molecular Biology*, **10**: 19-23.
- Fettene, M., Hunt R., Coetzee, M. and Tessema, F. (2004). Behaviour of *Anopheles arabiensis* and *Anopheles quadriannulatus* sp. B mosquitoes and malaria transmission in Southwestern Ethiopia. *African Entomology*, **12**: 83-87.
- Fettene, M., Koekemoer, L.L., Hunt, R.H. and Coetzee, M. (2002). PCR assay for identification of *Anopheles quadriannulatus* species B from Ethiopia and other sibling species of the *Anopheles gambiae* complex. *Medical and Veterinary Entomology*, **16**: 214-217.

- Feyereisen, R. (1999). Insect P⁴⁵⁰ enzymes. *Annual Review of Entomology*, **44**: 507-533.
- French-Constant, R.H., Anthony, N., Aronstein, K., Rocheleau, T. and Stilwell, G. (2000). Cyclodiene insecticide resistance: from molecular to population genetics. *Annual Review of Entomology*, **45**: 449-66.
- French-Constant, R.H., Aronstein, K., Anthony, N. and Coustau, C. (1995). Polymerase Chain Reaction-based monitoring techniques for detection of insecticide resistance-associated point mutations and their potential applications. *Pesticide Science*, **43**: 195-200.
- French-Constant, R.H., Steichen, J.C., Rocheleau, T.A., Aronstein, K. and Roush, R.T. (1993). A single-amino acid substitution in a gamma-aminobutyric acid subtype A receptor locus is associated with cyclodiene resistance in *Drosophila* populations. *Proceedings of the National Academy of Sciences of the United States of America*, **90**: 1957-1961.
- Gale, K.R. and Crampton, J.M. (1987). DNA probes for species identification of mosquitoes in the *Anopheles gambiae* complex. *Medical and Veterinary Entomology*, **1**: 127-136.
- Gentile, G., Slotman, M., Ketmaier, V., Powell, J.R. and Caccone, A. (2001). Attempts to molecularly distinguish cryptic taxa in *Anopheles gambiae* s.s. *Insect Molecular Biology*, **10**: 25-32.
- Gillies, M.T. and Coetzee, M. (1987). *A supplement to the Anophelinae of Africa South of Sahara*. Publications of the South African Institute of Medical Research, Johannesburg, No. **55**.
- Gillies, M.T. and De Millon, B. (1968). *The Anophelinae of Africa South of the Sahara*. Publications of the South African Institute of Medical Research, Johannesburg, N. **54**.

- Greenwood, B. and Mutabingwa, T. (2002). Malaria in 2002. *Nature*, **415**: 670-672.
- Grover-Kopec, E., Blumenthal, M.B., Ceccato, P., Dinku, T., Omumbo, J.A. and Connor, S.J. (2006). Web-based climate information resources for malaria control in Africa. *Malaria Journal*, **5**: 38.
- Guedes, R.N.C., Zhu, K.Y., Kambhampati, S. and Dover, B.A. (1997). An altered acetylcholinesterase conferring negative cross-insensitivity to different insecticidal inhibitors in organophosphate-resistant lesser grain borer, *rhizopertha dominica*. *Pesticide Biochemistry and Physiology*, **58**: 55-62.
- Guerrero, F.D., Jamroz R.C., Kammlah, D. and Kunz, S.E. (1997). Toxicological and molecular characterization of pyrethroid-resistant horn flies, *Haematobia irritans*: identification of *kdr* and *super-kdr* point mutations. *Insect Biochemistry and Molecular Biology*, **27**:745-755.
- Hargreaves, K., Hunt, R.H., Brooke, B.D., Mthembu, J., Weeto, M.M., Awolola, T.S., and Coetzee, M. (2003). *Anopheles arabiensis* and *An. quadriannulatus* resistance to DDT in South Africa. *Medical and Veterinary Entomology* , **17**: 417-422.
- Hargreaves, K., Koekemoer, L.L., Brook, B.D., Hunt, R.H., Mthembu, J. and Coetzee M. (2000). *Anopheles funestus* resistant to pyrethroid insecticides in South Africa. *Medical and Veterinary Entomology*: **14**: 181-189.
- Haridi, A. (1972). Inheritance of DDT resistance in species A and B of the *Anopheles gambiae* complex. *Bulletin of the World Health Organization*, **47**: 619-626.
- Hearth, P.R., Hemingway, J., Weerasinghe, I.S., and Jayawardena, K.G.I. (1987). The detection and characterisation of malathion resistance in field populations of *Anopheles culicifacies* B in Sir Lanka. *Pesticide Biochemistry and Physiology*, **29**: 157-162.

- Herath, P.R.J., Jayawardena, K.G.I. Hemingway, J. and X. Harris. (1988). DDT resistance in *Anopheles culicifacies* Giles and *A. subpictus* Grassi. (Diptera: Culicidae) from Sri Lanka: a field study on the mechanisms and changes in gene frequency after cessation of DDT spraying. *Bulletin of Entomological Research*, **78**: 717-723.
- Hemingway, J. (1982). Biochemical nature of malathion resistance in *Anopheles stephensi* from Pakistan. *Pesticide Biochemistry and Physiology*, **17**: 149-155.
- Hemingway J. (1983). Biochemical studies on malathion resistance in *Anopheles arabiensis* from Sudan. *Transactions of the Royal Society of Tropical Medicine and Hygiene*, **77**: 477-480.
- Hemingway, J. (2000). The molecular basis of two contrasting metabolic mechanisms of insecticide resistance. *Insect Biochemistry and Molecular Biology*, **30**: 1009-1015.
- Hemingway, J., Hawkes, N.J., McCarroll, L. and Ranson, H. (2004). The molecular basis of insecticide resistance in mosquitoes. *Insect Biochemistry and Molecular Biology*, **34**: 653-665.
- Hemingway, J. and Karunaratne, S.H.P.P. (1998). Mosquito carboxylesterases: a review of the molecular biology and biochemistry of a major insecticide resistance mechanism. *Medical and Veterinary Entomology*, **12**: 1-12.
- Hemingway, J. and Ranson, H. (2000). Insecticide resistance in insect vectors of human disease. *Annual Review of Entomology*, **45**: 371-391.
- Hemingway, J., Penilla, R.P., Rodriguez, A.D., James, B.M., Edge, W. and Rodriguez, M.H. (1997). Resistance management strategies in malaria vector mosquito control. A large scale field trial in southern Mexico. *Pesticide Science*, **51**: 375-382.

- Highton, R.B., Bryan, J.H., Boreman P.F.L. and Chandler, J.A. (1979). Studies on the sibling species of the *Anopheles gambiae* Giles and *An. arabiensis* Patton (Diptera: Culicidae) in Kisumu area, Kenya. *Bulletin of Entomological Research*, **69**:43-53.
- Himeidan Yel-S, Dukeen, M.Y., El-Rayah, el-A. and Adam, I. (2004). *Anopheles arabiensis*: abundance and insecticide resistance in an irrigated area of eastern Sudan. *Eastern Mediterranean Health Journal*, **10**: 167-174.
- Huang, H.S., Hu, N.T., Yao, Y.E., Wu, C.Y., Chiang, S.W. and Honda, B.M. (1998). Molecular cloning and heterologous expression of a glutathione S-transferase involved in insecticide resistance from diamondback moth, *Plutella xylostella*. *Insect Biochemistry and Molecular Biology*, **28**, 651-658.
- Hunt, R.H., Coetzee, M. and Fettene, M. (1998). The *Anopheles gambiae* complex: a new species from Ethiopia. *Transactions of the Royal Society of Tropical Medicine and Hygiene*, **92**: 231-235.
- IRAC (2006). Prevention and management of insecticide resistance in vectors and pests of public health importance. *A manual produced by Insecticide Resistance Action Committee (IRAC)*.
- Jamroz, R. C., Guerrero, F. D., Kammlah, D. M. and Kunz, S.E. (1998). Role of the *kdr* and super-*kdr* sodium channel mutations in pyrethroid resistance: correlation of allelic frequency to resistance level in wild and laboratory populations of horn flies (*Haematobia irritans*). *Insect Biochemistry and Molecular Biology*, **28**: 1031-1037.
- Joncour, G. (1956). La lutte contre le paludisme a` Madagascar. *Bulletin World Health Organization* **15**: 711–723.
- Joshi, C.P., Service, M.W. and Pradhan, G.D. (1975). A survey of species and B of the *Anopheles gambiae* complex in the Kisumu area of Kenya prior to insecticidal

- spraying with OMS-43 (fenitrothion). *Annals of Tropical Medicine and Parasitology*, **69**: 91-104.
- Jute, S. and Toovey, S. (2006). Knowledge, attitudes and practices of expatriates towards malaria chemoprophylaxis and personal protection measures on mine in Mali. *Travel Medicine and Infectious Disease*, **5**: 40-43.
- Kasai, S. and Scott, J.G. (2000). Over expression of cytochrome P450 CYP6D1 is associated with monooxygenase-mediated pyrethroid resistance in houseflies from Georgia. *Pesticide Biochemistry and Physiology*, **68**: 34-41.
- Kasai, S., Weerasinghe, I.S., Shono, T. and Yamakawa, M. (2000). Molecular cloning, nucleotide sequence and gene expression of a cytochrome P450 (*CYP6F1*) from the pyrethroid resistant mosquito, *Culex quinquefasciatus* Say. *Insect Biochemistry and Molecular Biology*, **30**: 163-171.
- Kostaropoulos, I., Papadopoulos, A.I., Metaxakis, A., Boukouvala, E. and Papadopoulou-Mourkidou, E. (2001). Glutathione S-transferase in the defense against pyrethroid in insects. *Insect biochemistry and Molecular Biology*, **31**: 313-319.
- Ku, S.S, Chiang F.M., Hsin, C.Y., Yao, Y.E. and Sun, C.N. (1994). Glutathione transferase isozymes involved in insecticide resistance of diamondback moth larvae. *Pesticide and Biochemistry Physiology*, **50**:191-197.
- Kulkarni, M.A., Rowland, M., Alifrangis, M., Mosha, F.W., Matowo, J., Malima, R., Peter, J., Kweka, E., Lyimo, I., Magesa, S., Salanti, A., Rau, M.E. and Drakeley, C. (2006). Occurrence of the leucine-to-phenylalanine knockdown resistance (*kdr*) mutation in *Anopheles arabiensis* populations in Tanzania, detected by a simplified high-throughput SSOP-ELISA method. *Malaria Journal*, **5**: 56.
- Kumar, R. (1984). *Insect pest control with special reference to African agriculture*. Edward Arnold Ltd. London.

- Lacey, L.A. and Lacey C.M. (1990). The medical importance or riceland mosquitoes and their control using alternatives to chemical insecticides. *Journal of American Mosquito Control Association*, **6** (Supplement.): 1-93.
- Lee, S.H., Yoon, K.S., Williamson, M.S., Goodson, S.T., TakanoLee, M., Edman, J.D., Devonshire, A.L. and Clark, J.M. (2000). Molecular analysis of *kdr*-like resistance in permethrin-resistant strains of head lice, *Pediculus capitis*. *Pesticide Biochemistry and Physiology*, **66**: 130-143.
- Lengeler, C., Cattani, J. and Savigny, D. (eds). (1996). *Net Cain. A new method for preventing malaria deaths*. International Development Centre, Ottawa and World Health Organization, Geneva.
- Lewis, D.J. (1948). The mosquito of the Jebel Auliya reservoir on the White Nile. *Bulletin of Entomological Research*, **39**: 1333-157.
- Lewis, D.J. (1958). Some mosquitoes of the Blue Nile valley in the Republic of the Sudan. *Bulletin of the World Health Organization*, **49**: 133-155.
- Lines, J.D., Myamba, J. and Curtis, C.F. (1987). Experimental hut trials of permethrin-impregnated mosquito nets and eave curtains against malaria vectors in Tanzania. *Medical and Veterinary Entomology*, **1**: 37-51.
- Loughney, K., Kreber R. and Ganetzky, B. (1989). Molecular analysis of the para locus, a sodium channel gene in *Drosophila*. *Cell*, **58**: 1143-1154.
- Lund, A.E. and Narahashi, T. (1983). Kinetics of sodium channel modification as the basis for the variation in the nerve membrane effects of pyrethroid and DDT analogs. *Pesticide Biochemistry and Physiology*, **20**: 203-216.
- Lynd, A., Ranson, H., McCall, P.J., Randle, N.P., BlackIV, W.C., Walker, E.D. and Donnelly, M.J. (2005). A simplified high-throughput method for pyrethroid

- knock-down resistance (*kdr*) detection in *Anopheles gambiae*. *Malaria Journal*, **4**:16.
- Mahon, R.J., Green, C.A. and Hunt, R.H. (1976). Diagnostic allozymes for routine identification of adults of the *Anopheles gambiae* complex (Diptera: Culicidae). *Bulletin of Entomological Research*, **66**: 25-31.
- Malik, E. M., Mohamed, T.A., Elmardi, K.A., Mowien, M.M., Elhassan, A.H., Elamin, S.B, Mannan, A.A and Ahmed, E.S. (2006). From chloroquine to artemisinin-based combination therapy: The Sudanese experience. *Malaria Journal*, **5**: 65.
- Martinez-Torres, D., Chandre, F., Williams, M.S., Darriet, F., Bergé, J.B., Devonshire, A.L., Guillet, P., Pasteur, N. and Pauron, D. (1998). Molecular characterisation of pyrethroid knockdown resistance (*kdr*) in the major malaria vector, *Anopheles gambiae* s.s. *Insect Molecular Biology*, **7**: 179-184.
- Martinez-Torres, D., Chevillon, C., Brun-Barale, A., Bergé, J.B., Pasteur, N. and Pauron, D. (1999). Voltage-dependent Na⁺ channels in pyrethroid-resistant *Culex pipiens* L mosquitoes. *Pesticide Science*, **55** : 1012-1020.
- Martinez-Torres, D., Devonshire, A.L. and Williamson, M.S. (1997). Molecular studies of knockdown resistance to pyrethroids: cloning of domain II sodium channel gene sequences from insects. *Pesticide Science*, **51**: 265-270.
- Masendu, H.T., Hunt, R.H., Koekemoer, L.L., Basil, B.D., Govere, J. and Coetzee, M. (2005). Spatial and temporal distribution and insecticide susceptibility of malaria vectors in Zimbabwe. *African Entomology*, **13**: 25-34.
- Mathenge, E.M., Gimnig, J.E., Kolczak, M., Ombok, M., Irungu, L.W. and Hawley, W.A. (2001). Effect of permethrin-impregnated nets on exiting behavior, blood feeding success, and time of feeding of malaria mosquitoes (Diptera: Culicidae) in Western Kenya. *Journal of Medical Entomology*, **38**: 531–563.

- Mattingly, P.F. (1977). Names for the *Anopheles gambiae* complex. *Mosquito systematic*, **9**: 323-328.
- Mbogo, C.N.M., Baya, N.M., Ofulla, A.V.O., Githure, J.I., and Snow, R.W. (1996). The impact of permethrin-impregnated bednets on malaria vectors of the Kenyan coast. *Medical and Veterinary Entomology*, **10**: 251-259.
- McCarroll, L. and Hemingway J. (2002). Can insecticide resistance status affect parasite transmission in mosquitoes? *Insect Biochemistry and Molecular Biology*, **32**:1345-1351
- McAbee, R.D., Kang, K.D., Stanich, M.A., Christiansen, J.A., Wheelock, C.E., Inman, A.D., Hammock, B.D. and Cornel, A.J. (2004). Pyrethroid tolerance in *Culex pipiens pipiens* var *molestus* from Marin County, California. *Pest Management Science*, **60**: 359-368.
- Miles, S.J. (1978). Enzymes variation in the *Anopheles gambiae* Giles group of species (Diptera: Culicidae). *Bulletin of Entomological Research*, **68**: 85-96.
- Miyazaki, M., Ohyama, K., Dunlap, D.Y. and Matsumura, F. (1996). Cloning and sequencing of the para-type sodium channel gene from susceptible and *kdr*-resistant German cockroaches (*Blattella germanica*) and house fly (*Musca domestica*). *Molecular and General Genetics*, **252**: 61-68.
- Mnzava, A.E. and Kilama, W.L. (1986). Observations on the distribution of the *Anopheles gambiae* complex in Tanzania. *Acta Tropica*, **43**:277-82
- Molineaux, L. and Gramiccia, G. (1980). Research on the epidemiology and control of malaria in the Sudan Savannah of West Africa. The Garki Project. World Health Organization, Geneva.

- Moore, G.D., Devine, G.J. and Devonshire, A.L. (1994). Insecticide-insensitive acetylcholinesterase can enhance esterase-based resistance in *Myzus persicae* and *Myzus nicotianae*. *Pesticide and Biochemistry Physiology*, **49**: 114-120.
- Morin, S., Williamson, M.S., Goodson, S.J., Brown, J.K., Tabashnik, B.E. and Dennehy, T.J. (2002). Mutations in the Bemisia tabaci para sodium channel gene associated with resistance to a pyrethroid plus organophosphate mixture. *Insect Biochemistry and Molecular Biology*, **32**: 1781-1791.
- Mosha, F.W. and Mutero, C.M. (1982). Separation of *Anopheles merus* from freshwater *Anopheles gambiae* by salinity tolerance test and morphological characters. *Parassitologia*, **24**:255-264.
- Mosha, F.W. and Petrarca, V. (1983). Ecological studies on *Anopheles gambiae* complex sibling species on the Kenya coast. *Transactions of the Royal Society of Tropical Medicine and Hygiene*, **77**: 344-345.
- Mouchet, J., Manguin, S., Sircoulon, J., Laventure, S., Faye, O., Onapa, A.M., Carnevale, P., Julvez, J. and Fontenille, D. (1998). Evaluation of malaria in Africa for the past 40 years: Impact of climatic and human factors. *Journal of American Mosquito Control Association*, **14**(2): 121-130.
- Muirhead-Thomson, R.C. (1948). Studies on *Anopheles gambiae* and *An. melas* in and around Lagos. *Bulletin of Entomological Research*, **38**: 527-558.
- Muirhead-Thomson, R.C. (1951). Studies on salt water and fresh water *Anopheles gambiae* on the East African Coast. *Bulletin of Entomological Research*, **41**: 487-502.
- Mutero, A., Pralavorio, M., Bride, J.M. and Fournier, D. (1994). Resistance-associated point mutations in insecticide-insensitive acetylcholinesterase. *Proceedings of the National Academy of Sciences*, **91**: 5922-5926.

- Mwangangi, J.M., Mbogo, C.M., Nzovu, J.G., Githure, J.I. Yan, G. and Beier, C. (2003). Blood-meal analysis for Anopheline mosquitoes sampled along the Kenyan coast. *Journal of American Mosquito Control Association*, **19**: 31-375.
- Nikou, D., Ranson, H. and Hemingway, J. (2003). An adult specific CYP6 P450 gene is over expressed in a pyrethroid resistant strain of the malaria vector, *Anopheles gambiae*. *Gene*, **318**: 91-102.
- Ntomwa, B.N, Usuku, P., Govere, J.N., Manga, L., Koekemoer, L.L., Hunt, R.H. and Coetzee, M. (2006). Distribution of members of the *Anopheles gambiae* Giles *s.l.* complex in Namibia and susceptibility to insecticides used for malaria control. *African Entomology*, **14**:404-406.
- Okbaldet, Y.B. (2001). Biology and transmission potential of malaria vector mosquitoes in Elabered sub-zone, Eritrea. M.Sc. thesis, University of the Free State, Bloemfontein.
- Ortelli, F., Rossiter, L.C., Vontas, J., Ranson, H. and Hemingway, J. (2003). Heterologous expression of four glutathione transferase genes genetically linked to a major insecticide- resistance locus from malaria vector *Anopheles gambiae*. *Biochemical Journal*, **373**: 957- 963.
- Park, Y. and Taylor, M.F.J. (1997). A novel mutation L1029H in sodium channel gene *hscp* associated with pyrethroid resistance for *Heliothis virescens* (Lepidoptera: Noctuidae). *Insect Biochemistry and Molecular Biology*, **27**: 9-13.
- Paskewitz, S.M. and Collins, F.H. (1990). Use of polymerase chain reaction to identify mosquito species of the *Anopheles gambiae* complex. *Medical and Veterinary Entomology*, **4**: 367-373.
- Paskewitz, S.M., Kakin, N.G., Coetzee, M. and Hunt, R.H. (1993). Evaluation of the Polymerase Chain Reaction method for identifying members of the *Anopheles*

- gambiae* (Diptera: Culicidae) complex in Southern Africa. *Journal of Medical Entomology*, **30**: 953-973.
- Paterson, H.E., (1962). On the status of the East African saltwater-breeding variant of *Anopheles gambiae* Giles. *Nature*, **195**: 469-470.
- Paterson, H.E., (1963). The species, species control and antimalarial spraying campaigns. *South African Journal of Medical Science*, **28**: 33-44.
- Paterson, H.E., (1964). Direct evidence for the specific distinctions of forms A, B and C of the *Anopheles gambiae* complex. *Rivista Di Malariologia*, **43**: 191-196.
- Paterson, H.E., Paterson, J.S., and Van Eden, J.S. (1963) A new member of the *Anopheles gambiae* complex. *Medical Proceedings*, **9**: 414-418.
- Peiris, H.T.R. and Hemingway, J. (1990). Temephos resistance and the associated cross-resistance spectrum in a strain of *Culex quinquefasciatus* Say (Diptera: Culicidae) from Peliyagoda, Sri Lanka. *Bulletin of Entomological Research*, **80**: 49-55.
- Penilla, R.P., Rodriguez, A.D., Hemingway, J., Torres, J.L., Arrendo-Jimenez, J.I. and Rodriguez, M.H. (1998). Resistance management strategies in malaria vector mosquito control. Baseline data for a large scale field trial against *Anopheles albimanus* in Mexico. *Medical and Veterinary Entomology*, **12**, 217-233.
- Petrarca, V., Beier, J.C., Onyango, F., Koros, J., Asiago, C., Koech, D.K. and Roberts, C.R. (1991). Species composition of the *Anopheles gambiae* complex (Diptera: Culicidae) at two sites in western Kenya. *Journal of medical Entomology*, **28**: 307-313.
- Petrarca, V., Nugud, A.D., Elkarim Ahmmed, M.A., Haridi, A.M., Di Deco, M.A. and Coluzzi, M. (2000). Cytogenetics of the *Anopheles gambiae* complex in Sudan,

with special reference to the *An. arabiensis*: relationships with East and West African population. *Medical and Veterinary Entomology*, **14**: 149-164.

Pinto, J., Lynd, A., Elissa, N., Donnelly, M.J., Costa, C, Gentile, G., Caccone, A. and Do Rosario, V.E. (2006). Co-occurrence of East and West African *kdr* mutations suggests high levels of resistance to pyrethroid insecticides in *Anopheles gambiae* from Libreville, Gabon. *Medical and Veterinary Entomology*, **20**: 27-32.

Prapanthadara, L., Hemingway, J. and Ketterman., A.J. (1995). DDT-resistance in *Anopheles gambiae* Giles from Zanzibar, Tanzania, based on increased DDT-dehydrochlorinase activity of glutathione S-transferases. *Bulletin of Entomological Research*, **85**: 267-274.

Prapanthadara, L., Ranson, H., Somboon, P. and Hemingway, J. (1998). Cloning, expression and characterization of an insect class I glutathione S-transferase from *Anopheles dirus* species B. *Insect biochemistry and Molecular Biology*, **28**: 527-533.

Ranson, H., Jensen, B., Vulule, J.M., Wang, X., Hemingway, J and F.H. Collins (2000). Identification of a novel mutation in the voltage-gated sodium channel gene of *Anopheles gambiae* associated with resistance to pyrethroid insecticides. *Insect Molecular Biology*, **9**: 491-497.

Ranson, H., Rossiter, L., Ortelli, F., Jensen, B. Wang, X., Roth, C.W., Collins, F.H. and Hemingway, J. (2001). Identification of a novel class of insect glutathione S-transferases involved in resistance to DDT in the malaria vector *Anopheles gambiae*. *Biochemistry Journal*, **359**: 295-304.

Raymond, M., Chevillon, C., Guillemaud, T., Lenormand, T. and Pasteur, N. (1998). An overview of the evolution of overproduced esterases in the mosquito *Culex pipiens*. *Philosophical Transactions of the Royal Society B: Biological Sciences*, **353** (1376): 1707-1711.

- Ribbands, C. R. (1944). Differences between *An. melas* (*An. gambiae* var *melas*) and *An. gambiae* .I. The larval pecten. *Annals of Tropical Medicine and Parasitology*, **38**: 85-86.
- Rongnoparut, P., Boonsuepsakul, S., Chareonviriyaphap, T. and Thanomsing, N. (2003). Cloning of cytochrome P450, *CYP6P5*, and *CYP6AA2* from *Anopheles minimus* resistant to deltamethrin. *Journal of Vector Ecology*, **28**: 150-158.
- Rose, R.I. (2001). Pesticides and public health: integrated methods of mosquito management. *Emerging Infectious Diseases*, **7**: 17-23.
- Rosenberg, R., Andre, R.G. and Somchit, L. (1990). Highly efficient dry season transmission of malaria in Thailand. *Transactions of the Royal Society of Tropical Medicine and Hygiene*, **84**: 22-28.
- Rosenberg, R., Wirtz, R.A., Lanar, D.E., Sattabongkot, J., Hall, T., Waters, A.P. and Prasittisuk, C. (1989). Circumsporozoite protein heterogeneity in the human malaria parasite *Plasmodium vivax*. *Science*, **245**: 973-976
- Saiki, R.K. Scharf, S., Faloona, F., Horn, G. I. Mullis, K.B., Erlich, H.A. and Arndheim, N. (1985). Enzymatic amplification of beta-globin genomic sequence and restriction analysis of sickle cell anaemia. *Science*, **230**: 1350-1354.
- Sambrook, J., Fritsch, E.F., and Maniatis, T. (1989). DNA sequencing in: *Molecular Cloning*, a laboratory manual, Nolan C. (Editor). New York: Cold Spring harbour Laboratory, press pp, 13.3-13.10., USA.
- Schuler, T.H., Martinez-Torres, D., Thompson, A.J., Denholm, I., Devonshire, A.L., Duce, I.R. and Williamson, M.S. (1998). Toxicological, electrophysiological, and molecular characterization of knock-down resistance to pyrethroid insecticides in diamondback moth, *Plutella xylostella* *Pesticide Biochemistry and Physiology*, **59**: 169-182.

- Scott, J.A. (1995). The molecular genetics of resistance: resistance as a response to stress *Florida Entomologist*, **78**: 399-410.
- Scott, J.A., Brogdon, W.G. and Collins, F.H. (1993). Identification of single specimens of the *Anopheles gambiae* complex. *American Journal of Tropical Medicine and Hygiene*, **49**: 520-529.
- Scott, J.G. and Wen, Z. (2001). Cytochrome P450 of insects: the tip of the iceberg. *Pest Management Science*, **57**: 958-967.
- Service, M.W. (1970). Ecological notes on species A and B of the *Anopheles gambiae* complex in Kisumu area of Kenya. *Bulletin of Entomological Research*, **60**: 105-108.
- Service, M.W., Joshi, G.P. and Pradhan, G.D. (1978). A survey of *Anopheles gambiae* (species A) and *An. arabiensis* (species B) of the *An. gambiae* Giles complex in the Kisumu area of Kenya following insecticidal spraying with OMS-43 (fenitrothion). *Annals of Tropical Medicine and Parasitology*, **73**: 377-386.
- Silver, A.R.J., Van Emden, H.F. and Battersby, M. (1995). A biochemical mechanism of resistance to pirimicarb in two glasshouse clones of *Aphis gossypii*. *Pesticide science*, **43**: 21-29
- Smissaert, H.R. (1964). Cholinesterase inhibition in spider mites susceptible and resistant to organophosphate. *Science*, **143**: 129-131.
- Snow R.W., Guerra, C.A., Noor, A.M., Myint, H.Y. and Hay, S.I. (2005). The global distribution of clinical episodes of *Plasmodium falciparum*. *Nature*, **434**: 214-217.
- Snow, F. (1983). Mosquito production and species succession from an area of irrigated rice fields in The Gambia, West Africa. *Journal Tropical Medicine and Hygiene*, **86**: 237-245.

- Soderlund, D.M. and Knipple, D.C. (2003). The molecular biology of knockdown resistance to pyrethroid insecticides. *Insect Biochemistry and Molecular Biology*, **33**: 563-577.
- Stump, A.D., Atieli, F.K., Vulule, J.M. and Besansky, N.J. (2004). Dynamics of the pyrethroid knockdown resistance allele in Western Kenyan populations of *Anopheles gambiae* in response to insecticide treated bed net trials. *American Journal of Tropical Medicine Hygiene*, **70**: 591-596.
- Takken, W., Eling, W., Hooghof, J., Dekker, T., Hunt, R. and Coetzee, M. (1999). Susceptibility of *Anopheles quadriannulatus* Theobald (Diptera: Culicidae) to *Plasmodium falciparum*. *Transactions of the Royal Society of Tropical Medicine and Hygiene*, **93**: 578-580.
- Temu, E.A., Minjas, J.N., Coetzee, M., Hunt, R.H. and Shiff, C.J. (1998). The role of four Anopheline species (Diptera: Culicidae) in malaria transmission in coastal Tanzania. *Transactions of the Royal Society of Tropical Medicine and Hygiene*, **92**: 152-158.
- Touré, Y.T., Petrarca, V., Traoré, S.F., Coulibaly, A., Maiga, H.M., Sankaré, O., Sow, M., Di Deco, M.A. and Coluzzi, M. (1994). Ecological genetic studies in the chromosomal form Mopti of *An. gambiae* s. str. in Mali, West Africa. *Genetica*, **94**: 213-223.
- Touré, Y.T., Petrarca, V., Traoré, S.F., Coulibaly, A., Maiga, H.M., Sankaré, O.M., DI Deco, M.A. and Coluzzi, M. (1998). The distribution and inversion polymorphism of chromosomally recognized taxa of the *Anopheles gambiae* complex in Mali, West Africa. *Parassitologia*, **40**: 477-511.
- Townson, H. and Onapa, A.W. (1994). Identification by rDNA-PCR of *Anopheles bwambae*, a geothermal spring species of the *An. gambiae* complex. *Insect Molecular Biology*, **3**: 279-282.

- Vais, H., Williamson, M.S., Devonshire, A.L., Usherwood, P.N.R. (2001). The molecular interactions of pyrethroid insecticides with insect and mammalian sodium channels. *Pest Management Science*, **57**: 877-888.
- Van Rensburg, A.J., Hunt, R.H., Koekemoer, L.L., Coetzee, M., Shiff, C.J. and Minjas, J. (1996). The polymerase chain reaction as a tool for identifying members of the *Anopheles gambiae* complex (Diptera: Culicidae) in Northeast Tanzania. *Journal of American Mosquito Control Association*, **12**: 271-274.
- Vaughan, A. and Hemingway, J. (1995). Mosquito carboxylesterases Est alpha 2(1) (A2). Cloning and sequence of the full-length cDNA for a major insecticide resistance gene worldwide in the mosquito *Culex quinquefasciatus*. *Journal of Biological Chemistry*, **270**: 17044-17049.
- Verhaeghen, K., Bortel, W.V., Roelants, P., Backeljau, T. and Coosemans, M. (2006). Detection of the East and West African *kdr* mutation in *Anopheles gambiae* and *Anopheles arabiensis* from Uganda using a new assay based on FRET/Melt Curve analysis. *Malaria Journal*, **5**: 16.
- Vontas, J., Small, G. and Hemingway, J. (2001). Glutathione S-transferase as antioxidant defence agents confer pyrethroid resistance in *Nilaparvata lugens*. *Biochemical Journal*, **357**: 65–72
- Vontas, J.G., Hejazi, M.J., Hawkes, N.J., Cosmidis, N., Loukas, M. and Hemingway, J. (2002). Resistance-associated point mutations of organophosphate insensitive acetylcholinesterase, in the olive fruit fly *Bactrocera oleae*. *Insect Molecular Biology*, **11**: 329-336.
- Vulule, J.M., Beach, R.F., Atieli, F.K., McAllister, J.C., Brogdon and W.G., Roberts, J.M. Mwangi, R.W. and Hawley, W.A. (1999). Elevated oxidase and esterase levels associated with permethrin tolerance in *An. gambiae* from Kenyan villages using permethrin-impregnated nets. *Medical and Veterinary Entomology*, **13**: 239-44.

- Vulule, J.M., Beach, R.F., Atieli, F.K., Roberts, J.M., Mount, D.L., Mwangi, R.W. (1994). Reduced susceptibility of *Anopheles gambiae* to permethrin associated with the use of permethrin-impregnated bednets and curtains in Kenya. *Medical and Veterinary Entomology*, **8**: 71-75.
- Waka, M., Hopkins, R.J., Akinpelu, O. and Curtis, C. (2005). Transmission of malaria in the Tesseney area of Eritrea: parasite prevalence in children, and vector density, host preferences, and sporozoite rate. *Journal of Vector Ecology*, **30**: 27-32.
- Walsh, S.B., Dolden, T.A., Moores, G.D., Kristensen, M., Lewis, T. and Devonshire, A.L. (2001). Identification and characterization of mutations in housefly (*Musca domestica*) acetylcholinesterase involved in insecticide resistance. *Biochemical Journal*, **359**: 175-181.
- Weill, M., Chandre, F., Berngues, C., Manguin, S., Akogbeto, M., Pasteur, N., Guillet, P. and Raymond, M. (2000). The *kdr* mutation occurs in the Mopti form of *Anopheles gambiae* s.s. through introgression. *Insect Molecular Biology*, **9**: 451-455.
- Weill, M., Malcolm, C., Chandre, F., Mogensen, K., Berthomieu, A. Marquine, M. and Raymond, M. (2004). The unique mutation in *ace-1* giving high insecticide resistance is easily detectable in mosquito vectors. *Insect Molecular Biology*, **13**: 1-7.
- White, G. B. (1972). Comparative studies on sibling species of the *Anopheles gambiae* Giles complex (Dipt., Culicidae): bionomics and vectorial activity of species A and species B at Segera, Tanzania. *Bulletin of Entomological Research*, **62**: 295-317.
- White, G.B. (1973). Comparative studies on sibling species of the *Anopheles gambiae* Giles complex (Dipt., Culicidae). III The distribution, ecology, behaviour and vectorial importance of species D in Bwamba Country, Uganda, with an analysis of biological, ecological, morphological and cytogenetical

- relationships of Uganda species D. *Bulletin of the World Health Organization*, **63**: 65-97.
- White, G.B. (1974). *Anopheles gambiae* complex and disease transmission in Africa. *Transactions of the Royal Medicine and Hygiene*, **68**: 278-301.
- White, G.B. (1985). *Anopheles bwambae* n. Sp., a malaria vector in Semliki valley, Uganda, and its relationships with other sibling species of the *An. gambiae* complex (Diptera: Culicidae). *Systematic Entomology*, **10**: 501-522.
- White, G.B. and Rosen, P. (1973). Comparative studies on sibling species of *Anopheles gambiae* Giles complex (Diptera: Culicidae). II. Ecology of species A and species B in savanna around Kaduna, Nigeria, during transition from wet to dry season. *Bulletin of Entomological Research*, **62**: 613-625.
- Williamson, M.S., Martinez-Torres, D., Hick, C.A. and Devonshire, A.L. (1996). Identification of mutations in the housefly para-type sodium channel gene associated with knockdown resistance (*kdr*) to pyrethroid insecticides. *Molecular and General Genetics*, **252**: 51-60.
- Wirtz, R. A, Burkot, T. R., Graves, P. M. and Andre, R. G. (1987) Field evaluation of enzyme-linked immunosorbent assays for *Plasmodium falciparum* and *Plasmodium vivax* sporozoites in mosquitoes (Diptera: Culicidae) from Papua New Guinea. *Journal of Medical Entomology*, **24**:433-437.
- World Health Organization (1992). Vector resistance to pesticides. 15th report of the expert committee on vector biology and control. WHO. *Technical Report Series*, 818.
- World Health Organization (1998a). The Global Malaria Control Strategy, 51st year, **3**: 4-6.

- World Health Organization (1998b). Test procedures for insecticide resistance monitoring in malaria vectors, Bio efficacy and persistence of insecticides on treated surfaces. WHO/CDS/CPC/MAL/98.12, WHO, Geneva.
- World Health Organization (2005a). International travel and health, situation as on 1 January 2005. *Chapter 7*: 132 -151.
- World Health Organization (2005b). The work of the African Network on Vector Resistance to insecticides 2000-2004.
- World Health Organization (2005c). The world malaria report. WHO/HTM/ MAL/2005. 1102.
- World Health Organization, (2001). Malaria vector control, insecticides for indoor residual spraying. WHO/CDS/WHOPES/2001.3.
- World Health Organization, Eastern Mediterranean Regional Office (2001). Roll Back Malaria in the WHO Eastern Mediterranean Region. unpublished document. WHOEM/MAL/273/E/G/12.01/3000
- Xu, Q., Liu, H., Zhang, L. and Liu, N. (2005). Mechanisms of permethrin resistance in mosquitoes, *Culex quinquefasciatus* (S.). *Pest Management Science*, **61**: 1096-1102.
- Yawson, A.E., McCall, P.J., Wilson, M.D. and Donnelly, M.J. (2004). Species abundance and insecticide resistance of *Anopheles gambiae* in selected areas of Ghana and Burkina Faso. *Medical and Veterinary Entomology*, **18**: 372-377.
- Zahar, A.R. (1985). Vector bionomics in the epidemiology and control of malaria. Part I, section III, (D) East Africa. WHO/VBC/85.3 World Health Organization, Geneva.
- Zlotkin, E. (1999). The insect voltage-gated sodium channel as target of insecticides. *Annual Review of Entomology*, **44**: 429-455.