

https://dspace.org/

Insecticide resistance in malaria vectors in central Sudan

Abdalla, Hiba Mohammed Abu Bakr

2008-12-01T09:59:46Z
http://hdl.handle.net/10539/5854

Downloaded from a DSpace repository. https://dspace.org/

REFERENCES

Akiyama, J. (1973). Exophily in *Anopheles gambiae* species B in Sudan. *Transactions of the Royal Society of Tropical Medicine and Hygiene*, **73**: 440.

Akogbeto, M. (1995). Entomological study on the malaria transmission in coastal and lagoon areas: the case of a village built on a brackish lake. *Annales de la Societé Belge de Medecine Tropicale*, **75**:219-227.

Akogbeto, M. (2000). Lagoonal and coastal malaria at Cotonou: entomological findings. *Sante*. **10**: 267-75.

Akogbeto, M. and Yakoubou, S. (1999). Resistance of malaria vectors to pyrethroids used for impregnated bednets in Benin, West Africa. *Bulletin de la Societe Pathologie Exotique,* **92**: 123-130.

Akood, M.A. (1980). The use of serology and of tests for drug and insecticide resistance in studying problems of malaria control in Sudan. *PhD Thesis*, *University of London*.

Aldridge, W.N. (1953). Serum esterases. 1. Two types of esterase (A and B) hydrolysing p-nitrophenyl acetate, propionate and butyrate, and a method for their determination. *Biochemical Journal,* **53**:110-117.

Alnwick, D. (2000). Roll Back Malaria – what are the prospects? *Bulletin of the World Health Organization,* **78**: 1377.

Alonso, P.L. (2006). Malaria: deploying a candidate vaccine (RTS, S/AS02A) for an old scourge of human kind. *International Microbiology*, **9**: 83-93.

Ameneshewa, B. and Service, M.W. (1996). Resting habits of *Anopheles arabiensis* in the Awash River valley of Ethiopia. *Annals of Tropical Medicine and Parasitology* , **90**(**5**: 515-521.

Ameneshewa, B. and Service, M.W. (1997). Blood-feeding behaviour of *Anopheles arabiensis* Patton (Diptera: Culicidae) in central Ethiopia. *Journal of African Zoology*, **111**: 235-245.

Awolola, T.S., Brooke, B.D., Hunt, R.H. and Coetzee, M. (2002). Resistance of the malaria vectors *Anopheles gambiae* s.s. to pyrethroid insecticides in south-western Nigeria. *Annals of Tropical Medicine and Parasitology*, **96**:849-852.

Beeman, R.W. (1982). Recent advance in the mode of action of insecticides. *Annual Review of Entomology,* **27**: 253-281.

Beier, J.C. (1998). Malaria parasite development in mosquitoes. *Annual Review of Entomology*, **43**: 519-543.

Beier, J.C., Perkins, P.V., Wirtz, R.A., Koros, J., Diggins, D., Gargan II, T.P. and Koech, D.K. (1988). Blood meal identification by direct Enzyme-Linked Immunosorbent Assay (ELISA), tested on *Anopheles* (Diptera: Culicidae) in Kenya. *Journal of Medical Entomology*, **25**: 9-16.

BNHP, (1989). The Annual Report of the Blue Nile Health Project.

Boakye, D.A., Tang, J., Truc, P., Merriweather, A. and Unasch, T.R. (1999). Identification of blood meals in haematophagous Diptera by cytochrome B heteroduplex analysis. *Medical and Veterinary Entomology,* **13**: 282-287.

Boreham, P.F.L. (1975). Some applications of blood meal identifications in relation to epidemiology of vector-borne tropical diseases. *Journal of Tropical Medicine and Hygiene*, **78**: 83-91.

Bosman, A., Kassankogno, Y. and Kondrachine, A.V. (1999). Implementation of malaria control. *Parassitologia,* **41**: 391-393.

Brewer, J.J. (1970). *An introduction in enzyme techniques*. Academic Press. New York.

Brogdon, W.G. and McAllister J.C. (1998). Insecticide resistance and vector control. *Emerging Infectious Diseases*, **4**: 605-613.

Brooke, B.D., Kloke, G., Hunt, R.H., Koekemoer, L.L, Temu, E.A., Taylor, M.E., Small, G., Hemingway, J. and Coetzee, M. (2001). Bioassay and biochemical analysis of insecticide resistance in southern African *Anopheles funestus* (Diptera: Culicidae). *Bulletin of Entomological Research*, **91**: 265-272.

Brown, A.W.A. (1986). Insecticide resistance in mosquitoes: a pragmatic view. *Journal of the American Mosquito Control Association,* **2**: 123-140.

Brown, T. and Brogdon, W.G. (1987). Improved detection of insecticide resistance through conventional and molecular techniques. *Annual Review of Entomology*, **32**: 145-162.

Bruce-Chwatt, L.J. (1985). *Essential Malariology*, 2nd ed. John Wiley and Sons, Inc., New York.

Bryan, J.H., Di Deco, M.A., Petrarca, V. and Coluzzi, M. (1982). Inversion polymorphism and incipient speciation in *Anopheles gambiae* s.s.tr. in the Gambia, West Africa. *Genetica*, **59**: 167-176.

Busvine, J.R. (1954). Houseflies resistant to a group of chlorinated hydrocarbon insecticides. *Nature*: **174**:783-785.

Casimiro, S., Coleman, M., Hemingway, J. and Sharp, B. (2006). Insecticide Resistance in *Anopheles arabiensis* and *Anopheles gambiae* from Mozambique. *Journal of Medical Entomology*, **34**: 276-282.

Casimiro, S., Coleman, M., Mohloai, P., Hemingway, J. and Sharp, B. (2006). Insecticide Resistance in *Anopheles funestus* (Diptera: Culicidae) from Mozambique. *Journal of Medical Entomology* , **43**: 267-275.

Chandre, F., Darrier, F., Manga, L., Akogbeto, M., Faye, O., Mouchet, J. and Guillet, P. (1999a). Status of pyrethroid resistance in *Anopheles gambiae sensu lato*. *Bulletin of the World Health Organization,* **77**: 230-234.

Chandre, F., Darriet, F., Duchon, S., Finot, L., Manguin, S., Carnevale, P. and Guillet, P. (2000). Modifications of pyrethroid effects associated with *kdr* mutation in *Anopheles gambiae*. *Medical and Veterinary Entomol*ogy, **14**:81-8.

Chandre, F., Darriet, F., Manguin, S., Brengues, C., Carnevale, P. and Guillet, P. (1999b). Pyrethroid cross resistance spectrum among populations of *Anopheles gambiae* s.s from Cote d'lvoire. *Journal of American Mosquito Control Association,* **15**: 53-59.

Charalambous, M., Townson, H., Harbach, R.E. and Mukways, L.G. (1999). Electophoretric and DNA identification of *Anopheles bwambae* and *A. gambiae* (Diptera: Culicidae) in Western Uganda. *Bulletin of Entomological Research*, **89**: 111-117.

Charlwood, J.D. and Edoh., D. (1996). Polymerase chain re-action used to describe larval habitat use by *Anopheles gambiae* complex (Diptera: Culicidae) in the environs of Ifakara, Tanzania. *Journal of Medical Entomology,* **22**: 202-204.

Claudianos, C., Russell, R.J. and Oakeshott, J.G. (1999). The same amino acid substitution in orthologous esterases confers organophosphate resistance on the house fly and blowfly. *Insect Biochemistry and Molecular Biology,* **29**: 675-686.

Coetzee, M. (2004). Distribution of the African malaria vectors of the *Anopheles gambiae* complex. *American Journal of Tropical Medicine and Hygiene,* **70**: 103-104.

Coetzee, M., Craig, M. and Sueur, D. (2000). Distribution of African malaria mosquitoes belonging to the *Anopheles gambiae* complex. *Parasitology Today*, **16**:74-77.

Coetzee, M., Hunt, R.H. and Braack, L.E.O. (1993). Enzyme variation at the Aspartate Aminotransferase locus in members of the *Anopheles gambiae* complex (Diptera: Culicidae). *Journal of Medical Entomology*, **30**: 303-308.

Coetzee, M., Van Wyk, P., Booman, M. Koekemoer, L.L. and Hunt, R.H. (2006). Insecticide resistance in malaria vector mosquitoes in a gold mining town in Ghana and implications for malaria control. *Bulletin de la Societe de Pathologie Exotique,* **5**: 400-403.

Collins, F.H, Mendez, M.A., Razmussen, M.O., Mehaffey, P.C., Besansky, N.J. and Finnerty, V. (1987). A ribosomal RNA gene probe differentiates member species of *Anopheles gambiae* complex. *American Journal of Tropical Medicine and Hygiene,* **37**: 37-41.

Collins, F.H. and Paskewitz, S.M. (1995). Malaria: current and future prospects for control. *Annual Review of Entomology*, **40**: 195-219.

Collins, F.H., Kamau, L., Ranson, H.A. and Vulule, J.M. (2000). Molecular entomology and prospects for malaria control. *Bulletin of the World Health Organization*, **78**: 1412-1423.

Coluzzi, M. (1964). Morphological divergences in the *Anopheles gambiae* complex. *Rivista di Malariologia*, **43**: 197-232.

Coluzzi, M. (1970). Sibling species in the *Anopheles gambiae* complex and their importance in malariology. *Miscellaneous Publications of the Entomological Society of America*, **7**: 63-77.

Coluzzi, M. (1984). Heterogeneities of the malaria vectorial system in tropical Africa and their significance in malaria prevention and control. *Bulletin of the World Health Orgnization,* **62** (Supplement): 107-113.

Coluzzi, M. and Kitzmiller, J.B. (1975). Anopheline Mosquitoes. *Handbook of Genetics*, volume **3**. Edited by RC King, Plenum Publishing Corporation, New York, New York, pp: 285-309.

Coluzzi, M., Petrarca, V. and Di Deco, M.A. (1985). Chromosomal inversion intergradation and incipient speciation in *Anopheles gambiae*. *Bollettino di Zoologia*, **52**: 45-63.

Coluzzi, M. and Sabatini, A. (1967). Cytogenetic observations on species A and B of the *Anopheles gambiae* complex. *Parassitologia,* **9**: 73-88.

Coluzzi, M. and Sabatini, A. (1968). Cytogenetic observations on species C of the *Anopheles gambiae* complex. *Parassitologia,* **10**: 155-165.

Coluzzi, M. and Sabatini, A. (1969). Cytogenetic observations on the saltwater species *Anopheles merus* and *Anopheles melas* of the *Anopheles gambiae* complex. *Parassitologia,* **11**: 177-187.

Coluzzi, M., Sabatini, A., della-Torre, A., Di Deco, M.A. and Petrarca, V. (2002). A polytene chromosome analysis of the *Anopheles gambiae* species complex. *Science*, **298**: 1415-1418.

Coluzzi, M., Sabatini, A., Petrarca, V. and Di Deco, M.A. (1979). Chromosomal differentiation and adaptation to human environments in the *Anopheles gambiae* complex. *Transaction of the Royal Society of Tropical Medicine and Hygiene*, **73**: 483-497.

Cornel, A.J., Coetzee, M., Van Rensburg, A.J., Koekemoer, L.L., Hunt, R.H. and Collins, F.H. (1997). Ribosomal DNA-Polymerase Chain Reaction assay

discriminates between *Anopheles quadriannulatus* and *An. merus* (Diptera: Culicidae). *Journal of Medical Entomology*, **34**: 573-577.

Costantini, C., Sagnon, N.F., Della Torre, A. and Coluzzi, M. (1999). Mosquito behavioural aspects of vector-human interactions in the *Anopheles gambiae* complex, *Parassitologia*, **42**: 209-217.

Cui, F., Raymond, M. and Qiao, C. (2006). Insecticide resistance in vector mosquitoes in China. *Pest Management Science*, **62**: 1013-1022.

Curtis, C. F. (2002). Restoration of malaria control in the Madagascar Highlands by DDT Spraying. *American Journal of Tropical Medicine and Hygiene,* **6**: 1.

Curtis, C.F., Miller, J, E., Hodjati, M, F., Kolaczinski, J.H. and Kasumba, I. (1998). Can anything be done to maintain the effectiveness of pyrethroid-impregnated bednets against malaria vectors? *Philosophical Transactions: Biological Sciences*, **353**: 1769-1775.

Curtis, C.F. and Mnzava, A.E.P. (2000). Comparison of house spraying and insecticide treated nets for malaria control. *Bulletin of the World Health Organization*, **78**: 1389-1400.

Das, P.K. and Amalraj, D.D. (1997). Biological control of malaria vectors. *Indian Journal for Medical Research*, **106**:174-197.

Davidson, G. (1964a). *Anopheles gambiae*, a complex of species. *Bulletin of the World Health Organization*, **31**: 625-634.

Davidson, G. (1964b). The five mating types in the *Anopheles gambiae* complex. *Revista di Malariologia*, **43**: 167-183.

Davidson, G. and Hunt, R.H. (1973). The crossing and chromosome characteristics of a new 6th species in the *Anopheles gambiae* complex. *Parassitologia,* **15**: 121-128.

Davidson, G., Paterson, H.E., Coluzzi, M., Mason, G.F. and Micks, D.W. (1967). The *Anopheles gambiae* complex. In: *Genetics of Insect Vectors of Disease*. (editions J W Wright and R. pal). Elsevier Publication and Company, Amsterdam. pp, 211-250.

della-Torre, A., Fanello, C., Akogbeto, M., Dossou-yoyo, J., Favia, G., Petrarca, V. and Coluzzi, M. (2001). Molecular evidence of incipient speciation within *Anopheles gambiae s. s.* in West Africa. *Insect Molecular Biology,* **10**: 9-18.

De Meillon, B. (1936). The control of malaria in South Africa by measures directed against the adult mosquitoes in habitations. *Quarterly Bulletin of Health of the Organization of the League of Nations*, **5**: 134-137.

Devonshire, A.L., Field, L.M. and Williams, M.S. (1992). Molecular biology of insecticide resistance. In: *Insect molecular science*. Crampton, J. M. and Egglesten, P. [eds]. Academic Press, London, pp, 173-183.

Diabaté, A., Baldet, T., Chandre, C., Dabire, K., Roch, K., Pierre, Guiguemde, T. R., Simard, F., Guillet, P., Hemingway, J. and Hougard, J.M. (2003). KDR mutation, a genetic marker to assess events of introgression between the Molecular M and S forms of *Anopheles gambiae* (Diptera: Culicidae) in the tropical Savannah area of West Africa. *Journal of Medical Entomology*, **40**: 195-198.

Diabaté, A., Baldet, T., Chandre, F., Guiguemde, R.T., Brengues, C., Guillet, P., Hemingway, J. and Hougard, J.M. (2002). First report of the *kdr* mutation in *Anopheles gambiae* M form from Burkina Faso, West Africa. *Parassitologia,* **44**:157-158.

Diabaté, A., Baldet, T., Chandre, F., Dabire, K.R., Simard, F., Ouedraogo, J.B., Guillet, P. and Hougard, J.M. (2004). First report of *kdr* mutation in *Anopheles arabiensis* from Burkina Faso, West Africa. *Journal of the American Mosquito Control Association,* **20,** 195-196.

Ding, Y., Ortelli, F., Rossiter, L.C., Hemingway, J. and Ranson, H. (2003). The *Anopheles gambiae* glutathione S-transferase supergene family: annotation, phylogeny and expression profiles. *BMC Genomics*, **4**: 35.

Dong, K. (1997). A single amino acid change in the para sodium channel protein is associated with knockdown resistance (*kdr*) to pyrethroid insecticides in German cockroach. *Insect Biochemistry and Molecular Biology*, **27**: 93-100.

Du, W., Awolola, T.S., Howell, P., Koekemoer, L.L., Brooke, B.D., Benedict, M.Q., Coetzee, M. and Zheng, L. (2005). Independent mutations in the *RdI* locus confer dieldrin resistance to *Anopheles gambiae* and *An. arabiensis*. *Insect Molecular Biology*, **14**: 179-183.

Dukeen, M.Y.H. and Omer, S.M. (1986). Ecology of the malaria vector *Anopheles arabiensis* Patton (Diptera: Culicidae) by the Nile in northern Sudan. *Bulletin of Entomological Research*, **76:** 451-467.

El Gaddal, A.A. (1985). The Blue Nile Project: a comprehensive approach to prevention and control of water-associated diseases in irrigated schemes of the Sudan. *Journal of Tropical Medicine and Hygiene*, **88:** 47-56.

El Gaddal, A.A., Haridi, A.M., Hassan, F.T. and Hussein, H. (1985). Malaria in the Gezira Managil Irrigated Scheme of the Sudan. *Journal of Tropical Medicine and Hygiene*, **88:**153-159.

El Sayed, B.B., Arnot, D.E., Mukhtar, M.M., Baraka, O.Z., Dafalla, A.A., Elnaiem, D.A. and Nugud, A.D. (2000). A study of the urban malaria transmission problem in Khartoum. *Acta Tropica*, **75**: 163-171.

Elisa, N., Mouchet, J., Rivière, F., Meunier, J.Y. and Yao, K. (1993). Resistance of *Anopheles gambiae* s. s. to pyrethroids in Cote d'lvoire. *Annales de la Societe Belge de Medecine Tropicale,* **73**: 291-294.

Elliott, M., Janes, N.F. and Potter, C. (1978). The future of pyrethroids in insect control. *Annual Review of Entomology*, **23**: 443-469.

Enayati, A.A., Ranson, H. and Hemingway, J. (2005). Insect glutathione transferases and insecticide resistance. *Insect Molecular Biology,* **14**: 3-8.

Etang, J., Manga, L., Chandre, F., Guillet, P., Fondjo, E., Mimpfoundi, R., Toto, J. and Fontenille, D. (2003). Insecticide resistance status of *Anopheles gambiae* s. l. (Diptera : Culicidae) in the Republic of Cameroon. *Journal of Medical Entomology*, **40**: 491-497.

Favia, G. della Torre, A., Bagayoko, M., Lanfrancotti, A., Sagnon, N'F. Toure, Y.T. and Coluzzi, M. (1997). Molecular identification of sympatric chromosomal forms of *An. gambiae* and futher evidence of their reproductive isolation. *Insect Molecular Biology*, **6**:377-338.

Favia, G., and Louis, C**.** (1999). Molecular identification of chromosomal forms of *Anopheles gambiae sensu stricto*. *Parassitologia,* **41**: 155-118.

Favia, G., Lanfrancotti, A., Spanos, L., Siden-Kiamos, I. and Louis, C. (2001). Molecular characterization of ribosomal DNA polymorphisms discriminating among chromosomal forms of *Anopheles gambiae* s.s. *Insect Molecular Biology,* **10**: 19-23.

Fettene, M., Hunt R., Coetzee, M. and Tessema, F. (2004). Behaviour of *Anopheles arabiensis* and *Anopheles quadriannulatus* sp. B mosquitoes and malaria transmission in Southwestern Ethiopia. *African Entomology*, **12**: 83-87.

Fettene, M., Koekemoer, L.L., Hunt, R.H. and Coetzee, M. (2002). PCR assay for identification of *Anopheles quadriannulatus* species B from Ethiopia and other sibling species of the *Anopheles gambiae* complex. *Medical and Veterinary Entomology,* **16**: 214-217.

Feyereisen, R. (1999). Insect P^{450} enzymes. *Annual Review of Entomology*, **44**: 507-533.

ffrench-Constant, R.H., Anthony, N., Aronstein, K., Rocheleau, T. and Stilwell, G. (2000). Cyclodiene insecticide resistance: from molecular to population genetics. *Annual Review of Entomology*, **45**: 449-66.

ffrench-Constant, R.H., Aronstein, K., Anthony, N. and Coustau, C. (1995). Polymerase Chain Reaction-based monitoring techniques for detection of insecticide resistance-associated point mutations and their potential applications. *Pesticide Science*, **43**: 195-200.

ffrench-Constant, R.H., Steichen, J.C., Rocheleau, T.A., Aronstein, K. and Roush, R.T. (1993). A single-amino acid substitution in a gamma-aminobutyric acid subtype A receptor locus is associated with cyclodiene resistance in *Drosophila* populations. *Proceedings of the National Academy of Sciences of the United States of America*, **90**: 1957-1961.

Gale, K.R. and Crampton, J.M. (1987). DNA probes for species identification of mosquitoes in the *Anopheles gambiae* complex. *Medical and Veterinary Entomology*, **1**: 127-136.

Gentile, G., Slotman, M., Ketmaier, V., Powell, J.R. and Caccone, A. (2001). Attempts to molecularly distinguish cryptic taxa in *Anopheles gambiae s.s. Insect Molecular Biology,* **10**: 25-32.

Gillies, M.T. and Coetzee, M. (1987). *A supplement to the Anophelinae of Africa South of Sahara*. Publications of the South African Institute of Medical Research, Johannesburg, No. **55.**

Gillies, M.T. and De Millon, B. (1968). *The Anophelinae of Africa South of the Sahara*. Publications of the South African Institute of Medical Research, Johannesburg, N. **54**.

Greenwood, B. and Mutabingwa, T. (2002). Malaria in 2002. *Nature*, **415**: 670-672.

Grover-Kopec, E., Blumenthal, M.B., Ceccato, P., Dinku, T., Omumbo, J.A. and Connor, S.J. (2006). Web-based climate information resources for malaria control in Africa. *Malaria Journal,* **5**: 38.

Guedes, R.N.C., Zhu, K.Y., Kambhampati, S. and Dover, B.A. (1997). An altered acetylcholinesterase conferring negative cross-insensitivity to different insecticidal inhibitors in organophosphate-resistant lesser grain borer, rhyzopertha dominica. *Pesticide Biochemistry and Physiology,* **58**: 55-62.

Guerrero, F.D., Jamroz R.C., Kammlah, D. and Kunz, S.E. (1997). Toxicological and molecular characterization of pyrethroid-resistant horn flies, *Haematobia irritans*: identification of *kdr* and *super-kdr* point mutations. *Insect Biochemistry and Molecular Biology,* **27**:745-755.

Hargreaves, K., Hunt, R.H., Brooke, B.D., Mthembu, J., Weeto, M.M., Awolola, T.S., and Coetzee, M. (2003). *Anopheles arabiensis* and *An. quadriannulatus* resistance to DDT in South Africa. *Medical and Veterinary Entomology* , **17**: 417-422.

Hargreaves, K., Koekemoer, L.L., Brook, B.D., Hunt, R.H., Mthembu, J. and Coetzee M. (2000). *Anopheles funestus* resistant to pyrethroid insecticides in South Africa. *Medical and Veterinary Entomology:* **14**: 181-189.

Haridi, A. (1972). Inheritance of DDT resistance in species A and B of the *Anopheles gambiae* complex. *Bulletin of the World Health Organization,* **47**: 619-626.

Hearth, P.R., Hemingway, J., Weerasinghe, I.S., and Jayawardena, K.G.I. (1987). The detection and characterisation of malathion resistance in field populations of *Anopheles culicifacies* B in Sir Lanka. *Pesticide Biochemistry and Physiology*, **29**: 157-162.

Herath, P.R.J., Jayawardena, K.G.I. Hemingway, J. and X. Harris. (1988). DDT resistance in *Anopheles culicifacies* Giles and *A. subpictus* Grassi. (Diptera: Culicidae) from Sri Lanka: a field study on the mechanisms and changes in gene frequency after cessation of DDT spraying. *Bulletin of Entomological Research,* **78**: 717-723.

Hemingway, J. (1982). Biochemical nature of malathion resistance in *Anopheles stephensi* from Pakistan. *Pesticide Biochemistry and Physiology,* **17**: 149-155.

Hemingway J. (1983). Biochemical studies on malathion resistance in *Anopheles arabiensis* from Sudan. *Transactions of the Royal Society of Tropical Medicine and Hygiene,* **77**: 477-480.

Hemingway, J. (2000). The molecular basis of two contrasting metabolic mechanisms of insecticide resistance. *Insect Biochemistry and Molecular Biology*, **30**: 1009-1015.

Hemingway, J., Hawkes, N.J., McCarroll, L. and Ranson, H. (2004). The molecular basis of insecticide resistance in mosquitoes. *Insect Biochemistry and Molecular Biology*, **34**: 653-665.

Hemingway, J. and Karunaratne, S.H.P.P. (1998). Mosquito carboxylesterases: a review of the molecular biology and biochemistry of a major insecticide resistance mechanism. *Medical and Veterinary Entomology* , **12**: 1-12.

Hemingway, J. and Ranson, H. (2000). Insecticide resistance in insect vectors of human disease. *Annual Review of Entomology*, **45**: 371-391.

Hemingway, J., Penilla, R.P., Rodriguez, A.D., James, B.M., Edge, W. and Rodriguez, M.H. (1997). Resistance management strategies in malaria vector mosquito control. A large scale field trial in southern Mexico. *Pesticide Science,* **51**: 375-382.

Highton, R.B., Bryan, J.H., Boreman P.F.L. and Chandler, J.A. (1979). Studies on the sibling species of the *Anopheles gambiae* Giles and *An. arabiensis* Patton (Diptera: Culicidae) in Kisumu area, Kenya. *Bulletin of Entomological Research*, **69**:43-53.

Himeidan Yel-S, Dukeen, M.Y., El-Rayah, el-A. and Adam, I. (2004). *Anopheles arabiensis*: abundance and insecticide resistance in an irrigated area of eastern Sudan. *Eastern Mediterranean Health Journal*, **10**: 167-174.

Huang, H.S., Hu, N.T., Yao, Y.E., Wu, C.Y., Chiang, S.W. and Honda, B.M. (1998). Molecular cloning and heterologous expression of a glutathione S-transferase involved in insecticide resistance from diamondback moth, *Plutella xylostella. Insect Biochemistry and Molecular Biology*, **28**, 651-658.

Hunt, R.H., Coetzee, M. and Fettene, M. (1998). The *Anopheles gambiae* complex: a new species from Ethiopia. *Transactions of the Royal Society of Tropical Medicine and Hygiene*, **92**: 231-235.

IRAC (2006). Prevention and management of insecticide resistance in vectors and pests of public health importance. *A manual produced by Insecticide Resistance Action Committee (IRAC).*

Jamroz, R. C., Guerrero, F. D., Kammlah, D. M. and Kunz, S.E. (1998). Role of the *kdr* and super-*kdr* sodium channel mutations in pyrethroid resistance: correlation of allelic frequency to resistance level in wild and laboratory populations of horn flies (*Haematobia irritans*). *Insect Biochemistry and Molecular Biology,* **28**: 1031-1037.

Joncour, G. (1956). La lutte contre le paludisme a` Madagascar. *Bulletin World Health Organization* **15***:* 711–723.

Joshi, C.P., Service, M.W. and Pradhan, G.D. (1975). A survey of species and B of the *Anopheles gambiae* complex in the Kisumu area of Kenya prior to insecticidal

spraying with OMS-43 (fenitrothion). *Annals of Tropical Medicine and Parasitology*, **69**: 91-104.

Jute, S. and Toovey, S. (2006). Knowledge, attitudes and practices of expatriates towards malaria chemoprophylaxis and personal protection measures on mine in Mali. *Travel Medicine and Infectious Disease*, **5**: 40-43.

Kasai, S. and Scott, J.G. (2000). Over expression of cytochrome P450 CYP6D1 is associated with monooxygenase-om mediated pyrethroid resistance in houseflies from Georgia. *Pesticide Biochemistry and Physiology*, **68**: 34-41.

Kasai, S., Weerashinghe, I.S., Shono, T. and Yamakawa, M. (2000). Molecular cloning, nucleotide sequence and gene expression of a cytochrome P450 (*CYP6F1*) from the pyrethroid resistant mosquito, *Culex quinquefasciatus* Say. *Insect Biochemistry and Molecular Biology*, **30**: 163-171.

Kostaropoulos, I., Papadopoulos, A.I., Metaxakis, A., Boukouvala, E. and Papadopoulou-Mourkidou, E. (2001). GlutathioneS-tranferase in the defense against pyrethroid in insects. *Insect biochemistry and Molecular Biology*, **31**: 313-319.

Ku, S.S, Chiang F.M., Hsin, C.Y., Yao, Y.E. and Sun, C.N. (1994). Glutathione transferase isozymes involved in insecticide resistance of diamondback moth larvae. *Pesticide and Biochemistry Physiology,* **50**:191-197.

Kulkarni, M.A., Rowland, M., Alifrangis, M., Mosha, F.W., Matowo, J., Malima, R., Peter, J., Kweka, E., Lyimo, I., Magesa, S., Salanti, A., Rau, M.E. and Drakeley, C. (2006). Occurrence of the leucine-to-phenylalanine knockdown resistance (*kdr*) mutation in *Anopheles arabiensis* populations in Tanzania, detected by a simplified high-throughput SSOP-ELISA method. *Malaria Journal*, **5**: 56.

Kumar, R. (1984). *Insect pest control with special reference to African agriculture*. Edward Arnold Ltd. London.

Lacey, L.A. and Lacey C.M. (1990). The medical importance or riceland mosquitoes and their control using alternatives to chemical insecticides. *Journal of American Mosquito Control Association*, **6** (Supplement.): 1-93.

Lee, S.H., Yoon, K.S., Williamson, M.S., Goodson, S.T., TakanoLee, M., Edman, J.D., Devonshire, A.L. and Clark, J.M. (2000). Molecular analysis of *kdr*-like resistance in permethrin-resistant strains of head lice, *Pediculus capitis. Pesticide Biochemistry and Physiology*, **66**: 130-143.

Lengeler, C., Cattani, J. and Savigny, D. (eds). (1996). *Net Cain. A new method for preventing malaria deaths*. International Development Centre, Ottawa and World Health Organization, Geneva.

Lewis, D.J. (1948). The mosquito of the Jebel Auliya reservoir on the White Nile. *Bulletin of Entomological Research*, **39**: 1333-157.

Lewis, D.J. (1958). Some mosquitoes of the Blue Nile valley in the Republic of the Sudan. *Bulletin of the World Health Organization*, **49**: 133-155.

Lines, J.D., Myamba, J. and Curtis, C.F. (1987). Experimental hut trials of permethrin-impregnated mosquito nets and eave curtains against malaria vectors in Tanzania. *Medical and Veterinary Entomology*, **1**: 37-51.

Loughney, K., Kreber R. and Ganetzky, B. (1989). Molecular analysis of the para locus, a sodium channel gene in *Drosophila*. *Cell*, **58**: 1143-1154.

Lund, A.E. and Narahashi, T. (1983). Kinetics of sodium channel modification as the basis for the variation in the nerve membrane effects of pyrethroid and DDT analogs. *Pesticide Biochemistry and Physiology*, **20**: 203-216.

Lynd, A., Ranson, H., McCall, P.J., Randle, N.P., BlackIV, W.C., Walker, E.D. and Donnelly, M.J. (2005). A simplified high-throughput method for pyrethroid

knock-down resistance (*kdr*) detection in *Anopheles gambiae*. *Malaria Journal*, **4**:16.

Mahon, R.J., Green, C.A. and Hunt, R.H. (1976). Diagnostic allozymes for routine identification of adults of the *Anopheles gambiae* complex (Diptera: Culicidae). *Bulletin of Entomological Research*, **66**: 25-31.

Malik, E. M., Mohamed, T.A., Elmardi, K.A., Mowien, M.M., Elhassan, A.H., Elamin, S.B, Mannan, A.A and Ahmed, E.S. (2006). From chloroquine to artemisinin-based combination therapy: The Sudanese experience. *Malaria Journal,* **5**: 65.

Martinez-Torres, D., Chandre, F., Williams, M.S., Darriet, F., Bergé, J.B., Devonshire, A.L., Guillet, P., Pasteur, N. and Pauron, D. (1998). Molecular characterisation of pyrethroid knockdown resistance (*kdr*) in the major malaria vector, *Anopheles gambiae* s.s. *Insect Molecular Biology,* **7**: 179-184.

Martinez-Torres, D., Chevillon, C., Brun-Barale, A., Bergé, J.B., Pasteur, N. and Pauron, D. (1999). Voltage-dependent Na+ channels in pyrethroid-resistant *Culex pipiens* L mosquitoes. *Pesticide Science*, **55** : 1012-1020.

Martinez-Torres, D., Devonshire, A.L. and Williamson, M.S. (1997). Molecular studies of knockdown resistance to pyrethroids: cloning of domain II sodium channel gene sequences from insects. *Pesticide Science*, **51**: 265-270.

Masendu, H.T., Hunt, R.H., Koekemoer, L.L., Basil, B.D., Govere, J. and Coetzee, M. (2005). Spatial and temporal distribution and insecticide susceptibility of malaria vectors in Zimbabwe. *African Entomology*, **13**: 25-34.

Mathenge, E.M., Gimnig, J.E., Kolczak, M., Ombok, M., Irungu, L.W. and Hawley, W.A. (2001). Effect of permethrin-impregnated nets on exiting behavior, blood feeding success, and time of feeding of malaria mosquitoes (Diptera: Culicidae) in Western Kenya. *Journal of Medical Entomology*, **38**: 531–563.

Mattingly, P.F. (1977). Names for the *Anopheles gambiae* complex. *Mosquito systematic,* **9**: 323-328.

Mbogo, C.N.M., Baya, N.M., Ofulla, A.V.O., Githure, J.I., and Snow, R.W. (1996). The impact of permethrin-impregnated bednets on malaria vectors of the Kenyan coast. *Medical and Veterinary Entomology*, **10**: 251-259.

McCarroll, L. and Hemingway J. (2002). Can insecticide resistance status affect parasite transmission in mosquitoes? *Insect Biochemistry and Molecular Biology*, **32**:1345-1351

McAbee, R.D., Kang, K.D., Stanich, M.A., Christiansen, J.A., Wheelock, C.E., Inman, A.D., Hammock, B.D. and Cornel, A.J. (2004). Pyrethroid tolerance in *Culex pipiens pipiens* var *molestus* from Marin County, California. *Pest Management Science*, **60:** 359-368.

Miles, S.J. (1978). Enzymes variation in the *Anopheles gambiae* Giles group of species (Diptera: Culicidae). *Bulletin of Entomological Research,* **68**: 85-96.

Miyazaki, M., Ohyama, K., Dunlap, D.Y. and Matsumura, F. (1996). Cloning and sequencing of the para-type sodium channel gene from susceptible and *kdr*-resistant German cockroaches (*Blattella germanica*) and house fly (*Musca domestica*). *Molecular and General Genetics*, **252**: 61-68.

Mnzava, A.E. and Kilama, W.L. (1986). Observations on the distribution of the *Anopheles gambiae* complex in Tanzania. *Acta Tropica*, **43**:277-82

Molineaux, L. and Gramiccia, G. (1980). Research on the epidemilogy and control of malaria in the Sudan Savannah of West Africa. The Garki Project. World Health Organization, Geneva.

Moores, G.D., Devine, G.J. and Devonshire, A.L. (1994). Insecticide-insensitive acetylcholinesterase can enhance esterase-based resistance in Myzus persicae and Myzus nicotianae. *Pesticide and Biochemistry Physiology*, **49**: 114-120.

Morin, S., Williamson, M.S., Goodson, S.J., Brown, J.K., Tabashnik, B.E. and Dennehy, T.J. (2002). Mutations in the Bemisia tabaci para sodium channel gene associated with resistance to a pyrethroid plus organophosphate mixture. *Insect Biochemistry and Molecular Biology*, **32**: 1781-1791.

Mosha, F.W. and Mutero, C.M. (1982). Separation of *Anopheles merus* from freshwater *Anopheles gambiae* by salinity tolerance test and morphological characters. *Parassitologia*, **24**:255-264.

Mosha, F.W. and Petrarca, V. (1983). Ecological studies on *Anopheles gambiae* complex sibling species on the Kenya coast. *Transactions of the Royal Society of Tropical Medicine and Hygiene*, **77**: 344-345.

Mouchet, J., Manguin, S. Sircoulon, J., Laventure, S., Faye, O., Onapa, A.M., Carnevale, P., Julvez, J. and Fontenille, D. (1998). Evaluation of malaria in Africa for the past 40 years: Impact of climatic and human factors. *Journal of American Mosquito Control Association*, **14**(**2**): 121-130.

Muirhead-Thomson, R.C. (1948). Studies on *Anopheles gambiae* and *An. melas* in and around Lagos. *Bulletin of Entomological Research*, **38**: 527-558.

Muirhead-Thomson, R.C. (1951). Studies on salt water and fresh water *Anopheles gambiae* on the East African Coast. *Bulletin of Entomological Research,* **41**: 487-502.

Mutero, A. Pralavorio, M. Bride, J.M. and Fournier, D. (1994). Resistance-associated point mutations in insecticide-insensitive acetylcholinesterase. *Proceedings of the National Academy of Sciences*, **91**: 5922-5926.

Mwangangi, J.M., Mbogo, C.M., Nzovu, J.G., Githure, J.I. Yan, G. and Beier, C. (2003). Blood-meal analysis for Anopheline mosquitoes sampled along the Kenyan coast. *Journal of American Mosquito Control Association*, **19**: 31-375.

Nikou, D., Ranson, H. and Hemingway, J. (2003). An adult specific CYP6 P450 gene is over expressed in a pyrethroid resistant strain of the malaria vector, *Anopheles gambiae*. *Gene*, **318**: 91-102.

Ntomwa, B.N, Usuku, P., Govere, J.N., Manga, L., Koekemoer, L.L., Hunt, R.H. and Coetzee, M. (2006). Distribution of members of the *Anopheles gambiae* Giles *s.l*. complex in Namibia and susceptibility to insecticides used for malaria control. *African Entomology*, **14**:404-406.

Okbaldet, Y.B. (2001). Biology and transmission potential of malaria vector mosquitoes in Elabered sub-zone, Eritrea. M.Sc. thesis, University of the Free State, Bloemfontein.

Ortelli, F., Rossiter, L.C., Vontas, J., Ranson, H. and Hemingway, J. (2003). Heterologous expression of four glutathione transferase genes genetically linked to a major insecticide- resistance locus from malaria vector *Anopheles gambiae*. *Biochemical Journal*, **373**: 957- 963.

Park, Y. and Taylor, M.F.J. (1997). A novel mutation L1029H in sodium channel gene *hscp* associated with pyrethroid resistance for *Heliothis virescens* (Lepidoptera: Noctuidae). *Insect Biochemistry and Molecular Biology*, **27**: 9-13.

Paskewitz, S.M. and Collins, F.H. (1990). Use of polymerase chain reaction to identify mosquito species of the *Anopheles gambiae* complex. *Medical and Veterinary Entomology,* **4**: 367-373.

Paskewitz, S.M., Kakin, N.G., Coetzee, M. and Hunt, R.H. (1993). Evaluation of the Polymerase Chain Reaction method for identifying members of the *Anopheles*

gambiae (Diptera: Culicidae) complex in Southern Africa. *Journal of Medical Entomology*, **30**: 953-973.

Paterson, H.E., (1962). On the status of the East African saltwater-breeding variant of *Anopheles gambiae* Giles. *Nature*, **195**: 469-470.

Paterson, H.E., (1963). The species, species control and antimalarial spraying campaigns. *South African Journal of Medical Science,* **28:** 33-44.

Paterson, H.E., (1964). Direct evidence for the specific distinctions of forms A, B and C of the *Anopheles gambiae* complex. *Rivista Di Malariologia*, **43**: 191-196.

Paterson, H.E., Paterson, J.S., and Van Eden, J.S. (1963) A new member of the *Anopheles gambiae* complex. *Medical Proceedings,* **9**: 414-418.

Peiris, H.T.R. and Hemingway, J. (1990). Temephos resistance and the associated cross-resistance spectrum in a strain of *Culex quinquefasciatus* Say (Diptera: Culicidae) from Peliyagoda, Sri Lanka. *Bulletin of Entomological Research*, **80**: 49-55.

Penilla, R.P., Rodriguez, A.D., Hemingway, J., Torres, J.L., Arrendo-Jimenez, J.I. and Rodriguez, M.H. (1998). Resistance management strategies in malaria vector mosquito control. Baseline data for a large scale field trial against *Anopheles albimanus* in Mexico. *Medical and Veterinary Entomology,* **12,** 217-233.

Petrarca, V., Beier, J.C., Onyango, F., Koros, J., Asiago, C., Koech, D.K. and Roberts, C.R. (1991). Species composition of the *Anopheles gambiae* complex (Diptera: Culicidae) at two sites in western Kenya. *Journal of medical Entomology*, **28**: 307-313.

Petrarca, V., Nugud, A.D., Elkarim Ahmmed, M.A., Haridi, A.M., Di Deco, M.A. and Coluzzi, M. (2000). Cytogenetics of the *Anopheles gambiae* complex in Sudan,

with special reference to the *An. arabiensis*: relationships with East and West African population. *Medical and Veterinary Entomology*, **14**: 149-164.

Pinto, J., Lynd, A., Elissa, N., Donnelly, M.J., Costa, C, Gentile, G., Caccone, A. and Do Rosario, V.E. (2006). Co-occurrence of East and West African *kdr* mutations suggests high levels of resistance to pyrethroid insecticides in *Anopheles gambiae* from Libreville, Gabon. *Medical and Veterinary Entomology*, **20**: 27-32.

Prapanthadara, L., Hemingway, J. and Ketterman., A.J. (1995). DDT-resistance in *Anopheles gambiae* Giles from Zanzibar, Tanzania, based on increased DDT-dehydrochlorinase activity of glutathione S-transferases. *Bulletin of Entomological Research,* **85**: 267-274.

Prapanthadara, L., Ranson, H., Somboon, P. and Hemingway, J. (1998). Cloning, expression and characterization of an insect class I glutathione S-transferase from *Anopheles dirus* species B. *Insect biochemistry and Molecular Biology*, **28**: 527-533.

Ranson, H., Jensen, B., Vulule, J.M., Wang, X., Hemingway, J and F.H. Collins (2000). Identification of a novel mutation in the voltage-gated sodium channel gene of *Anopheles gambiae* associated with resistance to pyrethroid insecticides. *Insect Molecular Biology,* **9**: 491-497.

Ranson, H., Rossiter, L., Ortelli, F., Jensen, B. Wang, X., Roth, C.W., Collins, F.H. and Hemingway, J. (2001). Identification of a novel class of insect glutathione S-transferases involved in resistance to DDT in the malaria vector *Anopheles gambiae*. *Biochemistry Journal*, **359**: 295-304.

Raymond, M., Chevillon, C., Guillemaud, T., Lenormand, T. and Pasteur, N. (1998). An overview of the evolution of overproduced esterases in the mosquito *Culex pipiens*. *Philosophical Transactions of the Royal Society B: Biological Sciences,* **353** (**1376**): 1707-1711.

Ribbands, C. R. (1944). Differences between *An. melas* (*An. gambiae* var *melas*) and *An. gambiae* .I. The larval pecten. *Annals of Tropical Medicine and Parasitology*, **38**: 85-86.

Rongnoparut, P., Boonsuepsakul, S., Chareonviriyaphap, T. and Thanomsing, N. (2003). Cloning of cytochrome P450, *CYP6P5*, and *CYP6AA2* from *Anopheles minimus* resistant to deltamethrin. *Journal of Vector Ecology*, **28**: 150-158.

Rose, R.I. (2001). Pesticides and public health: integrated methods of mosquito management. *Emerging Infectious Diseases,* **7**: 17-23.

Rosenberg, R., Andre, R.G. and Somchit, L. (1990). Highly efficient dry season transmission of malaria in Thailand. *Transactions of the Royal Society of Tropical Medicine and Hygiene,* **84**: 22-28.

Rosenberg, R., Wirtz, R.A., Lanar, D.E., Sattabongkot, J., Hall, T., Waters, A.P. and Prasittisuk, C. (1989). Circumsporozoite protein heterogeneity in the human malaria parasite *Plasmodium vivax. Science,* **245**: 973-976

Saiki, R.K. Scharf, S., Faloona, F., Horn, G. I. Mullis, K.B., Erlich, H.A. and Arndeim, N. (1985). Enzymatic amplification of beta-globin genomic sequence and restriction analysis of sickle cell anaemia. *Science,* **230**: 1350-1354.

Sambrook, J., Fritsch, E.F., and Maniatis, T. (1989). DNA sequencing in: *Molecular Cloning*, a laboratory manual, Nolan C. (Editor). New York: Cold Spring harbour Laboratory, press pp, 13.3-13.10., USA.

Schuler, T.H., Martinez-Torres, D., Thompson, A.J., Denholm, I., Devonshire, A.L., Duce, I.R. and Williamson, M.S. (1998). Toxicological, electrophysiological, and molecular characterization of knock-down resistance to pyrethroid insecticides in diamondback moth, *Plutella xylostella Pesticide Biochemistry and Physiology*, **59**: 169-182.

Scott, J.A. (1995). The molecular genetics of resistance: resistance as a response to stress *Florida Entomologist*, **78**: 399-410.

Scott, J.A., Brogdon, W.G. and Collins, F.H. (1993). Identification of single specimens of the *Anopheles gambiae* complex. *American Journal of Tropical Medicine and Hygiene,* **49**: 520-529.

Scott, J.G. and Wen, Z. (2001). Cytochrome P450 of insects: the tip of the iceberg. *Pest Management Science*, **57**: 958-967.

Service, M.W. (1970). Ecological notes on species A and B of the *Anopheles gambiae* complex in Kisumu area of Kenya. *Bulletin of Entomological Research*, **60**: 105-108.

Service, M.W., Joshi, G.P. and Pradhan, G.D. (1978). A survey of *Anopheles gambiae* (species A) and *An. arabiensis* (species B) of the *An. gambiae* Giles complex in the Kisumu area of Kenya following insecticidal spraying with OMS-43 (fenitrothion). *Annals of Tropical Medicine and Parasitology,* **73**: 377-386.

Silver, A.R.J., Van Emden, H.F. and Battersby, M.(1995). A biochemical mechanism of resistance to pirimicarb in two glasshouse clones of Aphis gossypii. *Pesticide science*, **43**: 21-29

Smissaert, H.R. (1964). Cholinesterase inhibition in spider mites susceptible and resistant to organophosphate. *Science*, **143**: 129-131.

Snow R.W., Guerra, C.A., Noor, A.M., Myint, H.Y. and Hay, S.I. (2005). The global distribution of clinical episodes of *Plasmodium falciparum*. *Nature*, **434**: 214-217.

Snow, F. (1983). Mosquito production and species succession from an area of irrigated rice fields in The Gambia, West Africa. *Journal Tropical Medicine and Hygiene*, **86**: 237-245.

Soderlund, D.M. and Knipple, D.C. (2003). The molecular biology of knockdown resistance to pyrethroid insecticides. *Insect Biochemistry and Molecular Biology*, **33**: 563-577.

Stump, A.D., Atieli, F.K., Vulule, J.M. and Besansky, N.J. (2004). Dynamics of the pyrethroid knockdown resistance allele in Western Kenyan populations of *Anopheles gambiae* in response to insecticide treated bed net trials. *American Journal of Tropical Medicine Hygiene*, **70**: 591-596.

Takken ,W., Eling, W., Hooghof, J., Dekker, T., Hunt, R. and Coetzee, M. (1999). Susceptibility of *Anopheles quadriannulatus* Theobald (Diptera: Culicidae) to *Plasmodium falciparum. Transactions of the Royal Society of Tropical Medicine and Hygiene,* **93**:578-580

Temu, E.A., Minjas, J.N., Coetzee, M., Hunt, R.H. and Shiff, C.J. (1998). The role of four Anopheline species (Diptera: Culicidae) in malaria transmission in coastal Tanzania. *Transactions of the Royal Society of Tropical Medicine and Hygiene*, **92**: 152-158.

Touré, Y.T., Petrarca, V., Traoré, S.F., Coulibaly, A., Maiga, H.M., Sankaré, O., Sow, M., Di Deco, M.A. and Coluzzi, M. (1994). Ecological genetic studies in the chromosomal form Mopti of *An. gambiae* s. str. in Mali, West Africa. *Genetica*, **94**: 213-223.

Touré, Y.T., Petrarca, V., Traoré, S.F., Coulibaly, A., Maiga, H.M., Sankaré, O.M., DI Deco, M.A. and Coluzzi, M. (1998). The distribution and inversion polymorphism of chromosomally recognized taxa of the *Anopheles gambiae* complex in Mali, West Africa. *Parassitologia,* **40**: 477-511.

Townson, H. and Onapa, A.W. (1994). Identification by rDNA-PCR of *Anopheles bwambae*, a geothermal spring species of the *An. gambiae* complex. *Insect Molecular Biology*, **3**: 279-282.

Vais, H., Williamson, M.S., Devonshire, A.L., Usherwood, P.N.R. (2001). The molecular interactions of pyrethroid insecticides with insect and mammalian sodium channels. *Pest Management Science*, **57**: 877-888.

Van Rensburg, A.J., Hunt, R.H., Koekemoer, L.L., Coetzee, M., Shiff, C.J. and Minjas, J. (1996). The polymerase chain reaction as a tool for identifying members of the *Anopheles gambiae* complex (Diptera: Culicidae) in Northeast Tanzania. *Journal of American Mosquito Control Association*, **12**: 271-274.

Vaughan, A. and Hemingway, J. (1995). Mosquito carboxylesterases Est alpha 2(1) (A2). Cloning and sequence of the full-length cDNA for a major insecticide resistance gene worldwide in the mosquito *Culex quinquefasciatus*. *Journal of Biological Chemistry,* **270**: 17044-17049.

Verhaeghen, K., Bortel, W.V., Roelants, P., Backeljau, T. and Coosemans, M. (2006). Detection of the East and West African *kdr* mutation in *Anopheles gambiae* and *Anopheles arabiensis* from Uganda using a new assay based on FRET/Melt Curve analysis. *Malaria Journal,* **5**: 16.

Vontas, J., Small, G. and Hemingway, J. (2001). Glutathione S-transferase as antioxidant defence agents confer pyrethroid resistance in *Nilaparvata lugens*. *Biochemical Journal*, **357**: 65–72

Vontas, J.G., Hejazi, M.J., Hawkes, N.J., Cosmidis, N., Loukas, M. and Hemingway, J. (2002). Resistance-associated point mutations of organophosphate insensitive acetylcholinesterase, in the olive fruit fly *Bactrocera oleae*. *Insect Molecular Biology*, **11**: 329-336.

Vulule, J.M., Beach, R.F., Atieli, F.K., McAllister, J.C., Brogdon and W.G., Roberts, J.M. Mwangi, R.W. and Hawley, W.A. (1999). Elevated oxidase and esterase levels associated with permethrin tolerance in *An. gambiae* from Kenyan villages using permethrin-impregnated nets. *Medical and Veterinary Entomology*, **13**: 239-44.

Vulule, J.M., Beach, R.F., Atieli, F.K., Roberts, J.M., Mount, D.L., Mwangi, R.W. (1994). Reduced susceptibility of *Anopheles gambiae* to permethrin associated with the use of permethrin-impregnated bednets and curtains in Kenya. *Medical and Veterinary Entomology*, **8**: 71-75.

Waka, M., Hopkins, R.J., Akinpelu, O. and Curtis, C. (2005). Transmission of malaria in the Tesseney area of Eritrea: parasite prevalence in children, and vector density, host preferences, and sporozoite rate. *Journal of Vector Ecology*, **30**: 27-32.

Walsh, S.B., Dolden, T.A., Moores, G.D., Kristensen, M., Lewis, T. and Devonshire, A.L. (2001). Identification and characterization of mutations in housefly (*Musca domestica*) acetylcholinesterase involved in insecticide resistance. *Biochemical Journal*, **359**: 175-181.

Weill, M., Chandre, F., Berngues, C., Manguin, S., Akogbeto, M., Pasteur, N., Guillet, P. and Raymond, M. (2000). The *kdr* mutation occurs in the Mopti form of *Anopheles gambiae s.s*. through introgression. *Insect Molecular Biology,* **9**: 451-455.

Weill, M., Malcolm, C., Chandre, F., Mogensen, K., Berthomieu, A. Marquine, M. and Raymond, M. (2004). The unique mutation in *ace-1* giving high insecticide resistance is easily detectable in mosquito vectors. *Insect Molecular Biology*, **13**: 1-7.

White, G. B. (1972). Comparative studies on sibling species of the *Anopheles gambiae* Giles complex (Dipt., Culicidae): bionomics and vectorial activity of species A and species B at Segera, Tanzania. *Bulletin of Entomological Research,* **62**: 295-317.

White, G.B. (1973). Comparative studies on sibling species of the *Anopheles gambiae* Giles complex (Dipt., Culicidae). III The distribution, ecology, behaviour and vectorial importance of species D in Bwamba Country, Uganda, with an analysis of biological, ecological, morphological and cytogenetical

relationships of Uganda species D. *Bulletin of the World Health Organization*, **63**: 65-97.

White, G.B. (1974). *Anopheles gambiae* complex and disease transmission in Africa. *Transactions of the Royal Medicine and Hygiene*, **68**: 278-301.

White, G.B. (1985). *Anopheles bwambae* n. Sp., a malaria vector in Semliki valley, Uganda, and its relationships with other sibling species of the *An. gambiae* complex (Diptera: Culicidae). *Systematic Entomology,* **10**: 501-522.

White, G.B. and Rosen, P. (1973). Comparative studies on sibling species of *Anopheles gambiae* Giles complex (Diptera: Culicidae). II. Ecology of species A and species B in savanna around Kaduna, Nigeria, during transition from wet to dry season. *Bulletin of Entomological Research,* **62**: 613-625.

Williamson, M.S., Martinez-Torres, D., Hick, C.A. and Devonshire, A.L. (1996). Identification of mutations in the housefly para-type sodium channel gene associated with knockdown resistance (*kdr*) to pyrethroid insecticides. *Molecular and General Genetics*, **252**: 51-60.

Wirtz, R. A, Burkot, T. R., Graves, P. M. and Andre, R. G. (1987) Field evaluation of enzyme-linked immunosorbent assays for *Plasmodium falciparum* and *Plasmodium vivax* sporozoites in mosquitoes (Diptera: Culicidae) from Papua New Guinea. *Journal of Medical Entomology,* **24**:433-437.

World Health Organization (1992). Vector resistance to pesticides. 15th report of the export committee on vector biology and control. WHO. *Technical Report Series*, 818.

World Health Organization (1998a). The Global Malaria Control Strategy, 51st year, **3**: 4-6.

World Health Organization (1998b). Test procedures for insecticide resistance monitoring in malaria vectors, Bio efficacy and persistence of insecticides on treated surfaces. WHO/CDS/CPC/MAL/98.12, WHO, Geneva.

World Health Organization (2005a). International travel and health, situation as on 1 January 2005. *Chapter* **7**: 132 -151.

World Health Organization (2005b). The work of the African Network on Vector Resistance to insecticides 2000-2004.

World Health Organization (2005c). The world malaria report. WHO/HTM/ MAL/2005. 1102.

World Health Organization, (2001). Malaria vector control, insecticides for indoor residual spraying. WHO/CDS/WHOPES/2001.3.

World Health Organization, Eastern Mediterranean Regional Office (2001). Roll Back Malaria in the WHO Eastern Mediterranean Region. unpublished document. WHOEM/MAL/273/E/G/12.01/3000

Xu, Q., Liu, H., Zhang, L. and Liu, N. (2005). Mechanisms of permethrin resistance in mosquitoes, *Culex quinquefasciatus* (S.). *Pest Management Science*, **61**: 1096-1102.

Yawson, A.E., McCall, P.J., Wilson, M.D. and Donnelly, M.J. (2004). Species abundance and insecticide resistance of *Anopheles gambiae* in selected areas of Ghana and Burkina Faso. *Medical and Veterinary Entomology*, **18**: 372-377.

Zahar, A.R. (1985). Vector bionomics in the epidemiology and control of malaria. Part I, section III, (D) East Africa. WHO/VBC/85.3 World Health Organization, Geneva.

Zlotkin, E. (1999). The insect voltage-gated sodium channel as target of insecticides. *Annual Review of Entomology*, **44**: 429-455.