10 References

Allen R.G., Pereira L.S., Raes D. and Smith M. (1998) *Crop Evapotranspiration – Guidelines for Computing Crop Water Requirements – FAO Irrigation and Drainage Paper 56*, FAO – Food and Agriculture Organisation of the United Nations, Rome, 1998.

Anderson M.G. and Bates P.D. (1994) *Initial Testing of a Two-Dimensional Finite Element Model for Floodplain Inundation*, Proceedings of the Royal Society of London, Series A, Mathematical and Physical Sciences (1994), Vol. 444, pp 149-159.

Anonymous (2004) *Friends of Nylsvley and Nyl Floodplain welcome you to: Nylsvley Nature Reserve*, information pamphlet, Friends of Nylsvley, Irene.

Bagarello V., Iovino M. and Reynolds W.D. (1999) *Measuring Hydraulic Conductivity in a Cracking Clay Soil Using the Guelph Permeameter*, Transactions of the ASAE (American Society of Agricultural Engineers), Vol. 42(4), pp 957-964.

Bailey, A. (2003) *Hydrological Model Calibration Update, Addendum to the Original Hydrological Model Calibration Report*, Report to DWAF by Stewart Scott Consulting Engineers, 2003.

Barkau R.L. (1992) UNET, One-dimensional unsteady flow through a full network of open channels, Computer Program, St. Louis, Missouri, USA.

Batchelor G.R. and Tarboton W.R. (1981) *The Nyl river floodplain: A unique South African ecosystem threatened*, Report to the Chief Director of Nature and Environmental Conservation, Transvaal Provincial Administration, Pretoria.

Bates P.D., Anderson M.G., Baird L, Walling D.E. and Simm D (1992) *Modelling of Floodplain Flows Using a Two-Dimensional Finite Element Model*, Earth Surface Processes and Landforms, Vol. 17, 575-588.

Beffa C. and Connell R.J., (2001) *Two Dimensional Flood Plain Flow. I: Model Description*, Journal of Hydrologic Engineering, September/October 2001, pp 397-405.

Birkhead A.L. and James C.S. (1998) *Synthesis of rating curves from local stage and remote discharge monitoring using nonlinear Muskingum routing*. Journal of Hydrology 205, 52-65.

Birkhead A.L., James C.S. and Kleynhans M.T. (2004) *The Hydrologic and Hydraulic Study of the Behaviour of the Nyl River Floodplain: Hydraulic Modelling*, Department of Water Affairs and Forestry Report No. P WMA 01/A61/00/0503.

Blaney H.F. and Criddle W.D. (1950) *Determining Requirements in Irrigated Areas from Climatological and Irrigation Data*, United States Department of Agriculture, Los Angeles, California, 93pp.

Blight G.E. (1997a) *Interactions between the atmosphere and the earth*, Geotechnique, Vol. 47, No. 4, pp 715-767.

Blight G.E. (editor) (1997b) *Mechanics of Residual Soils, A guide to the formation, classification and geotechnical properties of residual soils, with advice for geotechnical design*, Balkema/Rotterdam/Brookfield.

Blight G. E. (2001) *Measurements of Evaporation and Near-Surface Soil Permeability at Nylsvlei*, A Report to Chris James by Geoff Blight, Department of Civil Engineering, University of the Witwatersrand, Johannesburg.

Blight G.E. (2002a) *Water Balances for Soil Systems*, Keynote Address, Proceedings of the Third International Conference on Unsaturated Soils – Volume 3, UNSAT 2002, 10-13 March 2002, Recife, Brazil.

Blight G.E. (2002b) *Measuring evaporation from soil surfaces for environmental and geotechnical purposes*, Water SA Vol. 28 No. 4, 381-394.

Blight G.E. (2003) *The vadose zone soil-water balance and transpiration rates of vegetation*, Géotechnique 53, No. 1, 55-64.

Blight G.E., Fourie A.B. and James C.S (2001) *Measurements of Infiltration and Evaporation Characteristics of Soils in the Nylsvlei Flood-Plain*, 4th Environmental Management, Technology and Development Conference, 2001.

Blight J. (1992) *The Influence of Landfill Covers on the Generation of Leachate*, MSc Dissertation, University of the Witwatersrand, Johannesburg.

Bosman (1990) *Methods to convert American Class A pan and Symons tank* evaporation to that of a representative environment, Water SA, 16: 227 - 236.

Bowen I.S. (1926) *The ratio of heat losses by conduction and by evaporation from any water surface*, Phys. Rev. 27, 779-787.

Bradley C. (1996) *Transient Modelling of Water-Table Variation in a Floodplain Wetland, Narborough Bay, Leicestershire*, Journal of Hydrology, Vol. 185 (1996) pg 87-114.

Brunner G.W. (2002) *HEC-RAS River Analysis System Hydraulic Reference Manual, Version 3.1*, US Army Corps of Engineers Hydrologic Engineering Centre (HEC), Davis, USA, November 2002.

Charlton M.E., Large A.R.G. and Fuller I.C. (2003) *Application of Airborne LiDAR in River Environments: The River Coquet, Northumberland, UK*, Earth Surface Processes and Landforms 28, 299-306.

Chow V.T. (1959) Open Channel Hydraulics, 1st Edition, USA, McGraw-Hill Inc.

Connell R.J., Painter D.J. and Beffa C. (2001) *Two Dimensional Flood Plain Flow. II: Model Validation*, Journal of Hydrologic Engineering, September/October 2001, pp 406 – 415.

Crowder R., Pepper A. and Whitlow C. (2003) *Testing and benchmarking 1D hydraulic river modelling packages*, Proceedings of the 38th Defra Conference (publishing pending), Keele University, United Kingdom, July 2003.

Dalton J. (1802) *Experimental essays on the constitution of mixed gases; on the force of steam or vapour from water and other liquids in different temperatures; both in a Torricellian vacuum and in the air; on evaporation; and on the expansion of gases by heat*, Manchester Literature Philosophical Society Memoirs 5, 535 – 602.

Dincer T., Child S. and Khupe B. (1987) *A Simple Mathematical Model of a Complex Hydrological System – Okavango Swamp, Botswana*, Journal of Hydrology, 93 (1987) 41 – 65.

Encarta Dictionary (2003) INTERNET. <u>http://encarta.msn.com/encnet/features/dictionary/dictionaryhome.aspx</u> Cited 06 November 2003.

Evans J.P and Jakeman A.J. (1998) *Development of a Simple, Catchment-Scale, Rainfall-Evapotranspiration-Runoff Model, Environmental Modelling and Software*, 13: 385-394.

Feng K.E. and Molz F.J. (1997) *A 2-D, diffusion - based, wetland flow model,* Journal of Hydrology 196 (1997), 230-250.

Foster M.B.J. (1983) *Geohydrological investigation over the Nylstroom townlands*, Department of Water Affairs Report No. GH3306.

Fowler A. (2000) The lowdown on LiDAR, Earth Observation Magazine 7:227.

French J.R. (2003) *Airborne LiDAR in Support of Geomorphological and Hydraulic Modelling*, Earth Surface Processes and Landforms 28, 321-335.

Frost P.G.H. (1987) *The regional landscape: Nylsvlei in perspective*, South African National Scientific Programmes Report No. 133, 1987.

Green E.P, Mumby P.J, Edwards A.J. and Clark C.D. (edited by Edwards A.J.) (2000) *Remote Sensing Handbook for Tropical Coastal Management*, UNESCO Publishing.

Hammer D.E. and Kadlec R.H. (1986) *A Model for Wetland Water Dynamics*, Water Resources Research, Vol. 22, No. 13, pp 1951 – 1958, December 1986.

Hargreaves G.H. (1994) *Defining and Using Reference Evapotranspiration*, Journal of Irrigation and Drainage Engineering, Vol. 120, No. 6, November/December 1994, ASCE.

Harmse H J von M (1977) *Grondsoorte van die Nylsvley-natuurreservaat*, Suid-Afrikaanse Nasionale Wetenskaplike Programme Verslag Nommer 16, September 1977.

Higgins S.I and Rogers K.H. (1993) *The Nyl River Floodplain: Situation Report and Preliminary Statement of Impacts of the Proposed Olifantspruit Dam, Report No. 3/93*, Centre for Water in the Environment, University of the Witwatersrand, Johannesburg.

Higgins S.I., Coetzee M.A.S, Marneweck G.C. and Rogers K.H. (1996) *The Nyl River floodplain, South Africa, as a functional unit of the landscape: A review of current information*, East African Wild Life Society, African Journal of Ecology, 34, 131-145.

Hillel D. (1980) Applications of Soil Physics, Academic Press, New York.

Hojem D.J. (1988) *Water Balance and the Migration of Leachate into the Unsaturated Zone Beneath a Sanitary Landfill*, MSc Dissertation, University of the Witwatersrand, Johannesburg, 1988.

Hughes D.A. and Hannart P. (2003) *A Desktop Model to Provide an Initial Estimate of the Ecological Instream Flow Requirements of Rivers in South Africa*, Journal of Hydrology 270 (2003) 167-181.

Hughes D.A. and Münster F. (2000) *Hydrological Information and Techniques to Support the Determination of the Water Quantity Component of the Ecological Reserve for Rivers*, Report to the Water Research Commission by the Institute for Water Research, Rhodes University, Grahamstown, South Africa, IWR Report No. 3/2000, WRC Report No. TT 137/00.

Hughes D.A., O'Keeffe J.O., Smakhtin V. and King J. (1997) *Development of an operating rule model to simulate time series of reservoir releases for instream flow requirements*, Water SA Vol. 23 No. 1, 21-30.

Hughes D.A. and Ziervogel G. (1998) *The inclusion of operating rules in a daily reservoir simulation model to determine ecological reserve releases for river maintenance*, Water SA Vol. 24 No. 4, 293-302.

Jensen M.E. and Haise H.R. (1963) *Estimating Evapotranspiration from Solar Radiation*, Journal of the Irrigation and Drainage Division, Proceedings of the American Society of Civil Engineers, Vol. 89, No. IR4, 15-41.

Jewitt G.P.W, Heritage G.L., Weeks D.C., Makenzie J.A., Van Niekerk A., Görgens A.H.M, O'Keefe J.H., Rogers K. and Harm M. (1998) Modelling abioticlinks in the Sabie River, WRC Report 777/1/98.

King I.P. and Norton W.R. (1978) *Recent application of RMA's to finite element models for two-dimensional hydrodynamics and water quality*, Proceedings of the Second International Conference on Finite Elements in Water Resources, Pentech Press, London, 2, 81-99.

Lane S.N. (2000) *The Measurement of River Channel Morphology Using Digital Photogrammetry*, Photogrammetric Record 15: 937-961.

Linacre E.T. (1977) *A Simple Formula for Estimating Evaporation Rates in Various Climates*, Using Temperature Data Alone, Agricultural Meteorology, 18 (1977), 409-424.

Marais L.J. and Bosman M. (1993) *Potential socio-economic impacts* in TPGP, 1993, *Augmentation of water supply to Nylstroom: Review of technical, economic and environmental evaluation of alternative new sources of water for Nylstroom*, Report No. 90H51/3.

Marks K. and Bates P. (2000) *Integration of high-resolution topographic data with floodplain models*, Hydrological Processes 14: 2109-2122.

Marneweck, G.C. (2003) An ecosystem perspective of the wild rice (Oryza longistaminata A. Chev. & Roehr.) on the Nyl River floodplain. Draft Ph.D. Thesis. School of Animal, Plant and Environmental Sciences, University of the Witwatersrand, Johannesburg.

Midgley D.C., Pitman W.V. and Middleton B.J. (1994) *Surface Water Resources* of South Africa 1990, WRC Report No. 298/1/94, Water Research Commission, 1st edition, 1994.

Monteith J.L. (1965) *Evaporation and Environment*, Proceedings of the Symposium of Experimental Biology, 19: 205-234.

Moore A. (1980) *Waterbalans Studies in Geselekteerde Subhabitatte van 'n Burkea-Savanna*, MSc dissertation, University of the Orange Free State, Bloemfontein, 1980.

Morgan C.S. (1996) *The Application of Digital Terrain Models and a Geographic Information System in the Modelling of Flooding in the Nyl River Floodplain*, MSc dissertation, University of the Witwatersrand, Johannesburg.

Murdoch L.C. (undated) Guelph Permeameter data sheet, INTERNET, <u>http://www.ces.clemson.edu/geology/murdoch/lm/documents/Guelph%20Permea</u>meter%20Data%20Sheet.doc Cited 29 March 2004.

Nel E.A., Potgieter H.S. and Chemaly A.G. (1989) *The absorption of the* proposed Olifantspruit dam on the flow regime of the Nyl River floodplain – a quantitative assessment, in Fourth South African National Hydrological Symposium, Pretoria, November 1989.

Nicholas A.P. and Walling D.E. (1998) *Numerical Modelling of Floodplain Hydraulics and Suspended Sediment Transport and Deposition*, Hydrological Processes, Vol. 12, pp 1339 – 1355.

Nicolson C.R. (1999) *Qualitative Rule-Based Modelling of Geomorphological Change in Semi-Arid Bedrock-Influenced Rivers*, Phd Thesis, University of the Witwatersrand, Johannesburg.

Palmer R.N., Werick W.J., MacEwan A. and Woods A.W. (1999) *Modelling Water Resources Opportunities, Challenges and Trade-offs: The use of Shared Vision Modelling for Negotiation and Conflict Resolution*, in Wilson E.M. (ed), Proceedings of the 26th Annual Water Resources Planning and Management Conference, ASCE, Reston, VA.

Pattern B.C. (1994) *Ecological systems engineering: toward integrated management of natural and human complexity in the ecosphere*, Ecological Modelling 75/76: 653-665.

Penman H.L. (1948) *Natural evaporation from open water, bare soil and grass*, Proceedings of the Royal Society A193, 120 – 145.

Pitman W.V. 1998: *Daily Water Resources Simulation Model (DAYFLOW)*. Stewart Scott International.

Pitman W.V and Bailey A.K. (2003) *The Hydrologic and Hydraulic Study of the Behaviour of the Nyl River Floodplain: Hydrological Model Calibration*. Department of Water Affairs and Forestry Report No. P WMA 01/A61/00/0503.

Pitman W.V. and Kaakebeeke J.P. (1991) *WRSM90 Water Resources Simulation Model, Version 2.1, Users Guide*, compiled by Stewart, Sviridov and Oliver, Consulting Engineers, Sandton.

Pitman W.V, Herold C.E, Hudson J., Rogers K.H., James C.S., Fourie A.B., Birkhead A.L., Sankar N. and McRae D. (1997) *The Hydrologic and Hydraulic Study of the Behaviour of the Nyl River Floodplain, Inception Report*, Stewart Scott Inc.; Centre for Water in the Environment, University of the Witwatersrand; Goba Moahloli & Associates Consulting Engineers & Development Managers, March 1997. Porszasz K. (1973) *Nyl River valley: an investigation of the groundwater potential*, Department of Water Affairs Report No. GH2932.

Porszasz K. (1978) *Groundwater in the upper Nyl River basin at Nylstroom*, Department of Water Affairs Report No. GH3053.

Porszasz K. and Bredenkamp D.B. (1973) *An investigation of the groundwater potential of the Nyl River valley*, Division of Hydrology, Hydrological Research Institute, Department of Water Affairs.

Preston-Whyte R.A. and Tyson P.D. (1988) *The atmosphere and weather of Southern Africa*, Oxford University Press, Cape Town.

Reynolds W.D., Elrick D.E. and Clothier B.E. (1985) *The constant head well permeameter: effect of unsaturated flow*, Soil Science 139 (2): 172 – 180.

Rogers K.H. and Higgins S.I. (1993) *The Nyl Floodplain as a Functional Unit of the Landscape, Preliminary Synthesis and Future Research, Report No. 1/93*, Centre for Water in the Environment, University of the Witwatersrand, Johannesburg.

Rosenberg N.J., Blad B.L. and Verma S.B. (1983) *Microclimate: The Biological Environment, 2nd Edition*, John Wiley, New York.

Rowlston W.S. (1991) *The hydraulics of the Nyl River floodplain: A qualitative description*, Unpublished Report, Department of Water Affairs and Forestry, Pretoria.

Sanchez-Carrillo S., Alvarez-Cobelas M., Benitez M. and Angeler D.G. (2001) *A* simple method for estimating water loss by transpiration in wetlands, Hydrological Sciences – Journal–des Sciences Hydrologiques, 46 (4), 537-552.

Scholes R.J., *Terrestrial Ecosystems*, in TPGP (1993) *Augmentation of water* supply to Nylstroom: Review of technical, economic and environmental evaluation of alternative new sources of water for Nylstroom, Report No. 90H51/3.

Scholes R.J. and Savage M.J. (eds) (1989) *Studying water in the soil-plantatmosphere continuum: a bibliographic guide to techniques*, South African National Scientific Programmes Report No. 163, 1989.

Scholes R. J. and Walker B. H. (1993) *An African Savannah: Synthesis of the Nylsvley Study*, Cambridge, Cambridge University Press.

Schultz C.B. (1992) Water resources planning of the Mogalakwena River Basin, Situation Assessment and Development Potential, SRK consulting engineers.

Schulze R.E (1997) *South African Atlas of Agrohydrology and -Climatology*, Water Research Commission, Pretoria, Report TT82/96.

Schulze R.E. and Maharaj M. (1991) *Mapping A-Pan Equivalent Potential Evaporation Over Southern Africa*, Proceeding of the Fifth South African National Hydrological Symposium, 7-8 November 1991, University of Stellenbosch.

Scott P. and Wijers B.E.W. (1992) *Hydrogeology: groundwater resources*, Annexure 3.5, Water resources planning of the Mogalakwena River Basin, situation assessment and development potential, Steffen, Robertson and Kirsten consulting engineers.

Soilmoisture Equipment Corp. (1987) *Operating instructions for Guelph Permeameter 2800KI*, Revision 8/86, Soilmoisture Equipment Corp., USA.

Starfield A.M., Farm B.P. and Taylor R.H. (1989) *A rule based ecological model for the management of an estuarine lake*, Ecological Modelling, 46, 107-119.

Steffen Robertson & Kirsten Inc. (1992) *Water resources planning of the Mogalakwena River basin: Situation assessment and development potential*, Report to the Department of Water Affairs and Forestry, Pretoria.

Tarboton W.R. (1987) *The Nyl Floodplain: Its significance, phenology and conservation status*, In Walmsley, R.D. and Botten, M.L. (eds) The ecology and conservation of wetlands in South African Ecosystems Programme, Occasional Report No. 28, Foundation for Research and Development, Pretoria.

Tarboton W.R. (1989) Comments on the report: "Effect of the proposed Olifantspruit Dam on the Nyl River floodplain" in Rogers K.H. and Higgins S.I.: 1993, The Nyl River Floodplain: situation report and preliminary statement of impacts of the proposed Olifantspruit Dam, Report No. 3/93.

Tarboton W.R. (1991) *Flooding and the avifauna of the Nyl Floodplain*, Referaat aan die Nylstroom Beraad, Sessie 2.

Tarboton W.R. and Batchelor G.R. (1981) *The Nyl Floodplain: a unique South African ecosystem threatened.*

Theron Prinsloo Grimsehl & Pullen Ing. (1991) *Optimale bevreediging van die waterbehoeftes van Nylstroom*, Verslag van die Nylstroom Beraad, Stadsraad van Nylstroom, Verslag 90H08.

Theron Prinsloo Grimsehl & Pullen Ing. (1993) *Aanvulling van die Watervoorsiening aan Nylstroom: Verslag oor die Evaluering van Alternatiewe Nuwe Waterbronne*, Stadsraad van Nylstroom, Verslag No. 90H51/1, January 1993.

Thompson J.R. and Hollis G.E. (1995) *Hydrological modelling and the sustainable development of the Hadejia-Nguru Wetlands, Nigeria*, Hydrological Sciences - Journal - des Sciences Hydrologiques, Vol 40, 1, February 1995. Thornthwaite C.W. (1948) *An Approach Toward a Rational Classification of Climate*, Geographical Review 38, 55-94.

Tooth S., McCarthy T. S., Hancox P. J., Brandt D., Buckley K., Nortje E. and McQuade S. (2002) *The Geomorphology of the Nyl River and Floodplain in the Semi-Arid Northern Province, South Africa*, South African Geographical Journal, 84 (2), 226-237.

Viessman W. Jr and Lewis G. L. (1996) *Introduction to Hydrology* (Fourth Edition), Harper Collins College Publishers, New York.

Walton D. (1989) *Possible impact of the proposed Olifantspruit Dam on the groundwater resources of the Nyl River Floodplain, in particular at Nylsvley Nature Reserve*, Department of Water Affairs Report No. GH3638.

Weiss H.W. (1976) *An integrated approach to mathematical flood plain modelling*, PhD Thesis, University of the Witwatersrand, Johannesburg.

Zhao D.H., Shen H.W., Tabios III G.Q., Lai J.S. and Tan W.Y. (1994) *Finite-Volume Two-Dimensional Unsteady-Flow Model for River Basins*, Journal of Hydraulic Engineering, Vol.120, No.7, July 1994.