

APPENDIX 1A: APRIL 2015 LABORATORY RESULTS



UIS ORGANIC LABORATORY

UIS Organic Laboratory (Pty) Ltd • Reg. No. 2007/001896/07
VAT No 4340243221
Unit 3 Carrera House • 17 Sovereign St •
Route 21 Office Park • Irene • 0062
Tel. +27 83 3098373
willieh@uisol.co.za • <http://www.uisol.co.za>

CLIENT INFORMATION

Environment Impact Management services (EIM)
Attention: Liam Whitlow
Block 5 Fernridge Office Park, 5 Hunter Avenue
Randburg

TEST REPORT

Lab No : 09503 E

TEST INFORMATION Dissolved Gasses

ANALYTICAL METHOD: HS GC-FID

Matrix: Water

DATE RECEIVED 2015-04-02
DATE COMPLETED 2015-04-09
DATE ISSUED 2015-04-10

SAMPLE INFORMATION

SAMPLE No 1074 BH1

Project Name

Project number Quote1362

Sample dilution Factor No Dilution

Parameter	Results	Remark
Dissolved Methane	0.09 mg/liter	
Dissolved Ethane	<0.38 mg/liter	

Authorised Signatory :

Reinardt Cromhout

DISCLAIMER: The results only relate to the test items provided. This report may not be reproduced, except in full, without the prior written approval of the laboratory.

2015-04-10

Results marked "A" - Concentration outside calibration range, estimate only

Page 1 of 9



UIS ORGANIC LABORATORY

UIS Organic Laboratory (Pty) Ltd • Reg. No. 2007/001896/07
VAT No 4340243221
Unit 3 Carrera House • 17 Sovereign St •
Route 21 Office Park • Irene • 0062
Tel. +27 83 3098373
willieh@uisol.co.za • <http://www.uisol.co.za>

CLIENT INFORMATION

Environment Impact Management services (EIM)
Attention: Liam Whitlow
Block 5 Fernridge Office Park, 5 Hunter Avenue
Randburg

TEST REPORT

Lab No : 09503E

TEST INFORMATION Dissolved Gasses

ANALYTICAL METHOD: HS GC-FID

DATE RECEIVED 2015-04-02

DATE COMPLETED 2015-04-09

Matrix: Water

DATE ISSUED 2015-04-10

SAMPLE INFORMATION

SAMPLE No 1074 BH2

Project Name

Project number Quote1362

Sample dilution Factor No Dilution

Parameter	Results	Remark
Dissolved Methane	<0.07 mg/liter	
Dissolved Ethane	<0.38 mg/liter	

Authorised Signatory :

Reinardt Cromhout

DISCLAIMER: The results only relate to the test items provided. This report may not be reproduced, except in full, without the prior written approval of the laboratory.

2015-04-10

Results marked "A" - Concentration outside calibration range, estimate only

Page 2 of 9



UIS ORGANIC LABORATORY

UIS Organic Laboratory (Pty) Ltd • Reg. No. 2007/001896/07
VAT No 4340243221
Unit 3 Carrera House • 17 Sovereign St •
Route 21 Office Park • Irene • 0062
Tel. +27 83 3098373
willieh@uisol.co.za • <http://www.uisol.co.za>

CLIENT INFORMATION

Environment Impact Management services (EIM)
Attention: Liam Whitlow
Block 5 Fernridge Office Park, 5 Hunter Avenue
Randburg

TEST REPORT

Lab No : 09503 E

TEST INFORMATION Dissolved Gasses

ANALYTICAL METHOD: HS GC-FID

DATE RECEIVED 2015-04-02
DATE COMPLETED 2015-04-09
DATE ISSUED 2015-04-10

Matrix: Water

SAMPLE INFORMATION

SAMPLE No 1074 BH4

Project Name

Project number Quote1362

Sample dilution Factor No Dilution

Parameter	Results	Remark
Dissolved Methane	0.34 mg/liter	
Dissolved Ethane	<0.38 mg/liter	

Authorised Signatory :

Reinardt Cromhout

DISCLAIMER: The results only relate to the test items provided. This report may not be reproduced, except in full, without the prior written approval of the laboratory.

2015-04-10

Results marked "A" - Concentration outside calibration range, estimate only

Page 3 of 9



UIS ORGANIC LABORATORY

UIS Organic Laboratory (Pty) Ltd • Reg. No. 2007/001896/07
VAT No 4340243221
Unit 3 Carrera House • 17 Sovereign St •
Route 21 Office Park • Irene • 0062
Tel. +27 83 3098373
willieh@uisol.co.za • <http://www.uisol.co.za>

CLIENT INFORMATION

Environment Impact Management services (EIM)
Attention: Liam Whitlow
Block 5 Fernridge Office Park, 5 Hunter Avenue
Randburg

TEST REPORT

Lab No : 09503 E

TEST INFORMATION Dissolved Gasses

ANALYTICAL METHOD: HS GC-FID

DATE RECEIVED 2015-04-02

DATE COMPLETED 2015-04-09

Matrix: Water

DATE ISSUED 2015-04-10

SAMPLE INFORMATION

SAMPLE No 1074 BH5

Project Name

Project number Quote1362

Sample dilution Factor 2

Parameter	Results	Remark
Dissolved Methane	3.16 mg/liter	
Dissolved Ethane	<0.76 mg/liter	

Authorised Signatory :

Reinardt Cromhout

DISCLAIMER: The results only relate to the test items provided. This report may not be reproduced, except in full, without the prior written approval of the laboratory.

2015-04-10

Results marked "A" - Concentration outside calibration range, estimate only

Page 4 of 9



UIS ORGANIC LABORATORY

UIS Organic Laboratory (Pty) Ltd • Reg. No. 2007/001896/07
VAT No 4340243221
Unit 3 Carrera House • 17 Sovereign St •
Route 21 Office Park • Irene • 0062
Tel. +27 83 3098373
willieh@uisol.co.za • <http://www.uisol.co.za>

CLIENT INFORMATION

Environment Impact Management services (EIM)
Attention: Liam Whitlow
Block 5 Fernridge Office Park, 5 Hunter Avenue
Randburg

TEST REPORT

Lab No : 09503 E

TEST INFORMATION Dissolved Gasses

ANALYTICAL METHOD: HS GC-FID

Matrix: Water

DATE RECEIVED 2015-04-02
DATE COMPLETED 2015-04-09
DATE ISSUED 2015-04-10

SAMPLE INFORMATION

SAMPLE No 1074 BH7

Project Name

Project number Quote1362

Sample dilution Factor No Dilution

Parameter	Results	Remark
Dissolved Methane	0.13 mg/liter	
Dissolved Ethane	<0.38 mg/liter	

Authorised Signatory :

Reinardt Cromhout

DISCLAIMER: The results only relate to the test items provided. This report may not be reproduced, except in full, without the prior written approval of the laboratory.

2015-04-10

Results marked "A" - Concentration outside calibration range, estimate only

Page 5 of 9



UIS ORGANIC LABORATORY

UIS Organic Laboratory (Pty) Ltd • Reg. No. 2007/001896/07
VAT No 4340243221
Unit 3 Carrera House • 17 Sovereign St •
Route 21 Office Park • Irene • 0062
Tel. +27 83 3098373
willie@uisol.co.za • <http://www.uisol.co.za>

CLIENT INFORMATION

Environment Impact Management services (EIM)
Attention: Liam Whitlow
Block 5 Fernridge Office Park, 5 Hunter Avenue
Randburg

TEST REPORT

Lab No : 09503E

TEST INFORMATION Dissolved Gasses

ANALYTICAL METHOD: HS GC-FID

DATE RECEIVED 2015-04-02

DATE COMPLETED 2015-04-09

Matrix: Water

DATE ISSUED 2015-04-10

SAMPLE INFORMATION

SAMPLE No 1074 BH8

Project Name

Project number Quote1362

Sample dilution Factor No Dilution

Parameter	Results	Remark
Dissolved Methane	<0.07 mg/liter	
Dissolved Ethane	<0.38 mg/liter	

Authorised Signatory :

Reinardt Cromhout

DISCLAIMER: The results only relate to the test items provided. This report may not be reproduced, except in full, without the prior written approval of the laboratory.

2015-04-10

Results marked "A" - Concentration outside calibration range, estimate only

Page 6 of 9



UIS ORGANIC LABORATORY

UIS Organic Laboratory (Pty) Ltd • Reg. No. 2007/001896/07
VAT No 4340243221
Unit 3 Carrera House • 17 Sovereign St •
Route 21 Office Park • Irene • 0062
Tel. +27 83 3098373
willie@uisol.co.za • <http://www.uisol.co.za>

CLIENT INFORMATION

Environment Impact Management services (EIM)
Attention: Liam Whitlow
Block 5 Fernridge Office Park, 5 Hunter Avenue
Randburg

TEST REPORT

Lab No : 09503E

TEST INFORMATION Dissolved Gasses

ANALYTICAL METHOD: HS GC-FID

DATE RECEIVED 2015-04-02

DATE COMPLETED 2015-04-09

Matrix: Water

DATE ISSUED 2015-04-10

SAMPLE INFORMATION

SAMPLE No 1074 BH9

Project Name

Project number Quote1362

Sample dilution Factor No Dilution

Parameter	Results	Remark
Dissolved Methane	0.087 mg/liter	
Dissolved Ethane	<0.38 mg/liter	

Authorised Signatory :

Reinardt Cromhout

DISCLAIMER: The results only relate to the test items provided. This report may not be reproduced, except in full, without the prior written approval of the laboratory.

2015-04-10

Results marked "A" - Concentration outside calibration range, estimate only

Page 7 of 9



UIS ORGANIC LABORATORY

UIS Organic Laboratory (Pty) Ltd • Reg. No. 2007/001896/07
VAT No 4340243221
Unit 3 Camera House • 17 Sovereign St •
Route 21 Office Park • Irene • 0062
Tel. +27 83 3098373
willieh@uisol.co.za • <http://www.uisol.co.za>

CLIENT INFORMATION

Environment Impact Management services (EIM)
Attention: Liam Whitlow
Block 5 Fernridge Office Park, 5 Hunter Avenue
Randburg

TEST REPORT

Lab No : 09503E

TEST INFORMATION Dissolved Gasses

ANALYTICAL METHOD: HS GC-FID

DATE RECEIVED 2015-04-02
DATE COMPLETED 2015-04-09
DATE ISSUED 2015-04-10

Matrix: Water

SAMPLE INFORMATION

SAMPLE No 1074 SW01

Project Name

Project number Quote1362

Sample dilution Factor No Dilution

Parameter	Results	Remark
Dissolved Methane	<0.07 mg/liter	
Dissolved Ethane	<0.38 mg/liter	

Authorised Signatory :

Reinardt Cromhout

DISCLAIMER: The results only relate to the test items provided. This report may not be reproduced, except in full, without the prior written approval of the laboratory.

2015-04-10

Results marked "A" - Concentration outside calibration range, estimate only

Page 8 of 9



UIS ORGANIC LABORATORY

UIS Organic Laboratory (Pty) Ltd • Reg. No. 2007/001896/07
VAT No 4340243221
Unit 3 Carrera House • 17 Sovereign St •
Route 21 Office Park • Irene • 0062
Tel. +27 83 3098373
willieh@uisol.co.za • <http://www.uisol.co.za>

CLIENT INFORMATION

Environment Impact Management services (EIM)
Attention: Liam Whitlow
Block 5 Fernridge Office Park, 5 Hunter Avenue
Randburg

TEST REPORT

Lab No : 09503 E

TEST INFORMATION **Dissolved Gasses**

ANALYTICAL METHOD: HS GC-FID

DATE RECEIVED 2015-04-02

DATE COMPLETED 2015-04-09

Matrix: **Water**

DATE ISSUED 2015-04-10

SAMPLE INFORMATION

SAMPLE No **1074 SW02**

Project Name

Project number Quote1362

Sample dilution Factor No Dilution

Parameter	Results	Remark
Dissolved Methane	<0.07 mg/liter	
Dissolved Ethane	<0.38 mg/liter	

Authorised Signatory :

Reinardt Cromhout

DISCLAIMER: The results only relate to the test items provided. This report may not be reproduced, except in full, without the prior written approval of the laboratory.

2015-04-10

Results marked "A" - Concentration outside calibration range, estimate only

Page 9 of 9



UIS ORGANIC LABORATORY

UIS Organic Laboratory (Pty) Ltd • Reg. No. 2007/001896/07
VAT No 4340243221
Unit 3 Carrera House • 17 Sovereign St •
Route 21 Office Park • Irene • 0062
Tel. +27 83 3098373
willieh@uisol.co.za • <http://www.uisol.co.za>

CLIENT INFORMATION

Environment Impact Management services (EIM)
Attention: Liam Whitlow
Block 5 Fernridge Office Park, 5 Hunter Avenue
Randburg

TEST REPORT

Lab No : 09503A

TEST INFORMATION TPH GRO C6-C10

ANALYTICAL METHOD: SPME Extraction and GC-MS
METHOD Number: UISOL-T-012

DATE RECEIVED 2015-04-02
DATE COMPLETED 2015-04-07
DATE ISSUED 2015-04-09

SAMPLE INFORMATION

Storage conditions in the laboratory is an a Fridge @ < 6 deg C

Matrix: Water

CONTAINER TYPE Glass

Project number Quote1362

Sample dilution Factor No Dilution

Sample ID	Results
1074 BH01	<10 µg/liter
1074 BH02	<10 µg/liter
1074 BH04	<10 µg/liter
1074 BH05	<10 µg/liter
1074 BH07	<10 µg/liter
1074 BH08	<10 µg/liter
1074 BH09	<10 µg/liter
1074 SW01	<10 µg/liter
1074 SW02	<10 µg/liter

Authorised Signatory :

2015-04-09

Reinardt Cromhout

Page 1 of 1

DISCLAIMER: The results only relate to the test items provided. This report may not be reproduced, except in full, without the prior written approval of the laboratory.





UIS ORGANIC LABORATORY

UIS Organic Laboratory (Pty) Ltd • Reg. No. 2007/001896/07
 VAT No 4340243221
 Unit 3 Camera House • 17 Sovereign St •
 Route 21 Office Park • Irene • 0062
 Tel: +27 83 3098373
 williah@uisol.co.za • http://www.uisol.co.za

Client Information

Company :
 Attention:
 Tel:
 Fax:
 Address

Environment Impact Management
Liam Whitlow
(011) 789 7170
Block 5 Fernridge Office Park, 5 Hunter
Randburg
2083

Lab No: **9503**

Analysis Report

TEST INFORMATION	Total Dissolved Solids
DATE RECEIVED	2/4/2015
DATE COMPLETED	15/4/2015
DATE ISSUED	15/4/2015

SAMPLE INFORMATION

SAMPLE MATRIX

Sample ID

Parameters

Sample ID	TSS	DOC	DIC	Dissolved Oxygen as O ₂	
BH1	73	<0.1	48	7.6	mg/liter
BH2	30	<0.1	34	7.6	mg/liter
BH4	190	1.1	69	7.4	mg/liter
BH5	160	<0.1	27	5.6	mg/liter
BH7	157	<0.1	55	7.2	mg/liter
BH9	207	<0.1	29	7.4	mg/liter
SW2	130	5.8	21	7.7	mg/liter
SW1	113	3.7	22	7.8	mg/liter
BH8	227	<0.1	44	7.8	mg/liter

Authorized Signatory

F. HAVENGA

DISCLAIMER: The results only relate to the test items provided.

This report may not be reproduced, except in full, without the prior written approval of the laboratory.

U.T.D. - Unable To Determine



UIS ORGANIC LABORATORY

UIS Organic Laboratory (Pty) Ltd • Reg. No. 2007/001896/07
VAT No 4340243221
Unit 3 Carrara House • 17 Sovereign Drive • Route 21 Corporate Park
PO Box 9025 • Centurion • 0046
Tel. +27 12 3451004 • Fax. +27 12 3451004
willieh@uisol.co.za • <http://www.uisol.co.za>

CLIENT INFORMATION

Environment Impact Management servi
Liam Whitlow
Block 5 Fernridge Office Park, 5 Hunt
Randburg

Analysis Report

Lab No : 09503 A

TEST INFORMATION				DETERMINATION OF PAHs USING SPME GC-MS-MS			
ANALYTICAL METHOD: SPME Extraction and GC-MS-MS		METHOD Number: UISOL-T-012					
DATE RECEIVED	2015-04-02	DATE COMPLETED	2015-04-07	DATE ISSUED	2015-04-10		
SAMPLE INFORMATION				Matrix:	Water		
SAMPLE No	1074 BH01			Project number	Quote1362		
CONTAINER TYPE	Glass			Sample dilution Factor	No Dilution		

POLYCYCLIC AROMATIC COMPOUND

Naphthalene	<0.1 µg/liter
Acenaphthene	<0.1 µg/liter
Acenaphthylene	<0.1 µg/liter
Flourene	<0.1 µg/liter
Phenanthrene	<0.1 µg/liter
Anthracene	<0.1 µg/liter
Fluoranthene	<0.1 µg/liter
Pyrene	<0.1 µg/liter
Benzo[a]anthracene	<0.1 µg/liter
Crysene	<0.1 µg/liter
Benzo[k+b]fluoranthene*	<0.1 µg/liter
Benzo[a]pyrene*	<0.1 µg/liter
Benzo[g,h,i]perylene *	<6 µg/liter
Dibenz[a,h]anthracene *	<6 µg/liter
Indeno[123-cd]pyrene *	<6 µg/liter

Authorised Signatory that approved this report

Reinardt Cromhout

DISCLAIMER: The results only relate to the test items provided. This report may not be reproduced, except in full, without the prior written approval of the laboratory.

Parameters marked " * " in this Report are not included in the SANAS Schedule of Accreditation for this laboratory".

Results marked "A" - Concentration outside calibration range, estimate only



2015-04-10

Page 1 of 9



UIS ORGANIC LABORATORY

UIS Organic Laboratory (Pty) Ltd • Reg. No. 2007/001898/07
VAT No 4340243221
Unit 3 Carrera House • 17 Sovereign Drive • Route 21 Corporate Park
PO Box 9025 • Centurion • 0046
Tel. +27 12 3451004 • Fax. +27 12 3451004
willie@uisol.co.za • <http://www.uisol.co.za>

CLIENT INFORMATION

Environment Impact Management servi
Liam Whitlow
Block 5 Fernridge Office Park, 5 Hunt
Randburg

Analysis Report

Lab No : 09503 A

TEST INFORMATION				DETERMINATION OF PAHs USING SPME GC-MS-MS			
ANALYTICAL METHOD: SPME Extraction and GC-MS-MS		METHOD Number: UISOL-T-012					
DATE RECEIVED	2015-04-02	DATE COMPLETED	2015-04-07	DATE ISSUED	2015-04-10		
SAMPLE INFORMATION				Matrix:	Water		
SAMPLE No	1074 BH02			Project number	Quote1362		
CONTAINER TYPE	Glass			Sample dilution Factor	No Dilution		

POLYCYCLIC AROMATIC COMPOUND

Naphthalene	<0.1 µg/liter
Acenaphthene	<0.1 µg/liter
Acenaphthylene	<0.1 µg/liter
Flourene	<0.1 µg/liter
Phenanthrene	<0.1 µg/liter
Anthracene	<0.1 µg/liter
Fluoranthene	<0.1 µg/liter
Pyrene	<0.1 µg/liter
Benzo[a]anthracene	<0.1 µg/liter
Crysene	<0.1 µg/liter
Benzo[k+b]fluoranthene*	<0.1 µg/liter
Benzo[a]pyrene*	<0.1 µg/liter
Benzo[g,h,i]perylene *	<6 µg/liter
Dibenz[a,h]anthracene *	<6 µg/liter
Indeno[123-cd]pyrene *	<6 µg/liter

Authorised Signatory that approved this report

Reinardt Cromhout

DISCLAIMER: The results only relate to the test items provided. This report may not be reproduced, except in full, without the prior written approval of the laboratory.

Parameters marked " * " in this Report are not included in the SANAS Schedule of Accreditation for this laboratory".

Results marked "A" - Concentration outside calibration range, estimate only



2015-04-10

Page 2 of 9



UIS ORGANIC LABORATORY

UIS Organic Laboratory (Pty) Ltd • Reg. No. 2007/001896/07
VAT No 4340243221
Unit 3 Carrera House • 17 Sovereign Drive • Route 21 Corporate Park
PO Box 9025 • Centurion • 0046
Tel. +27 12 3451004 • Fax. +27 12 3451004
willieh@uisol.co.za • <http://www.uisol.co.za>

CLIENT INFORMATION

Environment Impact Management servi
Liam Whitlow
Block 5 Fernridge Office Park, 5 Hunt
Randburg

Analysis Report

Lab No : 09503 A

TEST INFORMATION				DETERMINATION OF PAHs USING SPME GC-MS-MS			
ANALYTICAL METHOD: SPME Extraction and GC-MS-MS		METHOD Number: UISOL-T-012					
DATE RECEIVED	2015-04-02	DATE COMPLETED	2015-04-07	DATE ISSUED	2015-04-10		
SAMPLE INFORMATION				Matrix:	Water		
SAMPLE No	1074 BH04			Project number	Quote1362		
CONTAINER TYPE	Glass			Sample dilution Factor	No Dilution		

POLYCYCLIC AROMATIC COMPOUND

Naphthalene	<0.1 µg/liter
Acenaphthene	<0.1 µg/liter
Acenaphthylene	<0.1 µg/liter
Flourene	<0.1 µg/liter
Phenanthrene	<0.1 µg/liter
Anthracene	<0.1 µg/liter
Fluoranthene	<0.1 µg/liter
Pyrene	<0.1 µg/liter
Benzo[a]anthracene	<0.1 µg/liter
Crysene	<0.1 µg/liter
Benzo[k+b]fluoranthene*	<0.1 µg/liter
Benzo[a]pyrene*	<0.1 µg/liter
Benzo[g,h,i]perylene *	<6 µg/liter
Dibenz[a,h]anthracene *	<6 µg/liter
Indeno[123-cd]pyrene *	<6 µg/liter

Authorised Signatory that approved this report

Reinardt Cromhout

DISCLAIMER: The results only relate to the test items provided. This report may not be reproduced, except in full, without the prior written approval of the laboratory.

Parameters marked "*" in this Report are not included in the SANAS Schedule of Accreditation for this laboratory".

Results marked "A" - Concentration outside calibration range, estimate only



2015-04-10

Page 3 of 9



UIS ORGANIC LABORATORY

UIS Organic Laboratory (Pty) Ltd • Reg. No. 2007/001896/07
VAT No 4340243221
Unit 3 Carrera House • 17 Sovereign Drive • Route 21 Corporate Park
PO Box 9025 • Centurion • 0046
Tel. +27 12 3451004 • Fax. +27 12 3451004
willeh@uisol.co.za • <http://www.uisol.co.za>

CLIENT INFORMATION

Environment Impact Management servi
Liam Whitlow
Block 5 Fernridge Office Park, 5 Hunt
Randburg

Analysis Report

Lab No : 09503 A

TEST INFORMATION				DETERMINATION OF PAHs USING SPME GC-MS-MS			
ANALYTICAL METHOD: SPME Extraction and GC-MS-MS		METHOD Number: UISOL-T-012		DATE RECEIVED		DATE COMPLETED	
2015-04-02		2015-04-07		2015-04-02		2015-04-10	
SAMPLE INFORMATION				Matrix: Water			
SAMPLE No 1074 BH05				Project number Quote1362			
CONTAINER TYPE Glass				Sample dilution Factor No Dilution			

POLYCYCLIC AROMATIC COMPOUND

Naphthalene	<0.1 µg/liter
Acenaphthene	<0.1 µg/liter
Acenaphthylene	<0.1 µg/liter
Flourene	<0.1 µg/liter
Phenanthrene	<0.1 µg/liter
Anthracene	<0.1 µg/liter
Fluoranthene	<0.1 µg/liter
Pyrene	<0.1 µg/liter
Benzo[a]anthracene	<0.1 µg/liter
Crysene	<0.1 µg/liter
Benzo[k+b]fluoranthene*	<0.1 µg/liter
Benzo[a]pyrene*	<0.1 µg/liter
Benzo[g,h,i]perylene *	<6 µg/liter
Dibenz[a,h]anthracene *	<6 µg/liter
Indeno[123-cd]pyrene *	<6 µg/liter

Authorised Signatory that approved this report

Reinardt Cromhout

DISCLAIMER: The results only relate to the test items provided. This report may not be reproduced, except in full, without the prior written approval of the laboratory.

Parameters marked " * " in this Report are not included in the SANAS Schedule of Accreditation for this laboratory".

Results marked "A" - Concentration outside calibration range, estimate only



2015-04-10

Page 4 of 9



UIS ORGANIC LABORATORY

UIS Organic Laboratory (Pty) Ltd • Reg. No. 2007/001896/07
VAT No 4340243221
Unit 3 Carrera House • 17 Sovereign Drive • Route 21 Corporate Park
PO Box 9025 • Centurion • 0046
Tel. +27 12 3451004 • Fax. +27 12 3451004
willieh@uisol.co.za • <http://www.uisol.co.za>

CLIENT INFORMATION

Environment Impact Management servi
Liam Whitlow
Block 5 Fernridge Office Park, 5 Hunt
Randburg

Analysis Report

Lab No : 09503 A

TEST INFORMATION				DETERMINATION OF PAHs USING SPME GC-MS-MS			
ANALYTICAL METHOD: SPME Extraction and GC-MS-MS		METHOD Number: UISOL-T-012		DATE RECEIVED		DATE ISSUED	
2015-04-02		2015-04-07		2015-04-02		2015-04-10	
SAMPLE INFORMATION				Matrix: Water			
SAMPLE No 1074 BH07				Project number Quote1362			
CONTAINER TYPE Glass				Sample dilution Factor No Dilution			

POLYCYCLIC AROMATIC COMPOUND

Naphthalene	<0.1 µg/liter
Acenaphthene	<0.1 µg/liter
Acenaphthylene	<0.1 µg/liter
Flourene	<0.1 µg/liter
Phenanthrene	<0.1 µg/liter
Anthracene	<0.1 µg/liter
Fluoranthene	<0.1 µg/liter
Pyrene	<0.1 µg/liter
Benzo[a]anthracene	<0.1 µg/liter
Crysene	<0.1 µg/liter
Benzo[k+b]fluoranthene*	<0.1 µg/liter
Benzo[a]pyrene*	<0.1 µg/liter
Benzo[g,h,i]perylene *	<6 µg/liter
Dibenz[a,h]anthracene *	<6 µg/liter
Indeno[123-cd]pyrene *	<6 µg/liter

Authorised Signatory that approved this report

Reinardt Cromhout

DISCLAIMER: The results only relate to the test items provided. This report may not be reproduced, except in full, without the prior written approval of the laboratory.

Parameters marked " * " in this Report are not included in the SANAS Schedule of Accreditation for this laboratory".

Results marked "A" - Concentration outside calibration range, estimate only



2015-04-10

Page 5 of 9



UIS ORGANIC LABORATORY

UIS Organic Laboratory (Pty) Ltd • Reg. No. 2007/001896/07
VAT No 4340243221
Unit 3 Carrera House • 17 Sovereign Drive • Route 21 Corporate Park
PO Box 9025 • Centurion • 0046
Tel. +27 12 3451004 • Fax. +27 12 3451004
willieh@uisol.co.za • <http://www.uisol.co.za>

CLIENT INFORMATION

Environment Impact Management servi
Liam Whitlow
Block 5 Fernridge Office Park, 5 Hunt
Randburg

Analysis Report

Lab No : 09503 A

TEST INFORMATION DETERMINATION OF PAHs USING SPME GC-MS-MS			
ANALYTICAL METHOD: SPME Extraction and GC-MS-MS		METHOD Number: UISOL-T-012	
DATE RECEIVED	2015-04-02	DATE COMPLETED	2015-04-07
		DATE ISSUED	2015-04-10
SAMPLE INFORMATION		Matrix:	Water
SAMPLE No	1074 BH08	Project number	Quote1362
CONTAINER TYPE	Glass	Sample dilution Factor	No Dilution

POLYCYCLIC AROMATIC COMPOUND

Naphthalene	<0.1 µg/liter
Acenaphthene	<0.1 µg/liter
Acenaphthylene	<0.1 µg/liter
Flourene	<0.1 µg/liter
Phenanthrene	<0.1 µg/liter
Anthracene	<0.1 µg/liter
Fluoranthene	<0.1 µg/liter
Pyrene	<0.1 µg/liter
Benzo[a]anthracene	<0.1 µg/liter
Crysene	<0.1 µg/liter
Benzo[k+b]fluoranthene*	<0.1 µg/liter
Benzo[a]pyrene*	<0.1 µg/liter
Benzo[g,h,i]perylene *	<6 µg/liter
Dibenz[a,h]anthracene *	<6 µg/liter
Indeno[123-cd]pyrene *	<6 µg/liter

Authorised Signatory that approved this report

Reinardt Cromhout

DISCLAIMER: The results only relate to the test items provided. This report may not be reproduced, except in full, without the prior written approval of the laboratory.

Parameters marked "*" in this Report are not included in the SANAS Schedule of Accreditation for this laboratory".

Results marked "A" - Concentration outside calibration range, estimate only



2015-04-10

Page 6 of 9



UIS ORGANIC LABORATORY

UIS Organic Laboratory (Pty) Ltd • Reg. No. 2007/001896/07
VAT No 4340243221
Unit 3 Carrera House • 17 Sovereign Drive • Route 21 Corporate Park
PO Box 9025 • Centurion • 0046
Tel. +27 12 3451004 • Fax. +27 12 3451004
willie@uisol.co.za • http://www.uisol.co.za

CLIENT INFORMATION

Environment Impact Management servi
Liam Whitlow
Block 5 Fernridge Office Park, 5 Hunt
Randburg

Analysis Report

Lab No : 09503 A

TEST INFORMATION				DETERMINATION OF PAHs USING SPME GC-MS-MS			
ANALYTICAL METHOD: SPME Extraction and GC-MS-MS		METHOD Number: UISOL-T-012		DATE RECEIVED		DATE COMPLETED	
2015-04-02		2015-04-07		DATE ISSUED		2015-04-10	
SAMPLE INFORMATION				Matrix: Water			
SAMPLE No		1074 BH09		Project number Quote1362			
CONTAINER TYPE		Glass		Sample dilution Factor No Dilution			

POLYCYCLIC AROMATIC COMPOUND

Naphthalene	<0.1 µg/liter
Acenaphthene	<0.1 µg/liter
Acenaphthylene	<0.1 µg/liter
Flourene	<0.1 µg/liter
Phenanthrene	<0.1 µg/liter
Anthracene	<0.1 µg/liter
Fluoranthene	<0.1 µg/liter
Pyrene	<0.1 µg/liter
Benzo[a]anthracene	<0.1 µg/liter
Crysene	<0.1 µg/liter
Benzo[k+b]fluoranthene*	<0.1 µg/liter
Benzo[a]pyrene*	<0.1 µg/liter
Benzo[g,h,i]perylene *	<6 µg/liter
Dibenz[a,h]anthracene *	<6 µg/liter
Indeno[123-cd]pyrene *	<6 µg/liter

Authorised Signatory that approved this report

Reinardt Cromhout

DISCLAIMER: The results only relate to the test items provided. This report may not be reproduced, except in full, without the prior written approval of the laboratory.

Parameters marked "*" in this Report are not included in the SANAS Schedule of Accreditation for this laboratory".

Results marked "A" - Concentration outside calibration range, estimate only



2015-04-10

Page 7 of 9



UIS ORGANIC LABORATORY

UIS Organic Laboratory (Pty) Ltd • Reg. No. 2007/001896/07
VAT No 4340243221
Unit 3 Carrera House • 17 Sovereign Drive • Route 21 Corporate Park
PO Box 9025 • Centurion • 0046
Tel. +27 12 3451004 • Fax. +27 12 3451004
willieh@uisol.co.za • <http://www.uisol.co.za>

CLIENT INFORMATION

Environment Impact Management servi
Liam Whitlow
Block 5 Fernridge Office Park, 5 Hunt
Randburg

Analysis Report

Lab No : 09503 A

TEST INFORMATION		DETERMINATION OF PAHs USING SPME GC-MS-MS	
ANALYTICAL METHOD: SPME Extraction and GC-MS-MS		METHOD Number: UISOL-T-012	
DATE RECEIVED	2015-04-02	DATE COMPLETED	2015-04-07
		DATE ISSUED	2015-04-10
SAMPLE INFORMATION		Matrix:	Water
SAMPLE No	1074 SW01	Project number	Quote1362
CONTAINER TYPE	Glass	Sample dilution Factor	No Dilution

POLYCYCLIC AROMATIC COMPOUND

Naphthalene	<0.1 µg/liter
Acenaphthene	<0.1 µg/liter
Acenaphthylene	<0.1 µg/liter
Flourene	<0.1 µg/liter
Phenanthrene	<0.1 µg/liter
Anthracene	<0.1 µg/liter
Fluoranthene	<0.1 µg/liter
Pyrene	<0.1 µg/liter
Benzo[a]anthracene	<0.1 µg/liter
Crysene	<0.1 µg/liter
Benzo[k+b]fluoranthene*	<0.1 µg/liter
Benzo[a]pyrene*	<0.1 µg/liter
Benzo[g,h,i]perylene *	<6 µg/liter
Dibenz[a,h]anthracene *	<6 µg/liter
Indeno[123-cd]pyrene *	<6 µg/liter

Authorised Signatory that approved this report

Reinardt Cromhout



DISCLAIMER: The results only relate to the test items provided. This report may not be reproduced, except in full, without the prior written approval of the laboratory.

Parameters marked " * " in this Report are not included in the SANAS Schedule of Accreditation for this laboratory".

2015-04-10

Results marked "A" - Concentration outside calibration range, estimate only

Page 8 of 9



UIS ORGANIC LABORATORY

UIS Organic Laboratory (Pty) Ltd • Reg. No. 2007/001896/07
VAT No 4340243221
Unit 3 Carrera House • 17 Sovereign Drive • Route 21 Corporate Park
PO Box 9025 • Centurion • 0046
Tel. +27 12 3451004 • Fax. +27 12 3451004
willie@uisol.co.za • http://www.uisol.co.za

CLIENT INFORMATION

Environment Impact Management servi
Liam Whitlow
Block 5 Ferridge Office Park, 5 Hunt
Randburg

Analysis Report

Lab No : 09503 A

TEST INFORMATION				DETERMINATION OF PAHs USING SPME GC-MS-MS			
ANALYTICAL METHOD: SPME Extraction and GC-MS-MS		METHOD Number: UISOL-T-012		DATE RECEIVED		DATE COMPLETED	
2015-04-02		2015-04-07		2015-04-02		2015-04-10	
SAMPLE INFORMATION				Matrix: Water			
SAMPLE No 1074 SW02				Project number Quote1362			
CONTAINER TYPE Glass				Sample dilution Factor No Dilution			

POLYCYCLIC AROMATIC COMPOUND

Naphthalene	<0.1 µg/liter
Acenaphthene	<0.1 µg/liter
Acenaphthylene	<0.1 µg/liter
Flourene	<0.1 µg/liter
Phenanthrene	<0.1 µg/liter
Anthracene	<0.1 µg/liter
Fluoranthene	<0.1 µg/liter
Pyrene	<0.1 µg/liter
Benzo[a]anthracene	<0.1 µg/liter
Crysene	<0.1 µg/liter
Benzo[k+b]fluoranthene*	<0.1 µg/liter
Benzo[a]pyrene*	<0.1 µg/liter
Benzo[g,h,i]perylene *	<6 µg/liter
Dibenz[a,h]anthracene *	<6 µg/liter
Indeno[123-cd]pyrene *	<6 µg/liter

Authorised Signatory that approved this report

Reinardt Cromhout

DISCLAIMER: The results only relate to the test items provided. This report may not be reproduced, except in full, without the prior written approval of the laboratory.

Parameters marked " * " in this Report are not included in the SANAS Schedule of Accreditation for this laboratory".

Results marked "A" - Concentration outside calibration range, estimate only



2015-04-10

Page 9 of 9



UIS ORGANIC LABORATORY

UIS Organic Laboratory (Pty) Ltd • Reg. No. 2007/001896/07
VAT No 4340243221
Unit 3 Carrera House • 17 Sovereign St •
Route 21 Office Park • Irene • 0062
Tel. +27 83 3098373
willieh@uisol.co.za • http://www.uisol.co.za

CLIENT INFORMATION

Environment Impact Management services (EIM)
Attention: Liam Whitlow
Block 5 Fernridge Office Park, 5 Hunter Avenue
Randburg

Analysis Report

Lab No : 09503 B

TEST INFORMATION TPH C10 - C40

ANALYTICAL METHOD: For Soil ASE Ext. and GC/MS

DATE RECEIVED 2015-04-02

ANALYTICAL METHOD: For Water Liquid/Liquid Ext. and GC/MS

DATE COMPLETED 2015-04-07

METHOD Number: UISOL-T-010

DATE ISSUED 2015-04-10

SAMPLE INFORMATION

Project Name

Project number Quote1362

CONTAINER TYPE Glass

Storage conditions in the laboratory is in a Fridge @ < 6 deg C

Sample ID	Matrix	C10 - C28	C28 - C40*	Total*
1074 BH01	Water	<382 µg/liter	<382 µg/liter	<382 µg/liter
1074 BH02	Water	<382 µg/liter	<382 µg/liter	<382 µg/liter
1074 BH04	Water	<382 µg/liter	<382 µg/liter	<382 µg/liter
1074 BH05	Water	<382 µg/liter	<382 µg/liter	<382 µg/liter
1074 BH07	Water	<382 µg/liter	<382 µg/liter	<382 µg/liter
1074 BH08	Water	<382 µg/liter	<382 µg/liter	<382 µg/liter
1074 BH09	Water	<382 µg/liter	<382 µg/liter	<382 µg/liter
1074 SW01	Water	<382 µg/liter	<382 µg/liter	<382 µg/liter

Authorised Signatory :

2015-04-10

Reinardt Cromhout

Page 1 of 2

DISCLAIMER: The results only relate to the test items provided. This report may not be reproduced, except in full, without the prior written approval of the laboratory. Results for TPH are not included in the SANAS Accreditation Schedule for our laboratory.



Parameters marked “ * ” in this Report are not included in the SANAS Schedule of Accreditation for this laboratory”.



UIS ORGANIC LABORATORY

UIS Organic Laboratory (Pty) Ltd • Reg. No. 2007/001896/07
VAT No 4340243221
Unit 3 Carrera House • 17 Sovereign St •
Route 21 Office Park • Irene • 0062
Tel. +27 83 3098373
willieh@uisol.co.za • <http://www.uisol.co.za>

CLIENT INFORMATION

Environment Impact Management services (EIM)
Attention: Liam Whitlow
Block 5 Fernridge Office Park, 5 Hunter Avenue
Randburg

Analysis Report

Lab No : 09503 B

TEST INFORMATION TPH C10 - C40

ANALYTICAL METHOD: For Soil ASE Ext. and GC/MS

DATE RECEIVED 2015-04-02

ANALYTICAL METHOD: For Water Liquid/Liquid Ext. and GC/MS

DATE COMPLETED 2015-04-07

METHOD Number: UISOL-T-010

DATE ISSUED 2015-04-10

SAMPLE INFORMATION

Project Name

Project number Quote1362

CONTAINER TYPE Glass

Storage conditions in the laboratory is in a Fridge @ < 6 deg C

Sample ID	Matrix	C10 - C28	C28 - C40*	Total*
1074 SW02	Water	<382 µg/liter	<382 µg/liter	<382 µg/liter

Authorised Signatory :


2015-04-10

Reinardt Cromhout

Page 2 of 2

DISCLAIMER: The results only relate to the test items provided. This report may not be reproduced, except in full, without the prior written approval of the laboratory. Results for TPH are not included in the SANAS Accreditation Schedule for our laboratory.

Parameters marked " * " in this Report are not included in the SANAS Schedule of Accreditation for this laboratory".



P.O. Box 82124
Southdale, 2135
40 Modulus Road
Ormonde, 2091
Tel: (011) 661 7900
Fax: (011) 496 2238
Golden No.
0861 467 765



M&L LABS

Registration Number 1874/001476/07 VATNumber 4780103505

M and L Laboratory Services (Pty) Ltd

Consulting Industrial Chemists, Analysts, Samplers

CONFIDENTIAL

Certificate / Report

Ref. No. : ML2015-1313
Contract No. : 8690631
Date : 2015-04-22
Page 1 of 10

COMPANY NAME : ENVIRONMENTAL IMPACT MANAGEMENT SERVICES
ADDRESS : PO BOX 2083 PINEGOWRIE 2123
SUBJECT : ANALYSIS OF 9 WATER SAMPLES
PROJECT REFERENCE : 1074
INSTRUCTED BY : L. Whitlou
ORDER NUMBER :
RECEIVED ON : 2015-04-02
ANALYSIS COMPLETED : 2015-04-22

BDL - Below Detection Limit

* Denotes test method accredited to ISO17025

- Refer to terms and conditions www.inspml.co.za
- This report relates to only test items listed herein and analysis on an as received basis.
These tests do not apply to any other samples of a similar nature.
- This certificate cannot be reproduced except in full without the written consent of M and L Laboratory Services (Pty) Ltd.

fsanas

T0040

Printed Date : 2015-04-22

P.O. Box 82124
 Southdale, 2135
 40 Modulus Road
 Ormonde, 2091
 Tel: (011) 661 7900
 Fax: (011) 496 2238
 Golden No.
 0861 467 765



M&L LABS

Registration Number 1974/001476/07 VATNumber 4780103505

M and L Laboratory Services (Pty) Ltd

Consulting Industrial Chemists, Analysts, Samplers

CONFIDENTIAL

Certificate / Report

Ref. No. : ML2015-1313
 Contract No. : 8690631
 Date : 2015-04-22
 Page 2 of 10

Lab Number		E23127	E23128	E23129	
Sampled Date		2015-04-01	2015-04-01	2015-04-01	
Sample Marks		1074 BH01	1074 BH02	1074 BH04	
Determinand	Method References	Detection Limit	Result	Result	Result
Chemical Analysis					
* pH Value @ 25°C	W044-27-O		7.6	7.1	7.4
* Conductivity @ 25°C (mS/m)	W044-27-O		90.2	40.9	197.2
* TDS (mg/l)	W044-03-W	1	510	252	1292
* Calcium as Ca (mg/l)	W044-30-C	0.118	40	37	143
* Calcium Hardness as CaCO3 (mg/l)	W044-30-C	1	100	92	357
* Magnesium as Mg (mg/l)	W044-30-C	0.034	13.9	11.7	58
* Magnesium Hardness as CaCO3 (mg/l)	W044-30-C	1	57	48	239
* Sodium as Na (mg/l)	W044-30-C	0.016	140	35	204
* Potassium as K (mg/l)	W044-30-C	0.093	1.1	4.4	2.5
Ammonia as NH4 (mg/l)	W044-50-W	0.10	<0.10	<0.10	1.1
Ammonia as NH3 (mg/l)	W044-50-W	0.10	<0.10	<0.10	1.1
Ammonia as N (mg/l)	W044-50-W	0.10	<0.10	<0.10	0.9
Total Alkalinity as CaCO3 (mg/l)	W044-50-W	1	262	199	355
P Alkalinity as CaCO3 (mg/l)	APHA 2310 B/2320 B	1	-	-	-
Bicarbonate as HCO3 (mg/l)	W044-50-W		319	243	433
Carbonate as CO3 (mg/l)	W044-50-W		0	0	0
Hydroxide as OH- (mg/l)	W044-50-W		0	0	0
Chloride as Cl (mg/l)	W044-50-W	0.10	151	19.5	495
Sulfate as SO4 (mg/l)	W044-50-W	0.2	43	23	42
Nitrate as NO3 (mg/l)	W044-50-W	0.100	0.4	4.1	0.1
Nitrate as N (mg/l)	W044-50-W	0.100	0.1	0.9	<0.1
Nitrite as NO2 (mg/l)	W044-50-W	0.100	<0.10	<0.10	<0.10
Nitrite as N (mg/l)	W044-50-W	0.100	<0.10	<0.10	<0.10
Fluoride as F (mg/l)	W044-50-W	0.10	0.6	0.1	0.4
Phosphate as PO4 (mg/l)	W044-50-W	0.12	<0.12	0.13	<0.12
Bromide as Br (mg/l)	W044-50-W	0.10	1.02	<0.10	1.99
TSS (mg/l)	A.P.H.A. 2540D	1	16	<1	40
Sum of Anions as meq/l (meq/l)			10.426	5.076	21.949
Sum of Cations as meq/l (meq/l)			9.258	4.475	20.840

BDL - Below Detection Limit

* Denotes test method accredited to ISO17025

- Refer to terms and conditions www.inspml.co.za
- This report relates to only test items listed herein and analysis on an as received basis. These tests do not apply to any other samples of a similar nature.
- This certificate cannot be reproduced except in full without the written consent of M and L Laboratory Services (Pty) Ltd.



Printed Date : 2015-04-22

P.O. Box 82124
 Southdale, 2135
 40 Modulus Road
 Ormonde, 2091
 Tel: (011) 661 7900
 Fax: (011) 496 2238
 Golden No.
 0861 467 765



M&L LABS

Registration Number 1974/001476/07 VATNumber 4780103505

M and L Laboratory Services (Pty) Ltd

Consulting Industrial Chemists, Analysts, Samplers

CONFIDENTIAL

Certificate / Report

Ref. No. : ML2015-1313
 Contract No. : 8690631
 Date : 2015-04-22
 Page 3 of 10

Lab Number	E23127	E23128	E23129		
Sampled Date	2015-04-01	2015-04-01	2015-04-01		
Sample Marks	1074 BH01	1074 BH02	1074 BH04		
Determinand	Method References	Detection Limit	Result	Result	Result
Chemical Analysis					
% Error			-5.934	-6.293	-2.592
Chemical Balance			In	Out	In


Authorised Signature

Edward Khumalo
 Supervisor

BDL - Below Detection Limit

* Denotes test method accredited to ISO17025

- o Refer to terms and conditions www.inspml.co.za
- o This report relates to only test items listed herein and analysis on an as received basis. These tests do not apply to any other samples of a similar nature.
- o This certificate cannot be reproduced except in full without the written consent of M and L Laboratory Services (Pty) Ltd.



Printed Date : 2015-04-22

P.O. Box 82124
 Southdale, 2135
 40 Modulus Road
 Ormonde, 2091
 Tel: (011) 661 7900
 Fax: (011) 496 2238
 Golden No.
 0861 467 765



M&L LABS

Registration Number 1974/001476/07 VATNumber 4780103505

M and L Laboratory Services (Pty) Ltd

Consulting Industrial Chemists, Analysts, Samplers

CONFIDENTIAL

Certificate / Report

Ref. No. : ML2015-1313
 Contract No. : 8690631
 Date : 2015-04-22
 Page 4 of 10

Lab Number	E23127	E23128	E23129		
Sampled Date	2015-04-01	2015-04-01	2015-04-01		
Sample Marks	1074 BH01	1074 BH02	1074 BH04		
Determinand	Method References	Detection Limit	Result	Result	Result
Metals					
* Aluminium as Al (mg/l)	W044-30-C	0.003	<0.003	<0.003	<0.003
Arsenic as As (mg/l)	W044-30-C	0.001	<0.001	<0.001	<0.001
Boron as B (mg/l)	W044-30-C	0.006	0.46	0.03	0.15
Barium as Ba (mg/l)	W044-30-C	0.001	0.11	0.15	0.56
* Iron as Fe (mg/l)	W044-30-C	0.001	0.05	0.01	0.02
* Manganese as Mn (mg/l)	W044-30-C	0.001	0.09	0.004	1.2
Molybdenum as Mo (mg/l)	W044-30-C	0.001	<0.001	<0.001	<0.001
Lead as Pb (mg/l)	W044-30-C	0.001	<0.001	<0.001	<0.001
Silicon as Si (mg/l)	W044-30-C	0.007	9.9	16.3	16.2
Strontium as Sr (mg/l)	W044-30-C	0.001	0.56	0.36	4.1
Uranium as U (mg/l)	W044-30-C	0.004	<0.004	<0.004	<0.004
Lithium as Li (mg/l)	W044-30-C	0.003	0.03	0.01	0.08
Rubidium as Rb (mg/l)	W044-33-C	0.001	<0.001	0.003	0.02

Authorised Signature

Ndileka Bangani
 Supervisor

BDL - Below Detection Limit

* Denotes test method accredited to ISO17025

- o Refer to terms and conditions www.inspml.co.za
- o This report relates to only test items listed herein and analysis on an as received basis. These tests do not apply to any other samples of a similar nature.
- o This certificate cannot be reproduced except in full without the written consent of M and L Laboratory Services (Pty) Ltd.

sanas
 T0040

Printed Date : 2015-04-22

P.O. Box 82124
 Southdale, 2135
 40 Modulus Road
 Ormonde, 2091
 Tel: (011) 661 7900
 Fax: (011) 496 2238
 Golden No.
 0861 467 765



M&L LABS

Registration Number 1974/001476/07 VATNumber 4780103605

M and L Laboratory Services (Pty) Ltd

Consulting Industrial Chemists, Analysts, Samplers

CONFIDENTIAL

Certificate / Report

Ref. No. : ML2015-1313
 Contract No. : 8690631
 Date : 2015-04-22
 Page 5 of 10

Lab Number	E23130	E23131	E23132		
Sampled Date	2015-04-01	2015-04-01	2015-04-01		
Sample Marks	1074 BH05	1074 BH07	1074 BH08		
Determinand	Method References	Detection Limit	Result	Result	Result
Chemical Analysis					
* pH Value @ 25°C	W044-27-O		7.1	7.0	7.2
* Conductivity @ 25°C (mS/m)	W044-27-O		167.1	154.2	210.4
* TDS (mg/l)	W044-03-W	1	1302	1112	1622
* Calcium as Ca (mg/l)	W044-30-C	0.118	119	173	205
* Calcium Hardness as CaCO3 (mg/l)	W044-30-C	1	297	432	512
* Magnesium as Mg (mg/l)	W044-30-C	0.034	51	83	91
* Magnesium Hardness as CaCO3 (mg/l)	W044-30-C	1	210	342	375
* Sodium as Na (mg/l)	W044-30-C	0.016	137	57	141
* Potassium as K (mg/l)	W044-30-C	0.093	2.8	0.98	5.9
Ammonia as NH4 (mg/l)	W044-50-W	0.10	0.7	0.3	<0.10
Ammonia as NH3 (mg/l)	W044-50-W	0.10	0.6	0.2	<0.10
Ammonia as N (mg/l)	W044-50-W	0.10	0.5	0.2	<0.10
Total Alkalinity as CaCO3 (mg/l)	W044-50-W	1	145	479	332
P Alkalinity as CaCO3 (mg/l)	APHA 2310 B/2320 B	1	-	-	-
Bicarbonate as HCO3 (mg/l)	W044-50-W		177	584	405
Carbonate as CO3 (mg/l)	W044-50-W		0	0	0
Hydroxide as OH- (mg/l)	W044-50-W		0	0	0
Chloride as Cl (mg/l)	W044-50-W	0.10	505	299	479
Sulfate as SO4 (mg/l)	W044-50-W	0.2	16.5	60	214
Nitrate as NO3 (mg/l)	W044-50-W	0.100	0.1	<0.1	36
Nitrate as N (mg/l)	W044-50-W	0.100	<0.1	<0.1	8.1
Nitrite as NO2 (mg/l)	W044-50-W	0.100	<0.10	<0.10	<0.10
Nitrite as N (mg/l)	W044-50-W	0.100	<0.10	<0.10	<0.10
Fluoride as F (mg/l)	W044-50-W	0.10	0.2	0.5	0.5
Phosphate as PO4 (mg/l)	W044-50-W	0.12	<0.12	<0.12	<0.12
Bromide as Br (mg/l)	W044-50-W	0.10	2.50	0.76	3.55
TSS (mg/l)	A.P.H.A. 2540D	1	38	20	<1
Sum of Anions as meq/l (meq/l)			17.494	19.278	25.204
Sum of Cations as meq/l (meq/l)			16.204	17.964	23.980

BDL - Below Detection Limit

* Denotes test method accredited to ISO17025

- o Refer to terms and conditions www.inspml.co.za
- o This report relates to only test items listed herein and analysis on an as received basis. These tests do not apply to any other samples of a similar nature.
- o This certificate cannot be reproduced except in full without the written consent of M and L Laboratory Services (Pty) Ltd.



Printed Date : 2015-04-22

P.O. Box 82124
 Southdale, 2135
 40 Modulus Road
 Ormonde, 2091
 Tel: (011) 661 7900
 Fax: (011) 496 2238
 Golden No.
 0861 467 765



M&L LABS

Registration Number 1974/001476/07 VATNumber 4780103505

M and L Laboratory Services (Pty) Ltd

Consulting Industrial Chemists, Analysts, Samplers

CONFIDENTIAL

Certificate / Report

Ref. No. : ML2015-1313
 Contract No. : 8690631
 Date : 2015-04-22
 Page 6 of 10

Lab Number	E23130	E23131	E23132
Sampled Date	2015-04-01	2015-04-01	2015-04-01
Sample Marks	1074 BH05	1074 BH07	1074 BH08
Determinand	Method References	Detection Limit	Result
Chemical Analysis			
% Error	-3.828	-3.528	-2.489
Chemical Balance	In	In	In

Authorised Signature

Edward Khumalo
 Supervisor

BDL - Below Detection Limit

* Denotes test method accredited to ISO17025

- Refer to terms and conditions www.inspml.co.za
- This report relates to only test items listed herein and analysis on an as received basis. These tests do not apply to any other samples of a similar nature.
- This certificate cannot be reproduced except in full without the written consent of M and L Laboratory Services (Pty) Ltd.



Printed Date : 2015-04-22

P.O. Box 82124
 Southdale, 2135
 40 Modulus Road
 Ormonde, 2091
 Tel: (011) 661 7900
 Fax: (011) 496 2238
 Golden No.
 0861 467 765



M & L LABS

Registration Number 1974/001476/07 VATNumber 4780103505

M and L Laboratory Services (Pty) Ltd

Consulting Industrial Chemists, Analysts, Samplers

CONFIDENTIAL

Certificate / Report

Ref. No. : ML2015-1313
 Contract No. : 8690631
 Date : 2015-04-22
 Page 7 of 10

Lab Number	E23130	E23131	E23132		
Sampled Date	2015-04-01	2015-04-01	2015-04-01		
Sample Marks	1074 BH05	1074 BH07	1074 BH08		
Determinand	Method References	Detection Limit	Result	Result	Result
Metals					
* Aluminium as Al (mg/l)	W044-30-C	0.003	<0.003	<0.003	<0.003
Arsenic as As (mg/l)	W044-30-C	0.001	<0.001	<0.001	<0.001
Boron as B (mg/l)	W044-30-C	0.006	0.04	0.03	0.09
Barium as Ba (mg/l)	W044-30-C	0.001	3.5	0.09	0.10
* Iron as Fe (mg/l)	W044-30-C	0.001	0.02	0.02	0.02
* Manganese as Mn (mg/l)	W044-30-C	0.001	1.3	0.17	0.002
Molybdenum as Mo (mg/l)	W044-30-C	0.001	<0.001	<0.001	<0.001
Lead as Pb (mg/l)	W044-30-C	0.001	<0.001	<0.001	<0.001
Silicon as Si (mg/l)	W044-30-C	0.007	5.0	24	15.0
Strontium as Sr (mg/l)	W044-30-C	0.001	1.4	1.7	2.6
Uranium as U (mg/l)	W044-30-C	0.004	<0.004	<0.004	<0.004
Lithium as Li (mg/l)	W044-30-C	0.003	0.006	0.03	0.07
Rubidium as Rb (mg/l)	W044-33-C	0.001	<0.001	<0.001	0.01

Authorised Signature

Ndileka Bangani
 Supervisor

BDL - Below Detection Limit

* Denotes test method accredited to ISO17025

- Refer to terms and conditions www.inspml.co.za
- This report relates to only test items listed herein and analysis on an as received basis. These tests do not apply to any other samples of a similar nature.
- This certificate cannot be reproduced except in full without the written consent of M and L Laboratory Services (Pty) Ltd.

sanas

T0040

Printed Date : 2015-04-22

P.O. Box 82124
 Southdale, 2135
 40 Modulus Road
 Ormonde, 2091
 Tel: (011) 661 7900
 Fax: (011) 496 2238
 Golden No.
 0861 467 765



M & L LABS

Registration Number 1974/001476/07 VATNumber 4780103505

M and L Laboratory Services (Pty) Ltd

Consulting Industrial Chemists, Analysts, Samplers

CONFIDENTIAL

Certificate / Report

Ref. No. : ML2015-1313
 Contract No. : 8690631
 Date : 2015-04-22
 Page 8 of 10

Lab Number	E23133	E23134	E23135		
Sampled Date	2015-04-01	2015-04-01	2015-04-01		
Sample Marks	1074 BH09	1074 SW01	1074 SW02		
Determinand	Method References	Detection Limit	Result	Result	Result
Chemical Analysis					
* pH Value @ 25°C	W044-27-O		7.5	8.1	8.6
* Conductivity @ 25°C (mS/m)	W044-27-O		213.4	132.4	124.9
* TDS (mg/l)	W044-03-W	1	1458	938	884
* Calcium as Ca (mg/l)	W044-30-C	0.118	178	89	90
* Calcium Hardness as CaCO ₃ (mg/l)	W044-30-C	1	445	222	225
* Magnesium as Mg (mg/l)	W044-30-C	0.034	57	39	35
* Magnesium Hardness as CaCO ₃ (mg/l)	W044-30-C	1	235	161	144
* Sodium as Na (mg/l)	W044-30-C	0.016	217	115	126
* Potassium as K (mg/l)	W044-30-C	0.093	3.9	9.5	12.5
Ammonia as NH ₄ (mg/l)	W044-50-W	0.10	0.2	<0.10	<0.10
Ammonia as NH ₃ (mg/l)	W044-50-W	0.10	0.2	<0.10	<0.10
Ammonia as N (mg/l)	W044-50-W	0.10	0.2	<0.10	<0.10
Total Alkalinity as CaCO ₃ (mg/l)	W044-50-W	1	368	146	148
P Alkalinity as CaCO ₃ (mg/l)	APHA 2310 B/2320 B	1	-	-	5.0
Bicarbonate as HCO ₃ (mg/l)	W044-50-W		449	178	168
Carbonate as CO ₃ (mg/l)	W044-50-W		0	0	6
Hydroxide as OH ⁻ (mg/l)	W044-50-W		0	0	0
Chloride as Cl (mg/l)	W044-50-W	0.10	538	331	234
Sulfate as SO ₄ (mg/l)	W044-50-W	0.2	99	95	226
Nitrate as NO ₃ (mg/l)	W044-50-W	0.100	<0.1	<0.1	<0.1
Nitrate as N (mg/l)	W044-50-W	0.100	<0.1	<0.1	<0.1
Nitrite as NO ₂ (mg/l)	W044-50-W	0.100	<0.10	<0.10	<0.10
Nitrite as N (mg/l)	W044-50-W	0.100	<0.10	<0.10	<0.10
Fluoride as F (mg/l)	W044-50-W	0.10	0.9	0.4	0.3
Phosphate as PO ₄ (mg/l)	W044-50-W	0.12	<0.12	<0.12	0.66
Bromide as Br (mg/l)	W044-50-W	0.10	3.24	0.86	0.15
TSS (mg/l)	A.P.H.A. 2540D	1	48	4	4
Sum of Anions as meq/l (meq/l)			24.633	14.250	14.277
Sum of Cations as meq/l (meq/l)			23.115	12.918	13.172

BDL - Below Detection Limit

* Denotes test method accredited to ISO17025

- Refer to terms and conditions www.inspml.co.za
- This report relates to only test items listed herein and analysis on an as received basis. These tests do not apply to any other samples of a similar nature.
- This certificate cannot be reproduced except in full without the written consent of M and L Laboratory Services (Pty) Ltd.



Printed Date : 2015-04-22

P.O. Box 82124
 Southdale, 2135
 40 Modulus Road
 Ormonde, 2091
 Tel: (011) 661 7900
 Fax: (011) 496 2238
 Golden No.
 0861 467 765



M&L LABS

Registration Number 1974/001476/07 VATNumber 4780103505

M and L Laboratory Services (Pty) Ltd

Consulting Industrial Chemists, Analysts, Samplers

CONFIDENTIAL

Certificate / Report

Ref. No. : ML2015-1313
 Contract No. : 8690631
 Date : 2015-04-22
 Page 9 of 10

Lab Number	E23133	E23134	E23135		
Sampled Date	2015-04-01	2015-04-01	2015-04-01		
Sample Marks	1074 BH09	1074 SW01	1074 SW02		
Determinand	Method References	Detection Limit	Result	Result	Result
Chemical Analysis					
% Error			-3.179	-4.903	-4.026
Chemical Balance			In	In	In

Authorised Signature

Edward Khumalo
 Supervisor

BDL - Below Detection Limit

* Denotes test method accredited to ISO17025

- Refer to terms and conditions www.insprml.co.za
- This report relates to only test items listed herein and analysis on an as received basis. These tests do not apply to any other samples of a similar nature.
- This certificate cannot be reproduced except in full without the written consent of M and L Laboratory Services (Pty) Ltd.

sanas

T0040

Printed Date : 2015-04-22

P.O. Box 82124
 Southdale, 2135
 40 Modulus Road
 Ormonde, 2091
 Tel: (011) 661 7900
 Fax: (011) 496 2238
 Golden No.
 0861 467 765



M&L LABS

Registration Number 1974/001476/07 VATNumber 4780103505

M and L Laboratory Services (Pty) Ltd

Consulting Industrial Chemists, Analysts, Samplers

CONFIDENTIAL

Certificate / Report

Ref. No. : ML2015-1313
 Contract No. : 8690631
 Date : 2015-04-22
 Page 10 of 10

Lab Number	E23133	E23134	E23135		
Sampled Date	2015-04-01	2015-04-01	2015-04-01		
Sample Marks	1074 BH09	1074 SW01	1074 SW02		
Determinand	Method References	Detection Limit	Result	Result	Result
Metals					
* Aluminium as Al (mg/l)	W044-30-C	0.003	<0.003	<0.003	0.008
Arsenic as As (mg/l)	W044-30-C	0.001	<0.001	<0.001	<0.001
Boron as B (mg/l)	W044-30-C	0.006	0.36	0.14	0.10
Barium as Ba (mg/l)	W044-30-C	0.001	0.25	0.20	0.11
* Iron as Fe (mg/l)	W044-30-C	0.001	0.01	0.06	0.03
* Manganese as Mn (mg/l)	W044-30-C	0.001	0.35	<0.001	0.002
Molybdenum as Mo (mg/l)	W044-30-C	0.001	<0.001	<0.001	<0.001
Lead as Pb (mg/l)	W044-30-C	0.001	<0.001	<0.001	<0.001
Silicon as Si (mg/l)	W044-30-C	0.007	7.7	1.6	1.4
Strontium as Sr (mg/l)	W044-30-C	0.001	3.7	0.89	0.81
Uranium as U (mg/l)	W044-30-C	0.004	<0.004	<0.004	<0.004
Lithium as Li (mg/l)	W044-30-C	0.003	0.11	0.03	0.03
Rubidium as Rb (mg/l)	W044-33-C	0.001	0.003	0.002	0.005

Authorised Signature

Ndileka Bangani
 Supervisor

BDL - Below Detection Limit

* Denotes test method accredited to ISO17025

- o Refer to terms and conditions www.inspml.co.za
- o This report relates to only test items listed herein and analysis on an as received basis. These tests do not apply to any other samples of a similar nature.
- o This certificate cannot be reproduced except in full without the written consent of M and L Laboratory Services (Pty) Ltd.

fsanas

T0040

Printed Date : 2015-04-22

APPENDIX 1B: MAY (1) 2015 LABORATORY RESULTS



UIS ORGANIC LABORATORY

UIS Organic Laboratory (Pty) Ltd • Reg. No. 2007/001896/07
VAT No 4340243221
Unit 3 Carrera House • 17 Sovereign Drive • Route 21 Corporate Park
PO Box 9025 • Centurion • 0048
Tel. +27 12 3451004 • Fax. +27 12 3451004
willie@uisol.co.za • <http://www.uisol.co.za>

CLIENT INFORMATION

Environmental Impact Management Services (P
Attention: Liam Whitlow
Block 5 Fernridge Office Park, 5 Hunter Street
Ferndale

TEST REPORT

Lab No : 09791 E

TEST INFORMATION Dissolved gas

ANALYTICAL METHOD: DI GC-FID

Matrix: Water

DATE RECEIVED 2015-06-01

DATE COMPLETED 2015-06-02

DATE ISSUED 2015-06-15

SAMPLE INFORMATION

Project number 1074

SAMPLE No BH1

CONTAINER TYPE Glass

Sample dilution Factor No Dilution

Parameter	Results	Remark
Dissolved Methane	<0.07 µg/liter	
Dissolved Ethane	<0.38 µg/liter	

Authorised Signatory that approved this report

Reinardt Cromhout

DISCLAIMER: The results only relate to the test items provided. This report may not be reproduced, except in full, without the prior written approval of the laboratory.

2015-06-15

Results marked "A" - Concentration outside calibration range, estimate only

Page 1 of 10



UIS ORGANIC LABORATORY

UIS Organic Laboratory (Pty) Ltd • Reg. No. 2007/001896/07
VAT No 4340243221
Unit 3 Carrera House • 17 Sovereign Drive • Route 21 Corporate Park
PO Box 9025 • Centurion • 0046
Tel. +27 12 3451004 • Fax. +27 12 3451004
willieh@uisol.co.za • <http://www.uisol.co.za>

CLIENT INFORMATION

Environmental Impact Management Services (P
Attention: Liam Whilow
Block 5 Fernridge Office Park, 5 Hunter Street
Ferndale

TEST REPORT

Lab No : 09791 E

TEST INFORMATION Dissolved gas

ANALYTICAL METHOD: DI GC-FID

DATE RECEIVED 2015-06-01

DATE COMPLETED 2015-06-02

Matrix: Water

DATE ISSUED 2015-06-15

SAMPLE INFORMATION

Project number 1074

SAMPLE No BH2

CONTAINER TYPE Glass

Sample dilution Factor No Dilution

Parameter

Results

Remark

Dissolved Methane

<0.07 µg/liter

Dissolved Ethane

<0.38 µg/liter

Authorised Signatory that approved this report

Reinardt Cromhout

DISCLAIMER: The results only relate to the test items provided. This report may not be reproduced, except in full, without the prior written approval of the laboratory.

2015-06-15

Results marked "A" - Concentration outside calibration range, estimate only

Page 2 of 10



UIS ORGANIC LABORATORY

UIS Organic Laboratory (Pty) Ltd • Reg. No. 2007/001896/07
VAT No 4340243221
Unit 3 Carrera House • 17 Sovereign Drive • Route 21 Corporate Park
PO Box 9025 • Centurion • 0046
Tel. +27 12 3451004 • Fax. +27 12 3451004
willih@uisol.co.za • <http://www.uisol.co.za>

CLIENT INFORMATION

Environmental Impact Management Services (P
Attention: Liam Whitlow
Block 5 Fernridge Office Park, 5 Hunter Street
Ferndale

TEST REPORT

Lab No : 09791 E

TEST INFORMATION Dissolved gas

ANALYTICAL METHOD: DI GC-FID

DATE RECEIVED 2015-06-01

DATE COMPLETED 2015-06-02

Matrix: Water

DATE ISSUED 2015-06-15

SAMPLE INFORMATION

Project number 1074

SAMPLE No BH3

CONTAINER TYPE Glass

Sample dilution Factor No Dilution

Parameter	Results	Remark
Dissolved Methane	0.14 µg/liter	
Dissolved Ethane	<0.38 µg/liter	

Authorised Signatory that approved this report

Reinardt Cromhout

DISCLAIMER: The results only relate to the test items provided. This report may not be reproduced, except in full, without the prior written approval of the laboratory.

2015-06-15

Results marked "A" - Concentration outside calibration range, estimate only

Page 3 of 10



UIS ORGANIC LABORATORY

UIS Organic Laboratory (Pty) Ltd • Reg. No. 2007/001896/07
VAT No 4340243221
Unit 3 Carrera House • 17 Sovereign Drive • Route 21 Corporate Park
PO Box 9025 • Centurion • 0046
Tel. +27 12 3451004 • Fax. +27 12 3451004
willieh@uisol.co.za • <http://www.uisol.co.za>

CLIENT INFORMATION

Environmental Impact Management Services (P
Attention: Liam Whitlow
Block 5 Fernridge Office Park, 5 Hunter Street
Ferndale

TEST REPORT

Lab No : 09791 E

TEST INFORMATION Dissolved gas

ANALYTICAL METHOD: DI GC-FID

DATE RECEIVED 2015-06-01

DATE COMPLETED 2015-06-02

Matrix: Water

DATE ISSUED 2015-06-15

SAMPLE INFORMATION

Project number 1074

SAMPLE No BH4

CONTAINER TYPE Glass

Sample dilution Factor No Dilution

Parameter	Results	Remark
Dissolved Methane	<0.07 µg/liter	
Dissolved Ethane	<0.38 µg/liter	

Authorised Signatory that approved this report

Reinardt Cromhout

DISCLAIMER: The results only relate to the test items provided. This report may not be reproduced, except in full, without the prior written approval of the laboratory.

2015-06-15

Results marked "A" - Concentration outside calibration range, estimate only

Page 4 of 10



UIS ORGANIC LABORATORY

UIS Organic Laboratory (Pty) Ltd • Reg. No. 2007/001896/07
VAT No 4340243221
Unit 3 Carrera House • 17 Sovereign Drive • Route 21 Corporate Park
PO Box 9025 • Centurion • 0046
Tel. +27 12 3451004 • Fax. +27 12 3451004
willieh@uisol.co.za • <http://www.uisol.co.za>

CLIENT INFORMATION

Environmental Impact Management Services (P
Attention: Liam Whitlow
Block 5 Fernridge Office Park, 5 Hunter Street
Ferndale

TEST REPORT

Lab No : 09791 E

TEST INFORMATION Dissolved gas

ANALYTICAL METHOD: DI GC-FID

DATE RECEIVED 2015-06-01

DATE COMPLETED 2015-06-02

Matrix: Water

DATE ISSUED 2015-06-15

SAMPLE INFORMATION

Project number 1074

SAMPLE No BH5

CONTAINER TYPE Glass

Sample dilution Factor No Dilution

Parameter

Results

Remark

Dissolved Methane

<0.07 µg/liter

Dissolved Ethane

<0.38 µg/liter

Authorised Signatory that approved this report

Reinardt Cromhout

DISCLAIMER: The results only relate to the test items provided. This report may not be reproduced, except in full, without the prior written approval of the laboratory.

2015-06-15

Results marked "A" - Concentration outside calibration range, estimate only

Page 5 of 10



UIS ORGANIC LABORATORY

UIS Organic Laboratory (Pty) Ltd • Reg. No. 2007/001896/07
VAT No 4340243221
Unit 3 Carrera House • 17 Sovereign Drive • Route 21 Corporate Park
PO Box 9025 • Centurion • 0046
Tel. +27 12 3451004 • Fax. +27 12 3451004
willieh@uisol.co.za • http://www.uisol.co.za

CLIENT INFORMATION

Environmental Impact Management Services (P
Attention: Liam Whitlow
Block 5 Fernridge Office Park, 5 Hunter Street
Ferndale

TEST REPORT

Lab No : 09791 E

TEST INFORMATION Dissolved gas

ANALYTICAL METHOD: DI GC-FID

DATE RECEIVED 2015-06-01

DATE COMPLETED 2015-06-02

Matrix: Water

DATE ISSUED 2015-06-15

SAMPLE INFORMATION

Project number 1074

SAMPLE No BH7

CONTAINER TYPE Glass

Sample dilution Factor No Dilution

Parameter	Results	Remark
Dissolved Methane	0.28 µg/liter	
Dissolved Ethane	<0.38 µg/liter	

Authorised Signatory that approved this report

Reinardt Cromhout

DISCLAIMER: The results only relate to the test items provided. This report may not be reproduced, except in full, without the prior written approval of the laboratory.

2015-06-15

Results marked "A" - Concentration outside calibration range, estimate only

Page 6 of 10



UIS ORGANIC LABORATORY

UIS Organic Laboratory (Pty) Ltd • Reg. No. 2007/001896/07
VAT No 4340243221
Unit 3 Carrera House • 17 Sovereign Drive • Route 21 Corporate Park
PO Box 9025 • Centurion • 0046
Tel. +27 12 3451004 • Fax. +27 12 3451004
willieh@uisol.co.za • <http://www.uisol.co.za>

CLIENT INFORMATION

Environmental Impact Management Services (P
Attention: Liam Whitlow
Block 5 Fernridge Office Park, 5 Hunter Street
Ferndale

TEST REPORT

Lab No : 09791 E

TEST INFORMATION Dissolved gas

ANALYTICAL METHOD: DI GC-FID

DATE RECEIVED 2015-06-01

DATE COMPLETED 2015-06-02

Matrix: Water

DATE ISSUED 2015-06-15

SAMPLE INFORMATION

Project number 1074

SAMPLE No BH8

CONTAINER TYPE Glass

Sample dilution Factor No Dilution

Parameter

Results

Remark

Dissolved Methane

<0.07 µg/liter

Dissolved Ethane

<0.38 µg/liter

Authorised Signatory that approved this report

Reinardt Cromhout

DISCLAIMER: The results only relate to the test items provided. This report may not be reproduced, except in full, without the prior written approval of the laboratory.

2015-06-15

Results marked "A" - Concentration outside calibration range, estimate only

Page 7 of 10



UIS ORGANIC LABORATORY

UIS Organic Laboratory (Pty) Ltd • Reg. No. 2007/001896/07
VAT No 4340243221
Unit 3 Carrera House • 17 Sovereign Drive • Route 21 Corporate Park
PO Box 9025 • Centurion • 0048
Tel. +27 12 3451004 • Fax. +27 12 3451004
willieh@uisol.co.za • <http://www.uisol.co.za>

CLIENT INFORMATION

Environmental Impact Management Services (P
Attention: Liam Whitlow
Block 5 Fernridge Office Park, 5 Hunter Street
Ferndale

TEST REPORT

Lab No : 09791 E

TEST INFORMATION Dissolved gas

ANALYTICAL METHOD: DI GC-FID

DATE RECEIVED 2015-06-01

DATE COMPLETED 2015-06-02

Matrix: Water

DATE ISSUED 2015-06-15

SAMPLE INFORMATION

Project number 1074

SAMPLE No BH9

CONTAINER TYPE Glass

Sample dilution Factor No Dilution

Parameter	Results	Remark
Dissolved Methane	0.23 µg/liter	
Dissolved Ethane	<0.38 µg/liter	

Authorised Signatory that approved this report

Reinardt Cromhout

DISCLAIMER: The results only relate to the test items provided. This report may not be reproduced, except in full, without the prior written approval of the laboratory.

2015-06-15

Results marked "A" - Concentration outside calibration range, estimate only

Page 8 of 10



UIS ORGANIC LABORATORY

UIS Organic Laboratory (Pty) Ltd • Reg. No. 2007/001896/07
VAT No 4340243221
Unit 3 Carrera House • 17 Sovereign Drive • Route 21 Corporate Park
PO Box 9025 • Centurion • 0046
Tel. +27 12 3451004 • Fax. +27 12 3451004
willieh@uisol.co.za • <http://www.uisol.co.za>

CLIENT INFORMATION

Environmental Impact Management Services (P
Attention: Liam Whitlow
Block 5 Fernridge Office Park, 5 Hunter Street
Ferndale

TEST REPORT

Lab No : 09791 E

TEST INFORMATION Dissolved gas

ANALYTICAL METHOD: DI GC-FID

DATE RECEIVED 2015-06-01

DATE COMPLETED 2015-06-02

Matrix: Water

DATE ISSUED 2015-06-15

SAMPLE INFORMATION

Project number 1074

SAMPLE No SW1

CONTAINER TYPE Glass

Sample dilution Factor No Dilution

Parameter	Results	Remark
Dissolved Methane	<0.07 µg/liter	
Dissolved Ethane	<0.38 µg/liter	

Authorised Signatory that approved this report

Reinardt Cromhout

DISCLAIMER: The results only relate to the test items provided. This report may not be reproduced, except in full, without the prior written approval of the laboratory.

2015-06-15

Results marked "A" - Concentration outside calibration range, estimate only

Page 9 of 10



UIS ORGANIC LABORATORY

UIS Organic Laboratory (Pty) Ltd • Reg. No. 2007/001896/07
VAT No 4340243221
Unit 3 Carrera House • 17 Sovereign Drive • Route 21 Corporate Park
PO Box 9025 • Centurion • 0046
Tel. +27 12 3451004 • Fax. +27 12 3451004
willieh@uisol.co.za • <http://www.uisol.co.za>

CLIENT INFORMATION

Environmental Impact Management Services (P
Attention: Liam Whitlow
Block 5 Fernridge Office Park, 5 Hunter Street
Ferndale

TEST REPORT

Lab No : 09791 E

TEST INFORMATION Dissolved gas

ANALYTICAL METHOD: DI GC-FID

Matrix: Water

DATE RECEIVED 2015-06-01

DATE COMPLETED 2015-06-02

DATE ISSUED 2015-06-15

SAMPLE INFORMATION

Project number 1074

SAMPLE No SW2

CONTAINER TYPE Glass

Sample dilution Factor No Dilution

Parameter	Results	Remark
Dissolved Methane	<0.07 µg/liter	
Dissolved Ethane	<0.38 µg/liter	

Authorised Signatory that approved this report

Reinardt Cromhout

DISCLAIMER: The results only relate to the test items provided. This report may not be reproduced, except in full, without the prior written approval of the laboratory.

2015-06-15

Results marked "A" - Concentration outside calibration range, estimate only

Page 10 of 10



UIS ORGANIC LABORATORY

UIS Organic Laboratory (Pty) Ltd • Reg. No. 2007/001896/07
VAT No 4340243221
Unit 3 Carrera House • 17 Sovereign St •
Route 21 Office Park • Irene • 0062
Tel. +27 83 3098373
willieh@uisol.co.za • <http://www.uisol.co.za>

CLIENT INFORMATION

Environmental Impact Management Services (P
Attention: Liam Whitlow
Block 5 Fernridge Office Park, 5 Hunter Street
Ferndale

TEST REPORT

Lab No : 09791 B

TEST INFORMATION TPH GRO C6-C10

ANALYTICAL METHOD: SPME Extraction and GC-MS
METHOD Number: UISOL-T-012

DATE RECEIVED 2015-06-01
DATE COMPLETED 2015-06-02
DATE ISSUED 2015-06-15

SAMPLE INFORMATION

Storage conditions in the laboratory is an a Fridge @ < 6 deg C

Matrix: Water

CONTAINER TYPE Glass

Project number

Sample dilution Factor No Dilution

Sample ID	Results
1074 BH01	<10 µg/liter
1074 BH02	<10 µg/liter
1074 BH03	<10 µg/liter
1074 BH04	<10 µg/liter
1074 BH05	<10 µg/liter
1074 BH07	<10 µg/liter
1074 BH08	<10 µg/liter
1074 BH09	<10 µg/liter
1074 SW1	<10 µg/liter
1074 SW2	<10 µg/liter

Authorised Signatory :

2015-06-15

Reinardt Cromhout

Page 1 of 1

DISCLAIMER: The results only relate to the test items provided. This report may not be reproduced, except in full, without the prior written approval of the laboratory.





UIS ORGANIC LABORATORY

UIS Organic Laboratory (Pty) Ltd • Reg. No. 2007/001896/07
 VAT No 4340243221
 Unit 3 Carrera House • 17 Sovereign St •
 Route 21 Office Park • Irene • 0062
 Tel. +27 83 3098373
 willieh@uisol.co.za • http://www.uisol.co.za

Client Information

Company :
 Attention:
 Tel:
 Fax:
 Address

Environment Impact Management se
Liam Whitlow
(011) 789 7170
Block 5 Fernridge Office Park, 5 Hunter Street Ferndale
2194

Analysis Report

Lab No: 9791

TEST INFORMATION	Dissolved Oxygen, Dissolved Organic carbon and Inorganic carbon
DATE RECEIVED	01/06/2015
DATE COMPLETED	15/06/2015
DATE ISSUED	15/06/2015

SAMPLE INFORMATION

SAMPLE MATRIX

Sample ID	Parameters			
	DO as O ₂	DOC as C	DIC as C	
BH01	6.3	1.9	34	mg/liter
BH02	6.6	1.4	7	mg/liter
BH03	6.0	1	36	mg/liter
BH04	6.7	<1.0	47	mg/liter
BH05	6.2	3	25	mg/liter
BH07	6.2	1.5	74	mg/liter
BH08	7.6	<1.0	35	mg/liter
BH09	6.7	<1.0	32	mg/liter
SW01	8.2	1.3	29	mg/liter
SW02	8.0	1.90	20	mg/liter

Authorized Signatory

F. HAVENGA

DISCLAIMER: The results only relate to the test items provided.

This report may not be reproduced, except in full, without the prior written approval of the laboratory.

U.T.D. - Unable To Determine



UIS ORGANIC LABORATORY

UIS Organic Laboratory (Pty) Ltd • Reg. No. 2007/001896/07
VAT No 4340243221
Unit 3 Carrera House • 17 Sovereign Drive • Route 21 Corporate Park
PO Box 8025 • Centurion • 0048
Tel. +27 12 3451004 • Fax. +27 12 3451004
willieh@uisol.co.za • http://www.uisol.co.za

CLIENT INFORMATION

Environmental Impact Management S
Liam Whitlow
Block 5 Fernridge Office Park, 5 Hunt
Ferndale

Analysis Report

Lab No : 09791 A

TEST INFORMATION				DETERMINATION OF PAHs USING SPME GC-MS-MS			
ANALYTICAL METHOD: SPME Extraction and GC-MS-MS				METHOD Number: UISOL-T-012			
DATE RECEIVED	2015-06-01	DATE COMPLETED	2015-06-02	DATE ISSUED	2015-06-15		
SAMPLE INFORMATION				Matrix:	Water		
SAMPLE No	BH1			Project number	1074		
CONTAINER TYPE	Glass			Sample dilution Factor	No Dilution		

POLYCYCLIC AROMATIC COMPOUND

Naphthalene	<0.1 µg/liter
Acenaphthene	<0.1 µg/liter
Acenaphthylene	<0.1 µg/liter
Flourene	<0.1 µg/liter
Phenanthrene	<0.1 µg/liter
Anthracene	<0.1 µg/liter
Fluoranthene	<0.1 µg/liter
Pyrene	<0.1 µg/liter
Benzo[a]anthracene	<0.1 µg/liter
Crysene	<0.1 µg/liter
Benzo[k+b]fluoranthene*	<0.1 µg/liter
Benzo[a]pyrene*	<0.1 µg/liter
Benzo[g,h,i]perylene *	<1 µg/liter
Dibenz[a,h]anthracene *	<1 µg/liter
Indeno[123-cd]pyrene *	<1 µg/liter

Authorised Signatory that approved this report

Reinardt Cromhout

DISCLAIMER: The results only relate to the test items provided. This report may not be reproduced, except in full, without the prior written approval of the laboratory.

Parameters marked "*" in this Report are not included in the SANAS Schedule of Accreditation for this laboratory".

Results marked "A" - Concentration outside calibration range, estimate only



2015-06-15

Page 1 of 10



UIS ORGANIC LABORATORY

UIS Organic Laboratory (Pty) Ltd • Reg. No. 2007/001896/07
VAT No 4340243221
Unit 3 Carrera House • 17 Sovereign Drive • Route 21 Corporate Park
PO Box 9025 • Centurion • 0046
Tel. +27 12 3451004 • Fax. +27 12 3451004
willie@uisol.co.za • http://www.uisol.co.za

CLIENT INFORMATION

Environmental Impact Management S
Liam Whitlow
Block 5 Fernridge Office Park, 5 Hunt
Ferndale

Analysis Report

Lab No : 09791 A

TEST INFORMATION				DETERMINATION OF PAHs USING SPME GC-MS-MS			
ANALYTICAL METHOD: SPME Extraction and GC-MS-MS		METHOD Number: UISOL-T-012		DATE RECEIVED 2015-06-01		DATE COMPLETED 2015-06-02	
DATE RECEIVED 2015-06-01		DATE COMPLETED 2015-06-02		DATE ISSUED 2015-06-15			
SAMPLE INFORMATION				Matrix: Water			
SAMPLE No BH2				Project number 1074			
CONTAINER TYPE Glass				Sample dilution Factor No Dilution			

POLYCYCLIC AROMATIC COMPOUND

Naphthalene	<0.1 µg/liter
Acenaphthene	<0.1 µg/liter
Acenaphthylene	<0.1 µg/liter
Flourene	<0.1 µg/liter
Phenanthrene	<0.1 µg/liter
Anthracene	<0.1 µg/liter
Fluoranthene	<0.1 µg/liter
Pyrene	<0.1 µg/liter
Benzo[a]anthracene	<0.1 µg/liter
Crysene	<0.1 µg/liter
Benzo[k+b]fluoranthene*	<0.1 µg/liter
Benzo[a]pyrene*	<0.1 µg/liter
Benzo[g,h,i]perylene *	<1 µg/liter
Dibenz[a,h]anthracene *	<1 µg/liter
Indeno[123-cd]pyrene *	<1 µg/liter

Authorised Signatory that approved this report

Reinardt Cromhout

DISCLAIMER: The results only relate to the test items provided. This report may not be reproduced, except in full, without the prior written approval of the laboratory.

Parameters marked " * " in this Report are not included in the SANAS Schedule of Accreditation for this laboratory".

Results marked "A" - Concentration outside calibration range, estimate only



2015-06-15

Page 2 of 10



UIS ORGANIC LABORATORY

UIS Organic Laboratory (Pty) Ltd • Reg. No. 2007/001896/07
VAT No 4340243221
Unit 3 Carrera House • 17 Sovereign Drive • Route 21 Corporate Park
PO Box 9026 • Centurion • 0046
Tel. +27 12 3451004 • Fax. +27 12 3451004
willie@uisol.co.za • http://www.uisol.co.za

CLIENT INFORMATION

Environmental Impact Management S
Liam Whitlow
Block 5 Fernridge Office Park, 5 Hunt
Ferndale

Analysis Report

Lab No : 09791 A

TEST INFORMATION DETERMINATION OF PAHs USING SPME GC-MS-MS			
ANALYTICAL METHOD: SPME Extraction and GC-MS-MS		METHOD Number: UISOL-T-012	
DATE RECEIVED	2015-06-01	DATE COMPLETED	2015-06-02
		DATE ISSUED	2015-06-15
SAMPLE INFORMATION		Matrix:	Water
SAMPLE No	BH3	Project number	1074
CONTAINER TYPE	Glass	Sample dilution Factor	No Dilution

POLYCYCLIC AROMATIC COMPOUND

Naphthalene	<0.1 µg/liter
Acenaphthene	<0.1 µg/liter
Acenaphthylene	<0.1 µg/liter
Flourene	<0.1 µg/liter
Phenanthrene	<0.1 µg/liter
Anthracene	<0.1 µg/liter
Fluoranthene	<0.1 µg/liter
Pyrene	<0.1 µg/liter
Benzo[a]anthracene	<0.1 µg/liter
Crysene	<0.1 µg/liter
Benzo[k+b]fluoranthene*	<0.1 µg/liter
Benzo[a]pyrene*	<0.1 µg/liter
Benzo[g,h,i]perylene *	<1 µg/liter
Dibenz[a,h]anthracene *	<1 µg/liter
Indeno[123-cd]pyrene *	<1 µg/liter

Authorised Signatory that approved this report

Reinardt Cromhout

DISCLAIMER: The results only relate to the test items provided. This report may not be reproduced, except in full, without the prior written approval of the laboratory.

Parameters marked "*" in this Report are not included in the SANAS Schedule of Accreditation for this laboratory".

Results marked "A" - Concentration outside calibration range, estimate only



2015-06-15

Page 3 of 10



UIS ORGANIC LABORATORY

UIS Organic Laboratory (Pty) Ltd • Reg. No. 2007/001896/07
VAT No 4340243221
Unit 3 Carrera House • 17 Sovereign Drive • Route 21 Corporate Park
PO Box 9025 • Centurion • 0046
Tel. +27 12 3451004 • Fax. +27 12 3451004
willieh@uisol.co.za • http://www.uisol.co.za

CLIENT INFORMATION

Environmental Impact Management S
Liam Whitlow
Block 5 Fernridge Office Park, 5 Hunt
Ferndale

Analysis Report

Lab No : 09791 A

TEST INFORMATION				DETERMINATION OF PAHs USING SPME GC-MS-MS			
ANALYTICAL METHOD: SPME Extraction and GC-MS-MS				METHOD Number: UISOL-T-012			
DATE RECEIVED	2015-06-01	DATE COMPLETED	2015-06-02	DATE ISSUED	2015-06-15		
SAMPLE INFORMATION				Matrix: Water			
SAMPLE No BH4				Project number 1074			
CONTAINER TYPE Glass				Sample dilution Factor No Dilution			

POLYCYCLIC AROMATIC COMPOUND

Naphthalene	<0.1 µg/liter
Acenaphthene	<0.1 µg/liter
Acenaphthylene	<0.1 µg/liter
Flourene	<0.1 µg/liter
Phenanthrene	<0.1 µg/liter
Anthracene	<0.1 µg/liter
Fluoranthene	<0.1 µg/liter
Pyrene	<0.1 µg/liter
Benzo[a]anthracene	<0.1 µg/liter
Crysene	<0.1 µg/liter
Benzo[k+b]fluoranthene*	<0.1 µg/liter
Benzo[a]pyrene*	<0.1 µg/liter
Benzo[g,h,i]perylene *	<1 µg/liter
Dibenz[a,h]anthracene *	<1 µg/liter
Indeno[123-cd]pyrene *	<1 µg/liter

Authorised Signatory that approved this report

Reinardt Cromhout

DISCLAIMER: The results only relate to the test items provided. This report may not be reproduced, except in full, without the prior written approval of the laboratory.

Parameters marked " * " in this Report are not included in the SANAS Schedule of Accreditation for this laboratory".

Results marked "A" - Concentration outside calibration range, estimate only



2015-06-15

Page 4 of 10



UIS ORGANIC LABORATORY

UIS Organic Laboratory (Pty) Ltd • Reg. No. 2007/001896/07
VAT No 4340243221
Unit 3 Carrera House • 17 Sovereign Drive • Route 21 Corporate Park
PO Box 9026 • Centurion • 0046
Tel. +27 12 3451004 • Fax. +27 12 3451004
willieh@uisol.co.za • http://www.uisol.co.za

CLIENT INFORMATION

Environmental Impact Management S
Liam Whitlow
Block 5 Fernridge Office Park, 5 Hunt
Ferndale

Analysis Report

Lab No : 09791 A

TEST INFORMATION DETERMINATION OF PAHs USING SPME GC-MS-MS			
ANALYTICAL METHOD: SPME Extraction and GC-MS-MS		METHOD Number: UISOL-T-012	
DATE RECEIVED	2015-06-01	DATE COMPLETED	2015-06-02
		DATE ISSUED	2015-06-15
SAMPLE INFORMATION		Matrix:	Water
SAMPLE No	BH5	Project number	1074
CONTAINER TYPE	Glass	Sample dilution Factor	No Dilution

POLYCYCLIC AROMATIC COMPOUND

Naphthalene	<0.1 µg/liter
Acenaphthene	<0.1 µg/liter
Acenaphthylene	<0.1 µg/liter
Flourene	<0.1 µg/liter
Phenanthrene	<0.1 µg/liter
Anthracene	<0.1 µg/liter
Fluoranthene	<0.1 µg/liter
Pyrene	<0.1 µg/liter
Benzo[a]anthracene	<0.1 µg/liter
Crysene	<0.1 µg/liter
Benzo[k+b]fluoranthene*	<0.1 µg/liter
Benzo[a]pyrene*	<0.1 µg/liter
Benzo[g,h,i]perylene *	<1 µg/liter
Dibenz[a,h]anthracene *	<1 µg/liter
Indeno[123-cd]pyrene *	<1 µg/liter

Authorised Signatory that approved this report

Reinardt Cromhout



DISCLAIMER: The results only relate to the test items provided. This report may not be reproduced, except in full, without the prior written approval of the laboratory.

Parameters marked " * " in this Report are not included in the SANAS Schedule of Accreditation for this laboratory".

Results marked "A" - Concentration outside calibration range, estimate only

2015-06-15

Page 5 of 10



UIS ORGANIC LABORATORY

UIS Organic Laboratory (Pty) Ltd • Reg. No. 2007/001896/07
VAT No 4340243221
Unit 3 Carrera House • 17 Sovereign Drive • Route 21 Corporate Park
PO Box 9025 • Centurion • 0046
Tel. +27 12 3451004 • Fax. +27 12 3451004
willieh@uisol.co.za • <http://www.uisol.co.za>

CLIENT INFORMATION

Environmental Impact Management S
Liam Whitlow
Block 5 Fernridge Office Park, 5 Hunt
Ferndale

Analysis Report

Lab No : 09791 A

TEST INFORMATION				DETERMINATION OF PAHs USING SPME GC-MS-MS			
ANALYTICAL METHOD: SPME Extraction and GC-MS-MS				METHOD Number: UISOL-T-012			
DATE RECEIVED	2015-06-01	DATE COMPLETED	2015-06-02	DATE ISSUED	2015-06-15		
SAMPLE INFORMATION				Matrix:	Water		
SAMPLE No	BH7			Project number	1074		
CONTAINER TYPE	Glass			Sample dilution Factor	No Dilution		

POLYCYCLIC AROMATIC COMPOUND

Naphthalene	<0.1 µg/liter
Acenaphthene	<0.1 µg/liter
Acenaphthylene	<0.1 µg/liter
Flourene	<0.1 µg/liter
Phenanthrene	<0.1 µg/liter
Anthracene	<0.1 µg/liter
Fluoranthene	<0.1 µg/liter
Pyrene	<0.1 µg/liter
Benzo[a]anthracene	<0.1 µg/liter
Crysene	<0.1 µg/liter
Benzo[k+b]fluoranthene*	<0.1 µg/liter
Benzo[a]pyrene*	<0.1 µg/liter
Benzo[g,h,i]perylene *	<1 µg/liter
Dibenz[a,h]anthracene *	<1 µg/liter
Indeno[123-cd]pyrene *	<1 µg/liter

Authorised Signatory that approved this report

Reinardt Cromhout

DISCLAIMER: The results only relate to the test items provided. This report may not be reproduced, except in full, without the prior written approval of the laboratory.

Parameters marked " * " in this Report are not included in the SANAS Schedule of Accreditation for this laboratory".

Results marked "A" - Concentration outside calibration range, estimate only



2015-06-15

Page 6 of 10



UIS ORGANIC LABORATORY

UIS Organic Laboratory (Pty) Ltd • Reg. No. 2007/001896/07
VAT No 4340243221
Unit 3 Carrera House • 17 Sovereign Drive • Route 21 Corporate Park
PO Box 9025 • Centurion • 0046
Tel. +27 12 3451004 • Fax. +27 12 3451004
willieh@uisol.co.za • http://www.uisol.co.za

CLIENT INFORMATION

Environmental Impact Management S
Liam Whitlow
Block 5 Fernridge Office Park, 5 Hunt
Ferndale

Analysis Report

Lab No : 09791 A

TEST INFORMATION				DETERMINATION OF PAHs USING SPME GC-MS-MS			
ANALYTICAL METHOD: SPME Extraction and GC-MS-MS				METHOD Number: UISOL-T-012			
DATE RECEIVED	2015-06-01	DATE COMPLETED	2015-06-02	DATE ISSUED	2015-06-15		
SAMPLE INFORMATION				Matrix:	Water		
SAMPLE No	BH8			Project number	1074		
CONTAINER TYPE	Glass			Sample dilution Factor	No Dilution		

POLYCYCLIC AROMATIC COMPOUND

Naphthalene	<0.1 µg/liter
Acenaphthene	<0.1 µg/liter
Acenaphthylene	<0.1 µg/liter
Flourene	<0.1 µg/liter
Phenanthrene	<0.1 µg/liter
Anthracene	<0.1 µg/liter
Fluoranthene	<0.1 µg/liter
Pyrene	<0.1 µg/liter
Benzo[a]anthracene	<0.1 µg/liter
Crysene	<0.1 µg/liter
Benzo[k+b]fluoranthene*	<0.1 µg/liter
Benzo[a]pyrene*	<0.1 µg/liter
Benzo[g,h,i]perylene *	<1 µg/liter
Dibenz[a,h]anthracene *	<1 µg/liter
Indeno[123-cd]pyrene *	<1 µg/liter

Authorised Signatory that approved this report

Reinardt Cromhout

DISCLAIMER: The results only relate to the test items provided. This report may not be reproduced, except in full, without the prior written approval of the laboratory.

Parameters marked " * " in this Report are not included in the SANAS Schedule of Accreditation for this laboratory".

Results marked "A" - Concentration outside calibration range, estimate only



2015-06-15

Page 7 of 10



UIS ORGANIC LABORATORY

UIS Organic Laboratory (Pty) Ltd • Reg. No. 2007/001896/07
VAT No 4340243221
Unit 3 Carrera House • 17 Sovereign Drive • Route 21 Corporate Park
PO Box 9025 • Centurion • 0046
Tel. +27 12 3451004 • Fax. +27 12 3451004
willieh@uisol.co.za • http://www.uisol.co.za

CLIENT INFORMATION

Environmental Impact Management S
Liam Whitlow
Block 5 Fernridge Office Park, 5 Hunt
Ferndale

Analysis Report

Lab No : 09791 A

TEST INFORMATION				DETERMINATION OF PAHs USING SPME GC-MS-MS			
ANALYTICAL METHOD: SPME Extraction and GC-MS-MS				METHOD Number: UISOL-T-012			
DATE RECEIVED	2015-06-01	DATE COMPLETED	2015-06-02	DATE ISSUED	2015-06-15		
SAMPLE INFORMATION				Matrix: Water			
SAMPLE No BH9				Project number 1074			
CONTAINER TYPE Glass				Sample dilution Factor No Dilution			

POLYCYCLIC AROMATIC COMPOUND

Naphthalene	<0.1 µg/liter
Acenaphthene	<0.1 µg/liter
Acenaphthylene	<0.1 µg/liter
Flourene	<0.1 µg/liter
Phenanthrene	<0.1 µg/liter
Anthracene	<0.1 µg/liter
Fluoranthene	<0.1 µg/liter
Pyrene	<0.1 µg/liter
Benzo[a]anthracene	<0.1 µg/liter
Crysene	<0.1 µg/liter
Benzo[k+b]fluoranthene*	<0.1 µg/liter
Benzo[a]pyrene*	<0.1 µg/liter
Benzo[g,h,i]perylene *	<1 µg/liter
Dibenz[a,h]anthracene *	<1 µg/liter
Indeno[123-cd]pyrene *	<1 µg/liter

Authorised Signatory that approved this report

Reinardt Cromhout

DISCLAIMER: The results only relate to the test items provided. This report may not be reproduced, except in full, without the prior written approval of the laboratory.

Parameters marked "*" in this Report are not included in the SANAS Schedule of Accreditation for this laboratory".

Results marked "A" - Concentration outside calibration range, estimate only



2015-06-15

Page 8 of 10



UIS ORGANIC LABORATORY

UIS Organic Laboratory (Pty) Ltd • Reg. No. 2007/001896/07
VAT No 4340243221
Unit 3 Carrera House • 17 Sovereign Drive • Route 21 Corporate Park
PO Box 9025 • Centurion • 0046
Tel. +27 12 3451004 • Fax, +27 12 3451004
willieh@uisol.co.za • http://www.uisol.co.za

CLIENT INFORMATION

Environmental Impact Management S
Liam Whitlow
Block 5 Fernridge Office Park, 5 Hunt
Ferndale

Analysis Report

Lab No : 09791 A

TEST INFORMATION				DETERMINATION OF PAHs USING SPME GC-MS-MS			
ANALYTICAL METHOD: SPME Extraction and GC-MS-MS				METHOD Number: UISOL-T-012			
DATE RECEIVED	2015-06-01	DATE COMPLETED	2015-06-02	DATE ISSUED	2015-06-15		
SAMPLE INFORMATION				Matrix: Water			
SAMPLE No SW1				Project number 1074			
CONTAINER TYPE Glass				Sample dilution Factor No Dilution			

POLYCYCLIC AROMATIC COMPOUND

Naphthalene	<0.1 µg/liter
Acenaphthene	<0.1 µg/liter
Acenaphthylene	<0.1 µg/liter
Flourene	<0.1 µg/liter
Phenanthrene	<0.1 µg/liter
Anthracene	<0.1 µg/liter
Fluoranthene	<0.1 µg/liter
Pyrene	<0.1 µg/liter
Benzo[a]anthracene	<0.1 µg/liter
Crysene	<0.1 µg/liter
Benzo[k+b]fluoranthene*	<0.1 µg/liter
Benzo[a]pyrene*	<0.1 µg/liter
Benzo[g,h,i]perylene *	<1 µg/liter
Dibenz[a,h]anthracene *	<1 µg/liter
Indeno[123-cd]pyrene *	<1 µg/liter

Authorised Signatory that approved this report

Reinardt Cromhout

DISCLAIMER: The results only relate to the test items provided. This report may not be reproduced, except in full, without the prior written approval of the laboratory.

Parameters marked “*” in this Report are not included in the SANAS Schedule of Accreditation for this laboratory”.

Results marked "A" - Concentration outside calibration range, estimate only



2015-06-15

Page 9 of 10



UIS ORGANIC LABORATORY

UIS Organic Laboratory (Pty) Ltd • Reg. No. 2007/001896/07
VAT No 4340243221
Unit 3 Carrera House • 17 Sovereign Drive • Route 21 Corporate Park
PO Box 9025 • Centurion • 0046
Tel. +27 12 3451004 • Fax. +27 12 3451004
willieh@uisol.co.za • http://www.uisol.co.za

CLIENT INFORMATION

Environmental Impact Management S
Liam Whitlow
Block 5 Fernridge Office Park, 5 Hunt
Ferndale

Analysis Report

Lab No : 09791 A

TEST INFORMATION				DETERMINATION OF PAHs USING SPME GC-MS-MS			
ANALYTICAL METHOD: SPME Extraction and GC-MS-MS				METHOD Number: UISOL-T-012			
DATE RECEIVED	2015-06-01	DATE COMPLETED	2015-06-02	DATE ISSUED	2015-06-15		
SAMPLE INFORMATION				Matrix: Water			
SAMPLE No SW2				Project number 1074			
CONTAINER TYPE Glass				Sample dilution Factor No Dilution			

POLYCYCLIC AROMATIC COMPOUND

Naphthalene	<0.1 µg/liter
Acenaphthene	<0.1 µg/liter
Acenaphthylene	<0.1 µg/liter
Flourene	<0.1 µg/liter
Phenanthrene	<0.1 µg/liter
Anthracene	<0.1 µg/liter
Fluoranthene	<0.1 µg/liter
Pyrene	<0.1 µg/liter
Benzo[a]anthracene	<0.1 µg/liter
Crysene	<0.1 µg/liter
Benzo[k+b]fluoranthene*	<0.1 µg/liter
Benzo[a]pyrene*	<0.1 µg/liter
Benzo[g,h,i]perylene *	<1 µg/liter
Dibenz[a,h]anthracene *	<1 µg/liter
Indeno[123-cd]pyrene *	<1 µg/liter

Authorised Signatory that approved this report

Reinardt Cromhout

DISCLAIMER: The results only relate to the test items provided. This report may not be reproduced, except in full, without the prior written approval of the laboratory.

Parameters marked " * " in this Report are not included in the SANAS Schedule of Accreditation for this laboratory".

Results marked "A" - Concentration outside calibration range, estimate only



2015-06-15

Page 10 of 10



**UIS ORGANIC
LABORATORY**

UIS Organic Laboratory (Pty) Ltd • Reg. No. 2007/001896/07
13 Esdoring Nook • Highveld Technopark • Centurion
PO Box 9025 • Centurion • 0046
Tel. +27 12 665 5832 • Fax. +27 12 665 4294
organic@uis-as.co.za • http://www.uis-as.co.za

CLIENT INFORMATION

Environmental Impact Management Services (P)
Liam Whitlow
Block 5 Fernridge Office Park, 5 Hunter Street
Ferndale

Analysis Certificate Total Oil and Grease

Lab No : 09791

DATE RECEIVED 2015-06-01

DATE COMPLETED 2015-06-02

Project number

Matrix Water

Sample Number	Total Oil and Grease
1074 BH01	<1 mg/liter (ppm)
1074 BH02	<1 mg/liter (ppm)
1074 BH03	<1 mg/liter (ppm)
1074 BH04	<1 mg/liter (ppm)
1074 BH05	<1 mg/liter (ppm)
1074 BH07	<1 mg/liter (ppm)
1074 BH08	<1 mg/liter (ppm)
1074 BH09	<1 mg/liter (ppm)
1074 SW1	<1 mg/liter (ppm)

Analytical method: Solvent Extraction and Gravimetric determination

Authorised Signatory .:

WJ Havenga

Technical Manager

Reporting date: 15 June 2015



**UIS ORGANIC
LABORATORY**

UIS Organic Laboratory (Pty) Ltd • Reg. No. 2007/001896/07
13 Esdoring Nook • Highveld Technopark • Centurion
PO Box 9025 • Centurion • 0046
Tel. +27 12 665 5632 • Fax. +27 12 665 4294
organic@uis-as.co.za • http://www.uis-as.co.za

CLIENT INFORMATION

Environmental Impact Management Services (P
Liam Whitlow
Block 5 Fernridge Office Park, 5 Hunter Street
Ferndale

Analysis Certificate Total Oil and Grease

Lab No : 09791

DATE RECEIVED 2015-06-01

DATE COMPLETED 2015-06-02

Project number

Matrix Water

Sample Number	Total Oil and Grease
1074 SW2	<1 mg/liter (ppm)

Analytical method: Solvent Extraction and Gravimetric determination

Authorised Signatory :

WJ Havenga

Technical Manager

Reporting date: 15 June 2015



UIS ORGANIC LABORATORY

UIS Organic Laboratory (Pty) Ltd • Reg. No. 2007/001896/07
VAT No 4340243221
Unit 3 Carrera House • 17 Sovereign St •
Route 21 Office Park • Irene • 0062
Tel. +27 83 3098373
willieh@uisol.co.za • <http://www.uisol.co.za>

CLIENT INFORMATION

Environmental Impact Management Services (P
Attention: Liam Whillow
Block 5 Fernridge Office Park, 5 Hunter Street
Ferndale

Analysis Report

Lab No : 09791 C

TEST INFORMATION TPH C10 - C40

ANALYTICAL METHOD: For Soil ASE Ext. and GC/FID

DATE RECEIVED 2015-06-01

ANALYTICAL METHOD: For Water Liquid/Liquid Ext. and GC/FID

DATE COMPLETED 2015-06-02

METHOD Number: UISOL-T-010

DATE ISSUED 2015-06-15

SAMPLE INFORMATION

Project Name

Project number

CONTAINER TYPE Glass

Storage conditions in the laboratory is in a Fridge @ < 6 deg C

Sample ID	Matrix	C10 - C28	C28 - C40*	Total*
1074 BH01	Water	<382 µg/liter	<382 µg/liter	<382 µg/liter
1074 BH02	Water	<382 µg/liter	<382 µg/liter	<382 µg/liter
1074 BH03	Water	<382 µg/liter	<382 µg/liter	<382 µg/liter
1074 BH04	Water	<382 µg/liter	<382 µg/liter	<382 µg/liter
1074 BH05	Water	<382 µg/liter	<382 µg/liter	<382 µg/liter
1074 BH07	Water	<382 µg/liter	<382 µg/liter	<382 µg/liter
1074 BH08	Water	<382 µg/liter	<382 µg/liter	<382 µg/liter

Authorised Signatory :

2015-06-15

Reinardt Cromhout

Page 1 of 2

DISCLAIMER: The results only relate to the test items provided. This report may not be reproduced, except in full, without the prior written approval of the laboratory. Results for TPH are not included in the SANAS Accreditation Schedule for our laboratory.

Parameters marked “*” in this Report are not included in the SANAS Schedule of Accreditation for this laboratory”.





UIS ORGANIC LABORATORY

UIS Organic Laboratory (Pty) Ltd • Reg. No. 2007/001896/07
VAT No 4340243221
Unit 3 Carrara House • 17 Sovereign St •
Route 21 Office Park • Irene • 0062
Tel. +27 83 3098373
willieh@uisol.co.za • <http://www.uisol.co.za>

CLIENT INFORMATION

Environmental Impact Management Services (P
Attention: Liam Whitlow
Block 5 Fernridge Office Park, 5 Hunter Street
Ferndale

Analysis Report

Lab No : 09791 C

TEST INFORMATION TPH C10 - C40

ANALYTICAL METHOD: For Soil ASE Ext. and GC/FID

DATE RECEIVED 2015-06-01

ANALYTICAL METHOD: For Water Liquid/Liquid Ext. and GC/FID

DATE COMPLETED 2015-06-02

METHOD Number: UISOL-T-010

DATE ISSUED 2015-06-15

SAMPLE INFORMATION

Project Name

Project number

CONTAINER TYPE Glass

Storage conditions in the laboratory is in a Fridge @ < 6 deg C

Sample ID	Matrix	C10 - C28	C28 - C40*	Total*
1074 BH09	Water	<382 µg/liter	<382 µg/liter	<382 µg/liter
1074 SW1	Water	<382 µg/liter	<382 µg/liter	<382 µg/liter
1074 SW2	Water	<382 µg/liter	<382 µg/liter	<382 µg/liter

Authorised Signatory :

2015-06-15

Reinardt Cromhout

Page 2 of 2

DISCLAIMER: The results only relate to the test items provided. This report may not be reproduced, except in full, without the prior written approval of the laboratory. Results for TPH are not included in the SANAS Accreditation Schedule for our laboratory.

Parameters marked “*” in this Report are not included in the SANAS Schedule of Accreditation for this laboratory”.



P.O. Box 82124
Southdale, 2135
40 Modulus Road
Ormonde, 2091
Tel: (011) 661 7900
Fax: (011) 496 2238
Golden No.
0861 467 765



M&L LABS

Registration Number 1974/001476/07 VATNumber 4780103505

M and L Laboratory Services (Pty) Ltd

Consulting Industrial Chemists, Analysts, Samplers

CONFIDENTIAL

Certificate / Report

Ref. No. : ML2015-1940
Contract No. : 8721059
Date : 2015-06-10
Page 1 of 13

COMPANY NAME : ENVIRONMENTAL IMPACT MANAGEMENT SERVICES
ADDRESS : PO BOX 2083 PINEGOWRIE 2123
SUBJECT : ANALYSIS OF 10 WATER SAMPLES
PROJECT REFERENCE :
INSTRUCTED BY : M MAGALA
ORDER NUMBER : M&L INSTRUCTION NO 15344
RECEIVED ON : 2015-06-01
ANALYSIS COMPLETED : 2015-06-10

BDL - Below Detection Limit

* Denotes test method accredited to ISO17025

- Refer to terms and conditions www.inspml.co.za
- This report relates to only test items listed herein and analysis on an as received basis.
These tests do not apply to any other samples of a similar nature.
- This certificate cannot be reproduced except in full without the written consent of M and L Laboratory Services (Pty) Ltd.

sanas
T0040

Printed Date : 2015-06-10

P.O. Box 82124
 Southdale, 2135
 40 Modulus Road
 Ormonde, 2091
 Tel: (011) 661 7900
 Fax: (011) 496 2238
 Golden No.
 0861 467 765



M&L LABS

Registration Number 1974/001476/07 VATNumber 4780103505

M and L Laboratory Services (Pty) Ltd

Consulting Industrial Chemists, Analysts, Samplers

CONFIDENTIAL

Certificate / Report

Ref. No. : ML2015-1940
 Contract No. : 8721059
 Date : 2015-06-10
 Page 2 of 13

Lab Number	E24806		E24807	E24808	
Sampled Date					
Sample Marks	1074 BH01		1074 BH02	1074 BH03	
Determinand	Method References	Detection Limit	Result	Result	Result

Chemical Analysis

* pH Value @ 25°C	W044-27-O		7.4	7.0	7.9
* Conductivity @ 25°C (mS/m)	W044-27-O		143.0	43.3	55.5
* TDS (mg/l)	W044-03-W	1	764	196	264
* Calcium as Ca (mg/l)	W044-30-C	0.118	96	40	28
* Calcium Hardness as CaCO ₃ (mg/l)	W044-30-C	1	240	100	70
* Magnesium as Mg (mg/l)	W044-30-C	0.034	37	13.2	5.8
* Magnesium Hardness as CaCO ₃ (mg/l)	W044-30-C	1	152	54	24
* Sodium as Na (mg/l)	W044-30-C	0.016	151	37	96
* Potassium as K (mg/l)	W044-30-C	0.093	1.5	5.0	0.95
Ammonia as NH ₄ (mg/l)	W044-50-W	0.10	<0.10	<0.10	0.2
Ammonia as NH ₃ (mg/l)	W044-50-W	0.10	<0.10	<0.10	0.2
Ammonia as N (mg/l)	W044-50-W	0.10	<0.10	<0.10	0.2
Total Alkalinity as CaCO ₃ (mg/l)	W044-50-W	1	295	166	221
Bicarbonate as HCO ₃ (mg/l)	W044-50-W		360	202	269
Carbonate as CO ₃ (mg/l)	W044-50-W		0	0	0
Hydroxide as OH ⁻ (mg/l)	W044-50-W		0	0	0
Chloride as Cl (mg/l)	W044-50-W	0.10	233	14.0	28
Sulfate as SO ₄ (mg/l)	W044-50-W	0.2	36	18.4	13.5
Nitrate as NO ₃ (mg/l)	W044-50-W	0.100	8.0	2.8	<0.1
Nitrate as N (mg/l)	W044-50-W	0.100	1.8	0.6	<0.1
Nitrite as NO ₂ (mg/l)	W044-50-W	0.100	<0.10	<0.10	<0.10
Nitrite as N (mg/l)	W044-50-W	0.100	<0.10	<0.10	<0.10
Fluoride as F (mg/l)	W044-50-W	0.10	0.5	0.1	0.4
Phosphate as PO ₄ (mg/l)	W044-50-W	0.12	<0.12	<0.12	<0.12
Bromide as Br (mg/l)	W044-50-W	0.10	1.87	0.11	<0.10
TSS (mg/l)	A.P.H.A. 2540D	1	<1	<1	2
Sum of Anions as meq/l (meq/l)			13.370	4.145	5.507
Sum of Cations as meq/l (meq/l)			14.488	4.848	6.080
% Error			4.013	7.817	4.945

BDL - Below Detection Limit

* Denotes test method accredited to ISO17025

- Refer to terms and conditions www.inspml.co.za
- This report relates to only test items listed herein and analysis on an as received basis. These tests do not apply to any other samples of a similar nature.
- This certificate cannot be reproduced except in full without the written consent of M and L Laboratory Services (Pty) Ltd.



Printed Date : 2015-06-10

P.O. Box 82124
 Southdale, 2135
 40 Modulus Road
 Ormonde, 2091
 Tel: (011) 661 7900
 Fax: (011) 496 2238
 Golden No.
 0861 467 765



M & L LABS

Registration Number 1974/001476/07 VATNumber 4780103505

M and L Laboratory Services (Pty) Ltd

Consulting Industrial Chemists, Analysts, Samplers

CONFIDENTIAL

Certificate / Report

Ref. No. : ML2015-1940
 Contract No. : 8721059
 Date : 2015-06-10
 Page 3 of 13

Lab Number	E24806	E24807	E24808
Sampled Date			
Sample Marks	1074 BH01	1074 BH02	1074 BH03
Determinand	Method References	Detection Limit	Result
Chemical Analysis			
Chemical Balance		In	Out

Authorised Signature

Edward Khumalo
 Supervisor

BDL - Below Detection Limit

* Denotes test method accredited to ISO17025

- Refer to terms and conditions www.inspml.co.za
- This report relates to only test items listed herein and analysis on an as received basis. These tests do not apply to any other samples of a similar nature.
- This certificate cannot be reproduced except in full without the written consent of M and L Laboratory Services (Pty) Ltd.



Printed Date : 2015-06-10

P.O. Box 82124
 Southdale, 2135
 40 Modulus Road
 Ormonde, 2091
 Tel: (011) 661 7900
 Fax: (011) 496 2238
 Golden No.
 0861 467 765



M & L LABS

Registration Number 1974/001476/07 VATNumber 4780103505

M and L Laboratory Services (Pty) Ltd

Consulting Industrial Chemists, Analysts, Samplers

CONFIDENTIAL

Certificate / Report

Ref. No. : ML2015-1940
 Contract No. : 8721059
 Date : 2015-06-10
 Page 4 of 13

Lab Number			E24806	E24807	E24808
Sampled Date					
Sample Marks			1074 BH01	1074 BH02	1074 BH03
Determinand	Method References	Detection Limit	Result	Result	Result
Metals					
* Aluminium as Al (mg/l)	W044-30-C	0.003	<0.003	<0.003	<0.003
Arsenic as As (mg/l)	W044-30-C	0.001	<0.001	<0.001	<0.001
Boron as B (mg/l)	W044-30-C	0.006	0.20	<0.006	0.25
Barium as Ba (mg/l)	W044-30-C	0.001	0.29	0.22	0.18
* Iron as Fe (mg/l)	W044-30-C	0.001	0.06	0.01	0.07
* Manganese as Mn (mg/l)	W044-30-C	0.001	0.02	0.001	0.07
Molybdenum as Mo (mg/l)	W044-30-C	0.001	<0.001	<0.001	<0.001
Lead as Pb (mg/l)	W044-30-C	0.001	<0.001	<0.001	<0.001
Silicon as Si (mg/l)	W044-30-C	0.007	21	20	8.6
Strontium as Sr (mg/l)	W044-30-C	0.001	1.3	0.41	0.61
Uranium as U (mg/l)	W044-30-C	0.004	<0.004	<0.004	<0.004
Lithium as Li (mg/l)	W044-30-C	0.003	0.03	0.01	0.03
Rubidium as Rb (mg/l)	W044-33-C	0.001	0.04	0.01	0.008

Authorised Signature

Ndileka Bangani
 Supervisor

BDL - Below Detection Limit

* Denotes test method accredited to ISO17025

- Refer to terms and conditions www.inspmi.co.za
- This report relates to only test items listed herein and analysis on an as received basis. These tests do not apply to any other samples of a similar nature.
- This certificate cannot be reproduced except in full without the written consent of M and L Laboratory Services (Pty) Ltd.



Printed Date : 2015-06-10

P.O. Box 82124
 Southdale, 2135
 40 Modulus Road
 Ormonde, 2091
 Tel: (011) 661 7900
 Fax: (011) 496 2238
 Golden No.
 0861 467 765



M & L LABS

Registration Number 1974/001476/07 VATNumber 4780103505

M and L Laboratory Services (Pty) Ltd

Consulting Industrial Chemists, Analysts, Samplers

CONFIDENTIAL

Certificate / Report

Ref. No. : ML2015-1940
 Contract No. : 8721059
 Date : 2015-06-10
 Page 5 of 13

Lab Number	E24809		E24810	E24811	
Sampled Date					
Sample Marks	1074 BH04		1074 BH05	1074 BH07	
Determinand	Method References	Detection Limit	Result	Result	Result
Chemical Analysis					
* pH Value @ 25°C	W044-27-O		7.6	7.2	7.0
* Conductivity @ 25°C (mS/m)	W044-27-O		216.0	220.0	172.0
* TDS (mg/l)	W044-03-W	1	1204	1360	1052
* Calcium as Ca (mg/l)	W044-30-C	0.118	127	152	132
* Calcium Hardness as CaCO ₃ (mg/l)	W044-30-C	1	317	380	330
* Magnesium as Mg (mg/l)	W044-30-C	0.034	50	51	104
* Magnesium Hardness as CaCO ₃ (mg/l)	W044-30-C	1	206	210	428
* Sodium as Na (mg/l)	W044-30-C	0.016	191	161	61
* Potassium as K (mg/l)	W044-30-C	0.093	2.4	1.9	0.80
Ammonia as NH ₄ (mg/l)	W044-50-W	0.10	0.9	0.7	0.1
Ammonia as NH ₃ (mg/l)	W044-50-W	0.10	0.9	0.6	0.1
Ammonia as N (mg/l)	W044-50-W	0.10	0.7	0.5	0.1
Total Alkalinity as CaCO ₃ (mg/l)	W044-50-W	1	295	284	402
Bicarbonate as HCO ₃ (mg/l)	W044-50-W		360	346	490
Carbonate as CO ₃ (mg/l)	W044-50-W		0	0	0
Hydroxide as OH ⁻ (mg/l)	W044-50-W		0	0	0
Chloride as Cl (mg/l)	W044-50-W	0.10	477	500	280
Sulfate as SO ₄ (mg/l)	W044-50-W	0.2	34	39	44
Nitrate as NO ₃ (mg/l)	W044-50-W	0.100	0.1	<0.1	<0.1
Nitrate as N (mg/l)	W044-50-W	0.100	<0.1	<0.1	<0.1
Nitrite as NO ₂ (mg/l)	W044-50-W	0.100	<0.10	<0.10	<0.10
Nitrite as N (mg/l)	W044-50-W	0.100	<0.10	<0.10	<0.10
Fluoride as F (mg/l)	W044-50-W	0.10	0.5	0.4	0.5
Phosphate as PO ₄ (mg/l)	W044-50-W	0.12	0.16	<0.12	<0.12
Bromide as Br (mg/l)	W044-50-W	0.10	2.42	2.55	1.37
TSS (mg/l)	A.P.H.A. 2540D	1	4	24	6
Sum of Anions as meq/l (meq/l)			20.081	20.607	16.870
Sum of Cations as meq/l (meq/l)			18.876	18.816	17.803
% Error			-3.093	-4.543	2.691

BDL - Below Detection Limit

* Denotes test method accredited to ISO17025

- Refer to terms and conditions www.inspml.co.za
- This report relates to only test items listed herein and analysis on an as received basis. These tests do not apply to any other samples of a similar nature.
- This certificate cannot be reproduced except in full without the written consent of M and L Laboratory Services (Pty) Ltd.



Printed Date : 2015-06-10

P.O. Box 82124
 Southdale, 2135
 40 Modulus Road
 Ormonde, 2091
 Tel: (011) 661 7900
 Fax: (011) 496 2238
 Golden No.
 0861 467 765



M & L LABS.

Registration Number 1974/001476/07 VATNumber 4780103605

M and L Laboratory Services (Pty) Ltd

Consulting Industrial Chemists, Analysts, Samplers

CONFIDENTIAL

Certificate / Report

Ref. No. : ML2015-1940
 Contract No. : 8721059
 Date : 2015-06-10
 Page 6 of 13

Lab Number	E24809	E24810	E24811		
Sampled Date					
Sample Marks	1074 BH04	1074 BH05	1074 BH07		
Determinand	Method References	Detection Limit	Result	Result	Result
Chemical Analysis					
Chemical Balance			In	In	In

Authorised Signature

Edward Khumalo
 Supervisor

BDL - Below Detection Limit

* Denotes test method accredited to ISO17025

- Refer to terms and conditions www.inspml.co.za
- This report relates to only test items listed herein and analysis on an as received basis. These tests do not apply to any other samples of a similar nature.
- This certificate cannot be reproduced except in full without the written consent of M and L Laboratory Services (Pty) Ltd.



Printed Date : 2015-06-10

P.O. Box 82124
 Southdale, 2135
 40 Modulus Road
 Ormonde, 2091
 Tel: (011) 661 7900
 Fax: (011) 496 2238
 Golden No.
 0861 467 765



M & L LABS

Registration Number 1974/001476/07 VATNumber 4780103605

M and L Laboratory Services (Pty) Ltd

Consulting Industrial Chemists, Analysts, Samplers

CONFIDENTIAL

Certificate / Report

Ref. No. : ML2015-1940
 Contract No. : 8721059
 Date : 2015-06-10
 Page 7 of 13

Lab Number			E24809	E24810	E24811
Sampled Date					
Sample Marks			1074 BH04	1074 BH05	1074 BH07
Determinand	Method References	Detection Limit	Result	Result	Result
Metals					
* Aluminium as Al (mg/l)	W044-30-C	0.003	<0.003	<0.003	<0.003
Arsenic as As (mg/l)	W044-30-C	0.001	<0.001	<0.001	<0.001
Boron as B (mg/l)	W044-30-C	0.006	0.12	0.07	<0.006
Barium as Ba (mg/l)	W044-30-C	0.001	0.80	0.99	0.11
* Iron as Fe (mg/l)	W044-30-C	0.001	0.13	0.01	0.02
* Manganese as Mn (mg/l)	W044-30-C	0.001	1.6	4.2	0.22
Molybdenum as Mo (mg/l)	W044-30-C	0.001	<0.001	<0.001	<0.001
Lead as Pb (mg/l)	W044-30-C	0.001	<0.001	<0.001	<0.001
Silicon as Si (mg/l)	W044-30-C	0.007	21	18.7	27
Strontium as Sr (mg/l)	W044-30-C	0.001	4.2	1.3	1.8
Uranium as U (mg/l)	W044-30-C	0.004	0.006	<0.004	<0.004
Lithium as Li (mg/l)	W044-30-C	0.003	0.07	0.008	0.03
Rubidium as Rb (mg/l)	W044-33-C	0.001	0.04	0.03	0.04

Authorised Signature

Ndileka Bangani
 Supervisor

BDL - Below Detection Limit

* Denotes test method accredited to ISO17025

- Refer to terms and conditions www.inspmi.co.za
- This report relates to only test items listed herein and analysis on an as received basis.
 These tests do not apply to any other samples of a similar nature.
- This certificate cannot be reproduced except in full without the written consent of M and L Laboratory Services (Pty) Ltd.



Printed Date : 2015-06-10

P.O. Box 82124
 Southdale, 2135
 40 Modulus Road
 Ormonde, 2091
 Tel: (011) 661 7900
 Fax: (011) 496 2238
 Golden No.
 0861 467 765



M & L LABS

Registration Number 1974/001476/07 VATNumber 4780103505

M and L Laboratory Services (Pty) Ltd

Consulting Industrial Chemists, Analysts, Samplers

CONFIDENTIAL

Certificate / Report

Ref. No. : ML2015-1940
 Contract No. : 8721059
 Date : 2015-06-10
 Page 8 of 13

Lab Number		E24812	E24813	E24814	
Sampled Date					
Sample Marks		1074 BH08	1074 BH09	1074 SW01	
Determinand	Method References	Detection Limit	Result	Result	Result
Chemical Analysis					
* pH Value @ 25°C	W044-27-O		7.2	7.3	8.0
* Conductivity @ 25°C (mS/m)	W044-27-O		273.0	252.0	232.0
* TDS (mg/l)	W044-03-W	1	1828	1524	1548
* Calcium as Ca (mg/l)	W044-30-C	0.118	183	153	112
* Calcium Hardness as CaCO ₃ (mg/l)	W044-30-C	1	457	382	280
* Magnesium as Mg (mg/l)	W044-30-C	0.034	129	43	47
* Magnesium Hardness as CaCO ₃ (mg/l)	W044-30-C	1	531	177	193
* Sodium as Na (mg/l)	W044-30-C	0.016	189	247	216
* Potassium as K (mg/l)	W044-30-C	0.093	5.5	3.5	9.8
Ammonia as NH ₄ (mg/l)	W044-50-W	0.10	<0.10	0.1	<0.10
Ammonia as NH ₃ (mg/l)	W044-50-W	0.10	<0.10	0.1	<0.10
Ammonia as N (mg/l)	W044-50-W	0.10	<0.10	0.1	<0.10
Total Alkalinity as CaCO ₃ (mg/l)	W044-50-W	1	271	320	127
Bicarbonate as HCO ₃ (mg/l)	W044-50-W		330	390	155
Carbonate as CO ₃ (mg/l)	W044-50-W		0	0	0
Hydroxide as OH ⁻ (mg/l)	W044-50-W		0	0	0
Chloride as Cl (mg/l)	W044-50-W	0.10	589	561	579
Sulfate as SO ₄ (mg/l)	W044-50-W	0.2	212	94	95
Nitrate as NO ₃ (mg/l)	W044-50-W	0.100	27	<0.1	<0.1
Nitrate as N (mg/l)	W044-50-W	0.100	6.1	<0.1	<0.1
Nitrite as NO ₂ (mg/l)	W044-50-W	0.100	<0.10	<0.10	<0.10
Nitrite as N (mg/l)	W044-50-W	0.100	<0.10	<0.10	<0.10
Fluoride as F (mg/l)	W044-50-W	0.10	0.6	0.9	0.5
Phosphate as PO ₄ (mg/l)	W044-50-W	0.12	<0.12	<0.12	<0.12
Bromide as Br (mg/l)	W044-50-W	0.10	4.16	3.31	2.79
TSS (mg/l)	A.P.H.A. 2540D	1	8	<1	<1
Sum of Anions as meq/l (meq/l)			26.905	24.218	20.869
Sum of Cations as meq/l (meq/l)			28.125	21.989	19.142
% Error			2.217	-4.824	-4.316

BDL - Below Detection Limit

* Denotes test method accredited to ISO17025

- Refer to terms and conditions www.inspml.co.za
- This report relates to only test items listed herein and analysis on an as received basis. These tests do not apply to any other samples of a similar nature.
- This certificate cannot be reproduced except in full without the written consent of M and L Laboratory Services (Pty) Ltd.



Printed Date : 2015-06-10

P.O. Box 82124
 Southdale, 2135
 40 Modulus Road
 Ormonde, 2091
 Tel: (011) 661 7900
 Fax: (011) 496 2238
 Golden No.
 0861 467 765



M & L LABS

Registration Number 1974/001476/07 VATNumber 4780103506

M and L Laboratory Services (Pty) Ltd

Consulting Industrial Chemists, Analysts, Samplers

CONFIDENTIAL

Certificate / Report

Ref. No. : ML2015-1940
 Contract No. : 8721059
 Date : 2015-06-10
 Page 9 of 13

Lab Number			E24812	E24813	E24814
Sampled Date					
Sample Marks			1074 BH08	1074 BH09	1074 SW01
Determinand	Method References	Detection Limit	Result	Result	Result
Chemical Analysis					
Chemical Balance			In	In	In

Authorised Signature

Edward Khumalo
 Supervisor

BDL - Below Detection Limit

* Denotes test method accredited to ISO17025

- Refer to terms and conditions www.inspml.co.za
- This report relates to only test items listed herein and analysis on an as received basis. These tests do not apply to any other samples of a similar nature.
- This certificate cannot be reproduced except in full without the written consent of M and L Laboratory Services (Pty) Ltd.



Printed Date : 2015-06-10

P.O. Box 82124
 Southdale, 2135
 40 Modulus Road
 Ormonde, 2091
 Tel: (011) 661 7900
 Fax: (011) 496 2238
 Golden No.
 0861 467 765



M & L LABS

Registration Number 1974/001476/07 VATNumber 4780103505

M and L Laboratory Services (Pty) Ltd

Consulting Industrial Chemists, Analysts, Samplers

CONFIDENTIAL

Certificate / Report

Ref. No. : ML2015-1940
 Contract No. : 8721059
 Date : 2015-06-10
 Page 10 of 13

Lab Number			E24812	E24813	E24814
Sampled Date					
Sample Marks			1074 BH08	1074 BH09	1074 SW01
Determinand	Method References	Detection Limit	Result	Result	Result
Metals					
* Aluminium as Al (mg/l)	W044-30-C	0.003	<0.003	<0.003	<0.003
Arsenic as As (mg/l)	W044-30-C	0.001	<0.001	<0.001	<0.001
Boron as B (mg/l)	W044-30-C	0.006	0.07	0.32	0.21
Barium as Ba (mg/l)	W044-30-C	0.001	0.13	0.34	0.34
* Iron as Fe (mg/l)	W044-30-C	0.001	0.03	0.39	0.04
* Manganese as Mn (mg/l)	W044-30-C	0.001	0.01	0.56	0.05
Molybdenum as Mo (mg/l)	W044-30-C	0.001	<0.001	<0.001	<0.001
Lead as Pb (mg/l)	W044-30-C	0.001	<0.001	<0.001	<0.001
Silicon as Si (mg/l)	W044-30-C	0.007	16.4	9.5	1.1
Strontium as Sr (mg/l)	W044-30-C	0.001	3.3	4.0	1.6
Uranium as U (mg/l)	W044-30-C	0.004	<0.004	<0.004	<0.004
Lithium as Li (mg/l)	W044-30-C	0.003	0.08	0.11	0.06
Rubidium as Rb (mg/l)	W044-33-C	0.001	0.03	0.02	<0.001

Authorised Signature

Ndiieka Bangani
 Supervisor

BDL - Below Detection Limit

* Denotes test method accredited to ISO17025

- Refer to terms and conditions www.inspmi.co.za
- This report relates to only test items listed herein and analysis on an as received basis. These tests do not apply to any other samples of a similar nature.
- This certificate cannot be reproduced except in full without the written consent of M and L Laboratory Services (Pty) Ltd.



Printed Date : 2015-06-10

P.O. Box 82124
 Southdale, 2135
 40 Modulus Road
 Ormonde, 2091
 Tel: (011) 661 7900
 Fax: (011) 496 2238
 Golden No.
 0861 467 765



M & L LABS

Registration Number 1974/001476/07 VATNumber 4780103505

M and L Laboratory Services (Pty) Ltd

Consulting Industrial Chemists, Analysts, Samplers

CONFIDENTIAL

Certificate / Report

Ref. No. : ML2015-1940
 Contract No. : 8721059
 Date : 2015-06-10
 Page 11 of 13

Lab Number	E24815		
Sampled Date			
Sample Marks	1074 SW02		
Determinand	Method References	Detection Limit	Result

Chemical Analysis

* pH Value @ 25°C	W044-27-O		8.2
* Conductivity @ 25°C (mS/m)	W044-27-O		157.0
* TDS (mg/l)	W044-03-W	†	960
* Calcium as Ca (mg/l)	W044-30-C	0.118	75
* Calcium Hardness as CaCO ₃ (mg/l)	W044-30-C	†	187
* Magnesium as Mg (mg/l)	W044-30-C	0.034	29
* Magnesium Hardness as CaCO ₃ (mg/l)	W044-30-C	†	119
* Sodium as Na (mg/l)	W044-30-C	0.016	147
* Potassium as K (mg/l)	W044-30-C	0.093	14.2
Ammonia as NH ₄ (mg/l)	W044-50-W	0.10	<0.10
Ammonia as NH ₃ (mg/l)	W044-50-W	0.10	<0.10
Ammonia as N (mg/l)	W044-50-W	0.10	<0.10
Total Alkalinity as CaCO ₃ (mg/l)	W044-50-W	1	171
Bicarbonate as HCO ₃ (mg/l)	W044-50-W		208
Carbonate as CO ₃ (mg/l)	W044-50-W		0
Hydroxide as OH ⁻ (mg/l)	W044-50-W		0
Chloride as Cl (mg/l)	W044-50-W	0.10	273
Sulfate as SO ₄ (mg/l)	W044-50-W	0.2	158
Nitrate as NO ₃ (mg/l)	W044-50-W	0.100	0.4
Nitrate as N (mg/l)	W044-50-W	0.100	0.1
Nitrite as NO ₂ (mg/l)	W044-50-W	0.100	<0.10
Nitrite as N (mg/l)	W044-50-W	0.100	<0.10
Fluoride as F (mg/l)	W044-50-W	0.10	0.3
Phosphate as PO ₄ (mg/l)	W044-50-W	0.12	1.60
Bromide as Br (mg/l)	W044-50-W	0.10	0.45
TSS (mg/l)	A.P.H.A. 2540D	1	6
Sum of Anions as meq/l (meq/l)			14.427
Sum of Cations as meq/l (meq/l)			12.951
% Error			-5.391

BDL - Below Detection Limit

* Denotes test method accredited to ISO17025

- Refer to terms and conditions www.inspml.co.za
- This report relates to only test items listed herein and analysis on an as received basis. These tests do not apply to any other samples of a similar nature.
- This certificate cannot be reproduced except in full without the written consent of M and L Laboratory Services (Pty) Ltd.

tsanas
 T0040

Printed Date : 2015-06-10

P.O. Box 82124
Southdale, 2135
40 Modulus Road
Ormonde, 2091
Tel: (011) 661 7900
Fax: (011) 496 2238
Golden No.
0861 467 765



M&L LABS

Registration Number 1974/001476/07 VATNumber 4780103505

M and L Laboratory Services (Pty) Ltd

Consulting Industrial Chemists, Analysts, Samplers

CONFIDENTIAL

Certificate / Report

Ref. No. : ML2015-1940
Contract No. : 8721059
Date : 2015-06-10
Page 12 of 13

Lab Number	E24815		
Sampled Date			
Sample Marks	1074 SW02		
Determinand	Method References	Detection Limit	Result
Chemical Analysis			
Chemical Balance			In

Authorised Signature

Edward Khumalo
Supervisor

BDL - Below Detection Limit

* Denotes test method accredited to ISO17025

- Refer to terms and conditions www.inspml.co.za
- This report relates to only test items listed herein and analysis on an as received basis.
These tests do not apply to any other samples of a similar nature.
- This certificate cannot be reproduced except in full without the written consent of M and L Laboratory Services (Pty) Ltd.

sanas
T0040

Printed Date : 2015-06-10

P.O. Box 82124
 Southdale, 2135
 40 Modulus Road
 Ormonde, 2091
 Tel: (011) 661 7900
 Fax: (011) 496 2238
 Golden No.
 0861 467 765



M & L LABS

Registration Number 1974/001476/07 VATNumber 4780103505

M and L Laboratory Services (Pty) Ltd

Consulting Industrial Chemists, Analysts, Samplers

CONFIDENTIAL

Certificate / Report

Ref. No. : ML2015-1940
 Contract No. : 8721059
 Date : 2015-06-10
 Page 13 of 13

Lab Number	E24815		
Sampled Date			
Sample Marks	1074 SW02		
Determinand	Method References	Detection Limit	Result
Metals			

* Aluminium as Al (mg/l)	W044-30-C	0.003	<0.003
Arsenic as As (mg/l)	W044-30-C	0.001	<0.001
Boron as B (mg/l)	W044-30-C	0.006	0.12
Barium as Ba (mg/l)	W044-30-C	0.001	0.13
* Iron as Fe (mg/l)	W044-30-C	0.001	0.02
* Manganese as Mn (mg/l)	W044-30-C	0.001	<0.001
Molybdenum as Mo (mg/l)	W044-30-C	0.001	<0.001
Lead as Pb (mg/l)	W044-30-C	0.001	<0.001
Silicon as Si (mg/l)	W044-30-C	0.007	0.88
Strontium as Sr (mg/l)	W044-30-C	0.001	0.97
Uranium as U (mg/l)	W044-30-C	0.004	<0.004
Lithium as Li (mg/l)	W044-30-C	0.003	0.03
Rubidium as Rb (mg/l)	W044-33-C	0.001	<0.001

Authorised Signature

Ndileka Bangani
 Supervisor

BDL - Below Detection Limit

* Denotes test method accredited to ISO17025

- Refer to terms and conditions www.inspml.co.za
- This report relates to only test items listed herein and analysis on an as received basis. These tests do not apply to any other samples of a similar nature.
- This certificate cannot be reproduced except in full without the written consent of M and L Laboratory Services (Pty) Ltd.

sanas
 T0040

Printed Date : 2015-06-10

APPENDIX 1C: MAY (2) 2015 LABORATORY RESULTS



UIS ORGANIC LABORATORY

UIS Organic Laboratory (Pty) Ltd • Reg. No. 2007/001896/07
VAT No 4340243221
Unit 3 Carrera House • 17 Sovereign Drive • Route 21 Corporate Park
PO Box 9025 • Centurion • 0046
Tel. +27 12 3451004 • Fax. +27 12 3451004
willieh@uisol.co.za • <http://www.uisol.co.za>

CLIENT INFORMATION

Environmental Impact Management Services (P
Attention: Liam Whitlow
Block 5 Fernridge Office Park, 5 Hunter Street
Ferndale

TEST REPORT

Lab No : 09710B

TEST INFORMATION Dissolved Gasses

ANALYTICAL METHOD: HS GC-FID

Matrix: Water

DATE RECEIVED 2015-05-15

DATE COMPLETED 2015-05-20

DATE ISSUED 2015-05-27

SAMPLE INFORMATION

Project number

SAMPLE No 1074 BH01

CONTAINER TYPE Glass

Sample dilution Factor No Dilution

Parameter	Results	Remark
Dissolved Methane	<0.07 mg/liter	
Dissolved Ethane	<0.038 mg/liter	

Authorised Signatory that approved this report

Reinardt Cromhout

DISCLAIMER: The results only relate to the test items provided. This report may not be reproduced, except in full, without the prior written approval of the laboratory.

Results marked "A" - Concentration outside calibration range, estimate only

2015-05-27

Page 1 of 10



UIS ORGANIC LABORATORY

UIS Organic Laboratory (Pty) Ltd • Reg. No. 2007/001896/07
VAT No 4340243221
Unit 3 Carrera House • 17 Sovereign Drive • Route 21 Corporate Park
PO Box 9025 • Centurion • 0046
Tel. +27 12 3451004 • Fax. +27 12 3451004
willieh@uisol.co.za • <http://www.uisol.co.za>

CLIENT INFORMATION

Environmental Impact Management Services (P
Attention: Liam Whillow
Block 5 Fernridge Office Park, 5 Hunter Street
Ferndale

TEST REPORT

Lab No : 09710B

TEST INFORMATION Dissolved Gasses

ANALYTICAL METHOD: HS GC-FID

Matrix: Water

DATE RECEIVED 2015-05-15

DATE COMPLETED 2015-05-20

DATE ISSUED 2015-05-27

SAMPLE INFORMATION

Project number

SAMPLE No 1074 BH02

CONTAINER TYPE Glass

Sample dilution Factor No Dilution

Parameter	Results	Remark
Dissolved Methane	<0.07 mg/liter	
Dissolved Ethane	<0.038 mg/liter	

Authorised Signatory that approved this report

Reinardt Cromhout

DISCLAIMER: The results only relate to the test items provided. This report may not be reproduced, except in full, without the prior written approval of the laboratory.

2015-05-27

Results marked "A" - Concentration outside calibration range, estimate only

Page 2 of 10



UIS ORGANIC LABORATORY

UIS Organic Laboratory (Pty) Ltd • Reg. No. 2007/001896/07
VAT No 4340243221
Unit 3 Carrera House • 17 Sovereign Drive • Route 21 Corporate Park
PO Box 9025 • Centurion • 0046
Tel. +27 12 3451004 • Fax. +27 12 3451004
willieh@uisol.co.za • <http://www.uisol.co.za>

CLIENT INFORMATION

Environmental Impact Management Services (P
Attention: Liam Whitlow
Block 5 Fernridge Office Park, 5 Hunter Street
Ferndale

TEST REPORT

Lab No : 09710B

TEST INFORMATION Dissolved Gasses

ANALYTICAL METHOD: HS GC-FID

Matrix: Water

DATE RECEIVED 2015-05-15

DATE COMPLETED 2015-05-20

DATE ISSUED 2015-05-27

SAMPLE INFORMATION

Project number

SAMPLE No 1074 BH03

CONTAINER TYPE Glass

Sample dilution Factor No Dilution

Parameter	Results	Remark
-----------	---------	--------

Dissolved Methane	0.17 mg/liter	
-------------------	---------------	--

Dissolved Ethane	<0.038 mg/liter	
------------------	-----------------	--

Authorised Signatory that approved this report

Reinardt Cromhout

DISCLAIMER: The results only relate to the test items provided. This report may not be reproduced, except in full, without the prior written approval of the laboratory.

2015-05-27

Results marked "A" - Concentration outside calibration range, estimate only

Page 3 of 10



UIS ORGANIC LABORATORY

UIS Organic Laboratory (Pty) Ltd • Reg. No. 2007/001896/07
VAT No 4340243221
Unit 3 Carrera House • 17 Sovereign Drive • Route 21 Corporate Park
PO Box 9025 • Centurion • 0048
Tel. +27 12 3451004 • Fax. +27 12 3451004
willieh@uisol.co.za • <http://www.uisol.co.za>

CLIENT INFORMATION

Environmental Impact Management Services (P
Attention: Liam Whitlow
Block 5 Fernridge Office Park, 5 Hunter Street
Ferndale

TEST REPORT

Lab No : 09710B

TEST INFORMATION Dissolved Gasses

ANALYTICAL METHOD: HS GC-FID

DATE RECEIVED 2015-05-15

DATE COMPLETED 2015-05-20

Matrix: Water

DATE ISSUED 2015-05-27

SAMPLE INFORMATION

Project number

SAMPLE No 1074 BH04

CONTAINER TYPE Glass

Sample dilution Factor No Dilution

Parameter	Results	Remark
-----------	---------	--------

Dissolved Methane	0.34 mg/liter	
-------------------	---------------	--

Dissolved Ethane	<0.038 mg/liter	
------------------	-----------------	--

Authorised Signatory that approved this report

Reinardt Cromhout

DISCLAIMER: The results only relate to the test items provided. This report may not be reproduced, except in full, without the prior written approval of the laboratory.

2015-05-27

Results marked "A" - Concentration outside calibration range, estimate only

Page 4 of 10



UIS ORGANIC LABORATORY

UIS Organic Laboratory (Pty) Ltd • Reg. No. 2007/001896/07
VAT No 4340243221
Unit 3 Carrera House • 17 Sovereign Drive • Route 21 Corporate Park
PO Box 9025 • Centurion • 0046
Tel. +27 12 3451004 • Fax. +27 12 3451004
willieh@uisol.co.za • <http://www.uisol.co.za>

CLIENT INFORMATION

Environmental Impact Management Services (P
Attention: Liam Whitlow
Block 5 Fernridge Office Park, 5 Hunter Street
Ferndale

TEST REPORT

Lab No : 09710B

TEST INFORMATION Dissolved Gasses

ANALYTICAL METHOD: HS GC-FID

DATE RECEIVED 2015-05-15

DATE COMPLETED 2015-05-20

Matrix: Water

DATE ISSUED 2015-05-27

SAMPLE INFORMATION

Project number

SAMPLE No 1074 BH05

CONTAINER TYPE Glass

Sample dilution Factor No Dilution

Parameter	Results	Remark
Dissolved Methane	<0.07 mg/liter	
Dissolved Ethane	<0.038 mg/liter	

Authorised Signatory that approved this report

Reinardt Cromhout

DISCLAIMER: The results only relate to the test items provided. This report may not be reproduced, except in full, without the prior written approval of the laboratory.

2015-05-27

Results marked "A" - Concentration outside calibration range, estimate only

Page 5 of 10



UIS ORGANIC LABORATORY

UIS Organic Laboratory (Pty) Ltd • Reg. No. 2007/001896/07
VAT No 4340243221
Unit 3 Carrera House • 17 Sovereign Drive • Route 21 Corporate Park
PO Box 8025 • Centurion • 0046
Tel. +27 12 3451004 • Fax. +27 12 3451004
willieh@uisol.co.za • <http://www.uisol.co.za>

CLIENT INFORMATION

Environmental Impact Management Services (P
Attention: Liam Whitflow
Block 5 Fernridge Office Park, 5 Hunter Street
Ferndale

TEST REPORT

Lab No : 09710B

TEST INFORMATION Dissolved Gasses

ANALYTICAL METHOD: HS GC-FID

DATE RECEIVED 2015-05-15

DATE COMPLETED 2015-05-20

Matrix: Water

DATE ISSUED 2015-05-27

SAMPLE INFORMATION

Project number

SAMPLE No 1074 BH07

CONTAINER TYPE Glass

Sample dilution Factor No Dilution

Parameter	Results	Remark
-----------	---------	--------

Dissolved Methane	0.22 mg/liter	
-------------------	---------------	--

Dissolved Ethane	<0.038 mg/liter	
------------------	-----------------	--

Authorised Signatory that approved this report

Reinardt Cromhout

DISCLAIMER: The results only relate to the test items provided. This report may not be reproduced, except in full, without the prior written approval of the laboratory.

2015-05-27

Results marked "A" - Concentration outside calibration range, estimate only

Page 6 of 10



UIS ORGANIC LABORATORY

UIS Organic Laboratory (Pty) Ltd • Reg. No. 2007/001896/07
VAT No 4340243221
Unit 3 Carrera House • 17 Sovereign Drive • Route 21 Corporate Park
PO Box 9025 • Centurion • 0046
Tel. +27 12 3451004 • Fax. +27 12 3451004
willieh@uisol.co.za • <http://www.uisol.co.za>

CLIENT INFORMATION

Environmental Impact Management Services (P)
Attention: Liam Whitlow
Block 5 Fernridge Office Park, 5 Hunter Street
Ferndale

TEST REPORT

Lab No : 09710B

TEST INFORMATION Dissolved Gasses

ANALYTICAL METHOD: HS GC-FID

DATE RECEIVED 2015-05-15

DATE COMPLETED 2015-05-20

Matrix: Water

DATE ISSUED 2015-05-27

SAMPLE INFORMATION

Project number

SAMPLE No 1074 BH08

CONTAINER TYPE Glass

Sample dilution Factor No Dilution

Parameter	Results	Remark
-----------	---------	--------

Dissolved Methane	<0.07 mg/liter	
-------------------	----------------	--

Dissolved Ethane	<0.038 mg/liter	
------------------	-----------------	--

Authorised Signatory that approved this report

Reinardt Cromhout

DISCLAIMER: The results only relate to the test items provided. This report may not be reproduced, except in full, without the prior written approval of the laboratory.

2015-05-27

Results marked "A" - Concentration outside calibration range, estimate only

Page 7 of 10



UIS ORGANIC LABORATORY

UIS Organic Laboratory (Pty) Ltd • Reg. No. 2007/001896/07
VAT No 4340243221
Unit 3 Carrera House • 17 Sovereign Drive • Route 21 Corporate Park
PO Box 9025 • Centurion • 0046
Tel. +27 12 3451004 • Fax. +27 12 3451004
willieh@uisol.co.za • <http://www.uisol.co.za>

CLIENT INFORMATION

Environmental Impact Management Services (P
Attention: Liam Whitlow
Block 5 Fernridge Office Park, 5 Hunter Street
Ferndale

TEST REPORT

Lab No : 09710B

TEST INFORMATION Dissolved Gasses

ANALYTICAL METHOD: HS GC-FID

DATE RECEIVED 2015-05-15

DATE COMPLETED 2015-05-20

Matrix: Water

DATE ISSUED 2015-05-27

SAMPLE INFORMATION

Project number

SAMPLE No 1074 BH09

CONTAINER TYPE Glass

Sample dilution Factor No Dilution

Parameter

Results

Remark

Dissolved Methane

0.14 mg/liter

Dissolved Ethane

<0.038 mg/liter

Authorised Signatory that approved this report

Reinardt Cromhout

DISCLAIMER: The results only relate to the test items provided. This report may not be reproduced, except in full, without the prior written approval of the laboratory.

2015-05-27

Results marked "A" - Concentration outside calibration range, estimate only

Page 8 of 10



UIS ORGANIC LABORATORY

UIS Organic Laboratory (Pty) Ltd • Reg. No. 2007/001896/07
VAT No 4340243221
Unit 3 Carrera House • 17 Sovereign Drive • Route 21 Corporate Park
PO Box 9025 • Centurion • 0046
Tel. +27 12 3451004 • Fax. +27 12 3451004
willieh@uisol.co.za • <http://www.uisol.co.za>

CLIENT INFORMATION

Environmental Impact Management Services (P
Attention: Liam Whitlow
Block 5 Fernridge Office Park, 5 Hunter Street
Ferndale

TEST REPORT

Lab No : 09710B

TEST INFORMATION Dissolved Gasses

ANALYTICAL METHOD: HS GC-FID

Matrix: Water

DATE RECEIVED 2015-05-15

DATE COMPLETED 2015-05-20

DATE ISSUED 2015-05-27

SAMPLE INFORMATION

Project number

SAMPLE No 1074 SW01

CONTAINER TYPE Glass

Sample dilution Factor No Dilution

Parameter	Results	Remark
-----------	---------	--------

Dissolved Methane	<0.07 mg/liter	
-------------------	----------------	--

Dissolved Ethane	<0.038 mg/liter	
------------------	-----------------	--

Authorised Signatory that approved this report

Reinardt Cromhout

DISCLAIMER: The results only relate to the test items provided. This report may not be reproduced, except in full, without the prior written approval of the laboratory.

2015-05-27

Results marked "A" - Concentration outside calibration range, estimate only

Page 9 of 10



UIS ORGANIC LABORATORY

UIS Organic Laboratory (Pty) Ltd • Reg. No. 2007/001896/07
VAT No 4340243221
Unit 3 Carrera House • 17 Sovereign Drive • Route 21 Corporate Park
PO Box 8025 • Centurion • 0046
Tel. +27 12 3451004 • Fax. +27 12 3451004
willeh@uisol.co.za • <http://www.uisol.co.za>

CLIENT INFORMATION

Environmental Impact Management Services (P
Attention: Liam Whitlow
Block 5 Fernridge Office Park, 5 Hunter Street
Ferndale

TEST REPORT

Lab No : 09710B

TEST INFORMATION Dissolved Gasses

ANALYTICAL METHOD: HS GC-FID

DATE RECEIVED 2015-05-15

DATE COMPLETED 2015-05-20

Matrix: Water

DATE ISSUED 2015-05-27

SAMPLE INFORMATION

Project number

SAMPLE No 1074 SW02

CONTAINER TYPE Glass

Sample dilution Factor No Dilution

Parameter	Results	Remark
Dissolved Methane	<0.07 mg/liter	
Dissolved Ethane	<0.038 mg/liter	

Authorised Signatory that approved this report

Reinardt Cromhout

DISCLAIMER: The results only relate to the test items provided. This report may not be reproduced, except in full, without the prior written approval of the laboratory.

2015-05-27

Results marked "A" - Concentration outside calibration range, estimate only

Page 10 of 10



UIS ORGANIC LABORATORY

UIS Organic Laboratory (Pty) Ltd • Reg. No. 2007/001896/07
VAT No 4340243221
Unit 3 Carrera House • 17 Sovereign St •
Route 21 Office Park • Irene • 0062
Tel. +27 83 3098373
willieh@uisol.co.za • <http://www.uisol.co.za>

CLIENT INFORMATION

Environmental Impact Management Services (P
Attention: Liam Whitlow
Block 5 Fernridge Office Park, 5 Hunter Street
Ferndale

TEST REPORT

Lab No : 09710A

TEST INFORMATION TPH GRO C6-C10

ANALYTICAL METHOD: SPME Extraction and GC-MS
METHOD Number: UISOL-T-012

DATE RECEIVED 2015-05-15
DATE COMPLETED 2015-05-20
DATE ISSUED 2015-05-27

SAMPLE INFORMATION

Storage conditions in the laboratory is an a Fridge @ < 6 deg C

Matrix: Water

CONTAINER TYPE Glass

Project number

Sample dilution Factor No Dilution

Sample ID	Results
1074 BH 01	<10 µg/liter
1074 BH 02	<10 µg/liter
1074 BH 03	<10 µg/liter
1074 BH 04	<10 µg/liter
1074 BH 05	<10 µg/liter
1074 BH 07	<10 µg/liter
1074 BH 08	<10 µg/liter
1074 BH 09	<10 µg/liter
1074 SW 01	<10 µg/liter
1074 SW 02	<10 µg/liter

Authorised Signatory :

2015-05-27

Reinardt Cromhout

Page 1 of 1

DISCLAIMER: The results only relate to the test items provided. This report may not be reproduced, except in full, without the prior written approval of the laboratory.





UIS ORGANIC LABORATORY

UIS Organic Laboratory (Pty) Ltd • Reg. No. 2007/001896/07
VAT No 4340243221
Unit 3 Carrera House • 17 Sovereign Drive • Route 21 Corporate Park
PO Box 9025 • Centurion • 0046
Tel. +27 12 3451004 • Fax. +27 12 3451004
willieh@uisol.co.za • http://www.uisol.co.za

CLIENT INFORMATION

Environmental Impact Management S
Liam Whitlow
Block 5 Fernridge Office Park, 5 Hunt
Ferndale

Analysis Report

Lab No : 09710 A

TEST INFORMATION DETERMINATION OF PAHs USING SPME GC-MS-MS			
ANALYTICAL METHOD: SPME Extraction and GC-MS-MS		METHOD Number: UISOL-T-012	
DATE RECEIVED	2015-05-15	DATE COMPLETED	2015-05-20
		DATE ISSUED	2015-05-27
SAMPLE INFORMATION		Matrix:	Water
SAMPLE No	1074 BH 01	Project number	
CONTAINER TYPE	Glass	Sample dilution Factor	No Dilution

POLYCYCLIC AROMATIC COMPOUND

Naphthalene	<0.1 µg/liter
Acenaphthene	<0.1 µg/liter
Acenaphthylene	<0.1 µg/liter
Flourene	<0.1 µg/liter
Phenanthrene	<0.1 µg/liter
Anthracene	<0.1 µg/liter
Fluoranthene	<0.1 µg/liter
Pyrene	<0.1 µg/liter
Benzo[a]anthracene	<0.1 µg/liter
Crysene	<0.1 µg/liter
Benzo[k+b]fluoranthene*	<0.1 µg/liter
Benzo[a]pyrene*	<0.1 µg/liter
Benzo[g,h,i]perylene *	<1 µg/liter
Dibenz[a,h]anthracene *	<1 µg/liter
Indeno[123-cd]pyrene *	<1 µg/liter

Authorised Signatory that approved this report

Reinardt Cromhout

DISCLAIMER: The results only relate to the test items provided. This report may not be reproduced, except in full, without the prior written approval of the laboratory.

Parameters marked "*" in this Report are not included in the SANAS Schedule of Accreditation for this laboratory".

Results marked "A" - Concentration outside calibration range, estimate only



2015-05-27

Page 1 of 10



UIS ORGANIC LABORATORY

UIS Organic Laboratory (Pty) Ltd • Reg. No. 2007/001896/07
VAT No 4340243221
Unit 3 Carrera House • 17 Sovereign Drive • Route 21 Corporate Park
PO Box 8025 • Centurion • 0046
Tel. +27 12 3451004 • Fax. +27 12 3451004
willieh@uisol.co.za • http://www.uisol.co.za

CLIENT INFORMATION

Environmental Impact Management S
Liam Whitlow
Block 5 Fernridge Office Park, 5 Hunt
Ferndale

Analysis Report

Lab No : 09710 A

TEST INFORMATION DETERMINATION OF PAHs USING SPME GC-MS-MS			
ANALYTICAL METHOD: SPME Extraction and GC-MS-MS		METHOD Number: UISOL-T-012	
DATE RECEIVED	2015-05-15	DATE COMPLETED	2015-05-20
		DATE ISSUED	2015-05-27
SAMPLE INFORMATION		Matrix:	Water
SAMPLE No	1074 BH 02	Project number	
CONTAINER TYPE	Glass	Sample dilution Factor	No Dilution

POLYCYCLIC AROMATIC COMPOUND

Naphthalene	<0.1 µg/liter
Acenaphthene	<0.1 µg/liter
Acenaphthylene	<0.1 µg/liter
Flourene	<0.1 µg/liter
Phenanthrene	<0.1 µg/liter
Anthracene	<0.1 µg/liter
Fluoranthene	<0.1 µg/liter
Pyrene	<0.1 µg/liter
Benzo[a]anthracene	<0.1 µg/liter
Crysene	<0.1 µg/liter
Benzo[k+b]fluoranthene*	<0.1 µg/liter
Benzo[a]pyrene*	<0.1 µg/liter
Benzo[g,h,i]perylene *	<1 µg/liter
Dibenz[a,h]anthracene *	<1 µg/liter
Indeno[123-cd]pyrene *	<1 µg/liter

Authorised Signatory that approved this report

Reinardt Cromhout

DISCLAIMER: The results only relate to the test items provided. This report may not be reproduced, except in full, without the prior written approval of the laboratory.

Parameters marked " * " in this Report are not included in the SANAS Schedule of Accreditation for this laboratory".

Results marked "A" - Concentration outside calibration range, estimate only



2015-05-27

Page 2 of 10



UIS ORGANIC LABORATORY

UIS Organic Laboratory (Pty) Ltd • Reg. No. 2007/001896/07
VAT No 4340243221
Unit 3 Carrera House • 17 Sovereign Drive • Route 21 Corporate Park
PO Box 9026 • Centurion • 0046
Tel. +27 12 3451004 • Fax. +27 12 3451004
willie@uisol.co.za • <http://www.uisol.co.za>

CLIENT INFORMATION

Environmental Impact Management S
Liam Whitlow
Block 5 Fernridge Office Park, 5 Hunt
Ferndale

Analysis Report

Lab No : 09710 A

TEST INFORMATION DETERMINATION OF PAHs USING SPME GC-MS-MS			
ANALYTICAL METHOD: SPME Extraction and GC-MS-MS		METHOD Number: UISOL-T-012	
DATE RECEIVED	2015-05-15	DATE COMPLETED	2015-05-20
		DATE ISSUED	2015-05-27
SAMPLE INFORMATION		Matrix:	Water
SAMPLE No	1074 BH 03	Project number	
CONTAINER TYPE	Glass	Sample dilution Factor	No Dilution

POLYCYCLIC AROMATIC COMPOUND

Naphthalene	<0.1 µg/liter
Acenaphthene	<0.1 µg/liter
Acenaphthylene	<0.1 µg/liter
Flourene	<0.1 µg/liter
Phenanthrene	<0.1 µg/liter
Anthracene	<0.1 µg/liter
Fluoranthene	<0.1 µg/liter
Pyrene	<0.1 µg/liter
Benzo[a]anthracene	<0.1 µg/liter
Crysene	<0.1 µg/liter
Benzo[k+b]fluoranthene*	<0.1 µg/liter
Benzo[a]pyrene*	<0.1 µg/liter
Benzo[g,h,i]perylene *	<1 µg/liter
Dibenz[a,h]anthracene *	<1 µg/liter
Indeno[123-cd]pyrene *	<1 µg/liter

Authorised Signatory that approved this report

Reinardt Cromhout

DISCLAIMER: The results only relate to the test items provided. This report may not be reproduced, except in full, without the prior written approval of the laboratory.

Parameters marked " * " in this Report are not included in the SANAS Schedule of Accreditation for this laboratory".

Results marked "A" - Concentration outside calibration range, estimate only



2015-05-27

Page 3 of 10



UIS ORGANIC LABORATORY

UIS Organic Laboratory (Pty) Ltd • Reg. No. 2007/001896/07
VAT No 4340243221
Unit 3 Carrera House • 17 Sovereign Drive • Route 21 Corporate Park
PO Box 9025 • Centurion • 0046
Tel. +27 12 3451004 • Fax. +27 12 3451004
willieh@uisol.co.za • http://www.uisol.co.za

CLIENT INFORMATION

Environmental Impact Management S
Liam Whitlow
Block 5 Fernridge Office Park, 5 Hunt
Ferndale

Analysis Report

Lab No : 09710 A

TEST INFORMATION DETERMINATION OF PAHs USING SPME GC-MS-MS			
ANALYTICAL METHOD: SPME Extraction and GC-MS-MS		METHOD Number: UISOL-T-012	
DATE RECEIVED	2015-05-15	DATE COMPLETED	2015-05-20
		DATE ISSUED	2015-05-27
SAMPLE INFORMATION		Matrix:	Water
SAMPLE No	1074 BH 04	Project number	
CONTAINER TYPE	Glass	Sample dilution Factor	No Dilution

POLYCYCLIC AROMATIC COMPOUND

Naphthalene	<0.1 µg/liter
Acenaphthene	<0.1 µg/liter
Acenaphthylene	<0.1 µg/liter
Flourene	<0.1 µg/liter
Phenanthrene	<0.1 µg/liter
Anthracene	<0.1 µg/liter
Fluoranthene	<0.1 µg/liter
Pyrene	<0.1 µg/liter
Benzo[a]anthracene	<0.1 µg/liter
Crysene	<0.1 µg/liter
Benzo[k+b]fluoranthene*	<0.1 µg/liter
Benzo[a]pyrene*	<0.1 µg/liter
Benzo[g,h,i]perylene *	<1 µg/liter
Dibenz[a,h]anthracene *	<1 µg/liter
Indeno[123-cd]pyrene *	<1 µg/liter

Authorised Signatory that approved this report

Reinardt Cromhout

DISCLAIMER: The results only relate to the test items provided. This report may not be reproduced, except in full, without the prior written approval of the laboratory.

Parameters marked " * " in this Report are not included in the SANAS Schedule of Accreditation for this laboratory".

Results marked "A" - Concentration outside calibration range, estimate only



2015-05-27

Page 4 of 10



UIS ORGANIC LABORATORY

UIS Organic Laboratory (Pty) Ltd • Reg. No. 2007/001896/07
VAT No 4340243221
Unit 3 Carrera House • 17 Sovereign Drive • Route 21 Corporate Park
PO Box 9025 • Centurion • 0046
Tel. +27 12 3451004 • Fax. +27 12 3451004
wllleh@uisol.co.za • http://www.uisol.co.za

CLIENT INFORMATION

Environmental Impact Management S
Liam Whitlow
Block 5 Fernridge Office Park, 5 Hunt
Ferndale

Analysis Report

Lab No : 09710 A

TEST INFORMATION DETERMINATION OF PAHs USING SPME GC-MS-MS			
ANALYTICAL METHOD: SPME Extraction and GC-MS-MS		METHOD Number: UISOL-T-012	
DATE RECEIVED	2015-05-15	DATE COMPLETED	2015-05-20
		DATE ISSUED	2015-05-27
SAMPLE INFORMATION		Matrix:	Water
SAMPLE No	1074 BH 05	Project number	
CONTAINER TYPE	Glass	Sample dilution Factor	No Dilution

POLYCYCLIC AROMATIC COMPOUND

Naphthalene	<0.1 µg/liter
Acenaphthene	<0.1 µg/liter
Acenaphthylene	<0.1 µg/liter
Flourene	<0.1 µg/liter
Phenanthrene	<0.1 µg/liter
Anthracene	<0.1 µg/liter
Fluoranthene	<0.1 µg/liter
Pyrene	<0.1 µg/liter
Benzo[a]anthracene	<0.1 µg/liter
Crysene	<0.1 µg/liter
Benzo[k+b]fluoranthene*	<0.1 µg/liter
Benzo[a]pyrene*	<0.1 µg/liter
Benzo[g,h,i]perylene *	<1 µg/liter
Dibenz[a,h]anthracene *	<1 µg/liter
Indeno[123-cd]pyrene *	<1 µg/liter

Authorised Signatory that approved this report

Reinardt Cromhout

DISCLAIMER: The results only relate to the test items provided. This report may not be reproduced, except in full, without the prior written approval of the laboratory.

Parameters marked " * " in this Report are not included in the SANAS Schedule of Accreditation for this laboratory".

Results marked "A" - Concentration outside calibration range, estimate only



2015-05-27

Page 5 of 10



UIS ORGANIC LABORATORY

UIS Organic Laboratory (Pty) Ltd • Reg. No. 2007/001896/07
VAT No 4340243221
Unit 3 Carrera House • 17 Sovereign Drive • Route 21 Corporate Park
PO Box 9025 • Centurion • 0046
Tel. +27 12 3451004 • Fax. +27 12 3451004
willieh@uisol.co.za • http://www.uisol.co.za

CLIENT INFORMATION

Environmental Impact Management S
Liam Whitlow
Block 5 Fernridge Office Park, 5 Hunt
Ferndale

Analysis Report

Lab No : 09710 A

TEST INFORMATION DETERMINATION OF PAHs USING SPME GC-MS-MS			
ANALYTICAL METHOD: SPME Extraction and GC-MS-MS		METHOD Number: UISOL-T-012	
DATE RECEIVED	2015-05-15	DATE COMPLETED	2015-05-20
		DATE ISSUED	2015-05-27
SAMPLE INFORMATION		Matrix:	Water
SAMPLE No	1074 BH 07	Project number	
CONTAINER TYPE	Glass	Sample dilution Factor	No Dilution

POLYCYCLIC AROMATIC COMPOUND

Naphthalene	<0.1 µg/liter
Acenaphthene	<0.1 µg/liter
Acenaphthylene	<0.1 µg/liter
Flourene	<0.1 µg/liter
Phenanthrene	<0.1 µg/liter
Anthracene	<0.1 µg/liter
Fluoranthene	<0.1 µg/liter
Pyrene	<0.1 µg/liter
Benzo[a]anthracene	<0.1 µg/liter
Crysene	<0.1 µg/liter
Benzo[k+b]fluoranthene*	<0.1 µg/liter
Benzo[a]pyrene*	<0.1 µg/liter
Benzo[g,h,i]perylene *	<1 µg/liter
Dibenz[a,h]anthracene *	<1 µg/liter
Indeno[123-cd]pyrene *	<1 µg/liter

Authorised Signatory that approved this report

Reinardt Cromhout

DISCLAIMER: The results only relate to the test items provided. This report may not be reproduced, except in full, without the prior written approval of the laboratory.

Parameters marked " * " in this Report are not included in the SANAS Schedule of Accreditation for this laboratory".

Results marked "A" - Concentration outside calibration range, estimate only



2015-05-27

Page 6 of 10



UIS ORGANIC LABORATORY

UIS Organic Laboratory (Pty) Ltd • Reg. No. 2007/001896/07
VAT No 4340243221
Unit 3 Carrara House • 17 Sovereign Drive • Route 21 Corporate Park
PO Box 9025 • Centurion • 0046
Tel. +27 12 3451004 • Fax. +27 12 3451004
willish@uisol.co.za • http://www.uisol.co.za

CLIENT INFORMATION

Environmental Impact Management S
Liam Whitlow
Block 5 Fernridge Office Park, 5 Hunt
Ferndale

Analysis Report

Lab No : 09710 A

TEST INFORMATION DETERMINATION OF PAHs USING SPME GC-MS-MS			
ANALYTICAL METHOD: SPME Extraction and GC-MS-MS		METHOD Number: UISOL-T-012	
DATE RECEIVED	2015-05-15	DATE COMPLETED	2015-05-20
		DATE ISSUED	2015-05-27
SAMPLE INFORMATION		Matrix:	Water
SAMPLE No	1074 BH 08	Project number	
CONTAINER TYPE	Glass	Sample dilution Factor	No Dilution

POLYCYCLIC AROMATIC COMPOUND

Naphthalene	<0.1 µg/liter
Acenaphthene	<0.1 µg/liter
Acenaphthylene	<0.1 µg/liter
Flourene	<0.1 µg/liter
Phenanthrene	<0.1 µg/liter
Anthracene	<0.1 µg/liter
Fluoranthene	<0.1 µg/liter
Pyrene	<0.1 µg/liter
Benzo[a]anthracene	<0.1 µg/liter
Crysene	<0.1 µg/liter
Benzo[k+b]fluoranthene*	<0.1 µg/liter
Benzo[a]pyrene*	<0.1 µg/liter
Benzo[g,h,i]perylene *	<1 µg/liter
Dibenz[a,h]anthracene *	<1 µg/liter
Indeno[123-cd]pyrene *	<1 µg/liter

Authorised Signatory that approved this report

Reinardt Cromhout

DISCLAIMER: The results only relate to the test items provided. This report may not be reproduced, except in full, without the prior written approval of the laboratory.

Parameters marked " * " in this Report are not included in the SANAS Schedule of Accreditation for this laboratory".

Results marked "A" - Concentration outside calibration range, estimate only



2015-05-27

Page 7 of 10



UIS ORGANIC LABORATORY

UIS Organic Laboratory (Pty) Ltd • Reg. No. 2007/001896/07
VAT No 4340243221
Unit 3 Carrera House • 17 Sovereign Drive • Route 21 Corporate Park
PO Box 9025 • Centurion • 0046
Tel. +27 12 3451004 • Fax. +27 12 3451004
willieh@uisol.co.za • http://www.uisol.co.za

CLIENT INFORMATION

Environmental Impact Management S
Liam Whitlow
Block 5 Fernridge Office Park, 5 Hunt
Ferndale

Analysis Report

Lab No : 09710 A

TEST INFORMATION DETERMINATION OF PAHs USING SPME GC-MS-MS			
ANALYTICAL METHOD: SPME Extraction and GC-MS-MS		METHOD Number: UISOL-T-012	
DATE RECEIVED	2015-05-15	DATE COMPLETED	2015-05-20
		DATE ISSUED	2015-05-27
SAMPLE INFORMATION		Matrix:	Water
SAMPLE No	1074 BH 09	Project number	
CONTAINER TYPE	Glass	Sample dilution Factor	No Dilution

POLYCYCLIC AROMATIC COMPOUND

Naphthalene	<0.1 µg/liter
Acenaphthene	<0.1 µg/liter
Acenaphthylene	<0.1 µg/liter
Flourene	<0.1 µg/liter
Phenanthrene	<0.1 µg/liter
Anthracene	<0.1 µg/liter
Fluoranthene	<0.1 µg/liter
Pyrene	<0.1 µg/liter
Benzo[a]anthracene	<0.1 µg/liter
Crysene	<0.1 µg/liter
Benzo[k+b]fluoranthene*	<0.1 µg/liter
Benzo[a]pyrene*	<0.1 µg/liter
Benzo[g,h,i]perylene *	<1 µg/liter
Dibenz[a,h]anthracene *	<1 µg/liter
Indeno[123-cd]pyrene *	<1 µg/liter

Authorised Signatory that approved this report

Reinardt Cromhout

DISCLAIMER: The results only relate to the test items provided. This report may not be reproduced, except in full, without the prior written approval of the laboratory.

Parameters marked " * " in this Report are not included in the SANAS Schedule of Accreditation for this laboratory".

Results marked "A" - Concentration outside calibration range, estimate only



2015-05-27

Page 8 of 10



UIS ORGANIC LABORATORY

UIS Organic Laboratory (Pty) Ltd • Reg. No. 2007/001896/07
VAT No 4340243221
Unit 3 Carrera House • 17 Sovereign Drive • Route 21 Corporate Park
PO Box 9025 • Centurion • 0048
Tel. +27 12 3451004 • Fax. +27 12 3451004
willieh@uisol.co.za • http://www.uisol.co.za

CLIENT INFORMATION

Environmental Impact Management S
Liam Whitlow
Block 5 Fernridge Office Park, 5 Hunt
Ferndale

Analysis Report

Lab No : 09710 A

TEST INFORMATION DETERMINATION OF PAHs USING SPME GC-MS-MS			
ANALYTICAL METHOD: SPME Extraction and GC-MS-MS		METHOD Number: UISOL-T-012	
DATE RECEIVED	2015-05-15	DATE COMPLETED	2015-05-20
		DATE ISSUED	2015-05-27
SAMPLE INFORMATION		Matrix:	Water
SAMPLE No	1074 SW 01	Project number	
CONTAINER TYPE	Glass	Sample dilution Factor	No Dilution

POLYCYCLIC AROMATIC COMPOUND

Naphthalene	<0.1 µg/liter
Acenaphthene	<0.1 µg/liter
Acenaphthylene	<0.1 µg/liter
Flourene	<0.1 µg/liter
Phenanthrene	<0.1 µg/liter
Anthracene	<0.1 µg/liter
Fluoranthene	<0.1 µg/liter
Pyrene	<0.1 µg/liter
Benzo[a]anthracene	<0.1 µg/liter
Crysene	<0.1 µg/liter
Benzo[k+b]fluoranthene*	<0.1 µg/liter
Benzo[a]pyrene*	<0.1 µg/liter
Benzo[g,h,i]perylene *	<1 µg/liter
Dibenz[a,h]anthracene *	<1 µg/liter
Indeno[123-cd]pyrene *	<1 µg/liter

Authorised Signatory that approved this report

Reinardt Cromhout

DISCLAIMER: The results only relate to the test items provided. This report may not be reproduced, except in full, without the prior written approval of the laboratory.

Parameters marked " * " in this Report are not included in the SANAS Schedule of Accreditation for this laboratory".

Results marked "A" - Concentration outside calibration range, estimate only



2015-05-27

Page 9 of 10



**UIS ORGANIC
LABORATORY**

UIS Organic Laboratory (Pty) Ltd • Reg. No. 2007/001896/07
 VAT No 4340243221
 Unit 3 Carrera House • 17 Sovereign Drive • Route 21 Corporate Park
 PO Box 9025 • Centurion • 0046
 Tel. +27 12 3451004 • Fax. +27 12 3451004
 willieh@uisol.co.za • http://www.uisol.co.za

CLIENT INFORMATION

Environmental Impact Management S
 Liam Whitlow
 Block 5 Fernridge Office Park, 5 Hunt
 Ferndale

Analysis Report

Lab No : 09710 A

TEST INFORMATION DETERMINATION OF PAHs USING SPME GC-MS-MS			
ANALYTICAL METHOD: SPME Extraction and GC-MS-MS		METHOD Number: UISOL-T-012	
DATE RECEIVED	2015-05-15	DATE COMPLETED	2015-05-20
		DATE ISSUED	2015-05-27
SAMPLE INFORMATION		Matrix:	Water
SAMPLE No	1074 SW 02	Project number	
CONTAINER TYPE	Glass	Sample dilution Factor	No Dilution

POLYCYCLIC AROMATIC COMPOUND

Naphthalene	<0.1 µg/liter
Acenaphthene	<0.1 µg/liter
Acenaphthylene	<0.1 µg/liter
Flourene	<0.1 µg/liter
Phenanthrene	<0.1 µg/liter
Anthracene	<0.1 µg/liter
Fluoranthene	<0.1 µg/liter
Pyrene	<0.1 µg/liter
Benzo[a]anthracene	<0.1 µg/liter
Crysene	<0.1 µg/liter
Benzo[k+b]fluoranthene*	<0.1 µg/liter
Benzo[a]pyrene*	<0.1 µg/liter
Benzo[g,h,i]perylene *	<1 µg/liter
Dibenz[a,h]anthracene *	<1 µg/liter
Indeno[123-cd]pyrene *	<1 µg/liter

Authorised Signatory that approved this report

Reinardt Cromhout

DISCLAIMER: The results only relate to the test items provided. This report may not be reproduced, except in full, without the prior written approval of the laboratory.

Parameters marked " * " in this Report are not included in the SANAS Schedule of Accreditation for this laboratory".

Results marked "A" - Concentration outside calibration range, estimate only



2015-05-27

Page 10 of 10



**UIS ORGANIC
LABORATORY**

UIS Organic Laboratory (Pty) Ltd • Reg. No. 2007/001898/07
13 Esdoring Nook • Highveld Technopark • Centurion
PO Box 9025 • Centurion • 0046
Tel. +27 12 665 5632 • Fax. +27 12 665 4294
organic@uis-as.co.za • <http://www.uis-as.co.za>

CLIENT INFORMATION

Environmental Impact Management Services (P
Liam Whitlow
Block 5 Fernridge Office Park, 5 Hunter Street
Ferndale

Analysis Certificate Total Oil and Grease

Lab No : 09710

DATE RECEIVED 2015-05-15

DATE COMPLETED 2015-05-20

Project number

Matrix Water

Sample Number	Total Oil and Grease
1074 BH 01	<1 mg/liter (ppm)
1074 BH 02	<1 mg/liter (ppm)
1074 BH 03	<1 mg/liter (ppm)
1074 BH 04	<1 mg/liter (ppm)
1074 BH 05	<1 mg/liter (ppm)
1074 BH 07	<1 mg/liter (ppm)
1074 BH 08	<1 mg/liter (ppm)
1074 BH 09	1 mg/liter (ppm)
1074 SW 01	<1 mg/liter (ppm)

Analytical method: Solvent Extraction and Gravimetric determination

Authorised Signatory :

WJ Havenga

Technical Manager

Reporting date: 27 May 2015



**UIS ORGANIC
LABORATORY**

UIS Organic Laboratory (Pty) Ltd • Reg. No. 2007/001898/07
13 Esdoring Nook • Highveld Technopark • Centurion
PO Box 9025 • Centurion • 0046
Tel. +27 12 665 5832 • Fax. +27 12 665 4294
organic@uis-as.co.za • <http://www.uis-as.co.za>

CLIENT INFORMATION

Environmental Impact Management Services (P
Liam Whitlow
Block 5 Ferridge Office Park, 5 Hunter Street
Ferndale

Analysis Certificate Total Oil and Grease

Lab No : 09710

DATE RECEIVED 2015-05-15

DATE COMPLETED 2015-05-20

Project number

Matrix Water

Sample Number	Total Oil and Grease
1074 SW 02	<1 mg/liter (ppm)

Analytical method: Solvent Extraction and Gravimetric determination

Authorised Signatory :

WJ Havenga

Technical Manager

Reporting date: 27 May 2015



UIS ORGANIC LABORATORY

UIS Organic Laboratory (Pty) Ltd • Reg. No. 2007/001896/07
VAT No 4340243221
Unit 3 Carrera House • 17 Sovereign St •
Route 21 Office Park • Irene • 0062
Tel. +27 83 3098373
willieh@uisol.co.za • <http://www.uisol.co.za>

CLIENT INFORMATION

Environmental Impact Management Services (P
Attention: Liam Whitlow
Block 5 Fernridge Office Park, 5 Hunter Street
Ferndale

Analysis Report

Lab No : 09710 C

TEST INFORMATION TPH C10 - C40

ANALYTICAL METHOD: For Soil ASE Ext. and GC/FID

DATE RECEIVED 2015-05-15

ANALYTICAL METHOD: For Water Liquid/Liquid Ext. and GC/FID

DATE COMPLETED 2015-05-20

METHOD Number: UISOL-T-010

DATE ISSUED 2015-05-27

SAMPLE INFORMATION

Project Name

Project number

CONTAINER TYPE Glass

Storage conditions in the laboratory is in a Fridge @ < 6 deg C

Sample ID	Matrix	C10 - C28	C28 - C40*	Total*
1074 BH 01	Water	<382 µg/liter	<382 µg/liter	<382 µg/liter
1074 BH 02	Water	<382 µg/liter	<382 µg/liter	<382 µg/liter
1074 BH 03	Water	<382 µg/liter	<382 µg/liter	<382 µg/liter
1074 BH 04	Water	<382 µg/liter	<382 µg/liter	<382 µg/liter
1074 BH 05	Water	<382 µg/liter	<382 µg/liter	<382 µg/liter
1074 BH 07	Water	<382 µg/liter	<382 µg/liter	<382 µg/liter
1074 BH 08	Water	<382 µg/liter	<382 µg/liter	<382 µg/liter

Authorised Signatory :

2015-05-27

Reinardt Cromhout

Page 1 of 2

DISCLAIMER: The results only relate to the test items provided. This report may not be reproduced, except in full, without the prior written approval of the laboratory. Results for TPH are not included in the SANAS Accreditation Schedule for our laboratory.

Parameters marked " * " in this Report are not included in the SANAS Schedule of Accreditation for this laboratory".





UIS ORGANIC LABORATORY

UIS Organic Laboratory (Pty) Ltd • Reg. No. 2007/001896/07
VAT No 4340243221
Unit 3 Carrera House • 17 Sovereign St •
Route 21 Office Park • Irene • 0062
Tel. +27 83 3098373
willieh@uisol.co.za • <http://www.uisol.co.za>

CLIENT INFORMATION

Environmental Impact Management Services (P
Attention: Liam Whitlow
Block 5 Fernridge Office Park, 5 Hunter Street
Ferndale

Analysis Report

Lab No : 09710 C

TEST INFORMATION TPH C10 - C40

ANALYTICAL METHOD: For Soil ASE Ext. and GC/FID

DATE RECEIVED 2015-05-15

ANALYTICAL METHOD: For Water Liquid/Liquid Ext. and GC/FID

DATE COMPLETED 2015-05-20

METHOD Number: UISOL-T-010

DATE ISSUED 2015-05-27

SAMPLE INFORMATION

Project Name

Project number

CONTAINER TYPE Glass

Storage conditions in the laboratory is in a Fridge @ < 6 deg C

Sample ID	Matrix	C10 - C28	C28 - C40*	Total*
1074 BH 09	Water	<382 µg/liter	<382 µg/liter	<382 µg/liter
1074 SW 01	Water	<382 µg/liter	<382 µg/liter	<382 µg/liter
1074 SW 02	Water	<382 µg/liter	<382 µg/liter	<382 µg/liter

Authorised Signatory :

2015-05-27

Reinardt Cromhout

Page 2 of 2

DISCLAIMER: The results only relate to the test items provided. This report may not be reproduced, except in full, without the prior written approval of the laboratory. Results for TPH are not included in the SANAS Accreditation Schedule for our laboratory.

Parameters marked “*” in this Report are not included in the SANAS Schedule of Accreditation for this laboratory”.

sanas
Testing Laboratory
T0419

P.O. Box 82124
Southdale, 2135
40 Modulus Road
Ormonde, 2091
Tel: (011) 661 7900
Fax: (011) 496 2238
Golden No.
0861 467 765



M&L LABS

Registration Number 1974/001476/07 VATNumber 4780103506

M and L Laboratory Services (Pty) Ltd

Consulting Industrial Chemists, Analysts, Samplers

CONFIDENTIAL

Certificate / Report

Ref. No. : ML2015-1778
Contract No. : 8711520
Date : 2015-06-04
Page 1 of 13

COMPANY NAME : ENVIRONMENTAL IMPACT MANAGEMENT SERVICES
ADDRESS : PO BOX 2083 PINEGOWRIE 2123
SUBJECT : ANALYSIS OF 8 WATER SAMPLES
PROJECT REFERENCE :
INSTRUCTED BY : M MAGALA
ORDER NUMBER :
RECEIVED ON : 2015-05-14
ANALYSIS COMPLETED : 2015-06-04

BDL - Below Detection Limit

* Denotes test method accredited to ISO17025

- Refer to terms and conditions www.inspml.co.za
- This report relates to only test items listed herein and analysis on an as received basis.
These tests do not apply to any other samples of a similar nature.
- This certificate cannot be reproduced except in full without the written consent of M and L Laboratory Services (Pty) Ltd.

fsanas
T0040

Printed Date : 2015-06-04

P.O. Box 82124
 Southdale, 2135
 40 Modulus Road
 Ormonde, 2091
 Tel: (011) 661 7900
 Fax: (011) 496 2238
 Golden No.
 0861 467 765



M&L LABS

Registration Number 1974/001476/07 VATNumber 4780103505

M and L Laboratory Services (Pty) Ltd

Consulting Industrial Chemists, Analysts, Samplers

CONFIDENTIAL

Certificate / Report

Ref. No. : ML2015-1778
 Contract No. : 8711520
 Date : 2015-06-04
 Page 2 of 13

Lab Number	E24424		E24425	E24426	
Sampled Date					
Sample Marks	1074 BH01		1074 BH02	1074 BH03	
Determinand	Method References	Detection Limit	Result	Result	Result
Chemical Analysis					
* pH Value @ 25°C	W044-27-O		7.3	7.0	7.6
* Conductivity @ 25°C (mS/m)	W044-27-O		139.0	45.7	56.7
* TDS (mg/l)	W044-03-W	1	784	264	318
* Calcium as Ca (mg/l)	W044-30-C	0.118	83	36	25
* Calcium Hardness as CaCO3 (mg/l)	W044-30-C	1	207	90	62
* Magnesium as Mg (mg/l)	W044-30-C	0.034	32	12.5	5.2
* Magnesium Hardness as CaCO3 (mg/l)	W044-30-C	1	132	51	21
* Sodium as Na (mg/l)	W044-30-C	0.016	154	41	92
* Potassium as K (mg/l)	W044-30-C	0.093	1.4	4.5	0.87
Ammonia as NH4 (mg/l)	W044-50-W	0.10	<0.10	<0.10	0.1
Ammonia as NH3 (mg/l)	W044-50-W	0.10	<0.10	<0.10	0.1
Ammonia as N (mg/l)	W044-50-W	0.10	<0.10	<0.10	0.1
Total Alkalinity as CaCO3 (mg/l)	W044-50-W	1	291	181	227
Bicarbonate as HCO3 (mg/l)	W044-50-W		355	221	277
Carbonate as CO3 (mg/l)	W044-50-W		0	0	0
Hydroxide as OH- (mg/l)	W044-50-W		0	0	0
Chloride as Cl (mg/l)	W044-50-W	0.10	253	18.5	33
Sulfate as SO4 (mg/l)	W044-50-W	0.2	65	29	32
Nitrate as NO3 (mg/l)	W044-50-W	0.100	4.4	1.2	<0.1
Nitrate as N (mg/l)	W044-50-W	0.100	1.0	0.3	<0.1
Nitrite as NO2 (mg/l)	W044-50-W	0.100	<0.10	<0.10	<0.10
Nitrite as N (mg/l)	W044-50-W	0.100	<0.10	<0.10	<0.10
Fluoride as F (mg/l)	W044-50-W	0.10	0.4	<0.10	0.3
Phosphate as PO4 (mg/l)	W044-50-W	0.12	<0.12	<0.12	<0.12
Bromide as Br (mg/l)	W044-50-W	0.10	2.24	<0.100	<0.10
Sum of Anions as meq/l (meq/l)			14.394	4.761	6.148
Sum of Cations as meq/l (meq/l)			13.487	4.699	5.724
% Error			-3.253	-0.655	-3.571

BDL - Below Detection Limit

* Denotes test method accredited to ISO17025

- Refer to terms and conditions www.inspml.co.za
- This report relates to only test items listed herein and analysis on an as received basis. These tests do not apply to any other samples of a similar nature.
- This certificate cannot be reproduced except in full without the written consent of M and L Laboratory Services (Pty) Ltd.



Printed Date : 2015-06-04

P.O. Box 82124
 Southdale, 2135
 40 Modulus Road
 Ormonde, 2091
 Tel: (011) 661 7900
 Fax: (011) 496 2238
 Golden No.
 0861 467 765



M&L LABS

Registration Number 1974/001476/07 VATNumber 4780103505

M and L Laboratory Services (Pty) Ltd

Consulting Industrial Chemists, Analysts, Samplers

CONFIDENTIAL

Certificate / Report

Ref. No. : ML2015-1778
 Contract No. : 8711520
 Date : 2015-06-04
 Page 3 of 13

Lab Number		E24424	E24425	E24426
Sampled Date				
Sample Marks		1074 BH01	1074 BH02	1074 BH03
Determinand	Method References	Detection Limit	Result	Result
Chemical Analysis				
Chemical Balance			In	In

Authorised Signature

Edward Khumalo
 Supervisor

BDL - Below Detection Limit

* Denotes test method accredited to ISO17025

- Refer to terms and conditions www.inspml.co.za
- This report relates to only test items listed herein and analysis on an as received basis. These tests do not apply to any other samples of a similar nature.
- This certificate cannot be reproduced except in full without the written consent of M and L Laboratory Services (Pty) Ltd.



Printed Date : 2015-06-04

P.O. Box 82124
 Southdale, 2135
 40 Modulus Road
 Ormonde, 2091
 Tel: (011) 661 7900
 Fax: (011) 496 2238
 Golden No.
 0861 467 765



M&L LABS

Registration Number 1974/001476/07 VATNumber 4780103505

M and L Laboratory Services (Pty) Ltd

Consulting Industrial Chemists, Analysts, Samplers

CONFIDENTIAL

Certificate / Report

Ref. No. : ML2015-1778
 Contract No. : 8711520
 Date : 2015-06-04
 Page 4 of 13

Lab Number	E24424	E24425	E24426		
Sampled Date					
Sample Marks	1074 BH01	1074 BH02	1074 BH03		
Determinand	Method References	Detection Limit	Result	Result	Result
Metals					
* Aluminium as Al (mg/l)	W044-30-C	0.003	0.03	0.009	0.006
Arsenic as As (mg/l)	W044-30-C	0.001	<0.001	<0.001	<0.001
Boron as B (mg/l)	W044-30-C	0.006	0.20	<0.006	0.23
Barium as Ba (mg/l)	W044-30-C	0.001	0.24	0.17	0.15
* Iron as Fe (mg/l)	W044-30-C	0.001	0.002	<0.001	0.03
* Manganese as Mn (mg/l)	W044-30-C	0.001	0.03	0.002	0.07
Molybdenum as Mo (mg/l)	W044-30-C	0.001	<0.001	<0.001	<0.001
Lead as Pb (mg/l)	W044-30-C	0.001	<0.001	<0.001	<0.001
Silicon as Si (mg/l)	W044-30-C	0.007	16.7	16.3	6.7
Strontium as Sr (mg/l)	W044-30-C	0.001	1.1	0.36	0.53
Uranium as U (mg/l)	W044-30-C	0.004	<0.004	<0.004	<0.004
Lithium as Li (mg/l)	W044-30-C	0.003	0.02	0.01	0.02
Rubidium as Rb (mg/l)	W044-33-C	0.001	0.01	<0.001	<0.001

Authorised Signature

Ndileka Bangani
 Supervisor

BDL - Below Detection Limit

* Denotes test method accredited to ISO17025

- Refer to terms and conditions www.inspml.co.za
- This report relates to only test items listed herein and analysis on an as received basis. These tests do not apply to any other samples of a similar nature.
- This certificate cannot be reproduced except in full without the written consent of M and L Laboratory Services (Pty) Ltd.



Printed Date : 2015-06-04

P.O. Box 82124
 Southdale, 2135
 40 Modulus Road
 Ormonde, 2091
 Tel: (011) 661 7900
 Fax: (011) 496 2238
 Golden No.
 0861 467 765



M&L LABS

Registration Number 1974/001476/07 VATNumber 4780103505

M and L Laboratory Services (Pty) Ltd

Consulting Industrial Chemists, Analysts, Samplers

CONFIDENTIAL

Certificate / Report

Ref. No. : ML2015-1778
 Contract No. : 8711520
 Date : 2015-06-04
 Page 5 of 13

Lab Number	E24427	E24428	E24429		
Sampled Date					
Sample Marks	1074 BH04	1074 BH05	1074 BH07		
Determinand	Method References	Detection Limit	Result	Result	Result
Chemical Analysis					
* pH Value @ 25°C	W044-27-O		7.2	7.1	7.0
* Conductivity @ 25°C (mS/m)	W044-27-O		213.0	222.0	171.0
* TDS (mg/l)	W044-03-W	1	1256	1444	1000
* Calcium as Ca (mg/l)	W044-30-C	0.118	140	186	163
* Calcium Hardness as CaCO ₃ (mg/l)	W044-30-C	1	350	465	407
* Magnesium as Mg (mg/l)	W044-30-C	0.034	58	68	79
* Magnesium Hardness as CaCO ₃ (mg/l)	W044-30-C	1	239	280	325
* Sodium as Na (mg/l)	W044-30-C	0.016	202	152	65
* Potassium as K (mg/l)	W044-30-C	0.093	2.5	2.3	1.1
Ammonia as NH ₄ (mg/l)	W044-50-W	0.10	0.9	0.6	0.2
Ammonia as NH ₃ (mg/l)	W044-50-W	0.10	0.9	0.6	0.2
Ammonia as N (mg/l)	W044-50-W	0.10	0.7	0.5	0.2
Total Alkalinity as CaCO ₃ (mg/l)	W044-50-W	1	300	291	411
Bicarbonate as HCO ₃ (mg/l)	W044-50-W		366	355	501
Carbonate as CO ₃ (mg/l)	W044-50-W		0	0	0
Hydroxide as OH ⁻ (mg/l)	W044-50-W		0	0	0
Chloride as Cl (mg/l)	W044-50-W	0.10	394	501	290
Sulfate as SO ₄ (mg/l)	W044-50-W	0.2	91	84	73
Nitrate as NO ₃ (mg/l)	W044-50-W	0.100	<0.1	<0.1	<0.1
Nitrate as N (mg/l)	W044-50-W	0.100	<0.1	<0.1	<0.1
Nitrite as NO ₂ (mg/l)	W044-50-W	0.100	<0.10	<0.10	<0.10
Nitrite as N (mg/l)	W044-50-W	0.100	<0.10	<0.10	<0.10
Fluoride as F (mg/l)	W044-50-W	0.10	0.1	0.2	0.1
Phosphate as PO ₄ (mg/l)	W044-50-W	0.12	<0.12	<0.12	<0.12
Bromide as Br (mg/l)	W044-50-W	0.10	1.92	<0.100	<0.100
Sum of Anions as meq/l (meq/l)			19.005	21.702	10.522
Sum of Cations as meq/l (meq/l)			20.643	21.525	17.542
% Error			4.131	-0.409	-1.052

BDL - Below Detection Limit

* Denotes test method accredited to ISO17025

- Refer to terms and conditions www.inspml.co.za
- This report relates to only test items listed herein and analysis on an as received basis. These tests do not apply to any other samples of a similar nature.
- This certificate cannot be reproduced except in full without the written consent of M and L Laboratory Services (Pty) Ltd.



Printed Date : 2015-06-04

P.O. Box 82124
 Southdale, 2135
 40 Modulus Road
 Ormonde, 2091
 Tel: (011) 661 7900
 Fax: (011) 496 2238
 Golden No.
 0861 467 765



M & L LABS

Registration Number 1974/001476/07 VATNumber 4780103605

M and L Laboratory Services (Pty) Ltd

Consulting Industrial Chemists, Analysts, Samplers

CONFIDENTIAL

Certificate / Report

Ref. No. : ML2015-1778
 Contract No. : 8711520
 Date : 2015-06-04
 Page 6 of 13

Lab Number	E24427	E24428	E24429		
Sampled Date					
Sample Marks	1074 BH04	1074 BH05	1074 BH07		
Determinand	Method References	Detection Limit	Result	Result	Result
Chemical Analysis					
Chemical Balance			In	In	In

Authorised Signature

Edward Khumalo
 Supervisor

BDL - Below Detection Limit

* Denotes test method accredited to ISO17025

- Refer to terms and conditions www.inspml.co.za
- This report relates to only test items listed herein and analysis on an as received basis. These tests do not apply to any other samples of a similar nature.
- This certificate cannot be reproduced except in full without the written consent of M and L Laboratory Services (Pty) Ltd.



Printed Date : 2015-06-04

P.O. Box 82124
 Southdale, 2135
 40 Modulus Road
 Ormonde, 2091
 Tel: (011) 661 7900
 Fax: (011) 496 2238
 Golden No.
 0861 467 765



M & L LABS

Registration Number 1974/001476/07 VATNumber 4780103505

M and L Laboratory Services (Pty) Ltd

Consulting Industrial Chemists, Analysts, Samplers

CONFIDENTIAL

Certificate / Report

Ref. No. : ML2015-1778
 Contract No. : 8711520
 Date : 2015-06-04
 Page 7 of 13

Lab Number			E24427	E24428	E24429
Sampled Date					
Sample Marks			1074 BH04	1074 BH05	1074 BH07
Determinand	Method References	Detection Limit	Result	Result	Result
Metals					
* Aluminium as Al (mg/l)	W044-30-C	0.003	0.04	0.06	0.04
Arsenic as As (mg/l)	W044-30-C	0.001	<0.001	<0.001	<0.001
Boron as B (mg/l)	W044-30-C	0.006	0.10	0.03	<0.006
Barium as Ba (mg/l)	W044-30-C	0.001	0.61	0.84	0.09
* Iron as Fe (mg/l)	W044-30-C	0.001	<0.001	<0.001	<0.001
* Manganese as Mn (mg/l)	W044-30-C	0.001	1.3	3.5	0.19
Molybdenum as Mo (mg/l)	W044-30-C	0.001	<0.001	<0.001	<0.001
Lead as Pb (mg/l)	W044-30-C	0.001	<0.001	<0.001	<0.001
Silicon as Si (mg/l)	W044-30-C	0.007	16.9	15.2	22
Strontium as Sr (mg/l)	W044-30-C	0.001	3.5	1.0	1.5
Uranium as U (mg/l)	W044-30-C	0.004	<0.004	<0.004	<0.004
Lithium as Li (mg/l)	W044-30-C	0.003	0.06	0.007	0.02
Rubidium as Rb (mg/l)	W044-33-C	0.001	0.03	0.02	0.02

Authorised Signature

Handwritten signature

Ndileka Bangani
 Supervisor

BDL - Below Detection Limit

* Denotes test method accredited to ISO17025

- Refer to terms and conditions www.inspml.co.za
- This report relates to only test items listed herein and analysis on an as received basis. These tests do not apply to any other samples of a similar nature.
- This certificate cannot be reproduced except in full without the written consent of M and L Laboratory Services (Pty) Ltd.



Printed Date : 2015-06-04

P.O. Box 82124
 Southdale, 2135
 40 Modulus Road
 Ormonde, 2091
 Tel: (011) 661 7900
 Fax: (011) 496 2238
 Golden No.
 0861 467 765



M & L LABS

Registration Number 1974/001476/07 VATNumber 4780103505

M and L Laboratory Services (Pty) Ltd

Consulting Industrial Chemists, Analysts, Samplers

CONFIDENTIAL

Certificate / Report


Ref. No. : ML2015-1778
 Contract No. : 8711520
 Date : 2015-06-04
 Page 8 of 13

Lab Number		E24430	E24431	E24432	
Sampled Date					
Sample Marks		1074 BH08	1074 BH09	SW01	
Determinand	Method References	Detection Limit	Result	Result	Result
Chemical Analysis					
* pH Value @ 25°C	W044-27-O		7.4	7.3	7.7
* Conductivity @ 25°C (mS/m)	W044-27-O		243.0	251.0	187.0
* TDS (mg/l)	W044-03-W	1	1672	1544	1240
* Calcium as Ca (mg/l)	W044-30-C	0.118	198	181	123
* Calcium Hardness as CaCO ₃ (mg/l)	W044-30-C	1	495	452	307
* Magnesium as Mg (mg/l)	W044-30-C	0.034	87	60	56
* Magnesium Hardness as CaCO ₃ (mg/l)	W044-30-C	1	358	247	230
* Sodium as Na (mg/l)	W044-30-C	0.016	151	254	149
* Potassium as K (mg/l)	W044-30-C	0.093	5.5	3.8	9.6
Ammonia as NH ₄ (mg/l)	W044-50-W	0.10	<0.10	<0.10	<0.10
Ammonia as NH ₃ (mg/l)	W044-50-W	0.10	<0.10	<0.10	<0.10
Ammonia as N (mg/l)	W044-50-W	0.10	<0.10	<0.10	<0.10
Total Alkalinity as CaCO ₃ (mg/l)	W044-50-W	1	279	321	111
Bicarbonate as HCO ₃ (mg/l)	W044-50-W		340	391	135
Carbonate as CO ₃ (mg/l)	W044-50-W		0	0	0
Hydroxide as OH ⁻ (mg/l)	W044-50-W		0	0	0
Chloride as Cl (mg/l)	W044-50-W	0.10	443	594	507
Sulfate as SO ₄ (mg/l)	W044-50-W	0.2	200	107	106
Nitrate as NO ₃ (mg/l)	W044-50-W	0.100	23	<0.1	<0.1
Nitrate as N (mg/l)	W044-50-W	0.100	5.2	<0.1	<0.1
Nitrite as NO ₂ (mg/l)	W044-50-W	0.100	<0.10	<0.10	<0.10
Nitrite as N (mg/l)	W044-50-W	0.100	<0.10	<0.10	<0.10
Fluoride as F (mg/l)	W044-50-W	0.10	0.4	0.5	0.2
Phosphate as PO ₄ (mg/l)	W044-50-W	0.12	<0.12	<0.12	<0.12
Bromide as Br (mg/l)	W044-50-W	0.10	2.82	<0.100	<0.100
Sum of Anions as meq/l (meq/l)			22.823	25.418	18.733
Sum of Cations as meq/l (meq/l)			23.723	25.130	17.424
% Error			2.373	-0.570	-3.620

BDL - Below Detection Limit

* Denotes test method accredited to ISO17025

- Refer to terms and conditions www.inspml.co.za
- This report relates to only test items listed herein and analysis on an as received basis. These tests do not apply to any other samples of a similar nature.
- This certificate cannot be reproduced except in full without the written consent of M and L Laboratory Services (Pty) Ltd.



Printed Date : 2015-06-04

P.O. Box 82124
 Southdale, 2135
 40 Modulus Road
 Ormonde, 2091
 Tel: (011) 661 7900
 Fax: (011) 496 2238
 Golden No.
 0861 467 765



M & L LABS

Registration Number 1974/001476/07 VATNumber 4780103505

M and L Laboratory Services (Pty) Ltd

Consulting Industrial Chemists, Analysts, Samplers

CONFIDENTIAL

Certificate / Report

Ref. No. : ML2015-1778
 Contract No. : 8711520
 Date : 2015-06-04
 Page 9 of 13

Lab Number	E24430	E24431	E24432		
Sampled Date					
Sample Marks	1074 BH08	1074 BH09	SW01		
Determinand	Method References	Detection Limit	Result	Result	Result
Chemical Analysis					
Chemical Balance			In	In	In

Authorised Signature

Edward Khumalo
 Supervisor

BDL - Below Detection Limit

* Denotes test method accredited to ISO17025

- Refer to terms and conditions www.insprml.co.za
- This report relates to only test items listed herein and analysis on an as received basis. These tests do not apply to any other samples of a similar nature.
- This certificate cannot be reproduced except in full without the written consent of M and L Laboratory Services (Pty) Ltd.



Printed Date : 2015-06-04

P.O. Box 82124
 Southdale, 2135
 40 Modulus Road
 Ormonde, 2091
 Tel: (011) 661 7900
 Fax: (011) 496 2238
 Golden No.
 0861 467 765



M & L LABS

Registration Number 1974/001476/07 VATNumber 4780103506

M and L Laboratory Services (Pty) Ltd

Consulting Industrial Chemists, Analysts, Samplers

CONFIDENTIAL

Certificate / Report

Ref. No. : ML2015-1778
 Contract No. : 8711520
 Date : 2015-06-04
 Page 10 of 13

Lab Number			E24430	E24431	E24432
Sampled Date					
Sample Marks			1074 BH08	1074 BH09	SW01
Determinand	Method References	Detection Limit	Result	Result	Result
Metals					
* Aluminium as Al (mg/l)	W044-30-C	0.003	0.04	0.04	0.03
Arsenic as As (mg/l)	W044-30-C	0.001	<0.001	<0.001	<0.001
Boron as B (mg/l)	W044-30-C	0.006	0.02	0.30	0.10
Barium as Ba (mg/l)	W044-30-C	0.001	0.10	0.26	0.28
* Iron as Fe (mg/l)	W044-30-C	0.001	0.004	<0.001	0.009
* Manganese as Mn (mg/l)	W044-30-C	0.001	0.01	0.43	0.03
Molybdenum as Mo (mg/l)	W044-30-C	0.001	<0.001	<0.001	<0.001
Lead as Pb (mg/l)	W044-30-C	0.001	<0.001	<0.001	<0.001
Silicon as Si (mg/l)	W044-30-C	0.007	14.0	8.3	1.9
Strontium as Sr (mg/l)	W044-30-C	0.001	2.5	3.3	1.1
Uranium as U (mg/l)	W044-30-C	0.004	<0.004	<0.004	<0.004
Lithium as Li (mg/l)	W044-30-C	0.003	0.06	0.09	0.04
Rubidium as Rb (mg/l)	W044-33-C	0.001	0.01	0.008	<0.001

Authorised Signatures

Handwritten signature

Ndileka Bangani
 Supervisor

BDL - Below Detection Limit

* Denotes test method accredited to ISO17025

- Refer to terms and conditions www.inspml.co.za
- This report relates to only test items listed herein and analysis on an as received basis. These tests do not apply to any other samples of a similar nature.
- This certificate cannot be reproduced except in full without the written consent of M and L Laboratory Services (Pty) Ltd.



Printed Date : 2015-06-04

P.O. Box 82124
 Southdale, 2135
 40 Modulus Road
 Ormonde, 2091
 Tel: (011) 661 7900
 Fax: (011) 496 2238
 Golden No.
 0861 467 765



M&L LABS

Registration Number 1974/001476/07 VATNumber 4780103606

M and L Laboratory Services (Pty) Ltd

Consulting Industrial Chemists, Analysts, Samplers

CONFIDENTIAL

Certificate / Report

Ref. No. : ML2015-1778
 Contract No. : 8711520
 Date : 2015-06-04
 Page 11 of 13

Lab Number	E24433		
Sampled Date			
Sample Marks	SW02		
Determinand	Method References	Detection Limit	Result
Chemical Analysis			

* pH Value @ 25°C	W044-27-O		7.6
* Conductivity @ 25°C (mS/m)	W044-27-O		132.0
* TDS (mg/l)	W044-03-W	†	784
* Calcium as Ca (mg/l)	W044-30-C	0.118	86
* Calcium Hardness as CaCO ₃ (mg/l)	W044-30-C	1	215
* Magnesium as Mg (mg/l)	W044-30-C	0.034	35
* Magnesium Hardness as CaCO ₃ (mg/l)	W044-30-C	1	144
* Sodium as Na (mg/l)	W044-30-C	0.016	127
* Potassium as K (mg/l)	W044-30-C	0.093	12.4
Ammonia as NH ₄ (mg/l)	W044-50-W	0.10	<0.10
Ammonia as NH ₃ (mg/l)	W044-50-W	0.10	<0.10
Ammonia as N (mg/l)	W044-50-W	0.10	<0.10
Total Alkalinity as CaCO ₃ (mg/l)	W044-50-W	†	138
Bicarbonate as HCO ₃ (mg/l)	W044-50-W		168
Carbonate as CO ₃ (mg/l)	W044-50-W		0
Hydroxide as OH ⁻ (mg/l)	W044-50-W		0
Chloride as Cl (mg/l)	W044-50-W	0.10	191
Sulfate as SO ₄ (mg/l)	W044-50-W	0.2	176
Nitrate as NO ₃ (mg/l)	W044-50-W	0.100	<0.1
Nitrate as N (mg/l)	W044-50-W	0.100	<0.1
Nitrite as NO ₂ (mg/l)	W044-50-W	0.100	<0.10
Nitrite as N (mg/l)	W044-50-W	0.100	<0.10
Fluoride as F (mg/l)	W044-50-W	0.10	0.1
Phosphate as PO ₄ (mg/l)	W044-50-W	0.12	1.02
Bromide as Br (mg/l)	W044-50-W	0.10	0.57
Sum of Anions as meq/l (meq/l)			11.813
Sum of Cations as meq/l (meq/l)			13.013
% Error			4.834

BDL - Below Detection Limit

* Denotes test method accredited to ISO17025

- Refer to terms and conditions www.inspml.co.za
- This report relates to only test items listed herein and analysis on an as received basis. These tests do not apply to any other samples of a similar nature.
- This certificate cannot be reproduced except in full without the written consent of M and L Laboratory Services (Pty) Ltd.

fsanas
 T0040

Printed Date : 2015-06-04

P.O. Box 82124
Southdale, 2135
40 Modulus Road
Ormonde, 2091
Tel: (011) 661 7900
Fax: (011) 496 2238
Golden No.
0861 467 765



M&L LABS

Registration Number 1974/001476/07 VATNumber 4780103505

M and L Laboratory Services (Pty) Ltd

Consulting Industrial Chemists, Analysts, Samplers

CONFIDENTIAL

Certificate / Report

Ref. No. : ML2015-1778
Contract No. : 8711520
Date : 2015-06-04
Page 12 of 13

Lab Number	E24433		
Sampled Date			
Sample Marks	SW02		
Determinand	Method References	Detection Limit	Result
Chemical Analysis			
Chemical Balance			In

Authorised Signature

Edward Khumalo
Supervisor

BDL - Below Detection Limit

* Denotes test method accredited to ISO17025

- Refer to terms and conditions www.inspmf.co.za
- This report relates to only test items listed herein and analysis on an as received basis. These tests do not apply to any other samples of a similar nature.
- This certificate cannot be reproduced except in full without the written consent of M and L Laboratory Services (Pty) Ltd.

sanas
T0040

Printed Date : 2015-06-04

P.O. Box 82124
 Southdale, 2135
 40 Modulus Road
 Ormonde, 2091
 Tel: (011) 661 7900
 Fax: (011) 496 2238
 Golden No.
 0861 467 765



M&L LABS

Registration Number 1974/001476/07 VATNumber 4780103605

M and L Laboratory Services (Pty) Ltd
 Consulting Industrial Chemists, Analysts, Samplers

Ref. No. : ML2015-1778
 Contract No. : 8711520
 Date : 2015-06-04
 Page 13 of 13

CONFIDENTIAL

Certificate / Report

Lab Number	E24433		
Sampled Date			
Sample Marks	SW02		
Determinand	Method References	Detection Limit	Result

Metals

* Aluminium as Al (mg/l)	W044-30-C	0.003	0.03
Arsenic as As (mg/l)	W044-30-C	0.001	<0.001
Boron as B (mg/l)	W044-30-C	0.006	0.05
Barium as Ba (mg/l)	W044-30-C	0.001	0.11
* Iron as Fe (mg/l)	W044-30-C	0.001	0.01
* Manganese as Mn (mg/l)	W044-30-C	0.001	0.003
Molybdenum as Mo (mg/l)	W044-30-C	0.001	<0.001
Lead as Pb (mg/l)	W044-30-C	0.001	<0.001
Silicon as Si (mg/l)	W044-30-C	0.007	0.73
Strontium as Sr (mg/l)	W044-30-C	0.001	0.69
Uranium as U (mg/l)	W044-30-C	0.004	<0.004
Lithium as Li (mg/l)	W044-30-C	0.003	0.02
Rubidium as Rb (mg/l)	W044-33-C	0.001	<0.001

Authorised Signature

Ndileka Bangani
 Supervisor

BDL - Below Detection Limit

* Denotes test method accredited to ISO17025

- Refer to terms and conditions www.inspml.co.za
- This report relates to only test items listed herein and analysis on an as received basis. These tests do not apply to any other samples of a similar nature.
- This certificate cannot be reproduced except in full without the written consent of M and L Laboratory Services (Pty) Ltd.



Printed Date : 2015-06-04