

DECLARATION

I declare that this thesis is my own unaided work. It is submitted for the degree Doctor of Philosophy at the University of The Witwatersrand, Johannesburg. It has not been submitted before for any other degree or examination at any other university.

.....

Shlaine L'Etang

.....day of2009.

ACKNOWLEDGEMENTS

I give thanks to the Lord for equipping me to be able to complete this degree to the best of my ability. All glory be to God.

To my family and especially my loving husband, James, I thank you for the incredible source of encouragement you have been to me over the years in the pursuit of my goals.

I would like to express my sincere gratitude and appreciation to my supervisor Prof. Thokozile Mayekiso for her kindness, professional advice and assistance throughout my postgraduate studies that has contributed toward my intellectual development.

The financial support of The National Research Foundation, The Andrew Mellon Foundation and the University of The Witwatersrand, in the form of various scholarships and merit awards are gratefully acknowledged.

I would like to thank the Eastern Cape Department of Health for granting me permission to conduct my research at the various government clinics in Lusikisiki.

I thank all my dear friends for their support and encouragement that has helped me to get through many challenging days. My thanks go especially to Amudha Pillay, Elize Julius, Florence Sipalla and Thandiwe Notshe.

A special thanks to Mrs. Nozipo Mayekiso for her kind assistance during the data collection phases of the study.

The statistical contributions made by Mr. Peter Fridjhon, and Mr. Ken Otwombe are greatly appreciated.

My sincere thanks go to Prof. Cecil Bodibe and Mrs. Helen Allen for taking the time to meticulously edit my thesis and for providing me with invaluable feedback.

Lastly, but by no means least, I am indebted to the staff at Goso Forest and the Village Clinic in Lusikisiki as well as to all those who participated in the study.

TABLE OF CONTENTS

	PAGE
Abstract	i
Declaration	iii
Acknowledgements	iv
List of tables	xiii
List of figures	xv

CHAPTER 1: BACKGROUND TO THE STUDY

1.1	Introduction	1
1.2	Rationale for the study	3
1.3	The theoretical model for the study	6
1.4	Research Questions	16
1.5	Hypotheses	16
1.6	Aims of the study	16
1.7	Layout of the report of the present investigation	17

CHAPTER 2: LITERATURE REVIEW

2.1	Introduction	18
2.2	Adolescents and HIV/AIDS	18
2.2.1	Adolescent sexuality	18
2.3	HIV/AIDS counselling	22
2.3.1	Pre-test counselling	23
2.3.2	Post-test counselling	24
2.4	The psychological distress associated with living with a chronic life-threatening illness	25

2.4.1	Stigma	26
2.4.2	Loss	27
2.4.3	Loneliness and self-consciousness	28
2.4.4	Low self-esteem	28
2.4.5	Guilt	29
2.4.6	Anger and frustration	30
2.5	Counselling issues of adolescents and youth living with HIV/AIDS	31
2.5.1	Acceptance	32
2.5.2	Condom usage	34
2.5.3	Disclosure	36
2.5.4	Fear and Anxiety	39
2.5.4.1	The lack of confidentiality from health professionals	39
2.5.4.2	The reaction of significant others	41
2.5.4.3	Infection	42
2.5.4.4	Isolation	42
2.5.4.5	Abandonment and social/sexual rejection	44
2.5.4.6	Death	45
2.5.4.7	Posttraumatic stress disorder	49
2.5.5	Depression	49
2.6	Main concerns of family members of adolescents and youth living with HIV/AIDS	55
2.6.1	Shame and disgrace to the family	55
2.6.2	Lack of a balanced diet	56
2.6.3	Death of the loved-one	56
2.7	The challenges faced by service providers and community members in counselling young people	57
2.7.1	Denial of HIV status	57
2.7.2	Confidentiality	58
2.7.3	Capacity problems	59
2.8	The attitudes of service providers in providing services to people infected with HIV/AIDS	61

2.9	Interventions aimed at prevention	64
2.10	Conclusion	69

CHAPTER 3: THEORETICAL FOUNDATION OF THE STUDY

3.1	Introduction	70
3.2	Cognitive Behaviour Therapy	70
3.2.1	The history of Behavioural Therapy and Cognitive Therapy	70
3.2.1.1	A brief history of Behavioural Theory	70
3.2.1.2	A brief history of Cognitive Theory	72
3.2.2	The birth of Cognitive Behaviour Therapy	74
3.2.3	The process of change	75
3.2.4	Self-efficacy	75
3.2.5	Does changing beliefs change behaviour?	76
3.3	The Multimodal Transactional Model	77
3.4	The PEN-3 Model	80
3.5	The Developmental Tasks during Adolescence	83
3.5.1	Acceptance of a changed physical appearance	83
3.5.2	Development of a masculine or feminine gender - role identity	84
3.5.3	Development of cognitive skills and the acquisition of knowledge	85
3.5.4	Development of an own identity	85
3.5.5	Development of independence from parents and other adults	86
3.5.6	Selection and preparation for a career	86
3.5.7	Development of socially responsible behaviour	87
3.5.8	Acceptance of and adjustment to certain groups	87
3.5.9	Establishment of heterosexual relationships	88
3.5.10	Development of a strong emotional bond with another person	88
3.5.11	Preparation for marriage and other family responsibilities	88
3.5.12	Achievement of financial independence	89

3.5.13	Development of moral concepts and values that could serve as guidelines for behaviour	89
3.5.14	Development of a value system based on a realistic and scientific world-view and the development of a philosophy of life	90
3.6	Kübler Ross's five stage model in the psychological the process of dying	90
3.7	Erikson's Theory of Psychosocial Development	96
3.8	Elkind's Theory: Understanding the Young Adolescent	100
3.9	Conclusion	103

CHAPTER 4: METHODOLOGY

4.1	Introduction	104
4.2	Setting	104
4.3	Research design	106
4.4	Sample and sampling procedure	108
4.4.1	The sample for phase 1	109
4.4.2	The sample for phase 2	110
4.4.2.1	Biographical information of service providers	110
4.4.2.2	Biographical information of adolescents and youth living with HIV/AIDS who comprised the experimental and control groups	112
4.4.3	The sample for phase 3	114
4.5	Research instruments	114
4.5.1	The general health questionnaire-28	114
4.5.1.1	Reliability and Validity of the GHQ-28	116
4.5.2	The revised Beck Depression Inventory	119
4.5.2.1	Reliability and validity of the Revised BDI	119
4.6	Procedure	122

4.7	Data collection	124
4.7.1	Phase 1 – The development of the counselling model	124
4.7.1.1	The needs assessment	124
4.7.1.2	A review of relevant literature in the field	126
4.7.1.3	An incorporation of the theoretical framework chosen to guide the Research	127
4.7.1.4	Focus group discussions with service providers	127
4.7.1.5	Modifications made to the counselling model based on the qualitative information received during the focus groups	128
4.7.1.6	The pilot study	129
4.7.1.7	Counselling sessions based on the counselling model	130
4.7.2	Phase 2 - Implementation of the counselling model	131
4.7.2.1	Training of service providers	132
4.7.2.2	Training of fieldworkers	132
4.7.3	Phase 3 - Evaluation of the counselling model	133
4.8	Data analysis	136
4.9	Ethical considerations	138
4.10	Conclusion	139

CHAPTER 5: RESULTS

5.1	Introduction	140
5.2	Summary of the development of the counselling model	140
5.3	Summary of the implementation of the model	141
5.4	Comparison of the baseline data obtained from the experimental and control groups	142
5.4.1	Comparison of baseline data between the experimental and control groups as measured by the GHQ-28	142
5.4.2	Comparison of baseline data between the experimental and control groups as measured by the BDI	143

5.5	Evaluation of the intervention effects	144
5.5.1	Means and Standard Deviations of the Experimental and Control Groups at Each Trial Post-intervention on the Subscales of the GHQ-28	144
5.5.2	The Effect of the Counselling Model on the Somatic Symptoms, Anxiety and Insomnia, Social Dysfunction and Severe Depression of participants	146
5.5.2.1	Definitions of Statistical Terms Used	146
5.5.2.2	Somatic Symptoms	147
5.5.2.3	Anxiety and Insomnia	148
5.5.2.4	Social Dysfunction	150
5.5.2.5	Severe Depression	152
5.5.3	Effects of the Counselling Model on the Experimental Group based on the Subscales of the GHQ-28 (within-subjects analysis)	154
5.5.3.1	Short-term Effect of the Counselling Model	155
5.5.3.2	Medium-term Effect of the Counselling Model	155
5.5.3.3	Retention Effect of the Counselling Model	156
5.5.4	Levels of Depression of the Experimental and Control groups as measured by the BDI	157
5.5.4.1	Immediately Post-intervention Assessment (T2)	158
5.5.4.2	1-month Post-intervention Assessment (T3)	158
5.5.4.3	3-month Post-intervention Assessment (T4)	159
5.5.5	Testing of the hypotheses	160
5.5.6	Summary of findings	162
5.6	Conclusion	164

CHAPTER 6: DISCUSSION

6.1	Introduction	165
6.2	The development of the counselling model	165

6.3	The implementation of the counselling model	170
6.4	Comparison of the baseline data obtained from the experimental and control groups	172
6.5	Evaluation of the intervention effects	174
6.5.1	Overall effects of the counselling model	174
6.5.2	Short-term effects of the Intervention Model	175
6.5.3	Medium-term effects of the Intervention Model	177
6.5.4	African culture and mental health	180
6.6	Conclusion	182

CHAPTER 7: CONCLUSIONS, LIMITATIONS, RECOMMENDATIONS

7.1	Summary	183
7.2	Conclusions	185
7.3	Limitations of the study	186
7.4	Recommendations	188
7.4.1	Recommendations for the implementation of the counselling model	188
7.4.2	Recommendations for future research	189

REFERENCE LIST	191
-----------------------	------------

APPENDICES

Appendix A: A counselling Model for Adolescents and Youth living with HIV/AIDS in Lusiksiki in the Eastern Cape (English)	219
Appendix B: Counselling model (isiXhosa)	229
Appendix C: Manual for counselling adolescents and youth living with HIV/AIDS	240
Appendix D: Homework Exercise (English)	255

Appendix E: Homework Exercise (isiXhosa)	256
Appendix F: Subject information sheet for service providers during the development phase	257
Appendix G: Subject information sheet for service providers during the implementation and evaluation phases	258
Appendix H: Subject information sheet for adolescents and youth (experimental group)	259
Appendix I: Subject information sheet for adolescents and youth (control group)	260
Appendix J: Informed consent form	261
Appendix K: Focus group interview schedule for service providers	262
Appendix L: Biographical questionnaire for adolescents and youth	263

LIST OF TABLES

		PAGE
Table 1:	Some of the models that are used in the care/treatment of adolescents and youth living with HIV and AIDS	12
Table 1:	Distribution of the sample of service providers by profession/designation	109
Table 2:	Biographical information of service providers from Goso Forest Primary Health Care Clinic	111
Table 3:	Age of adolescents and youth comprising the experimental and control groups	112
Table 5:	Biographical information of adolescents and youth living with HIV who comprised the experimental and control groups	113
Table 6:	Cronbach alpha coefficients of each subscale of the GHQ-28 between T1 and T4 with the experimental and control groups	118
Table 7:	Cronbach alpha coefficients of the BDI between T1 and T4 with the experimental and control groups	121
Table 8:	Differences in baseline data between the experimental and control groups according to the GHQ-28	142
Table 9:	Levels of depression of the experimental and control groups at pre-intervention (T1) as measured by the BDI	143
Table 10:	Means and standard deviations of the experimental ($n = 38$) and control ($n = 38$) groups immediately post-intervention (T2) on the subscales of the GHQ-28	144
Table 11:	Means and standard deviations of the experimental and control groups at 1-month follow-up (T3) on the subscales of the GHQ-28	145
Table 12:	Means and standard deviations of the experimental and control groups at 3-month follow-up (T4) on the subscales of the GHQ-28	146
Table 13:	Results of repeated measures ANOVA for somatic symptoms	147
Table 14:	Results of repeated measures ANOVA for anxiety and insomnia	149

Table 15:	Results of repeated measures ANOVA for social dysfunction	151
Table 16:	Results of repeated measures ANOVA for severe depression	153
Table 17:	Short-term effect (between T1 and T2) of the counselling model on the experimental group	155
Table 18:	Medium-term effect (between T1 and T4) of the counselling model on the experimental group	156
Table 19:	Retention effect (between T2 and T4) of the counselling model on the experimental group	157
Table 20:	Levels of depression of the experimental and control groups immediately post-intervention (T2) as measured by the BDI	158
Table 21:	Differences in the mean level of depression between the experimental and control groups at 3-month follow-up (T3) as measured by the BDI	159

LIST OF FIGURES

	PAGE
Figure 1: Diagrammatic representation of the theoretical model chosen to guide the study.	10
Figure 2: Cognitive-behavioural based counselling model	14
Figure 3: Multimodal transactional model of stress	79
Figure 4: The PEN-3 model	80
Figure 5: Means plot of mean level of somatic symptoms by trial	148
Figure 6: Means plot of mean level of anxiety and insomnia by trial	150
Figure 7: Means plot of mean level of social dysfunction by trial	152
Figure 8: Means plot of mean level of severe depression by trial	154