

AN INVESTIGATION OF DEPRESSION AMONG CLINICAL, COUNSELLING AND EDUCATIONAL PSYCHOLOGISTS IN PRIVATE PRACTICE

Melanie Jane Esterhuizen

A thesis submitted to the Faculty of Arts, University
of the Witwatersrand, Johannesburg, in partial
fulfillment of the requirements for the degree of
Master of Arts (Clinical Psychology)

Johannesburg, 2005

ABSTRACT

The aim of this study is to investigate depression in clinical, counselling and educational psychologists in private practice. Forty-one psychologists completed a survey questionnaire consisting of closed and open-ended questions. The questionnaire required no identifying details. This ensured confidentiality, and the information gathered was subjected to both quantitative and qualitative analyses, which forms the basis of this dissertation.

The results confirm that psychologists do indeed suffer with depression. However, contrary to expectation, it is not always the work of a psychologist which creates the conditions for depression, but rather a history of depression or a vulnerability to depression, which is sometimes stirred up by different aspects of the work. Also, a psychologist's personal experience of depression often seems to be helpful during the therapeutic process, where the therapist uses his/her subjective experience of depression, to understand and assist clients in the management of their emotional pain. In addition, the negative impact of depression on clinical work is explored.

In the sample, there do not appear to be many differences between clinical, counselling and educational psychologists regarding their experiences of depression. With hindsight, it was thought that the division of the disciplines did not add anything meaningful to the study. The purposively drawn sample was biased towards clinical psychologists. Also, the investigative nature of the study made it difficult to draw conclusions which could be generalized to the population of psychologists in South Africa.

Despite the study's limitations, the results, when compared with existing literature regarding depression in psychologists, revealed many similarities. Areas of further research were identified.

Declaration

I declare that this dissertation is my own, unaided work. It is being submitted in partial fulfillment of the requirements for the degree of Master of Arts (Clinical Psychology) at the University of the Witwatersrand, Johannesburg. It has not been submitted for any degree or examination at any other university.

MELANIE JANE ESTERHUIZEN

_____ day of _____ 2005

DEDICATION

In memory of Tony Esterhuizen
1935 – 2004

'Palma non sine pulvera'

I understand now Dad.

Your perseverance and passion inspired me.

Acknowledgements

- **Linda Rosenbaum...** Over the years your encouragement, generous support, love and belief in this journey has sustained me. Thank you darling friend.
- **Gladys & David Esterhuizen...** Thank you for your love, your sacrifices, your encouragement, and for helping me to keep my feet on the ground and my eye on the doughnut.
- **Dr Gavin Ivey...** For your gentle and professional guidance, your precious time, and patient attention to my apostrophes. Thank you.
- **Yvette Esprey...** At those crucial moments your keen intellect and energy kept me focused and inspired. Thank you Yve (and Ruby!).
- **Mike Greyling...** for statistical assistance and helpful reality checks! Thank you.
- **Joan...** your interest, concern, generosity and love kept the wheels turning (and the body fed.) Thank you for everything.
- **Lynn...** Thank you for putting up with 'the ubiquitous albatross.' Your generosity of spirit and willingness to 'navigate' difficulties has taught me so much.
- **Richard...** your financial assistance and quiet support was a such a vital part of this process. Thank you Bonggi!
- **Julie...** thank you dearest friend, it was a good idea! Thirty years later and my life continues to be enriched by you.
- **My colleagues...** Diana, Hilda, Daryth, Dani, Vella, Fikile, Emeldah, and Nicole. Your support and friendship kept me going. Di, your ideas were invaluable. Thank you.
- **My friends...** Sally, Morag, Madeleine, Nicholas, Gary, Bill, Maureen, Fleur, Rose, Shelley and Verne. Thank you for your support and interest.
- **Last, but not least, I am grateful to those therapists who were willing to share material of such a personal nature in order to further the profession's understanding of an important topic. Thank you.**

TABLE OF CONTENTS

	<u>Page</u>
Title Page	i
Abstract	ii
Declaration	iii
Dedication	iv
Acknowledgements	v
Table of Contents	vi
Aims	xii
Rationale	xiii

CHAPTER ONE - LITERATURE REVIEW	1
1. Introduction	1
1.1 Depression – Impact, definition & result of distress and/or impairment	4
1.1.1 Depression – difficulties with definition	5
1.1.2 Depression – result of impairment or distress	7
1.2 Factors implicated in the aetiology of depression	7
1.3 Depression amongst female psychologists	13
1.5 The private practice context & its contribution	17

1.6	The impact of the nature of the therapeutic relationship	20
1.6.1	The negative impact	22
1.6.2	The positive impact	26
1.7	Psychologists seeking treatment	28
1.8	Self-Care Practices	32
1.9	The psychologist as “Wounded Healer”	34
	Summary	36
CHAPTER TWO - METHODOLOGY		39
2.1	Research Design	39
2.2	Sample	41
2.3	Measuring Instrument	43
2.4	Data Collection Procedure	44
2.5	Data Analysis	45
2.6	Limitations of the selected methodology	49
2.7	Advantages of the selected methodology	51
2.8	Ethical Considerations	52
	Summary	53
CHAPTER THREE - RESULTS		55
3.1	A quantitative introduction to the sample	55
3.1.1	Table of one-way frequencies for marital status	56
3.1.2	Graph of one-way frequencies – years in practice	57
3.1.3	Table of one-way frequencies – number of children	57
3.1.4	Graph of one-way frequencies of respondents’ ages	58
3.1.5	Table of one-way frequencies for Gender	59
3.1.6	Table of one-way frequencies for psychology discipline	60
3.1.7	Table of one-way frequencies for depression experienced	61

3.1.8	Table of one-way frequencies for age of first depression	62
3.1.9	Graph of one-way frequencies of client hours per week	63
3.1.10	Graph of one-way frequencies of most frequently Occurring depressive symptoms	64
3.1.11	Graph of one-way frequencies of theoretical orientations for the total sample of depressed & non depressed	65
3.1.12	Graph of one-way frequencies of theoretical orientations for the sample of respondents reporting depression experienced	66
3.1.13	Table of one-way frequencies – treatment sought by depressed respondents	67
3.1.14	Graph of one-way frequencies – type of practitioner consulted for treatment	68
3.1.15	Table of one-way frequencies – DSM-IV-R diagnoses given when treatment sought	69
3.1.16	Table of one-way frequencies – Medication taken to relieve depressive symptoms	69
3.1.17	Graph of one-way frequencies – Depression occurred before starting private practice, after starting private practice, and both before & after starting private practice	70
3.1.18	Chart of one-way frequencies - Dominant syndromes seen in respondents' private practice	71
3.1.19	Table of one-way frequencies – Disclosure regarding depression to colleagues	72
3.1.20	Theoretical orientations of respondents versus depression occurring before, after or before & after starting private practice	73
3.1.21	Theoretical orientations of respondents who have not experienced a depressive episode	74
3.2	A Qualitative Analysis	77
3.2.1	Contributions to psychologists' personal experience of Depression	77

a)	Family of origin	77
b)	Genetic predisposition	79
c)	Precipitants – Other	79
d)	Context of private practice	81
3.2.2	Contributions of the depression experience to choice of Profession	83
a)	Self understanding and insight	84
b)	The language of self understanding	85
3.2.3	Positive effects of the experience of depression on the therapeutic encounter	86
a)	Experiential impact on the therapeutic relationship	86
b)	Impaired therapeutic techniques	87
c)	Self-healing	88
3.2.4	Negative effects of the experience of depression on the therapeutic encounter	89
a)	Experiential impact on the therapeutic relationship	90
b)	Countertransference & Projective Identification	91
c)	Defensive Strategies	92
3.2.5	Preferred protective strategies	93
a)	Therapist as patient	93
b)	Collegial support	94
c)	Self-Care	95
3.2.6	Transcending Woundedness	97
3.2.7	General summary of results	99

CHAPTER FOUR - DISCUSSION	103
4.1 Introduction	103
4.2 Quantitative Discussion	104
4.2.1 Marital Status	104
4.2.2 Children	104
4.2.3 Years in Practice	105
4.2.4 Age	105
4.2.5 Gender	105
4.2.6 Psychology discipline	106
4.2.7 Depression experienced	106
4.2.8 Age of first depression	107
4.2.9 Client hours per week	108
4.2.10 Most frequently occurring depressive symptoms	108
4.2.11 Theoretical Orientation	109
4.2.12 Treatment sought by respondents	110
4.2.13 Dominant syndromes seen in respondents' private practice	110
4.2.14 Disclosure of depression experience to colleagues	111
4.2.15 Theoretical orientations of respondents who reported not having experienced a depressive episode	112
4.3 Qualitative Discussion	113
4.3.1 Factors contributing to psychologists' depression	113
4.3.2 Contributions to the depression experience to choice of profession	114
4.3.3 Effects of the experience of depression on the therapeutic encounter	115
4.3.4 Preferred self-care strategies	116
4.3.5 Transcending Woundedness	118
4.4 Implications for Future Research	119
4.4.1 Methodological Implications	119
4.4.2 Practical Implications	120

CHAPTER FIVE - CONCLUSION	122
REFERENCES	124
Appendix I - Covering Letter	134
Appendix II - Questionnaire	135
Appendix III - Mindmap	141

AIMS

This study, using both quantitative and qualitative research methods, aims to expand our understanding of depression in clinical, counselling and educational psychologists in private practice in South Africa.

The study addresses the following research questions:

- a) Do psychologists in private practice in South Africa experience depression?
- b) What kind of treatment do psychologists seek when depressed?
- c) What aspects of their treatment do they experience as most helpful?
- d) How do they understand their depression in terms of predisposing, precipitating, and maintaining factors?
- e) Do psychologists perceive a link between their depression and their professional activity, and if so, how do they understand that link?
- f) What kinds of self-care practices do psychologists in private practice in South Africa engage in?
- g) Is it possible that psychologists conducting psychodynamic therapy may be more vulnerable to depression than those from other theoretical orientations?

RATIONALE

To date, there seem to have been no studies conducted to investigate depression among psychologists, either in institutional settings or in private practice in South Africa. Preliminary research done in the United States provides evidence for the suggestion that psychologists are a population at significant risk for depression.

There appears to be a central debate in the current literature concerning depression among practising psychologists. This debate centers around the extent to which depressive symptoms negatively impact on the functioning of psychologists in private practice, and the opposite point of view, which suggests that a psychologist's personal experience of depression may have a positive impact on professional functioning.

It was thought that it would be useful to explore psychologists' experiences of depression in the South African context, given the paucity of information in this regard. It was thought that if there is any unique factor to the South African context generally contributing to depression among psychologists, or a unique factor in the context of private practice in particular, this may emerge in the research. The context of private practice was selected as a focus for this research as it presents psychologists with a unique set of work circumstances and challenges which, if not actively managed, are thought to contribute to a practitioner's vulnerability to depression.

Existing literature on psychologists' willingness to seek treatment indicate that there may be a reluctance to acknowledge their vulnerability and compromised mental health. This research study attempts to ascertain attitudes to treatment and treatment choices. Also, evidence is sought for the idea that psychologists who embrace a psychodynamic theoretical orientation may be more vulnerable to depression by virtue of their intense focus on the often-painful conscious and unconscious feelings evoked in the relationship.

Finally, from the literature reviewed on psychologists' personal experiences of depression, a consistent belief emerged, namely, that prevention of depression lies in establishing a professional ethos in which self-care is prioritised. It is thus also an aim of this study to explore the trends in current self-care practices among psychologists in private practice in South Africa.

The decision to combine both quantitative and qualitative research methodologies in this study was driven by the research questions. These questions required the use of different theoretical underpinnings and different types of data analysis. On the one hand, ordinal data, which is amenable to statistical manipulation was required, and on the other hand, research participants whose subjective experience needed detailed investigation was required before interpretations or explanations could be formulated. These two approaches are more accurately described by Evered and Lewis (1981) as 'inquiry from the outside' (quantitative research) and 'inquiry from the inside' (qualitative research) (p.178). It was also thought that in using different methodologies, biases in any one approach may be compensated for.

The qualitative aspect of this study was given emphasis as it was thought that it would be more likely to foster new lines of inquiry. The qualitative results could be used as a precursor for more quantitative investigation, or a continued qualitative emphasis could provide a deeper exploration of the respondents' experience within a particular professional setting.

Chapter One will provide a review of past and current literature on depression as it is experienced by psychologists in private practice. Chapter Two will outline the methodology – both quantitative and qualitative – used for the research design, collection and analysis of the data. Chapter Three will present the results of the research in both quantitative and qualitative formats. Chapter Four covers a discussion of the results in the context of the current body of knowledge. And finally, Chapter Five will review the ground covered by the current study and offer suggestions for future research.