




Cyberbullying and eating disorder symptoms in US early adolescents

Chloe M. Cheng BA¹ | Jonathan Chu MD¹ | Kyle T. Ganson PhD, MSW²  |
Nora Trompeter PhD³ | Alexander Testa PhD⁴ | Dylan B. Jackson PhD, MS⁵ |
Jinbo He PhD⁶  | David V. Glidden PhD, MS⁷ | Fiona C. Baker PhD^{8,9} |
Jason M. Nagata MD, MSc¹ 

¹Department of Pediatrics, University of California, San Francisco, California, USA

²Factor-Inwentash Faculty of Social Work, University of Toronto, Toronto, Ontario, Canada

³Institute for Child Health, University College London, London, UK

⁴Department of Management, Policy and Community Health, University of Texas Health Science Center at Houston, Houston, Texas, USA

⁵Department of Population, Family, and Reproductive Health, Johns Hopkins Bloomberg School of Public Health, Johns Hopkins University, Baltimore, Maryland, USA

⁶School of Humanities and Social Science, The Chinese University of Hong Kong, Shenzhen, Guangdong, China

⁷Department of Epidemiology and Biostatistics, University of California, California, USA

⁸Center for Health Sciences, SRI International, Menlo Park, California, USA

⁹School of Physiology, University of the Witwatersrand, Johannesburg, South Africa

Correspondence

Jason M. Nagata, 550 16th Street, 4th Floor,
Box 0503, San Francisco, CA 94143, USA.
Email: jason.nagata@ucsf.edu

Funding information

American Heart Association, Grant/Award Number: CDA34760281; Doris Duke Charitable Foundation, Grant/Award Number: 2022056; Foundation for the National Institutes of Health, Grant/Award Number: K08HL159350; National Institutes of Health, Grant/Award Numbers: U24DA041147, U24DA041123, U01DA041174, U01DA041156, U01DA041148, U01DA041134, U01DA041120, U01DA041117, U01DA041106, U01DA041093, U01DA041089, U01DA041048, U01DA041028, U01DA041025, U01DA041022

Action Editor: Natasha L Burke

Abstract

Objective: The objective of this study was to determine the association between cyberbullying and eating disorder symptoms in a national sample of 10–14-year-old early adolescents.

Method: We analyzed cross-sectional data from the Adolescent Brain Cognitive Development (ABCD) Study (Year 2, 2018–2020, $N = 10,258/11,875$, 49% female, 46% non-White). Data were collected using multi-stage probability sampling. Modified Poisson regression analyses examined the association between cyberbullying and self-reported eating disorder symptoms based on the Kiddie Schedule for Affective Disorders and Schizophrenia (KSADS-5).

Results: Cyberbullying victimization was associated with worry about weight gain (prevalence ratio [PR] 2.41, 95% confidence interval [CI] 1.48–3.91), self-worth tied to weight (PR 2.08, 95% CI 1.33–3.26), inappropriate compensatory behavior to prevent weight gain (PR 1.95, 95% CI 1.57–2.42), binge eating (PR 1.95, 95% CI 1.59–2.39), and distress with binge eating (PR 2.64, 95% CI 1.94–3.59), in models adjusting for potential confounders. Cyberbullying perpetration was associated with worry about weight gain (PR 3.52, 95% CI 1.19–10.37), self-worth tied to weight (PR 5.59,

Chloe M. Cheng and Jonathan Chu contributed equally to the study.

This is an open access article under the terms of the [Creative Commons Attribution-NonCommercial-NoDerivs](https://creativecommons.org/licenses/by-nc-nd/4.0/) License, which permits use and distribution in any medium, provided the original work is properly cited, the use is non-commercial and no modifications or adaptations are made.

© 2023 The Authors. *International Journal of Eating Disorders* published by Wiley Periodicals LLC.

95% CI 2.56–12.20), binge eating (PR 2.36, 95% CI 1.44–3.87), and distress with binge eating (PR 2.84, 95% CI 1.47–5.49).

Discussion: Cyberbullying victimization and perpetration in early adolescence are associated with eating disorder symptoms. Clinicians may consider assessing for cyberbullying and eating disorder symptoms in early adolescence and provide anticipatory guidance.

Public Significance Statement: Eating disorders often onset in adolescence and have among the highest mortality rates of any psychiatric disorder. In addition, cyberbullying has increased in prevalence among adolescents and significantly impacts mental health. In a national study of early adolescents, we found that cyberbullying victimization and perpetration are associated with eating disorder symptoms. Screening for and providing anticipatory guidance on cyberbullying and eating disorder symptoms in early adolescents may be warranted.

KEYWORDS

adolescent, binge eating, compensatory behavior, cyberbullying, eating disorder, perpetration, victimization, weight

1 | INTRODUCTION

Cyberbullying is a serious public health issue due to its increasing prevalence among adolescents and its impact on adolescent mental health (John et al., 2018; Kwan et al., 2020), including disordered eating behaviors (Marco & Tormo-Irun, 2018; Wang et al., 2022). Cyberbullying is defined as “an aggressive, intentional act carried out by a group or individual, using electronic forms of contact, repeatedly and over time against a victim who cannot easily defend him or herself” (Smith et al., 2008, p. 376). In particular, both victims and perpetrators of cyberbullying report greater mental health problems compared to uninvolved youth (Marciano et al., 2020). In early adolescence, screen time usage increases at the greatest rate (Twenge & Campbell, 2018), and cyberbullying is most prevalent (Kennedy, 2021), with around 1 in 5 early adolescents in the United States reporting cyberbullying involvement (Patchin & Hinduja, 2022).

Eating disorders often onset in adolescence (Curzio et al., 2015) and have among the highest mortality rate of any psychiatric disorder (Arcelus et al., 2011; Birmingham et al., 2005; Hoang et al., 2014). Eating disorder symptoms include self-induced weight loss (e.g., inappropriate compensatory behavior to prevent weight gain), intense fear of gaining weight, self-worth tied to weight, binge eating, and distress with binge eating (American Psychiatric Association, 2013). These symptoms are risk factors for the development and maintenance of full threshold eating disorders, and thus represent an important area for research and intervention (Curzio et al., 2018; Walsh, 2011).

Cyberbullying frequently centers on body appearance and weight (Cassidy et al., 2009). Studies have shown that, in turn, weight-based victimization can negatively affect adolescents' physical and mental health, increasing the risk of binge eating, unhealthy weight control behaviors, and low self-esteem (Puhl et al., 2013). A cross-sectional analysis of 2017 survey data collected from a

representative sample of students in grades 9–12 found that cyberbullying victimization was associated with unhealthy weight control behaviors (Pistella et al., 2019), and another cross-sectional study utilizing data from the 2013 Ontario Student Drug Use and Health Survey found a dose–response relationship between cyberbullying victimization and breakfast-skipping behavior in adolescents aged 11–19 (Sampasa-Kanyinga & Willmore, 2015). In addition, a recent longitudinal study found that self-objectification mediated the association between cyberbullying victimization and restrained eating (Wang et al., 2022). Over time, low self-esteem, body image dissatisfaction, and unhealthy weight control behaviors may lead to the development of eating disorders (Marco et al., 2018; Marco & Tormo-Irun, 2018).

Similarly, previous studies have shown that cyberbullying perpetration has been related to decreased self-esteem and increased risk for mental health issues, including depression and anxiety (Nixon, 2014). This decrease in self-esteem and increase in depression and anxiety may predispose perpetrators to the development of eating disorder symptomatology (Sander et al., 2021).

The current literature on cyberbullying has focused on disordered eating behaviors instead of specific eating disorder symptoms as defined by the Diagnostic and Statistical Manual, 5th Edition (DSM-5) (American Psychiatric Association, 2013), concentrated on cyberbullying victimization instead of perpetration, and primarily focuses on older adolescents and young adults (Marco et al., 2018; Olenik-Shemesh & Heiman, 2017; Pistella et al., 2019; Puhl et al., 2013; Sampasa-Kanyinga & Willmore, 2015; Wang et al., 2022). Yet, previous research has shown that the largest increase in eating disorder symptoms starts in early adolescence (Breton et al., 2022). One study of early adolescents showed that cyberbullying victimization was associated with cyberbullying perpetration, body image dissatisfaction, and dieting behaviors to lose weight (Ramos Salazar, 2021).

However, to date, no studies have used large, diverse samples examining the association between cyberbullying and DSM-5 eating disorder symptoms in early adolescents.

The purpose of this study was to determine associations between cyberbullying behaviors (victimization and perpetration) and DSM-5 eating disorder symptoms in a national, demographically diverse, contemporary sample of US early adolescents. We hypothesized that cyberbullying victimization and perpetration would be associated with eating disorder symptoms in US early adolescents.

2 | METHODS

2.1 | Study sample

We conducted a secondary cross-sectional data analysis from the 2-year follow-up of the Adolescent Brain Cognitive Development (ABCD) study, a longitudinal study (baseline 2016–2018) of brain development and health in 11,875 children recruited from 21 sites around the United States. The ABCD study design has previously been described in detail (Dick et al., 2021; Garavan et al., 2018). Data analyzed in the present study are from the ABCD 4.0 release for the Year 2 (2018–2020) assessments, with a mean participant age of 12-years-old. Evaluation of cyberbullying was only performed at the Year 2 assessment, thus, limiting the present study to a cross-sectional analysis. Participants with missing data for cyberbullying and eating disorder symptoms were excluded ($N = 1617$, 13.6%), leaving 10,258 children in the remaining analytic sample. Centralized institutional review board (IRB) approval was obtained from the University of California, San Diego. Study sites obtained approval from their respective IRBs. Participants provided written assent, and caregivers provided written informed consent.

2.2 | Independent variable: Cyberbullying

At the 2-year follow-up, adolescents completed a self-reported questionnaire to capture lifetime cyberbullying (victimization and perpetration) using a modified version of the validated Cyberbullying Scale (Barch et al., 2021; Stewart et al., 2014). Cyberbullying victimization was assessed with the question, “Have you ever been cyberbullied, where someone was trying on purpose to harm you or be mean to you online, in texts, or group texts, or on social media (like Instagram or Snapchat)?” Cyberbullying perpetration was assessed with the question, “Have you ever cyberbullied someone, where you purposefully tried to harm another person or be mean to them online, in texts or group texts, or on social media (like Instagram or Snapchat)?” Participants answered either “yes” or “no,” and those who responded “yes” were coded as either experiencing victimization or perpetration, respectively (Nagata et al., 2022). Participants were not asked about cyberbullying at the baseline assessment. Further details regarding the assessment of cyberbullying may be found in Table S1.

2.3 | Dependent variable: Symptoms of eating disorders

The ABCD study utilizes the Kiddie Schedule for Affective Disorders and Schizophrenia (KSADS-5), a widely used computerized tool for categorizing child and adolescent mental health concerns based on the DSM-5, for assessment of eating disorder symptoms at the 2-year follow-up (Townsend et al., 2020). The KSADS-5 assessed the frequency, duration, and characteristics of eating disorder symptoms. Participants were asked, “Do you feel like your self-worth is tied to your weight?” and “In the past two weeks, how often have you been preoccupied with your weight or worrying a lot about being fat?” Participants were also asked about behaviors such as compensatory behaviors to lose weight, binge eating, and distress with binge eating. Compensatory behaviors included the following: only eating foods with minimal calories, exercising a lot, throwing up, and taking water pills, laxatives, or diet pills. Given the low prevalence of these behaviors in the study sample, those who responded yes to any of the behaviors were coded as engaging in compensatory behaviors to lose weight. Further details regarding the assessment of eating disorder symptoms may be found in Table S2.

2.4 | Confounders

Potential confounders include sex (female, male), race/ethnicity (White, Latino/Hispanic, Black, Asian, Native American, other), household income (grouped into six categories reflecting the US median household income: less than \$25,000, \$25,000 through \$49,999, \$50,000 through \$74,999, \$75,000 through \$99,999, \$100,000 through \$199,999, \$200,000 and greater), and years of parent education. In addition, in order to account for potential regional variation, ABCD study site was included as a confounder.

2.5 | Statistical analysis

Data analyses were conducted on Stata 15.1 (StataCorp). Modified Poisson regression analyses with robust standard errors were used to calculate prevalence ratios estimating associations between lifetime cyberbullying as the independent variable and the presence of youth-reported eating disorder symptoms (worry about weight gain, self-worth tied to weight, inappropriate compensatory behavior to prevent weight gain, binge eating, and distress with binge eating) as the dependent variable, adjusting for confounders (Zou, 2004). Finally, propensity weights were applied based on the US Census American Community Survey to yield representative estimates (Heeringa & Berglund, 2020).

3 | RESULTS

Table 1 reports the descriptive characteristics of the 10,258 participants included in the study. The analytic sample was approximately

TABLE 1 Sociodemographic factors and prevalence of cyberbullying and eating disorder symptoms among 10,258 Adolescent Brain Cognitive Development (ABCD) Study participants.

Sociodemographic characteristics (baseline)	Mean (SD)/%
Age (years)	12.0 (0.1)
Sex, n (%)	
Female	48.8%
Male	51.2%
Race/ethnicity (%)	
White	54.1%
Latino/Hispanic	19.9%
Black	16.0%
Asian	5.40%
Native American	3.20%
Other	1.41%
Household income (%)	
Less than \$25,000	16.4%
\$25,000 through \$49,999	20.4%
\$50,000 through \$74,999	18.3%
\$75,000 through \$99,999	16.4%
\$100,000 through \$199,999	21.8%
\$200,000 and greater	6.80
Parent education (years)	16.5 (2.63)
Cyberbullying (Year 2)	
Victimization	9.50%
Perpetration	1.10%
Youth-reported eating disorder symptoms (Year 2)	
Worry about weight gain	1.45%
Self-worth tied to weight	1.67%
Inappropriate compensatory behavior to prevent weight gain	6.51%
Binge eating	7.50%
Distress with binge eating	2.89%

Note: Propensity weights were applied to yield representative estimates based on the American Community Survey from the US Census.

TABLE 2 Cross-sectional associations between cyberbullying victimization or perpetration and eating disorder symptoms in the Adolescent Brain Cognitive Development Study.

Eating disorder symptom	Cyberbullying victimization ^a		Cyberbullying perpetration ^a	
	Prevalence ratio (95% CI)	<i>p</i>	Prevalence ratio (95% CI)	<i>p</i>
Worry about weight gain	2.41 (1.48–3.91)	<.001	3.52 (1.19–10.37)	.023
Self-worth tied to weight	2.08 (1.33–3.26)	.001	5.59 (2.56–12.20)	<.001
Inappropriate compensatory behavior to prevent weight gain	1.95 (1.57–2.42)	<.001	1.56 (0.82–2.97)	.177
Binge eating	1.95 (1.59–2.39)	<.001	2.36 (1.44–3.87)	.001
Distress with binge eating	2.64 (1.94–3.59)	<.001	2.84 (1.47–5.49)	.002

Note: Propensity weights were applied to yield representative estimates based on the American Community Survey from the US Census. Bold indicates $p < .05$.

^aCovariates: race/ethnicity, sex, household income, parent education, site.

matched by sex (49% female) and racially and ethnically diverse (46% non-White). The prevalence of lifetime cyberbullying victimization and perpetration was 9.5% and 1.1%, respectively. The prevalence of the different eating disorder symptoms varied between 1.5% and 7.5%.

Adjusted Poisson regression models examining the cross-sectional associations between cyberbullying victimization or perpetration and eating disorder symptoms are presented in Table 2. Cyberbullying victimization was associated with worry about weight gain (prevalence ratio [PR] 2.41, 95% confidence interval [CI] 1.48–3.91), self-worth tied to weight (PR 2.08, 95% CI 1.33–3.26), inappropriate compensatory behavior to prevent weight gain (PR 1.95, 95% CI 1.57–2.42), binge eating (PR 1.95, 95% CI 1.59–2.39), and distress with binge eating (PR 2.64, 95% CI 1.94–3.59). Cyberbullying perpetration was associated with worry about weight gain (PR 3.52, 95% CI 1.19–10.37), self-worth tied to weight (PR 5.59, 95% CI 2.56–12.20), binge eating (PR 2.36, 95% CI 1.44–3.87), and distress with binge eating (PR 2.84, 95% CI 1.47–5.49).

4 | DISCUSSION

In this demographically diverse cohort of US early adolescents, we found that cyberbullying victimization was associated with all DSM-5 eating disorder symptoms, including worry about weight gain, self-worth tied to weight, inappropriate compensatory behavior to prevent weight gain, binge eating, and distress with binge eating. Our findings are consistent with previous studies. Cyberbullying is often appearance and weight-related (Cassidy et al., 2009), increasing the risk of poor self-esteem and unhealthy weight control behaviors (Pistella et al., 2019; Puhl et al., 2013; Sampasa-Kanyinga & Willmore, 2015). Cyberbullying victimization has been associated with disordered eating and over-eating behaviors in older adolescents and young adults (King et al., 2015; Marco & Tormo-Irun, 2018; Menzel et al., 2010; Pistella et al., 2019; Wang et al., 2022), and has also been identified as a predictor of eating disorder psychopathology (Marco et al., 2018). Our study results extend upon previous studies by showing an association between

cyberbullying victimization and all eating disorder symptoms, as defined by DSM-5 criteria, in early adolescents.

Cyberbullying perpetration was associated with the same symptoms as cyberbullying victimization, excluding inappropriate compensatory behavior to prevent weight gain. The latter case may reflect inadequate power due to the small proportion of those reporting cyberbullying perpetration and inappropriate compensatory behaviors in the sample. Although the result was not statistically significant and the effect estimate was lower than the other effect estimates, it may still be significant when viewed from a public health or clinical perspective. Our preliminary findings regarding cyberbullying perpetration would benefit from further research and replication, as we are not aware of prior studies evaluating the direct association between cyberbullying perpetration and eating disorder symptoms, or the mechanisms that might underlie such associations.

Furthermore, we found that 9.5% of the adolescents in our study had experienced lifetime cyberbullying victimization, and 1.1% had experienced lifetime cyberbullying perpetration. A scoping review of 159 prevalence studies found the prevalence range of lifetime cyberbullying victimization in adolescents to be 4.9%–65.0%, which is consistent with our finding, while the prevalence range of lifetime cyberbullying perpetration was found to be 1.2%–44.1%, which is slightly greater than our finding (Brochado et al., 2017). The heterogeneity in prevalence estimates is likely due to differences in methodology (Brochado et al., 2017).

These results should be interpreted in light of this study's strengths and limitations. Strengths include analysis of a large, national, demographically diverse, contemporary sample of early adolescents. Due to the cross-sectional nature of the data analysis, we cannot establish causality. Participants who identified as more than one race/ethnicity were categorized as only one race/ethnicity during analysis (e.g., Hispanic/Latino only), which may not capture the nuances of their multiracial identities. The measures utilized in this study were based on self-report and may be subject to reporting, social desirability, and recall bias. Furthermore, although the ABCD assessment of cyberbullying is based on and similar to the validated Cyberbullying Scale, it has not yet been validated for itself. Finally, while we do not include body mass index criteria or the frequency/severity of symptoms to differentiate participants who may fit specific eating disorder phenotypes, we acknowledge that identifying the risk factors for the severity of eating disorders as well as specific eating disorders using the ABCD cohort is an important area of future research.

Future studies should continue to examine the relationship between cyberbullying and eating disorder symptoms as the ABCD cohort ages to mid and late adolescence, when the diagnosis of eating disorders increases in prevalence. Studies evaluating the prospective association between cyberbullying and eating disorder symptoms, as well as the association between cyberbullying and specific eating disorders (e.g., anorexia nervosa, bulimia nervosa, and binge eating disorder) represent other possible areas for future research. Further research is also needed to understand the mechanisms that underpin the findings from this study.

The findings of this study have significant implications for public policy, public health, and clinical practice, especially with regards to informing strategies for cyberbullying and eating disorder prevention and intervention in the early adolescent population. In particular, our study supports the use of strategies to teach early adolescents methods to navigate negative appearance-related online comments. Furthermore, adolescents who have experienced cyberbullying could benefit from eating disorder prevention programs to minimize the risk of eating disorder development. In addition, digital literacy curricula could provide anticipatory guidance about cyberbullying and disordered eating among early adolescents. Pediatricians can also consider inquiring about cyberbullying and eating disorder symptoms among early adolescents and provide anticipatory guidance as needed.

AUTHOR CONTRIBUTIONS

Chloe M. Cheng: Conceptualization; writing – original draft; writing – review and editing. **Jonathan Chu:** Conceptualization; formal analysis; writing – original draft; writing – review and editing. **Kyle T. Ganson:** Writing – review and editing. **Nora Trompeter:** Writing – review and editing. **Alexander Testa:** Writing – review and editing. **Dylan B. Jackson:** Writing – review and editing. **Jinbo He:** Writing – review and editing. **David V. Glidden:** Writing – review and editing. **Fiona C. Baker:** Data curation; methodology; writing – review and editing. **Jason M. Nagata:** Conceptualization; formal analysis; supervision; writing – review and editing.

ACKNOWLEDGMENTS

The authors thank Ashley Saldana and Sean Kim for editorial assistance. The ABCD Study was supported by the National Institutes of Health and additional federal partners under award numbers U01DA041022, U01DA041025, U01DA041028, U01DA041048, U01DA041089, U01DA041093, U01DA041106, U01DA041117, U01DA041120, U01DA041134, U01DA041148, U01DA041156, U01DA041174, U24DA041123, and U24DA041147. A full list of supporters is available at <https://abcdstudy.org/federal-partners/>. A listing of participating sites and a complete listing of the study investigators can be found at <https://abcdstudy.org/principal-investigators.html>. ABCD consortium investigators designed and implemented the study and/or provided data but did not necessarily participate in the analysis or writing of this report.

FUNDING INFORMATION

Jason M. Nagata was funded by the National Institutes of Health (K08HL159350), the American Heart Association (CDA34760281), and the Doris Duke Charitable Foundation (2022056). The funders had no role in the design and conduct of the study; collection, management, analysis, and interpretation of the data; preparation, review, or approval of the manuscript; and decision to submit the manuscript for publication.

CONFLICT OF INTEREST STATEMENT

The authors declare no conflict of interest.

DATA AVAILABILITY STATEMENT

Data Availability Statement: Data used in the preparation of this article were obtained from the ABCD Study (<https://abcdstudy.org>), held in the NIMH Data Archive (NDA). Investigators can apply for data access through the NDA (<https://nda.nih.gov/>).

ORCID

Kyle T. Ganson  <https://orcid.org/0000-0003-3889-3716>

Jinbo He  <https://orcid.org/0000-0002-2785-9371>

Jason M. Nagata  <https://orcid.org/0000-0002-6541-0604>

REFERENCES

- American Psychiatric Association. (2013). *Diagnostic and statistical manual of mental disorders* (5th ed.). American Psychiatric Association. <https://doi.org/10.1176/appi.books.9780890425596>
- Arcelus, J., Mitchell, A. J., Wales, J., & Nielsen, S. (2011). Mortality rates in patients with anorexia nervosa and other eating disorders. A meta-analysis of 36 studies. *Archives of General Psychiatry*, 68(7), 724–731. <https://doi.org/10.1001/archgenpsychiatry.2011.74>
- Barch, D. M., Albaugh, M. D., Baskin-Sommers, A., Bryant, B. E., Clark, D. B., Dick, A. S., Feczko, E., Foxe, J. J., Gee, D. G., Giedd, J., Glantz, M. D., Hudziak, J. J., Karcher, N. R., LeBlanc, K., Maddox, M., McGlade, E. C., Mulford, C., Nagel, B. J., Neigh, G., ... Xie, L. (2021). Demographic and mental health assessments in the adolescent brain and cognitive development study: Updates and age-related trajectories. *Developmental Cognitive Neuroscience*, 52, 101031. <https://doi.org/10.1016/j.dcn.2021.101031>
- Birmingham, C. L., Su, J., Hlynsky, J. A., Goldner, E. M., & Gao, M. (2005). The mortality rate from anorexia nervosa. *International Journal of Eating Disorders*, 38(2), 143–146. <https://doi.org/10.1002/eat.20164>
- Breton, É., Dufour, R., Côté, S. M., Dubois, L., Vitaro, F., Boivin, M., Tremblay, R. E., & Boijl, L. (2022). Developmental trajectories of eating disorder symptoms: A longitudinal study from early adolescence to young adulthood. *Journal of Eating Disorders*, 10(1), 84. <https://doi.org/10.1186/s40337-022-00603-z>
- Brochado, S., Soares, S., & Fraga, S. (2017). A scoping review on studies of cyberbullying prevalence among adolescents. *Trauma, Violence, & Abuse*, 18(5), 523–531. <https://doi.org/10.1177/1524838016641668>
- Cassidy, W., Jackson, M., & Brown, K. N. (2009). Sticks and stones can break my bones, but how can pixels hurt me?: Students' experiences with cyber-bullying. *School Psychology International*, 30(4), 383–402. <https://doi.org/10.1177/0143034309106948>
- Curzio, O., Bastiani, L., Scalese, M., Cutrupi, V., Romano, E., Denoth, F., Maestro, S., Muratori, F., & Molinaro, S. (2015). Developing anorexia nervosa in adolescence: The role of self-image as a risk factor in a prevalence study. *Advances in Eating Disorders*, 3(1), 63–75. <https://doi.org/10.1080/21662630.2014.965721>
- Curzio, O., Maestro, S., Rossi, G., Calderoni, S., Giombini, L., Scardigli, S., Ragione, L. D., & Muratori, F. (2018). Transdiagnostic vs. disorder-focused perspective in children and adolescents with eating disorders: Findings from a large multisite exploratory study. *European Psychiatry*, 49, 81–93. <https://doi.org/10.1016/j.eurpsy.2017.12.024>
- Dick, A. S., Lopez, D. A., Watts, A. L., Heeringa, S., Reuter, C., Bartsch, H., Fan, C. C., Kennedy, D. N., Palmer, C., Marshall, A., Haist, F., Hawes, S., Nichols, T. E., Barch, D. M., Jernigan, T. L., Garavan, H., Grant, S., Pariyadath, V., Hoffman, E., ... Thompson, W. K. (2021). Meaningful associations in the adolescent brain cognitive development study. *NeuroImage*, 239, 118262. <https://doi.org/10.1016/j.neuroimage.2021.118262>
- Garavan, H., Bartsch, H., Conway, K., Decastro, A., Goldstein, R. Z., Heeringa, S., Jernigan, T., Potter, A., Thompson, W., & Zals, D. (2018). Recruiting the ABCD sample: Design considerations and procedures. *Developmental Cognitive Neuroscience*, 32, 16–22. <https://doi.org/10.1016/j.dcn.2018.04.004>
- Heeringa, S. G., & Berglund, P. A. (2020). *A guide for population-based analysis of the adolescent brain cognitive development (ABCD) study baseline data*. Neuroscience. <https://doi.org/10.1101/2020.02.10.942011>
- Hoang, U., Goldacre, M., & James, A. (2014). Mortality following hospital discharge with a diagnosis of eating disorder: National record linkage study, England, 2001–2009. *International Journal of Eating Disorders*, 47(5), 507–515. <https://doi.org/10.1002/eat.22249>
- John, A., Glendenning, A. C., Marchant, A., Montgomery, P., Stewart, A., Wood, S., Lloyd, K., & Hawton, K. (2018). Self-harm, suicidal Behaviours, and cyberbullying in children and Young people: Systematic review. *Journal of Medical Internet Research*, 20(4), e9044. <https://doi.org/10.2196/jmir.9044>
- Kennedy, R. S. (2021). Bullying trends in the United States: A meta-regression. *Trauma, Violence, & Abuse*, 22(4), 914–927. <https://doi.org/10.1177/1524838019888555>
- King, R., Moorfoot, R., & Kotronakis, M. (2015). Impact of bullying & cyberbullying on body image and disordered eating in young adult females. *Journal of Eating Disorders*, 3(Suppl 1), P18. <https://doi.org/10.1186/2050-2974-3-S1-P18>
- Kwan, I., Dickson, K., Richardson, M., MacDowall, W., Burchett, H., Stansfield, C., Brunton, G., Sutcliffe, K., & Thomas, J. (2020). Cyberbullying and children and Young People's mental health: A systematic map of systematic reviews. *Cyberpsychology, Behavior and Social Networking*, 23(2), 72–82. <https://doi.org/10.1089/cyber.2019.0370>
- Marciano, L., Schulz, P. J., & Camerini, A.-L. (2020). Cyberbullying perpetration and victimization in youth: A meta-analysis of longitudinal studies. *Journal of Computer-Mediated Communication*, 25(2), 163–181. <https://doi.org/10.1093/jcmc/zmz031>
- Marco, J. H., & Tormo-Irun, M. P. (2018). Cyber victimization is associated with eating disorder psychopathology in adolescents. *Frontiers in Psychology*, 9, 987. <https://doi.org/10.3389/fpsyg.2018.00987>
- Marco, J. H., Tormo-Irun, M. P., Galán-Escalante, A., & Gonzalez-García, C. (2018). Is Cybervictimization associated with body dissatisfaction, depression, and eating disorder psychopathology? *Cyberpsychology, Behavior and Social Networking*, 21(10), 611–617. <https://doi.org/10.1089/cyber.2018.0217>
- Menzel, J. E., Schaefer, L. M., Burke, N. L., Mayhew, L. L., Brannick, M. T., & Thompson, J. K. (2010). Appearance-related teasing, body dissatisfaction, and disordered eating: A meta-analysis. *Body Image*, 7(4), 261–270. <https://doi.org/10.1016/j.bodyim.2010.05.004>
- Nagata, J. M., Trompeter, N., Singh, G., Ganson, K. T., Testa, A., Jackson, D. B., Assari, S., Murray, S. B., Bibbins-Domingo, K., & Baker, F. C. (2022). Social epidemiology of early adolescent cyberbullying in the united states. *Academic Pediatrics*, 22(8), 1287–1293. <https://doi.org/10.1016/j.acap.2022.07.003>
- Nixon, C. L. (2014). Current perspectives: The impact of cyberbullying on adolescent health. *Adolescent Health, Medicine and Therapeutics*, 5, 143–158. <https://doi.org/10.2147/AHMT.S36456>
- Olenik-Shemesh, D., & Heiman, T. (2017). Cyberbullying victimization in adolescents as related to body esteem, social support, and social self-efficacy. *The Journal of Genetic Psychology*, 178(1), 28–43. <https://doi.org/10.1080/00221325.2016.1195331>
- Patchin, J. W., & Hinduja, S. (2022). Cyberbullying among tweens in the United States: Prevalence, impact, and helping behaviors. *The Journal of Early Adolescence*, 42(3), 414–430. <https://doi.org/10.1177/02724316211036740>
- Pistella, J., Ioverno, S., & Russell, S. T. (2019). The role of peer victimization, sexual identity, and gender on unhealthy weight control behaviors in a representative sample of Texas youth. *International Journal of Eating Disorders*, 52(5), 597–601. <https://doi.org/10.1002/eat.23055>
- Puhl, R. M., Peterson, J. L., & Luedicke, J. (2013). Weight-based victimization: bullying experiences of weight loss treatment-seeking youth. *Pediatrics*, 131(1), e1–e9. <https://doi.org/10.1542/peds.2012-1106>

- Ramos Salazar, L. (2021). Cyberbullying victimization as a predictor of cyberbullying perpetration, body image dissatisfaction, healthy eating and dieting behaviors, and life satisfaction. *Journal of Interpersonal Violence*, 36(1–2), 354–380. <https://doi.org/10.1177/0886260517725737>
- Sampasa-Kanyinga, H., & Willmore, J. (2015). Relationships between bullying victimization psychological distress and breakfast skipping among boys and girls. *Appetite*, 89, 41–46. <https://doi.org/10.1016/j.appet.2015.01.020>
- Sander, J., Moessner, M., & Bauer, S. (2021). Depression, anxiety and eating disorder-related impairment: Moderators in female adolescents and Young adults. *International Journal of Environmental Research and Public Health*, 18(5), 2779. <https://doi.org/10.3390/ijerph18052779>
- Smith, P. K., Mahdavi, J., Carvalho, M., Fisher, S., Russell, S., & Tippett, N. (2008). Cyberbullying: Its nature and impact in secondary school pupils. *Journal of Child Psychology and Psychiatry*, 49(4), 376–385. <https://doi.org/10.1111/j.1469-7610.2007.01846.x>
- Stewart, R. W., Drescher, C. F., Maack, D. J., Ebesutani, C., & Young, J. (2014). The development and psychometric investigation of the cyberbullying scale. *Journal of Interpersonal Violence*, 29(12), 2218–2238. <https://doi.org/10.1177/0886260513517552>
- Townsend, L., Kobak, K., Kearney, C., Milham, M., Andreotti, C., Escalera, J., Alexander, L., Gill, M. K., Birmaher, B., Sylvester, R., Rice, D., Deep, A., & Kaufman, J. (2020). Development of three web-based computerized versions of the kiddie schedule for affective disorders and schizophrenia child psychiatric diagnostic interview: Preliminary validity data. *Journal of the American Academy of Child and Adolescent Psychiatry*, 59(2), 309–325. <https://doi.org/10.1016/j.jaac.2019.05.009>
- Twenge, J. M., & Campbell, W. K. (2018). Associations between screen time and lower psychological well-being among children and adolescents: Evidence from a population-based study. *Preventive Medicine Reports*, 12, 271–283. <https://doi.org/10.1016/j.pmedr.2018.10.003>
- Walsh, B. T. (2011). The importance of eating behavior in eating disorders. *Physiology & Behavior*, 104(4), 525–529. <https://doi.org/10.1016/j.physbeh.2011.05.007>
- Wang, W., Chen, Z., & Ding, X. (2022). Cyberbullying victimization and disordered eating behaviors: The mediating roles of self-compassion and self-objectification. *Appetite*, 178, 106267. <https://doi.org/10.1016/j.appet.2022.106267>
- Zou, G. (2004). A modified poisson regression approach to prospective studies with binary data. *American Journal of Epidemiology*, 159(7), 702–706. <https://doi.org/10.1093/aje/kwh090>

SUPPORTING INFORMATION

Additional supporting information can be found online in the Supporting Information section at the end of this article.

How to cite this article: Cheng, C. M., Chu, J., Ganson, K. T., Trompeter, N., Testa, A., Jackson, D. B., He, J., Glidden, D. V., Baker, F. C., & Nagata, J. M. (2023). Cyberbullying and eating disorder symptoms in US early adolescents. *International Journal of Eating Disorders*, 56(12), 2336–2342. <https://doi.org/10.1002/eat.24034>